

Ellen Keizer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1554367/publications.pdf>

Version: 2024-02-01

23
papers

540
citations

687363

13
h-index

642732

23
g-index

28
all docs

28
docs citations

28
times ranked

664
citing authors

#	ARTICLE	IF	CITATIONS
1	Methodology of the DCCSS later fatigue study: a model to investigate chronic fatigue in long-term survivors of childhood cancer. <i>BMC Medical Research Methodology</i> , 2021, 21, 106.	3.1	8
2	Use of acute care services by adults with a migrant background: a secondary analysis of a EurOOHnet survey. <i>BMC Family Practice</i> , 2021, 22, 119.	2.9	2
3	Time trends in general practitioners' home visits for older patients: a retrospective cross-sectional study from Switzerland. <i>Swiss Medical Weekly</i> , 2021, 151, w20539.	1.6	4
4	Point-of-Care C-Reactive Protein Testing to Reduce Antibiotic Prescribing for Respiratory Tract Infections in Primary Care: Systematic Review and Meta-Analysis of Randomised Controlled Trials. <i>Antibiotics</i> , 2020, 9, 610.	3.7	39
5	Factors related to out-of-hours help-seeking for acute health problems: a survey study using case scenarios. <i>BMC Public Health</i> , 2019, 19, 33.	2.9	9
6	Indications and associated factors for prescribing intravenous iron supplementation in Swiss general practice: a retrospective observational study. <i>Swiss Medical Weekly</i> , 2019, 149, w20127.	1.6	3
7	Ambulance dispatch versus general practitioner home visit for highly urgent out-of-hours primary care. <i>Family Practice</i> , 2018, 35, 440-445.	1.9	14
8	Patient safety culture in out-of-hours primary care services in the Netherlands: a cross-sectional survey. <i>Scandinavian Journal of Primary Health Care</i> , 2018, 36, 28-35.	1.5	23
9	Help-seeking behaviour outside office hours in Denmark, the Netherlands and Switzerland: a questionnaire study exploring responses to hypothetical cases. <i>BMJ Open</i> , 2018, 8, e019295.	1.9	7
10	Impact of alternative healthcare plans on out-of-hours help-seeking intentions in Switzerland. <i>Swiss Medical Weekly</i> , 2018, 148, w14686.	1.6	6
11	The Development and Performance of After-Hours Primary Care in the Netherlands. <i>Annals of Internal Medicine</i> , 2017, 166, 737.	3.9	89
12	The impact of demand management strategies on parents' decision-making for out-of-hours primary care: findings from a survey in The Netherlands. <i>BMJ Open</i> , 2017, 7, e014605.	1.9	7
13	Migrants' motives and expectations for contacting out-of-hours primary care: a survey study. <i>BMC Family Practice</i> , 2017, 18, 92.	2.9	12
14	Development and testing of the KERNset: an instrument to assess the quality of telephone triage in out-of-hours primary care services. <i>BMC Health Services Research</i> , 2017, 17, 798.	2.2	16
15	The psychometric properties of the 'safety attitudes questionnaire' in out-of-hours primary care services in the Netherlands. <i>PLoS ONE</i> , 2017, 12, e0172390.	2.5	24
16	Reducing the use of out-of-hours primary care services: A survey among Dutch general practitioners. <i>European Journal of General Practice</i> , 2016, 22, 189-195.	2.0	30
17	Contacts with out-of-hours primary care for nonurgent problems: patients' beliefs or deficiencies in healthcare?. <i>BMC Family Practice</i> , 2015, 16, 157.	2.9	44
18	Association between general practice characteristics and use of out-of-hours GP cooperatives. <i>BMC Family Practice</i> , 2015, 16, 52.	2.9	27

#	ARTICLE	IF	CITATIONS
19	GPs' experiences with out-of-hours GP cooperatives: A survey study from the Netherlands. <i>European Journal of General Practice</i> , 2014, 20, 196-201.	2.0	14
20	Minimal improvement of nurses' motivational interviewing skills in routine diabetes care one year after training: a cluster randomized trial. <i>BMC Family Practice</i> , 2013, 14, 44.	2.9	31
21	No identifiable Hb1Ac or lifestyle change after a comprehensive diabetes programme including motivational interviewing: A cluster randomised trial. <i>Scandinavian Journal of Primary Health Care</i> , 2013, 31, 119-127.	1.5	69
22	Nurse telephone triage: good quality associated with appropriate decisions. <i>Family Practice</i> , 2012, 29, 547-552.	1.9	44
23	Misperception of patients with type 2 diabetes about diet and physical activity, and its effects on readiness to change*. <i>Journal of Diabetes</i> , 2012, 4, 417-423.	1.8	8