

Kelly A Ryan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/15555/publications.pdf>

Version: 2024-02-01

45
papers

1,238
citations

394421

19
h-index

395702

33
g-index

49
all docs

49
docs citations

49
times ranked

2136
citing authors

#	ARTICLE	IF	CITATIONS
1	Predicting Mood Disturbance Severity with Mobile Phone Keystroke Metadata: A BiAffect Digital Phenotyping Study. <i>Journal of Medical Internet Research</i> , 2018, 20, e241.	4.3	179
2	Increased Coupling of Intrinsic Networks in Remitted Depressed Youth Predicts Rumination and Cognitive Control. <i>PLoS ONE</i> , 2014, 9, e104366.	2.5	91
3	Chronotype and cellular circadian rhythms predict the clinical response to lithium maintenance treatment in patients with bipolar disorder. <i>Neuropsychopharmacology</i> , 2019, 44, 620-628.	5.4	80
4	Differential executive functioning performance by phase of bipolar disorder. <i>Bipolar Disorders</i> , 2012, 14, 527-536.	1.9	63
5	Reliability of Repeated Cognitive Assessment of Dementia Using a Brief Computerized Battery. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2011, 26, 326-333.	1.9	61
6	Cohort Profile: The Heinz C. Prechter Longitudinal Study of Bipolar Disorder. <i>International Journal of Epidemiology</i> , 2018, 47, 28-28n.	1.9	58
7	Caregiver Support Service Needs for Patients With Mild Cognitive Impairment and Alzheimer Disease. <i>Alzheimer Disease and Associated Disorders</i> , 2010, 24, 171-176.	1.3	57
8	Deficient inhibitory control as an outcome of childhood trauma. <i>Psychiatry Research</i> , 2016, 235, 7-12.	3.3	54
9	Emotion perception and executive functioning predict work status in euthymic bipolar disorder. <i>Psychiatry Research</i> , 2013, 210, 472-478.	3.3	39
10	Domain-specific impairment in cognitive control among remitted youth with a history of major depression. <i>Microbial Biotechnology</i> , 2017, 11, 383-392.	1.7	39
11	Neuropsychiatric Symptoms and Executive Functioning in Patients with Mild Cognitive Impairment: Relationship to Caregiver Burden. <i>Dementia and Geriatric Cognitive Disorders</i> , 2012, 34, 206-215.	1.5	35
12	Sleep quality during euthymia in bipolar disorder: the role of clinical features, personality traits, and stressful life events. <i>International Journal of Bipolar Disorders</i> , 2013, 1, 16.	2.2	33
13	Depression and executive functioning deficits predict poor occupational functioning in a large longitudinal sample with bipolar disorder. <i>Journal of Affective Disorders</i> , 2017, 215, 135-142.	4.1	33
14	Let your fingers do the talking: Passive typing instability predicts future mood outcomes. <i>Bipolar Disorders</i> , 2018, 20, 285-288.	1.9	33
15	Psychosis in bipolar disorder: Does it represent a more "severe" illness?. <i>Bipolar Disorders</i> , 2018, 20, 18-26.	1.9	32
16	The double burden of age and disease on cognition and quality of life in bipolar disorder. <i>International Journal of Geriatric Psychiatry</i> , 2014, 29, 952-961.	2.7	31
17	Influence of cognitive reserve on neuropsychological functioning in bipolar disorder: Findings from a 5-year longitudinal study. <i>Bipolar Disorders</i> , 2017, 19, 50-59.	1.9	29
18	Cognitive flexibility: A trait of bipolar disorder that worsens with length of illness. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2017, 39, 979-987.	1.3	25

#	ARTICLE	IF	CITATIONS
19	Acute cortisol reactivity attenuates engagement of fronto-parietal and striatal regions during emotion processing in negative mood disorders. <i>Psychoneuroendocrinology</i> , 2016, 73, 67-78.	2.7	22
20	Functional TSPO polymorphism predicts variance in the diurnal cortisol rhythm in bipolar disorder. <i>Psychoneuroendocrinology</i> , 2018, 89, 194-202.	2.7	20
21	Family support: A possible buffer against disruptive events for individuals with and without remitted depression.. <i>Journal of Family Psychology</i> , 2018, 32, 926-935.	1.3	19
22	Disrupted engagement of networks supporting hot and cold cognition in remitted major depressive disorder. <i>Journal of Affective Disorders</i> , 2018, 227, 183-191.	4.1	17
23	Similar Trajectory of Executive Functioning Performance over 5 years among individuals with Bipolar Disorder and Unaffected Controls using Latent Growth Modeling. <i>Journal of Affective Disorders</i> , 2016, 199, 87-94.	4.1	16
24	Caring for an individual with mild cognitive impairment: a qualitative perspective of health-related quality of life from caregivers. <i>Aging and Mental Health</i> , 2018, 22, 1196-1204.	2.8	15
25	Use of ecological momentary assessment to detect variability in mood, sleep and stress in bipolar disorder. <i>BMC Research Notes</i> , 2019, 12, 791.	1.4	15
26	Shared dimensions of performance and activation dysfunction in cognitive control in females with mood disorders. <i>Brain</i> , 2015, 138, 1424-1434.	7.6	14
27	Interaction between COMT rs5993883 and second generation antipsychotics is linked to decreases in verbal cognition and cognitive control in bipolar disorder. <i>BMC Psychology</i> , 2016, 4, 14.	2.1	13
28	The International Consortium Investigating Neurocognition in Bipolar Disorder (ICONIC â€•BD). <i>Bipolar Disorders</i> , 2019, 21, 6-10.	1.9	12
29	Naturalistic smartphone keyboard typing reflects processing speed and executive function. <i>Brain and Behavior</i> , 2021, 11, e2363.	2.2	12
30	A Smartphone App to Monitor Mood Symptoms in Bipolar Disorder: Development and Usability Study. <i>JMIR Mental Health</i> , 2020, 7, e19476.	3.3	10
31	Openness predicts cognitive functioning in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 168, 51-57.	4.1	9
32	Developing Dimensional, Pandiagnostic Inhibitory Control Constructs With Self-Report and Neuropsychological Data. <i>Assessment</i> , 2020, 27, 787-802.	3.1	9
33	Equivalent linear change in cognition between individuals with bipolar disorder and healthy controls over 5Âyears. <i>Bipolar Disorders</i> , 2017, 19, 689-697.	1.9	8
34	Social Aspects of the Workplace Among Individuals With Bipolar Disorder. <i>Journal of the Society for Social Work and Research</i> , 2017, 8, 379-398.	1.3	8
35	The Effects of Bipolar Disorder Risk on a Mobile Phone Keystroke Dynamics Based Biomarker of Brain Age. <i>Frontiers in Psychiatry</i> , 2021, 12, 739022.	2.6	8
36	Cluster analysis with MOODSâ€•R illustrates a potential bipolar disorder risk phenotype in young adults with remitted major depressive disorder. <i>Bipolar Disorders</i> , 2018, 20, 697-707.	1.9	7

#	ARTICLE	IF	CITATIONS
37	Longitudinal impact of a collaborative care model on employment outcomes in bipolar disorder. <i>Journal of Affective Disorders</i> , 2015, 188, 239-242.	4.1	5
38	Agreement among neuropsychological and behavioral data and PiB findings in diagnosing Frontotemporal Dementia. <i>Journal of Clinical Neuroscience</i> , 2017, 44, 128-132.	1.5	5
39	Mood, Dimensional Personality, and Suicidality in a Longitudinal Sample of Patients with Bipolar Disorder and Controls. <i>Suicide and Life-Threatening Behavior</i> , 2019, 49, 1360-1378.	1.9	4
40	Sleep quality and neuropsychological functioning in bipolar I disorder. <i>Journal of Affective Disorders</i> , 2021, 293, 133-140.	4.1	4
41	Stability of personality traits in bipolar disorder: Findings from a longitudinal cohort. <i>Journal of Affective Disorders</i> , 2021, 283, 1-10.	4.1	3
42	The Life Goals Self-Management Mobile App for Bipolar Disorder: Consumer Feasibility, Usability, and Acceptability Study. <i>JMIR Formative Research</i> , 2021, 5, e32450.	1.4	3
43	Limited time-specific and longitudinal effects of depressive and manic symptoms on cognition in bipolar spectrum disorders. <i>Acta Psychiatrica Scandinavica</i> , 2022, 146, 430-441.	4.5	3
44	Memory differences by sex, but not by previous diagnosis of major depressive disorder. <i>Applied Neuropsychology Adult</i> , 2020, 27, 134-142.	1.2	1
45	Decreased working memory capacity among individuals with a mood disorder who have increased metabolic burden. <i>Journal of Affective Disorders</i> , 2020, 266, 387-393.	4.1	1