
Kelly A Ryan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/15555/publications.pdf Version: 2024-02-01



KELLY A RYAN

#	Article	IF	CITATIONS
1	Limited timeâ€specific and longitudinal effects of depressive and manic symptoms on cognition in bipolar spectrum disorders. Acta Psychiatrica Scandinavica, 2022, 146, 430-441.	4.5	3
2	Stability of personality traits in bipolar disorder: Findings from a longitudinal cohort. Journal of Affective Disorders, 2021, 283, 1-10.	4.1	3
3	Sleep quality and neuropsychological functioning in bipolar I disorder. Journal of Affective Disorders, 2021, 293, 133-140.	4.1	4
4	Naturalistic smartphone keyboard typing reflects processing speed and executive function. Brain and Behavior, 2021, 11, e2363.	2.2	12
5	The Life Goals Self-Management Mobile App for Bipolar Disorder: Consumer Feasibility, Usability, and Acceptability Study. JMIR Formative Research, 2021, 5, e32450.	1.4	3
6	The Effects of Bipolar Disorder Risk on a Mobile Phone Keystroke Dynamics Based Biomarker of Brain Age. Frontiers in Psychiatry, 2021, 12, 739022.	2.6	8
7	Developing Dimensional, Pandiagnostic Inhibitory Control Constructs With Self-Report and Neuropsychological Data. Assessment, 2020, 27, 787-802.	3.1	9
8	Memory differences by sex, but not by previous diagnosis of major depressive disorder. Applied Neuropsychology Adult, 2020, 27, 134-142.	1.2	1
9	Decreased working memory capacity among individuals with a mood disorder who have increased metabolic burden. Journal of Affective Disorders, 2020, 266, 387-393.	4.1	1
10	A Smartphone App to Monitor Mood Symptoms in Bipolar Disorder: Development and Usability Study. JMIR Mental Health, 2020, 7, e19476.	3.3	10
11	The International Consortium Investigating Neurocognition in Bipolar Disorder (ICONIC ―BD). Bipolar Disorders, 2019, 21, 6-10.	1.9	12
12	Use of ecological momentary assessment to detect variability in mood, sleep and stress in bipolar disorder. BMC Research Notes, 2019, 12, 791.	1.4	15
13	Mood, Dimensional Personality, and Suicidality in a Longitudinal Sample of Patients with Bipolar Disorder and Controls. Suicide and Life-Threatening Behavior, 2019, 49, 1360-1378.	1.9	4
14	Chronotype and cellular circadian rhythms predict the clinical response to lithium maintenance treatment in patients with bipolar disorder. Neuropsychopharmacology, 2019, 44, 620-628.	5.4	80
15	Let your fingers do the talking: Passive typing instability predicts future mood outcomes. Bipolar Disorders, 2018, 20, 285-288.	1.9	33
16	Functional TSPO polymorphism predicts variance in the diurnal cortisol rhythm in bipolar disorder. Psychoneuroendocrinology, 2018, 89, 194-202.	2.7	20
17	Cohort Profile: The Heinz C. Prechter Longitudinal Study of Bipolar Disorder. International Journal of Epidemiology, 2018, 47, 28-28n.	1.9	58
18	Caring for an individual with mild cognitive impairment: a qualitative perspective of health-related quality of life from caregivers. Aging and Mental Health, 2018, 22, 1196-1204.	2.8	15

Kelly A Ryan

#	Article	IF	CITATIONS
19	Disrupted engagement of networks supporting hot and cold cognition in remitted major depressive disorder. Journal of Affective Disorders, 2018, 227, 183-191.	4.1	17
20	Psychosis in bipolar disorder: Does it represent a more "severe―illness?. Bipolar Disorders, 2018, 20, 18-26.	1.9	32
21	Cluster analysis with MOODSâ€SR illustrates a potential bipolar disorder risk phenotype in young adults with remitted major depressive disorder. Bipolar Disorders, 2018, 20, 697-707.	1.9	7
22	Family support: A possible buffer against disruptive events for individuals with and without remitted depression Journal of Family Psychology, 2018, 32, 926-935.	1.3	19
23	Predicting Mood Disturbance Severity with Mobile Phone Keystroke Metadata: A BiAffect Digital Phenotyping Study. Journal of Medical Internet Research, 2018, 20, e241.	4.3	179
24	Domainâ€specific impairment in cognitive control among remitted youth with a history of major depression. Microbial Biotechnology, 2017, 11, 383-392.	1.7	39
25	Agreement among neuropsychological and behavioral data and PiB findings in diagnosing Frontotemporal Dementia. Journal of Clinical Neuroscience, 2017, 44, 128-132.	1.5	5
26	Influence of cognitive reserve on neuropsychological functioning in bipolar disorder: Findings from a 5â€year longitudinal study. Bipolar Disorders, 2017, 19, 50-59.	1.9	29
27	Cognitive flexibility: A trait of bipolar disorder that worsens with length of illness. Journal of Clinical and Experimental Neuropsychology, 2017, 39, 979-987.	1.3	25
28	Depression and executive functioning deficits predict poor occupational functioning in a large longitudinal sample with bipolar disorder. Journal of Affective Disorders, 2017, 215, 135-142.	4.1	33
29	Equivalent linear change in cognition between individuals with bipolar disorder and healthy controls over 5Âyears. Bipolar Disorders, 2017, 19, 689-697.	1.9	8
30	Social Aspects of the Workplace Among Individuals With Bipolar Disorder. Journal of the Society for Social Work and Research, 2017, 8, 379-398.	1.3	8
31	Acute cortisol reactivity attenuates engagement of fronto-parietal and striatal regions during emotion processing in negative mood disorders. Psychoneuroendocrinology, 2016, 73, 67-78.	2.7	22
32	Similar Trajectory of Executive Functioning Performance over 5 years among individuals with Bipolar Disorder and Unaffected Controls using Latent Growth Modeling. Journal of Affective Disorders, 2016, 199, 87-94.	4.1	16
33	Interaction between COMT rs5993883 and second generation antipsychotics is linked to decreases in verbal cognition and cognitive control in bipolar disorder. BMC Psychology, 2016, 4, 14.	2.1	13
34	Deficient inhibitory control as an outcome of childhood trauma. Psychiatry Research, 2016, 235, 7-12.	3.3	54
35	Shared dimensions of performance and activation dysfunction in cognitive control in females with mood disorders. Brain, 2015, 138, 1424-1434.	7.6	14
36	Longitudinal impact of a collaborative care model on employment outcomes in bipolar disorder. Journal of Affective Disorders, 2015, 188, 239-242.	4.1	5

Kelly A Ryan

#	Article	IF	CITATIONS
37	The double burden of age and disease on cognition and quality of life in bipolar disorder. International Journal of Geriatric Psychiatry, 2014, 29, 952-961.	2.7	31
38	Openness predicts cognitive functioning in bipolar disorder. Journal of Affective Disorders, 2014, 168, 51-57.	4.1	9
39	Increased Coupling of Intrinsic Networks in Remitted Depressed Youth Predicts Rumination and Cognitive Control. PLoS ONE, 2014, 9, e104366.	2.5	91
40	Emotion perception and executive functioning predict work status in euthymic bipolar disorder. Psychiatry Research, 2013, 210, 472-478.	3.3	39
41	Sleep quality during euthymia in bipolar disorder: the role of clinical features, personality traits, and stressful life events. International Journal of Bipolar Disorders, 2013, 1, 16.	2.2	33
42	Neuropsychiatric Symptoms and Executive Functioning in Patients with Mild Cognitive Impairment: Relationship to Caregiver Burden. Dementia and Geriatric Cognitive Disorders, 2012, 34, 206-215.	1.5	35
43	Differential executive functioning performance by phase of bipolar disorder. Bipolar Disorders, 2012, 14, 527-536.	1.9	63
44	Reliability of Repeated Cognitive Assessment of Dementia Using a Brief Computerized Battery. American Journal of Alzheimer's Disease and Other Dementias, 2011, 26, 326-333.	1.9	61
45	Caregiver Support Service Needs for Patients With Mild Cognitive Impairment and Alzheimer Disease. Alzheimer Disease and Associated Disorders, 2010, 24, 171-176.	1.3	57