

# Maria Gdaniec

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1556789/publications.pdf>

Version: 2024-02-01

255  
papers

4,038  
citations

147801

31  
h-index

214800

47  
g-index

265  
all docs

265  
docs citations

265  
times ranked

4224  
citing authors

#	ARTICLE	IF	CITATIONS
1	An Approach to Modify 14-Membered Lactone Macrolide Antibiotic Scaffolds. <i>Journal of Organic Chemistry</i> , 2022, 87, 3758-3761.	3.2	2
2	Anticancer activity and toxicity of new quaternary ammonium geldanamycin derivative salts and their mixtures with potentiators. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2021, 36, 1898-1904.	5.2	12
3	Theoretical and Experimental Insights into the Tandem Mannich Electrophilic Amination Reaction: Synthesis of Safirinium Dyes. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 5498.	2.5	1
4	Synthesis, Structure and Cytotoxicity Testing of Novel 7-(4,5-Dihydro-1H-imidazol-2-yl)-2-aryl-6,7-dihydro-2H-imidazo[2,1-c][1,2,4]triazol-3(5H)-Imine Derivatives. <i>Molecules</i> , 2020, 25, 5924.	3.8	4
5	Synthesis and evaluation of dihydro-[1,2,4]triazolo[4,3-a]pyridin-2-ium carboxylates as fixed charge fluorescent derivatization reagents for MEKC and MS proteomic analyses. <i>Journal of Molecular Structure</i> , 2020, 1217, 128426.	3.6	7
6	Synthesis, structure and anticancer activity of new geldanamycin amine analogs containing C(17)- or C(20)- flexible and rigid arms as well as closed or open ansa-bridges. <i>European Journal of Medicinal Chemistry</i> , 2020, 202, 112624.	5.5	8
7	Specific Interactions between Rifamycin Antibiotics and Water Influencing Ability To Overcome Natural Cell Barriers and the Range of Antibacterial Potency. <i>ACS Infectious Diseases</i> , 2019, 5, 1754-1763.	3.8	12
8	Synthesis and Fluorescent Properties of Novel Isoquinoline Derivatives. <i>Molecules</i> , 2019, 24, 4070.	3.8	15
9	Synthesis and fluorescence of dihydro-[1,2,4]triazolo[4,3-a]pyridin-2-ium-carboxylates: An experimental and TD-DFT comparative study. <i>Dyes and Pigments</i> , 2019, 161, 347-359.	3.7	13
10	X-ray and NMR structural studies of the series of porphyrazines with peripheral pyrrolyl groups. <i>Inorganica Chimica Acta</i> , 2019, 484, 368-374.	2.4	3
11	In vitro photodynamic activity of lipid vesicles with zinc phthalocyanine derivative against <i>Enterococcus faecalis</i> . <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2018, 183, 111-118.	3.8	26
12	Solvates of Zwitterionic Rifampicin: Recurring Packing Motifs via Nonspecific Interactions. <i>Crystal Growth and Design</i> , 2018, 18, 742-754.	3.0	13
13	NMR and XRD Study of Hydrogen Bonding in Picolinic Acid N-Oxide in Crystalline State and Solutions: Media and Temperature Effects on Potential Energy Surface. <i>Journal of Physical Chemistry A</i> , 2018, 122, 6894-6902.	2.5	4
14	Synthesis and singlet oxygen generation of pyrazinoporphyrazines containing dendrimeric aryl substituents. <i>New Journal of Chemistry</i> , 2017, 41, 3586-3594.	2.8	10
15	A new imidazoline-containing Bunte salt: synthesis, molecular and electronic structure. <i>Heterocyclic Communications</i> , 2017, 23, 359-363.	1.2	2
16	Copper(II)-assisted hydrolysis of cyclic ureas: Transformation of 1-(pyridin-2-yl)-2,3,7,8-tetrahydro-1H-imidazo[2,1-b][1,3,5]triazepin-5(6H)-ones into N1-[1-(pyridin-2-yl)imidazolidin-2-ylidene]-ethane-1,2-diamine ligands. <i>Inorganica Chimica Acta</i> , 2017, 467, 287-296.	2.4	4
17	The Elusive Paal-Knorr Intermediates in the Trofimov Synthesis of Pyrroles: Experimental and Theoretical Studies. <i>Journal of Organic Chemistry</i> , 2017, 82, 9737-9743.	3.2	14
18	1-(Imidazolidin-2-yl)imino-1H-indoles as new hypotensive agents: synthesis and in vitro and in vivo biological studies. <i>Chemical Biology and Drug Design</i> , 2017, 89, 400-410.	3.2	7

#	ARTICLE	IF	CITATIONS
19	Sulfanyl porphyrazines: Molecular barrel-like self-assembly in crystals, optical properties and in vitro photodynamic activity towards cancer cells. <i>Dyes and Pigments</i> , 2017, 136, 898-908.	3.7	27
20	Polymeric (anion- $\pi$ ) interactions in crystals of 2-(2,4,6-tri-oxo-[1,3,5]triazinan-1-yl)ethylammonium iodide. <i>Heterocyclic Communications</i> , 2016, 22, 281-285.	1.2	4
21	Self-assembly modes of glycyrrhetic acid esters in view of the crystal packing of related triterpene molecules. <i>Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials</i> , 2016, 72, 584-592.	1.1	7
22	Supramolecular Synthesis Based on a Combination of Se $\cdots$ N Secondary Bonding Interactions with Hydrogen and Halogen Bonds. <i>Crystal Growth and Design</i> , 2016, 16, 1282-1293.	3.0	44
23	Synthesis, characterization and photophysical properties of novel 5,7-disubstituted-1,4-diazepine-2,3-dicarbonitriles. <i>Journal of Molecular Structure</i> , 2016, 1110, 208-214.	3.6	8
24	Porphyrazine with bulky 2-(1-adamantyl)-5-phenylpyrrol-1-yl periphery tuning its spectral and electrochemical properties. <i>Polyhedron</i> , 2015, 98, 217-223.	2.2	18
25	Unusual coordination mode of 3-methoxysalicylaldehyde in mononuclear zinc(II) complexes with nitrogenous bases: Synthesis, structural characterization and theoretical studies. <i>Polyhedron</i> , 2015, 87, 275-285.	2.2	5
26	Solid-state supramolecular architecture of carbenoxolone – comparative studies with glycyrrhetic and glycyrrhizic acids. <i>Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials</i> , 2015, 71, 25-33.	1.1	7
27	Phthalocyanine Derivatives Possessing 2-(Morpholin-4-yl)ethoxy Groups As Potential Agents for Photodynamic Therapy. <i>Journal of Medicinal Chemistry</i> , 2015, 58, 2240-2255.	6.4	72
28	Porphyrazines with peripheral isophthaloxyalkylsulfanyl substituents and their optical properties. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2015, 307-308, 54-67.	3.9	27
29	Experimental and theoretical studies on the tautomerism and reactivity of isoxazolo[3,4-b]quinolin-3(1H)-ones. <i>Tetrahedron</i> , 2015, 71, 8975-8984.	1.9	15
30	The Suzuki cross-coupling reaction for the synthesis of porphyrazine possessing bulky 2,5-(biphenyl-4-yl)pyrrol-1-yl substituents in the periphery. <i>Polyhedron</i> , 2015, 102, 462-468.	2.2	9
31	Influence of bulky pyrrolyl substituent on the physicochemical properties of porphyrazines. <i>Dyes and Pigments</i> , 2015, 112, 138-144.	3.7	13
32	Structural Diversity of Copper(II) Complexes with N-(2-Pyridyl)Imidazolidin-2-Ones(Thiones) and Their in Vitro Antitumor Activity. <i>Molecules</i> , 2014, 19, 17026-17051.	3.8	20
33	Synthesis, characterization, thermal and DNA-binding properties of new zinc complexes with 2-hydroxyphenones. <i>Journal of Inorganic Biochemistry</i> , 2014, 134, 66-75.	3.5	29
34	Effect of Neighbors on the Conformational Preferences of Glycosidic Linkages in Glycyrrhizic Acid and Its Mono- and Dideprotonated Forms: X-ray, NMR, and Computational Studies. <i>Crystal Growth and Design</i> , 2014, 14, 5871-5880.	3.0	8
35	Correlation between structure and thermal properties in 2-hydroxy-benzophenone Co(II) complexes. <i>Journal of Thermal Analysis and Calorimetry</i> , 2014, 117, 1241-1252.	3.6	3
36	Thermoanalytical, magnetic and structural investigation of Co(II) complexes with dipyrpyridylamine and 2-hydroxyphenones. <i>Journal of Thermal Analysis and Calorimetry</i> , 2014, 116, 249-258.	3.6	3

#	ARTICLE	IF	CITATIONS
37	Synthesis, thermal analysis, and spectroscopic and structural characterizations of zinc(II) complexes with salicylaldehydes. <i>Journal of Thermal Analysis and Calorimetry</i> , 2013, 112, 455-464.	3.6	37
38	Phthalocyanines functionalized with 2-methyl-5-nitro-1H-imidazolylethoxy and 1,4,7-trioxanonyl moieties and the effect of metronidazole substitution on photocytotoxicity. <i>Journal of Inorganic Biochemistry</i> , 2013, 127, 62-72.	3.5	42
39	The Tandem Mannich–Electrophilic Amination Reaction: a Versatile Platform for Fluorescent Probing and Labeling. <i>Chemistry - A European Journal</i> , 2013, 19, 11531-11535.	3.3	15
40	Bis(aryl)acenaphthenequinonediimine Substituent Effect on the Properties and Coordination Environment of Ligands and Their Bis-Chelate AglComplexes. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 5196-5205.	2.0	9
41	Synthesis of <i>N</i> -(2-pyridyl)imidazolidin-2-ones and 1-(2-pyridyl)-2,3,7,8-tetrahydro-1 <i>H</i> -imidazo[2,1- <i>b</i> ][1,3,5]triazepin-5(6 <i>H</i> )-ones with potential biological activities. <i>Heterocyclic Communications</i> , 2013, 19, 331-341.	1.2	6
42	Capturing the geometry of the emissive state of a Cu(i) red emitter through strong intramolecular stacking forces. <i>Dalton Transactions</i> , 2013, 42, 3357-3365.	3.3	13
43	Aggregation of Hydrogen Bonded Dimeric Tri-Organotin Amino Substituted Pyrimidine-2-Thiolates. <i>Australian Journal of Chemistry</i> , 2013, 66, 600.	0.9	3
44	Homoleptic Bis(aryl)acenaphthenequinonediimine-CuIComplexes - Synthesis and Characterization of a Family of Compounds with Improved Light-Gathering Characteristics. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 2418-2431.	2.0	23
45	Toward Better Understanding of Isomorphism of Glycyrrhizic Acid and Its Mono- and Dibasic Salts. <i>Crystal Growth and Design</i> , 2013, 13, 1301-1308.	3.0	11
46	Correction to Toward Better Understanding of Isomorphism of Glycyrrhizic Acid and Its Mono- and Dibasic Salts. <i>Crystal Growth and Design</i> , 2013, 13, 1800-1800.	3.0	0
47	Reactivity of cyclic alkoxyguanidines – experimental and theoretical studies. <i>Arkivoc</i> , 2013, 2013, 346-362.	0.5	5
48	( <i>R,R</i> )-1-Acetyl-1-(2,4,6-trinitrophenyl)-2,2-bipyrrolidine. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013, 69, o144-o145.	0.2	0
49	Study of copper(I) heteroleptic compounds with 1-phenyl-1, 4-dihydro-tetrazole-5-thione and triphenylphosphine. <i>Journal of Coordination Chemistry</i> , 2012, 65, 251-261.	2.2	14
50	Intramolecular proton transfer impact on antibacterial properties of ansamycin antibiotic rifampicin and its new amino analogues. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 2385.	2.8	31
51	Synthesis, Structure of Zwitterionic 2-Amino- <i>N</i> -(imidazolidin-2-ylidene)benzohydrazides, and Their Transformation into 3-(Imidazolidin-2-ylideneamino)quinazolin-4(1 <i>H</i> )-one Derivatives. <i>Journal of Heterocyclic Chemistry</i> , 2012, 49, 1332-1338.	2.6	3
52	Effect of cobalt(II) complexes with dipyrldylamine and salicylaldehydes on cultured tumor and non-tumor cells: Synthesis, crystal structure investigations and biological activity. <i>Journal of Inorganic Biochemistry</i> , 2012, 117, 25-34.	3.5	26
53	Synthesis and molecular structure of ( <i>Z</i> )-1 <i>H</i> -purin-6-ylideneaminoxysulfonic acid: a possible secondary metabolite of adenine. <i>Heterocyclic Communications</i> , 2012, 18, .	1.2	1
54	Supramolecular Organization of Neutral and Ionic Forms of Pharmaceutically Relevant Glycyrrhizic Acid – Amphiphile Self-Assembly and Inclusion of Small Drug Molecules. <i>Crystal Growth and Design</i> , 2012, 12, 2133-2137.	3.0	34

#	ARTICLE	IF	CITATIONS
55	Helicity Discrimination in Diaryl Dichalcogenides Generated by Inclusion Complexation with Chiral Hosts. <i>Organic Letters</i> , 2012, 14, 2568-2571.	4.6	4
56	trans-Dichloro(1,2-ethylene) (N-3-pyridinylmethanesulfonamide)platinum(II). Crystal structure, spectroscopic, and thermoanalytical characterization, and cytotoxicity assays. <i>Journal of Coordination Chemistry</i> , 2012, 65, 688-704.	2.2	4
57	Thermoanalytical, magnetic and structural study of Co(II) complexes with substituted salicylaldehydes and neocuproine. <i>Journal of Thermal Analysis and Calorimetry</i> , 2012, 109, 131-139.	3.6	11
58	Investigation of the structure and catalytic activity in olefin cyclopropanation of neutral and cationic dicopper complexes of 3,5-bis(pyridinylimino)benzoic acid. <i>Inorganica Chimica Acta</i> , 2012, 383, 105-111.	2.4	16
59	Synthesis, spectroscopic and photophysical properties of novel styryldiazepinoporphyrazine. <i>Inorganic Chemistry Communication</i> , 2012, 20, 13-17.	3.9	15
60	Spontaneous generation of chirality and chiroptical spectra of N-nitroso-2,4-diaryl-3-azabicyclo[3.3.1]nonanes. <i>Tetrahedron: Asymmetry</i> , 2012, 23, 278-283.	1.8	2
61	Synthesis, characteristics and photochemical studies of novel porphyrazines possessing peripheral 2,5-dimethylpyrrol-1-yl and dimethylamino groups. <i>Tetrahedron Letters</i> , 2012, 53, 2040-2044.	1.4	23
62	Redetermination of rifampicin pentahydrate revealing a zwitterionic form of the antibiotic. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2012, 68, o209-o212.	0.4	19
63	N-(Imidazolidinylidene)arylmethanamine Oxides: Synthesis, Structure and Pharmacological Evaluation. <i>Archiv Der Pharmazie</i> , 2012, 345, 33-42.	4.1	4
64	Heteronuclear (Co <sup>II</sup> -Ca, Co <sup>II</sup> -Ba) 2,3-pyridinedicarboxylate complexes: synthesis, structure and physico-chemical properties. <i>Dalton Transactions</i> , 2011, 40, 463-471.	3.3	24
65	Potential Aluminium(III)- and Gallium(III)-selective Optical Sensors Based on Porphyrines. <i>Analytical Sciences</i> , 2011, 27, 511-515.	1.6	17
66	Carbonic anhydrase inhibitors. Synthesis, molecular structures, and inhibition of the human cytosolic isozymes I and II and transmembrane isozymes IX, XII (cancer-associated) and XIV with novel 3-pyridinesulfonamide derivatives. <i>European Journal of Medicinal Chemistry</i> , 2011, 46, 4403-4410.	5.5	12
67	Experimental and computational study on the reactivity of 2,3-bis[(3-pyridylmethyl)amino]-2(Z)-butene-1,4-dinitrile, a key intermediate for the synthesis of tribenzoporphyrine bearing peripheral methyl(3-pyridylmethyl)amino substituents. <i>Monatshefte für Chemie</i> , 2011, 142, 599-608.	1.8	10
68	5:1 and 2:1 cocrystals of 2,3,4,5,6-pentafluorophenol with phenazine. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2011, 67, o341-o345.	0.4	3
69	Synthesis, Cytotoxicity Testing, and Structure-Activity Relationships of Novel 6-Chloro-7-(4-phenylimino-1,3,4-benzoxazin-2-yl)-1,4-benzodithiazine 1,1-dioxide. <i>Archiv Der Pharmazie</i> , 2011, 344, 431-441.		
70	Cytotoxic and Antimicrobial Activities of Cu(II), Co(II), Pt(II) and Zn(II) Complexes with N-(Imidazolidinylidene)arylmethanamine Oxides. <i>Archiv Der Pharmazie</i> , 2011, 344, 605-616.	4.1	21
71	3-[(Imidazolidin-2-yl)imino]indazole ligands with selectivity for the $\beta_2$ -adrenoceptor compared to the imidazoline I1 receptor. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 321-329.	3.0	18
72	New template reactions of salicylaldehyde S-methyl-isothiosemicarbazone with 2-formylpyridine promoted by Ni(II) or Cu(II) metal ions. <i>Inorganica Chimica Acta</i> , 2011, 368, 157-164.	2.4	7

#	ARTICLE	IF	CITATIONS
73	Structural evidence of [Rh(Thio)6]3+ and [Rh(Thio)5Cl]2+ cations in three novel ionic systems based on Co(III) dioximates. <i>Journal of Molecular Structure</i> , 2011, 998, 198-205.	3.6	12
74	Synthesis and photochemical characteristics of novel tribenzoporphyrazines possessing peripherally annulated tetrahydrodiazepine and diazepine rings. <i>Polyhedron</i> , 2011, 30, 1004-1011.	2.2	15
75	Synthesis of aza-aromatic hydroxylamine-O-sulfonates and their application to tandem nucleophilic addition–electrophilic 5-endo-trig cyclization. <i>Tetrahedron</i> , 2011, 67, 3612-3618.	1.9	11
76	(Carbonato- $\lambda^2$ O, $\lambda^2$ )bis(di-2-pyridylamine- $\lambda^2$ N, $\lambda^2$ )cobalt(III) bromide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, m414-m415.	0.2	0
77	A third polymorph of N, $\lambda^2$ -bis(pyridin-2-yl)benzene-1,4-diamine. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, o3095-o3095.	0.2	4
78	N, $\lambda^2$ -Bis(pyridin-2-yl)benzene-1,4-diamine–naphthalene (2/1). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, o3300-o3300.	0.2	0
79	N, $\lambda^2$ -Bis(pyridin-2-yl)benzene-1,4-diamine–quinoxaline (2/1). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, o3254-o3254.	0.2	1
80	Synthesis of Heterocycles by Intramolecular Nucleophilic Substitution at an Electron-Deficient $sp^2$ Nitrogen Atom. <i>European Journal of Organic Chemistry</i> , 2010, 2010, 2387-2394.	2.4	16
81	Chemoselectivity of cobalt-catalysed carbonylation–A reliable platform for the synthesis of fluorinated benzoic acids. <i>Journal of Fluorine Chemistry</i> , 2010, 131, 81-85.	1.7	5
82	On the bioreactivity of triorganotin aminobenzoates. Investigation of trialkyl and triarylyltin(IV) esters of 3-amino and 4-aminobenzoic acids. <i>Journal of Inorganic Biochemistry</i> , 2010, 104, 423-430.	3.5	39
83	Synthesis and study of triorganostannyl esters of 3-,4- and 3,5-pyridinylimino substituted aminobenzoic acids: Crystal structures of dimorphs of aqua-trimethyltin 3-pyridinyliminobenzoate. <i>Journal of Molecular Structure</i> , 2010, 965, 56-64.	3.6	10
84	Experimental and theoretical studies on synthesis and structure elucidation of some polychlorinated biphenyl derivatives. <i>Journal of Molecular Structure</i> , 2010, 975, 180-185.	3.6	6
85	A mechanism of a phase transition based on a new symmetry and structure of bis(thiourea) thiazolium bromide. <i>Journal of Molecular Structure</i> , 2010, 983, 141-146.	3.6	2
86	Synthesis, structure and affinity of novel 3-alkoxy-1,2-dihydro-3H-1,4-benzodiazepin-2-ones for CNS central and peripheral benzodiazepine receptors. <i>European Journal of Medicinal Chemistry</i> , 2010, 45, 1346-1351.	5.5	18
87	<i>p</i> -Phenylenediamine and its dihydrate: two-dimensional isomorphism and mechanism of the dehydration process, and $N\cdots H\cdots N$ and $N\cdots H\cdots \pi$ interactions. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2010, 66, o128-o132.	0.4	17
88	A new polymorph of benzene-1,2-diamine: isomorphism with 2-aminophenol and two-dimensional isostructurality of polymorphs. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2010, 66, o198-o201.	0.4	11
89	Polymorphs of DABCO monohydrate as structural analogues of NaCl. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2010, 66, o270-o273.	0.4	5
90	Cocrystals of 2,3,5,6-tetrafluorobenzene-1,4-diol with diaza aromatic compounds. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2010, 66, o356-o360.	0.4	4



#	ARTICLE	IF	CITATIONS
91	Two cobalt(III) mono-dimethylglyoximates isolated from one reaction. Acta Crystallographica Section C: Crystal Structure Communications, 2010, 66, m257-m262.	0.4	0
92	Bis(di-2-pyridylamine- $\lambda^2$ N2,N2 $\lambda^2$ )silver(I) trifluoromethanesulfonate: polar arrangement of trifluoromethanesulfonate anions in a pseudo-centrosymmetric framework of coordination cations. Acta Crystallographica Section C: Crystal Structure Communications, 2010, 66, m355-m357.	0.4	0
93	Synthesis of Novel Aryl(heteroaryl)sulfonyl Ureas of Possible Biological Interest. Molecules, 2010, 15, 1113-1126.	3.8	11
94	5-Methyl-3,6,7,8a-tetrahydro-2H-diimidazo[1,2-c:1 $\lambda^2$ ,2 $\lambda^2$ -e]pyrido[1,2-a][1,3,5]triazin-5-ium iodide. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, o1486-o1486.	0.2	0
95	The influence of protonation on molecular structure and physico-chemical properties of gossypol Schiff bases. Organic and Biomolecular Chemistry, 2010, 8, 5511.	2.8	13
96	Conformation of dioxopiperazines. International Journal of Peptide and Protein Research, 2009, 30, 79-92.	0.1	10
97	Application of 3-methylthiopyrido[4,3 <i>e</i> ]1,4-dithiazine 1,1-dioxide to the synthesis of novel series of 4 <i>H</i> -pyrido[4,3 <i>e</i> ]1,2,4-thiadiazine derivatives with potential biological activity. Journal of Heterocyclic Chemistry, 2009, 46, 1396-1403.	2.6	11
98	Molecular geometry and optical activity of N-nitroso-2,2,6,6-tetramethylpiperidines generated by spontaneous crystallization and inclusion complexation with optically active diols. Tetrahedron: Asymmetry, 2009, 20, 1308-1313.	1.8	4
99	Generation of chirality in 4-azopyridine by co-crystallization with optically active dicarboxylic acids. Tetrahedron: Asymmetry, 2009, 20, 1472-1475.	1.8	4
100	The structure and theoretical study of 4-dimethylaminopyridinium N-(arylsulfonyl)carbamoylides. Journal of Molecular Structure, 2009, 921, 13-17.	3.6	7
101	Synthesis and Structural Characterization of Iron (III) Complexes with 2-Hydroxyphenones. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2009, 635, 2185-2190.	1.2	22
102	Lagoden dimethylformamide hemisolvate dihydrate: absolute configuration, dipolar interactions and hydrogen-bonding interactions. Acta Crystallographica Section C: Crystal Structure Communications, 2009, 65, m367-m370.	0.4	1
103	Preparation, spectroscopic and X-ray study of [Cu <sub>2</sub> (Hdmg) <sub>4</sub> ( $\lambda^3$ -dpy)] $\cdot$ 2H <sub>2</sub> O and [Cu <sub>2</sub> (Hdmg) <sub>4</sub> ( $\lambda^3$ -dpy)] $\cdot$ [Cu(Hdmg) <sub>2</sub> ( $\lambda^3$ -dpy)] $\cdot$ ( $\lambda^3$ -dpy) 2H <sub>2</sub> O. Inorganica Chimica Acta, 2009, 362, 2151-2158.	3.4	19
104	Synthesis and characterization of periphery-functionalized porphyrazines containing mixed pyrrolyl and pyridylmethylamino groups. Journal of Porphyrins and Phthalocyanines, 2009, 13, 223-234.	0.8	13
105	Phenazine $\cdot$ naphthalene-1,5-diamine $\cdot$ water (1/1/2). Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o3177-o3177.	0.2	2
106	5-Amino-1-naphthol. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o2964-o2964.	0.2	2
107	Synthesis, Crystal Structure and Magnetic Behaviour of Novel 4f-2s Heterometallic One-Dimensional Coordination Polymers on the Base of 2-Furan-Carboxylic Acid. Chemistry Journal of Moldova, 2009, 4, 60-67.	0.6	6
108	A locked derivative of 8-aza-7-deazaadenosine. Acta Crystallographica Section C: Crystal Structure Communications, 2008, 64, o467-o470.	0.4	2

#	ARTICLE	IF	CITATIONS
109	Structure of a new Schiff base of gossypol with 1-(3-aminopropyl)-2-pyrrolidinone studied by the X-ray, FT-IR, NMR, ESI-MS and PM5 methods. <i>Journal of Molecular Structure</i> , 2008, 889, 332-343.	3.6	13
110	Enantiomeric Resolution of <i>N,N</i> -Dimethyldithiodianthranilide through Diastereomeric Silver(I) Complex. Circular Dichroism Spectra, Racemization Barrier, and Molecular Self-Assembly. <i>Journal of Organic Chemistry</i> , 2008, 73, 4859-4864.	3.2	6
111	Conformational Properties, Chiroptical Spectra, and Molecular Self-Assembly of 2,3-Piperazinodiones and Their Dithiono Analogues. <i>Journal of Organic Chemistry</i> , 2008, 73, 2852-2861.	3.2	6
112	1-[(Imidazolidin-2-yl)imino]indazole. Highly Selective Agonist: Synthesis, X-ray Structure, and Biological Activity. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 3599-3608.	6.4	40
113	Strong N-H...N hydrogen bonds and weak N-H...S...C interactions in controlling the structure of the co-crystals of dithioamide with nitrogen heterocycles. <i>CrystEngComm</i> , 2008, 10, 1421.	2.6	11
114	Quinoxaline-3-aminophenol-water (2/1/2). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008, 64, o895-o895.	0.2	1
115	Cholic acid-quinoxaline (2/1). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008, 64, o1138-o1138.	0.2	0
116	Bis(4,6-diaminopyrimidin-2-yl) disulfide dimethyl sulfoxide disolvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008, 64, o1724-o1724.	0.2	1
117	Carboxylate Substitution Pattern as Structural Directive for the Final Products: Synthesis, Structure And Properties of [Fe <sub>4</sub> Ca <sub>2</sub> O <sub>2</sub> ( $\frac{1}{2}$ -HCCl <sub>2</sub> COO) <sub>10</sub> ( $\frac{1}{3}$ -HCCl <sub>2</sub> COO) <sub>2</sub> (THF) <sub>6</sub> ]. <i>Chemistry Journal of Moldova</i> , 2008, 3, 81-85.	0.6	0
118	Hexaazamacrocyclic Nickel and Copper Complexes and their Reactivity with Tetracyanoquinodimethane. <i>Inorganic Chemistry</i> , 2007, 46, 3946-3955.	4.0	15
119	Aryl-perfluoroaryl stacking interactions, hydrogen bonding and steric effects in controlling the structure of supramolecular assemblies of <i>N,N</i> -diaryloxalamides. <i>CrystEngComm</i> , 2007, 9, 868.	2.6	18
120	On the polymorphs of pentafluorophenol and its 2:1 co-crystal with pentafluoroaniline. <i>CrystEngComm</i> , 2007, 9, 286-288.	2.6	24
121	Co-crystals of iodopentafluorobenzene with nitrogen donors: 2-D molecular assemblies through halogen bonding and aryl-perfluoroaryl interactions. <i>CrystEngComm</i> , 2007, 9, 203-206.	2.6	34
122	Synthesis, Crystal Structure, Cytotoxic and Superoxide Dismutase Activities of Copper(II) Complexes of <i>N</i> -(4,5-dihydroimidazol-2-yl)azoles. <i>Archiv Der Pharmazie</i> , 2007, 340, 333-338.	4.1	20
123	Molecular self-assembly and optical activity of chiral thionoxalamic acid esters. <i>Tetrahedron: Asymmetry</i> , 2007, 18, 1486-1494.	1.8	8
124	First tandem nucleophilic addition-electrophilic amination reaction of Eschenmoser's salts: synthesis of cyclic and spiro-fused hydrazonium salts. <i>Tetrahedron Letters</i> , 2007, 48, 7624-7627.	1.4	13
125	Synthesis, structural characterization, and in vitro antitumor activity of novel <i>N</i> -(6-chloro-1,1-dioxo-1,4,2-benzodithiazin-3-yl)arylsulfonamides. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 2560-2572.	3.0	29
126	Synthesis, crystal structure, magnetic and luminescence investigations of new 2Ln <sup>3+</sup> -Sr <sup>2+</sup> heteronuclear polymers with 2-furoic acid. <i>Inorganica Chimica Acta</i> , 2007, 360, 3047-3054.	2.4	23



#	ARTICLE	IF	CITATIONS
127	Synthesis and structure of products of interaction of H[AuCl <sub>4</sub> ] with H <sub>2</sub> DMG and pyridine. <i>Inorganica Chimica Acta</i> , 2007, 360, 3250-3254.	2.4	13
128	Supramolecular structures of bis-thionooxalamic acid esters derived from (±)-cyclohexane-1,2-diamine and (±)-1,2-diphenylethylenediamine. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2007, 63, o693-o696.	0.4	1
129	N-Amidino-3,5,5-trimethyl-2-pyrazoline-1-carboxamide chloride (BPC-151), an oral hypoglycaemic agent. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o124-o125.	0.2	1
130	Phenazine-2,6-dihydroxybenzoic acid (1/1). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o707-o709.	0.2	2
131	Quinoxalinium 2,6-dihydroxybenzoate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o1480-o1482.	0.2	0
132	2-(5-Bromo-2-methyl-4-nitroimidazol-1-yl)-1-(2-chlorophenyl)ethanone. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o1669-o1671.	0.2	1
133	2,3,4,5,6-Pentafluoroaniline. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o2954-o2954.	0.2	7
134	Quinoxaline-2,6-dihydroxyacetic acid (1/1). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o3081-o3081.	0.2	1
135	2-Amino-4,5-dihydro-1H-imidazol-3-ium 7,8-dihydroimidazo[1,2-c][1,3,5]thiadiazine-2,4(6H)-dithione(1- <i>λ</i> <sup>2</sup> -S <sub>2</sub> ) dimethylformamide disolvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o3329-o3329.	0.2	0
136	Synthesis, Structure and Transformations of 2-Iminoimidazolidines into Novel Fused Heterocyclic Ring Systems. <i>Heterocycles</i> , 2006, 68, 687.	0.7	6
137	2,2,3,3,4,4,5,5,6,6-Decafluorodiphenylamine and its 1:1 cocrystal with diphenylamine. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2006, 62, o419-o422.	0.4	1
138	The 2:1 cocrystal of benzamide and pentafluorobenzoic acid. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2006, 62, o492-o494.	0.4	8
139	2,3,5,6-Tetrafluorohydroquinone dihydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, o1650-o1651.	0.2	4
140	(4R,5R)-4,5-Diphenylimidazolidinium-2-carboxylate methanol solvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, o3271-o3273.	0.2	0
141	2,2-(p-Phenylenediimino)dipyridinium dichloride hexahydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, o3319-o3321.	0.2	0
142	(2S,3aR,7aR)-Perhydro-1H-1,3-benzimidazol-1-ium-2-carboxylate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, o3434-o3436.	0.2	0
143	Quinoxaline-2,6-dihydroxybenzoic acid (2/1). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, o3498-o3500.	0.2	6
144	Synthesis and in vitro anti-tumor activity of N-{1-[(3-thioxo-5,6-dihydroimidazo[2,1-c][1,2,4]thiadiazol-7-ylthio)thiocarbonyl]-2-imidazolidene}arylsulfonamides. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 3663-3667.		10

#	ARTICLE	IF	CITATIONS
145	Synthesis, X-ray structure analysis and computational studies of novel bis(thiocarbamoyl) disulfides with non-covalent Sâ€¦N and Sâ€¦S interactions. <i>Chemical Physics Letters</i> , 2006, 422, 234-239.	2.6	24
146	Synthesis and structural characterization of gold(III) dioximates with anions [AuCl <sub>4</sub> ] <sup>-</sup> and [AuCl <sub>2</sub> ] <sup>-</sup> . <i>Inorganica Chimica Acta</i> , 2006, 359, 721-725.	2.4	12
147	Coordination polymers constructed from o-phthalic acid and diamines: Syntheses and crystal structures of the phthalate-imidazole complexes {[Cu(Pht)(Im) <sub>2</sub> ] $\cdot$ 1.5H <sub>2</sub> O} <sub>n</sub> and [Co(Pht)(Im) <sub>2</sub> ] <sub>n</sub> and their application in oxidation catalysis. <i>Polyhedron</i> , 2006, 25, 1215-1222.	2.2	122
148	Synthesis, structure and properties of heterotrinnuclear carboxylate complexes [Fe <sub>2</sub> M(Ca, Sr, Tj)ETQqO <sub>0</sub> O <sub>0</sub> rgBT /Ovcrlock 10 Tf 50 622	2.2	27
149	Trinuclear tris-Co(II) and trans-cobaloxime type Co(III) complexes prepared from Co(II) triflate precursor: Synthesis, structure and properties. <i>Polyhedron</i> , 2006, 25, 3417-3426.	2.2	18
150	A reinvestigated mechanism of ribosylation of adenine under silylating conditions. <i>Tetrahedron</i> , 2006, 62, 10123-10129.	1.9	30
151	Synthesis, crystal structure and biological activities of copper(II) complexes with chelating bidentate 2-substituted benzimidazole ligands. <i>Journal of Inorganic Biochemistry</i> , 2006, 100, 1389-1398.	3.5	91
152	Synthesis of Pyrrolizidine Derivatives by 1,3-Dipolar Cycloaddition Reactions of Chiral Five-Membered Cyclic Azomethine Ylides. <i>European Journal of Organic Chemistry</i> , 2006, 2006, 3738-3745.	2.4	7
153	The Synthesis and Study of Tetranuclear Cluster [Fe <sub>4</sub> O <sub>2</sub> (CCl <sub>3</sub> COO) <sub>8</sub> (THF) <sub>2</sub> (DMF)(H <sub>2</sub> O)] $\cdot$ n $\cdot$ THF. <i>Chemistry Journal of Moldova</i> , 2006, 1, 77-83.	0.6	3
154	Ni(II) coordination compounds based on mixed phthalate and aromatic amine ligands: synthesis, crystal structures and magnetic properties. <i>Inorganica Chimica Acta</i> , 2005, 358, 1762-1770.	2.4	21
155	2D coordination polymers of Nd(III) and Gd(III) with the phenoxyacetate ligand. <i>Inorganica Chimica Acta</i> , 2005, 358, 4437-4442.	2.4	15
156	Synthesis of 2,3-dihydroimidazo[1,2-a]pyrimidin-5(1H)-ones by the domino Michael addition retro-ene reaction of 2-alkoxyiminoimidazolidines and acetylene carboxylates. <i>Tetrahedron</i> , 2005, 61, 5303-5309.	1.9	18
157	Nitrosation of hydrochlorothiazide and the modes of binding of the N-nitroso derivative with two macrocycles possessing an 18-membered crown ether cavity. <i>Tetrahedron</i> , 2005, 61, 6596-6601.	1.9	12
158	Synthesis, molecular structure, and in vitro antitumor activity of new 4-chloro-2-mercaptobenzenesulfonamide derivatives. <i>European Journal of Medicinal Chemistry</i> , 2005, 40, 377-389.	5.5	48
159	Synthesis of 2,3,5,6-tetrahydro-3H-imidazo[2,1-b][1,3,5]benzotriazepines and their oxidative ring contraction into 1-(4,5-dihydro-1H-imidazol-2-yl)-1H-benzimidazoles. <i>Il Farmaco</i> , 2005, 60, 127-134.	0.9	5
160	From Mono- and Dinuclear to Polynuclear Cobalt(II) and Cobalt(III) Coordination Compounds Based on o-Phthalic Acid and 2,2'-Bipyridine: Synthesis, Crystal Structures, and Properties. <i>European Journal of Inorganic Chemistry</i> , 2005, 2005, 3118-3130.	2.0	45
161	Anion- $\pi$ Interactions in Cyanuric Acids: A Combined Crystallographic and Computational Study. <i>Chemistry - A European Journal</i> , 2005, 11, 6560-6567.	3.3	167
162	Synthesis of 2,3,5,6-Tetrahydro-3H-imidazo[2,1-b][1,3,5]benzotriazepines and Their Oxidative Ring Contraction into 1-(4,5-Dihydro-1H-imidazol-2-yl)-1H-benzimidazoles.. <i>ChemInform</i> , 2005, 36, no.	0.0	0

#	ARTICLE	IF	CITATIONS
163	Synthesis, Molecular Structure, and in vitro Antitumor Activity of New 4-Chloro-2-mercaptobenzenesulfonamide Derivatives.. ChemInform, 2005, 36, no.	0.0	0
164	Thioamides and selenoamides with chirality solely due to hindered rotation about the C=N bond: enantioselective complexation with optically active hosts. Tetrahedron: Asymmetry, 2005, 16, 3711-3717.	1.8	15
165	O-(2,3,4,5,6-Pentafluorobenzyl)hydroxylaminium chloride. Acta Crystallographica Section E: Structure Reports Online, 2005, 61, o1187-o1189.	0.2	0
166	Polymorph $\hat{I}^2$ of 1H-benzotriazole. Acta Crystallographica Section E: Structure Reports Online, 2005, 61, o2967-o2969.	0.2	18
167	Polymorph $\hat{I}^2$ of 1H-benzimidazole. Acta Crystallographica Section E: Structure Reports Online, 2005, 61, o4116-o4118.	0.2	15
168	1H-Benzimidazole-2-carboxylic acid monohydrate. Acta Crystallographica Section E: Structure Reports Online, 2005, 61, o4185-o4187.	0.2	4
169	Interplay of hydrogen bonding and aromatic ring interactions in supramolecular complexes of phenazine with N,N'-bis(2-pyridyl)aryldiamines. CrystEngComm, 2005, 7, 433.	2.6	7
170	Synthesis, Molecular Structure and Reactivity of 5-Methylidene-1,2,3,5-tetrahydroimidazo[2,1-b]quinazolines. Molecules, 2004, 9, 86-101.	3.8	9
171	Planar Chiral Dianthranilide and Dithiodianthranilide Molecules: Optical Resolution, Chiroptical Spectra, and Molecular Self-Assembly. Journal of Organic Chemistry, 2004, 69, 1248-1255.	3.2	19
172	Synthesis, Spectroscopic Characterization, and Crystal Structure of the Lanthanide(III) Complex [Ce(hydrazone) <sub>2</sub> (NO <sub>3</sub> )(NCS)(H <sub>2</sub> O)]NO <sub>3</sub> ·½2.35H <sub>2</sub> O. Structural Chemistry, 2004, 15, 605-612.	2.0	9
173	2,4,6-Trimethylbenzamide. Acta Crystallographica Section C: Crystal Structure Communications, 2004, 60, o41-o43.	0.4	3
174	N,N'-Bis(2-pyridyl)benzene-1,2-diamine. Acta Crystallographica Section C: Crystal Structure Communications, 2004, 60, o215-o216.	0.4	5
175	(S)-N-Nitrosoazetidine-2-carboxylic acid. Acta Crystallographica Section E: Structure Reports Online, 2004, 60, o181-o183.	0.2	5
176	First Stable O-Amidinyldihydroxylamines and Their Transformations into Sulfenamides by Intramolecular 1,5-O→S Amine Migration. European Journal of Organic Chemistry, 2004, 2004, 3511-3516.	2.4	2
177	Synthesis and Structure of Novel 2,3,5,6-Tetrahydro-1H-imidazo[2,1-b][1,3,5]benzotriazepines with Vasocontractile Activity in Rabbit Aortic Rings.. ChemInform, 2004, 35, no.	0.0	0
178	Synthesis, Structural Characterization and in vitro Antitumor Activity of 4-Dimethylaminopyridinium (6-Chloro-1,1-dioxo-1,4,2-benzodithiazin-3-yl)methanides.. ChemInform, 2004, 35, no.	0.0	0
179	Synthesis, antiviral, and anti-HIV-1 integrase activities of 3-aryl-1,1-dioxo-1,4,2-benzodithiazines. Bioorganic and Medicinal Chemistry, 2004, 12, 3663-3672.	3.0	31
180	Mononuclear nickel(II) and copper(II) complexes with Schiff base ligands derived from 2,6-diformyl-4-methylphenol and S-methylisothiosemicarbazones. Inorganica Chimica Acta, 2004, 357, 2728-2736.	2.4	23

#	ARTICLE	IF	CITATIONS
181	Novel heteronuclear -bridged trichloroacetates: synthesis and X-ray study of and. <i>Inorganica Chimica Acta</i> , 2004, 357, 4396-4404.	2.4	18
182	Optical activity of benzophenone and thiobenzophenone generated by spontaneous crystallization and inclusion complexation with cholic acid. <i>Tetrahedron: Asymmetry</i> , 2004, 15, 103-107.	1.8	16
183	Optical activity of the guest azobenzene molecule generated by inclusion complexation with steroidal bile acids. <i>Tetrahedron: Asymmetry</i> , 2004, 15, 3257-3261.	1.8	8
184	Nickel(II)-, cobalt(II)-, copper(II)-, and zinc(II)-phthalate and 1-methylimidazole coordination compounds: synthesis, crystal structures and magnetic properties. <i>Inorganica Chimica Acta</i> , 2004, 357, 3419-3429.	2.4	87
185	The first specimen of tetranuclear (Fe III , Ln III ) clusters assembled by carboxylate ligands: synthesis, structure, Mössbauer spectra, and magnetic properties of $[Fe_3 EuO_2 (CCl_3 COO)_8 H_2 O(THF)_3] \cdot THF$ . <i>Inorganic Chemistry Communication</i> , 2004, 7, 576-579.	3.9	29
186	Synthesis, antiviral, and anti-HIV-1 integrase activities of 3-aryloxy-1,1-dioxo-1,4,2-benzodithiazines*1. <i>Bioorganic and Medicinal Chemistry</i> , 2004, 12, 3663-3663.	3.0	1
187	Synthesis, X-ray Crystal Structures, Stabilities, and in Vitro Cytotoxic Activities of New Heteroarylacrylonitriles. <i>Journal of Medicinal Chemistry</i> , 2004, 47, 3438-3449.	6.4	48
188	Hetero di- and trinuclear Cu <sup>II</sup> -Gd complexes with trifluoroacetate bridges: synthesis, structural and magnetic studies. <i>Dalton Transactions</i> , 2004, , 1194-1200.	3.3	86
189	Synthesis and structure of novel 2,3, 5,6-tetrahydro-1H-imidazo[2,1-b][1,3,5]benzotriazepines with vasocontractile activity in rabbit aortic rings. <i>Il Farmaco</i> , 2003, 58, 1171-1178.	0.9	7
190	The psuedo-michael reaction of 2-aminoimidazolines 2. Part 1. Synthesis and structure assignment of isomeric 5(1H)-Oxo and 7(1H)-Oxo-2,3-dihydroimidazo[1,2-a]pyrimidine-6-carboxylates. <i>Journal of Heterocyclic Chemistry</i> , 2003, 40, 93-99.	2.6	12
191	Synthesis, Molecular Structure, and Applications of 2-Hydroxylamino-4,5-dihydroimidazolium-O-sulfonate to the Synthesis of Novel Heterocyclic Ring Systems.. <i>ChemInform</i> , 2003, 34, no.	0.0	0
192	Supramolecular Assemblies of Hydrogen-Bonded Carboxylic Acid Dimers Mediated by Phenyl <sup>π</sup> -Pentafluorophenyl Stacking Interactions. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 3903-3906.	13.8	107
193	Synthesis, structural characterization and in vitro antitumor activity of 4-dimethylaminopyridinium (6-chloro-1,1-dioxo-1,4,2-benzodithiazin-3-yl)methanides. <i>European Journal of Medicinal Chemistry</i> , 2003, 38, 991-999.	5.5	23
194	Zinc(II) carboxylates with imidazole and 2-methylimidazole: unprecedented cyclic dimer and polynuclear coordination polymers based on bridging phthalate ions. <i>Inorganica Chimica Acta</i> , 2003, 344, 109-116.	2.4	52
195	Synthesis and anticancer activity of 2-amino-8-chloro-5,5-dioxo[1,2,4]triazolo[2,3-b][1,4,2]benzodithiazine derivatives. <i>Bioorganic and Medicinal Chemistry</i> , 2003, 11, 1259-1267.	3.0	37
196	Synthesis, structural characterization and In vitro antitumor activity of novel 6-Chloro-1,1-dioxo-1,4,2-benzodithiazie derivatives. <i>Bioorganic and Medicinal Chemistry</i> , 2003, 11, 3673-3681.	3.0	30
197	Synthesis and structural characterisation of unprecedented dinuclear zinc(II) complex with H-bonded bridging phthalate ions. <i>Inorganic Chemistry Communication</i> , 2003, 6, 685-689.	3.9	30
198	2-Amino-6-(1-imidazolylmethyl)-4-(3,5,5-trimethyl-2-pyrazolin-1-yl)-1,3,5-triazine and 2-amino-6-(1-benzimidazolylmethyl)-4-(3,5,5-trimethyl-2-pyrazolin-1-yl)-1,3,5-triazine hemihydrate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2003, 59, o696-o699.	0.4	1

#	ARTICLE	IF	CITATIONS
199	2,3,4,5,6-Pentafluorobenzamide. Acta Crystallographica Section E: Structure Reports Online, 2003, 59, o1642-o1644.	0.2	5
200	Synthesis, Molecular Structure, and Applications of 2-Hydroxylamino-4,5-dihydroimidazolium-O-sulfonate to the Synthesis of Novel Heterocyclic Ring Systems. Journal of Organic Chemistry, 2003, 68, 4791-4796.	3.2	30
201	Creation of hydrogen bonded 1D networks by co-crystallization of N,N'-bis(2-pyridyl)aryldiamines with dicarboxylic acids. Supramolecular structures formed by 2-aminopyridine derivatives. Part II.5. Organic and Biomolecular Chemistry, 2003, 1, 1425-1434.	2.8	31
202	Supramolecular structures formed by 2-aminopyridine derivatives.. New Journal of Chemistry, 2002, 26, 448-456.	2.8	23
203	2-Chloro-4,5-dihydroimidazole, Part X. Revisiting route to N-heteroarylimidazolidin-2-ones. Journal of Heterocyclic Chemistry, 2002, 39, 911-915.	2.6	10
204	The $\beta$ -polymorph of phenazine. Acta Crystallographica Section C: Crystal Structure Communications, 2002, 58, o181-o182.	0.4	21
205	(S)-trans-Cyclohexane-1,2-dicarboximide. Acta Crystallographica Section C: Crystal Structure Communications, 2002, 58, o661-o662.	0.4	1
206	Hydrogen-bonded one-dimensional networks in 1:1 complexes of N,N'-bis(2-pyridyl)aryldiamines with anilic acid. Acta Crystallographica Section C: Crystal Structure Communications, 2002, 58, o735-o738.	0.4	1
207	Lower rim substituted tert-butylcalix[4]arenes (II). Complexing ability of 5,11,17,23-tetra-tert-butyl-25,26,27,28-tetrakis-O-(piperidinylcarbonyl)methylenecalix[4]arene. The crystal structures of the ligand and its sodium complex. Polyhedron, 2002, 21, 763-768.	2.2	7
208	Asymmetric Transformation of N-Nitrosamines by Inclusion Crystallization with Optically Active Hosts. Journal of Organic Chemistry, 2001, 66, 501-506.	3.2	47
209	Circular Dichroism Spectra of the Achiral Guest N-Aryl-N-nitrosamines Included in the Crystal Host Matrices of Cholic Acid. Journal of Organic Chemistry, 2001, 66, 7380-7384.	3.2	21
210	Pseudopolymorphism in Tetradeca-2,6-O-methyl- $\beta$ -cyclodextrin: The Crystal Structures for Two New Hydrates. Conformational Variability in the Alkylated $\beta$ -Cyclodextrin Molecule. Journal of the American Chemical Society, 2001, 123, 3919-3926.	13.7	24
211	Carbon Disulfide Promoted Reactions of 2-Chloro-4,5-dihydro-imidazole with Some N-Nucleophiles.. Chemical and Pharmaceutical Bulletin, 2001, 49, 1203-1206.	1.3	10
212	Synthesis and X-ray diffraction study of Zn(II) complexes with o-phthalic acid and aromatic amines. Polyhedron, 2001, 20, 831-837.	2.2	47
213	Absolute sense of twist of the benzil molecule in its enantiomorphous crystals and inclusion complexes with optically active hosts. Tetrahedron: Asymmetry, 2001, 12, 797-800.	1.8	22
214	Inclusion Compounds of Nitrosobenzenes with Cholic Acid and Deoxycholic Acid. Journal of Inclusion Phenomena and Macrocyclic Chemistry, 2001, 40, 243-247.	1.6	5
215	Synthesis, structure and chiroptical spectra of the bicyclic $\beta$ -diketones, imides and dithioimides related to santenone. Tetrahedron: Asymmetry, 2000, 11, 3113-3122.	1.8	11
216	Synthesis, characterization and spectra of lanthanide(III) hydrazone complexes. Polyhedron, 2000, 19, 2629-2637.	2.2	56

#	ARTICLE	IF	CITATIONS
217	Synthesis, structure and antiaggregatory effects of some N-(4,5-dihydro-1H-imidazol-2-yl)indoles. <i>Il Farmaco</i> , 2000, 55, 56-64.	0.9	8
218	The Crystal Structure of the 2 : 1 Cholic Acid $\hat{\text{A}}$ Benzophenone Clathrate. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2000, 37, 155-169.	1.6	6
219	Conformational properties and chiroptical spectra of lactams and thiolactams with 2-azabicyclo[2.2.1]heptane, 2- and 3-azabicyclo[3.2.1]octane skeletons. <i>Tetrahedron: Asymmetry</i> , 1999, 10, 2591-2604.	1.8	16
220	Enantioselective Inclusion Complexation of N-Nitrosopiperidines by Steroidal Bile Acids. <i>Angewandte Chemie - International Edition</i> , 1999, 38, 392-395.	13.8	44
221	N-Nitrosopiperidines with chirality solely due to hindered rotation about the N $\hat{\text{A}}$ bond: enantioselective inclusion complexation with optically active hosts. <i>Chemical Communications</i> , 1999, , 1385-1386.	4.1	20
222	Synthesis, Structure, and Biological Activities of Some N-(4,5-Dihydro-1H-imidazol-2-yl)-1,3-dihydrobenzimidazole Derivatives. <i>Archiv Der Pharmazie</i> , 1998, 331, 241-248.	4.1	6
223	Chiroptical spectra and molecular geometry of bicyclic dithioimides. <i>Tetrahedron: Asymmetry</i> , 1998, 9, 3011-3023.	1.8	7
224	Three-Center CF $\hat{\text{A}}$ $\hat{\text{A}}$ HN Intramolecular Hydrogen Bonding in the 2,6-Bis(2,6-difluorophenyl)piperidine Systems <sup>1</sup> . <i>Journal of Organic Chemistry</i> , 1998, 63, 3731-3734.	3.2	44
225	Generation of Chirality in Guest Aromatic Ketones Included in the Crystals of Steroidal Bile Acids. <i>Journal of the American Chemical Society</i> , 1998, 120, 7353-7354.	13.7	43
226	Conformation and Stereodynamics of N,N $\hat{\text{A}}$ -Dinitroso-2,4,6,8-tetraaryl-3,7-diazabi-cyclo[3.3.1]nonanes <sup>1</sup> . <i>Journal of Organic Chemistry</i> , 1997, 62, 5619-5622.	3.2	6
227	Chiroptical Spectra of 1,2-Cyclopropanedicarboxylic Monothioimides <sup>1</sup> . <i>Journal of Organic Chemistry</i> , 1997, 62, 1860-1862.	3.2	8
228	Stereochemistry and chiroptical spectra of 3-azabicyclo[3.1.0]hexan-2-ones and thiones. <i>Tetrahedron: Asymmetry</i> , 1997, 8, 1267-1273.	1.8	11
229	Conformational Flexibility of Serotonin <sub>1A</sub> Receptor Ligands from Crystallographic Data. Updated Model of the Receptor Pharmacophore. <i>Archiv Der Pharmazie</i> , 1997, 330, 146-160.	4.1	34
230	Reactions of N-Aryl-N-(4,5-dihydro-1H-imidazol-2-yl)hydroxylamines with Electron-Deficient Acetylenes. Synthesis and Structure of Novel Heterocyclic Ketene Aminals. <i>Journal of Organic Chemistry</i> , 1996, 61, 5425-5429.	3.2	10
231	Structure, Conformation, and Stereodynamics of N-Nitroso-2,4-diaryl-3-azabicyclo[3.3.1]nonanes and N-Nitroso-2,4-diaryl-3-azabicyclo[3.3.1]nonan-9-ones <sup>1</sup> . <i>Journal of Organic Chemistry</i> , 1996, 61, 3766-3772.	3.2	28
232	Synthesis, structure and antiaggregatory effects of some $\hat{\text{A}}$ -hydroxy analogues of 2-aryliminoimidazolines in human platelets. <i>European Journal of Pharmaceutical Sciences</i> , 1996, 4, 85-93.	4.0	9
233	Synthesis, stereochemistry, and chiroptical spectra of cyclopropyl lactones and thionolactones. <i>Tetrahedron: Asymmetry</i> , 1996, 7, 3169-3180.	1.8	20
234	$\hat{\text{A}}$ -Iminohydroxylamine- $\hat{\text{A}}$ -aminonitrone tautomerism: a $\hat{\text{A}}$ mixture of two tautomeric forms in crystals of N-(4,5-dihydro-1H-imidazol-2-yl)-N-phenyl-hydroxylamine. <i>Journal of Chemical Crystallography</i> , 1995, 25, 813-821.	1.1	7



#	ARTICLE	IF	CITATIONS
235	Inclusion compounds of ( $i\frac{1}{2}$ ) gossypol. Structure of the gossypol-n-valeric acid (1/2) coordinato-clathrate. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 1995, 22, 187-201.	1.6	1
236	The O, O $\epsilon^2$ -dibenzoyl derivative of (R, R)-tartaric acid as a host compound for simple organic ethers. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 1995, 22, 211-219.	1.6	9
237	Buspirone Analogs as Ligands of the 5-HT <sub>1A</sub> Receptor. 1. The Molecular Structure of Buspirone and Its Two Analogs. <i>Journal of Medicinal Chemistry</i> , 1995, 38, 1701-1710.	6.4	38
238	Conformational Study of N-Nitroso-2,6-diphenylpiperidines and N-Nitroso-2,6-diphenylpiperidin-4-ones by Molecular Mechanics Calculations, X-ray Crystallography, and <sup>1</sup> H and <sup>13</sup> C NMR Spectroscopy. <i>Journal of Organic Chemistry</i> , 1995, 60, 7411-7418.	3.2	52
239	Crystal Structure of 2 $\epsilon^2$ -Deoxycytidine Hemidihydrogenphosphate Reveals C <sup>+</sup> -C Base Pairs and Tight, Hydrogen-Bonded (H <sub>2</sub> PO <sub>4</sub> ) <sup>-</sup> Columns (1). <i>Journal of Biomolecular Structure and Dynamics</i> , 1994, 11, 1287-1306.	3.5	9
240	On the molecular structure of gold(I) complexes with heterocyclic thiones. The structure of bis(1,3-thiazolidine-2-thione) gold(I) chloride hydrate. <i>Polyhedron</i> , 1994, 13, 753-758.	2.2	18
241	Crystal structure of the product of a condensation reaction of ( $i\frac{1}{2}$ )-gossypol with (R)-(+)-1-phenylethylamine. Why do diastereoisomeric diaminogossypols cocrystallize?. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 1994, 17, 365-376.	1.6	7
242	Dicyclohexylamides as ionophores for Li-selective electrodes. Crystal structures of a triamide ligand and its complex with lithium ion. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 1994, 20, 53-71.	1.6	13
243	Strong hydrogen bonds in 1:1 and 2:1 complexes of pyridine betaine with strong acids. <i>Journal of Molecular Structure</i> , 1994, 322, 297-308.	3.6	48
244	Molecular geometry and circular dichroism spectra of bicyclo[2.2.1]heptane-2,3-dicarboxylic anhydrides and imides. <i>Journal of Organic Chemistry</i> , 1993, 58, 3134-3139.	3.2	9
245	2-Chloro-4,5-dihydroimidazole. Part VII. Reactions with carbon disulfide and potassium O-alkyl dithiocarbonates. Synthesis and transformations of 2,3,7,8-tetrahydro-5H-diimidazo[2,1-b : 1 $\epsilon^2$ ,2 $\epsilon^2$ -e][1,3,5]thiadiazine-5-thione. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1992, , 47-50.	0.9	7
246	X-ray, FT-IR and PM3 studies of hydrogen bonds in complexes of some pyridines with trifluoroacetic acid. <i>Journal of Molecular Structure</i> , 1992, 270, 99-124.	3.6	33
247	Stereospecific synthesis of P-epimeric (Sp,Sp)-bis-[( $\epsilon^1$ )-menthyloxy(phenyl)thiophosphoryl] disulphide. An unusual case of steric selection. <i>Journal of the Chemical Society Chemical Communications</i> , 1991, , 889-890.	2.0	16
248	Crystal and molecular structure of cytosine trichloroacetate. <i>Journal of Molecular Structure</i> , 1989, 195, 57-64.	3.6	9
249	Crystal and molecular structure of 3-(4-chlorobenzoylimino)-5,6-dihydro-3H-imidazo[2,1-c]-1,2,4-dithiazole. <i>Journal of Crystallographic and Spectroscopic Research</i> , 1989, 19, 507-512.	0.2	1
250	Formation of quinoacridinium system. <i>Tetrahedron</i> , 1988, 44, 6645-6650.	1.9	7
251	Crystal and molecular structure of cytosine hemitrichloroacetate. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1988, , 1775.	0.9	11
252	2-Chloro-3,4-dihydroimidazole. Part 2. Synthesis of cyanines from 6-aryl-2,3-dihydro-6aH-imidazo[1,2-a]pyrido[1,2-c][1.3.5]triazin-5(6H)-ones. Crystal and molecular structure of 6-phenyl-2,3-dihydro-6aH-imidazo[1,2-a]pyrido[1,2-c][1,3,5]triazin-5(6H)-one. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1987, , 1033-1037.	0.9	6

#	ARTICLE	IF	CITATIONS
253	2-Chloro-4,5-dihydroimidazole, III. Synthesis, Reactions, and Crystal Structure of 2-(Alkylthio)-7,8-dihydroimidazo[1,2-a]-1,3,5-triazine-4(6H)-thione. Liebigs Annalen Der Chemie, 1987, 1987, 721-724.	1.8	0
254	The structure of syn-4,4,8,8-tetrafluorotricyclo-[5.1.0.03,5]octane. Journal of Molecular Structure, 1986, 147, 155-160.	3.6	1
255	Reaction of acylaminocanoesters with 2,4-bis (4-methoxyphenyl)-1,3,2,4-dithiadiphosphetane 2,4-disulfide leading to substituted aminothiazoles. Crysta. Tetrahedron, 1985, 41, 5989-5994.	1.9	18