

Shemin Lu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1557350/publications.pdf>

Version: 2024-02-01

171
papers

10,661
citations

94433

37
h-index

34986

98
g-index

175
all docs

175
docs citations

175
times ranked

22067
citing authors

#	ARTICLE	IF	CITATIONS
1	Metformin Ameliorates Inflammation and Airway Remodeling of Experimental Allergic Asthma in Mice by Restoring AMPK α Activity. <i>Frontiers in Pharmacology</i> , 2022, 13, 780148.	3.5	12
2	Topical Treatment of Colquhounia Root Relieves Skin Inflammation and Itch in Imiquimod-Induced Psoriasiform Dermatitis in Mice. <i>Mediators of Inflammation</i> , 2022, 2022, 1-15.	3.0	3
3	Pdcd4 promotes lipid deposition by attenuating PPAR α -mediated fatty acid oxidation in hepatocytes. <i>Molecular and Cellular Endocrinology</i> , 2022, 545, 111562.	3.2	4
4	SLC7A5 expression is up-regulated in peripheral blood T and B lymphocytes of systemic lupus erythematosus patients, associating with renal damage. <i>Clinical Immunology</i> , 2022, 237, 108987.	3.2	1
5	Single Treatment of Vitamin D3 Ameliorates LPS-Induced Acute Lung Injury through Changing Lung <i>rodentibacter</i> abundance. <i>Molecular Nutrition and Food Research</i> , 2022, 66, e2100952.	3.3	3
6	Cholesterol-induced leucine aminopeptidase 3 (LAP3) upregulation inhibits cell autophagy in pathogenesis of NAFLD. <i>Aging</i> , 2022, 14, 3259-3275.	3.1	8
7	Identification of benzamides derivatives of norfloxacin as promising microRNA-21 inhibitors via repressing its transcription. <i>Bioorganic and Medicinal Chemistry</i> , 2022, 66, 116803.	3.0	0
8	T-2 Toxin Induces Epiphyseal Plate Lesions via Decreased SECISBP2-Mediated Selenoprotein Expression in DA Rats, Exacerbated by Selenium Deficiency. <i>Cartilage</i> , 2021, 12, 121-131.	2.7	9
9	Pristane promotes anaerobic glycolysis to facilitate proinflammatory activation of macrophages and development of arthritis. <i>Experimental Cell Research</i> , 2021, 398, 112404.	2.6	2
10	PRMT1 Modulates Processing of Asthma-Related Primary MicroRNAs (Pri-miRNAs) into Mature miRNAs in Lung Epithelial Cells. <i>Journal of Immunology</i> , 2021, 206, 11-22.	0.8	10
11	MicroRNA-497 Reduction and Increase of Its Family Member MicroRNA-424 Lead to Dysregulation of Multiple Inflammation Related Genes in Synovial Fibroblasts With Rheumatoid Arthritis. <i>Frontiers in Immunology</i> , 2021, 12, 619392.	4.8	8
12	Molecular detection of SARS-CoV-2 being challenged by virus variation and asymptomatic infection. <i>Journal of Pharmaceutical Analysis</i> , 2021, 11, 257-264.	5.3	19
13	Induction of PDCD4 by albumin in proximal tubule epithelial cells potentiates proteinuria-induced dysfunctional autophagy by negatively targeting Atg5. <i>Biochemistry and Cell Biology</i> , 2021, 99, 1-12.	2.0	2
14	mTOR regulates PRMT1 expression and mitochondrial mass through STAT1 phosphorylation in hepatic cell. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2021, 1868, 119017.	4.1	7
15	Loss of microRNA-147 function alleviates synovial inflammation through ZNF148 in rheumatoid and experimental arthritis. <i>European Journal of Immunology</i> , 2021, 51, 2062-2073.	2.9	12
16	IFN- γ contributes to the hepatic inflammation in HFD-induced nonalcoholic steatohepatitis by STAT1 β /TLR2 signaling pathway. <i>Molecular Immunology</i> , 2021, 134, 118-128.	2.2	8
17	TSLP-induced collagen type-I synthesis through STAT3 and PRMT1 is sensitive to calcitriol in human lung fibroblasts. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2021, 1868, 119083.	4.1	7
18	Dependence of SARS-CoV-2 infection on cholesterol-rich lipid raft and endosomal acidification. <i>Computational and Structural Biotechnology Journal</i> , 2021, 19, 1933-1943.	4.1	69

#	ARTICLE	IF	CITATIONS
19	Ncf1 Governs Immune Niches in the Lung to Mediate Pulmonary Inflammation in Mice. <i>Frontiers in Immunology</i> , 2021, 12, 783944.	4.8	7
20	miR-497 Is Implicated in the Process of Chondrogenesis and Inhibits IHH Gene Expression in Human Chondrocytes. <i>Cartilage</i> , 2020, 11, 479-489.	2.7	4
21	SOD3 Is Secreted by Adipocytes and Mitigates High-Fat Diet-Induced Obesity, Inflammation, and Insulin Resistance. <i>Antioxidants and Redox Signaling</i> , 2020, 32, 193-212.	5.4	11
22	W941, a new PI3K inhibitor, exhibits preferable anti-proliferative activities against nonsmall cell lung cancer with autophagy inhibitors. <i>Investigational New Drugs</i> , 2020, 38, 1218-1226.	2.6	3
23	Chloroquine and hydroxychloroquine as ACE2 blockers to inhibit viropexis of 2019-nCoV Spike pseudotyped virus. <i>Phytomedicine</i> , 2020, 79, 153333.	5.3	46
24	A shedding soluble form of interleukin-17 receptor D exacerbates collagen-induced arthritis through facilitating TNF- α -dependent receptor clustering. <i>Cellular and Molecular Immunology</i> , 2020, 18, 1883-1895.	10.5	4
25	Up-regulated DERL3 in fibroblast-like synoviocytes exacerbates inflammation of rheumatoid arthritis. <i>Clinical Immunology</i> , 2020, 220, 108579.	3.2	6
26	Natural polymorphism of Ym1 regulates pneumonitis through alternative activation of macrophages. <i>Science Advances</i> , 2020, 6, .	10.3	23
27	Intervening upregulated SLC7A5 could mitigate inflammatory mediator by mTOR-P70S6K signal in rheumatoid arthritis synoviocytes. <i>Arthritis Research and Therapy</i> , 2020, 22, 200.	3.5	14
28	Upregulated PKM2 in Macrophages Exacerbates Experimental Arthritis via STAT1 Signaling. <i>Journal of Immunology</i> , 2020, 205, 181-192.	0.8	24
29	Anti-toll-like receptor 2 antibody ameliorates hepatic injury, inflammation, fibrosis and steatosis in obesity-related metabolic disorder rats via regulating MAPK and NF- κ B pathways. <i>International Immunopharmacology</i> , 2020, 82, 106368.	3.8	19
30	Molecular immune pathogenesis and diagnosis of COVID-19. <i>Journal of Pharmaceutical Analysis</i> , 2020, 10, 102-108.	5.3	1,208
31	Elevated IL-22 in psoriasis plays an anti-apoptotic role in keratinocytes through mediating Bcl-xL/Bax. Apoptosis: an International Journal on Programmed Cell Death, 2020, 25, 663-673.	4.9	26
32	The Human Novel Gene LNC-HC Inhibits Hepatocellular Carcinoma Cell Proliferation by Sequestering hsa-miR-183-5p. <i>Molecular Therapy - Nucleic Acids</i> , 2020, 20, 468-479.	5.1	21
33	Effects and Mechanisms of Autophagy Induced by Solubilized-Cholesterol in Hepatocytes: A Comparative Study Among Solvents. <i>Cell Biochemistry and Biophysics</i> , 2020, 78, 357-366.	1.8	3
34	Rosmarinic acid inhibits nicotine-induced C-reactive protein generation by inhibiting NLRP3 inflammasome activation in smooth muscle cells. <i>Journal of Cellular Physiology</i> , 2019, 234, 1758-1767.	4.1	33
35	Abnormal Expression of DICER1 Leads to Dysregulation of Inflammatory Effectors in Human Synoviocytes. <i>Mediators of Inflammation</i> , 2019, 2019, 1-13.	3.0	4
36	Bronchial thermoplasty decreases airway remodelling by blocking epithelium-derived heat shock protein-60 secretion and protein arginine methyltransferase-1 in fibroblasts. <i>European Respiratory Journal</i> , 2019, 54, 1900300.	6.7	33

#	ARTICLE	IF	CITATIONS
37	High glucose and TGF- β 1 reduce expression of endoplasmic reticulum-resident selenoprotein S and selenoprotein N in human mesangial cells. <i>Renal Failure</i> , 2019, 41, 762-769.	2.1	8
38	Pleiotropic microRNA-21 in pulmonary remodeling: novel insights for molecular mechanism and present advancements. <i>Allergy, Asthma and Clinical Immunology</i> , 2019, 15, 33.	2.0	21
39	Interpreting the MicroRNA-15/107 family: interaction identification by combining network based and experiment supported approach. <i>BMC Medical Genetics</i> , 2019, 20, 96.	2.1	14
40	The dual luciferase reporter system and RT-qPCR strategies for screening of MicroRNA-21 small-molecule inhibitors. <i>Biotechnology and Applied Biochemistry</i> , 2019, 66, 755-762.	3.1	6
41	microRNA-23a contributes to asthma by targeting BCL2 in airway epithelial cells and CXCL12 in fibroblasts. <i>Journal of Cellular Physiology</i> , 2019, 234, 21153-21165.	4.1	16
42	Maintenance of SOX9 stability and ECM homeostasis by selenium-sensitive PRMT5 in cartilage. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 932-944.	1.3	16
43	p62 functions as an oncogene in colorectal cancer through inhibiting apoptosis and promoting cell proliferation by interacting with the vitamin D receptor. <i>Cell Proliferation</i> , 2019, 52, e12585.	5.3	24
44	Long Noncoding RNA Inc-HC Regulates PPAR β -Mediated Hepatic Lipid Metabolism through miR-130b-3p. <i>Molecular Therapy - Nucleic Acids</i> , 2019, 18, 954-965.	5.1	40
45	Intra-articular Injection of Chloramphenicol Reduces Articular Cartilage Degeneration in a Rabbit Model of Osteoarthritis. <i>Clinical Orthopaedics and Related Research</i> , 2019, 477, 2785-2797.	1.5	5
46	TGF- β 2 Upregulated Mitochondria Mass through the SMAD2/3/C/EBP β /PRMT1 Signal Pathway in Primary Human Lung Fibroblasts. <i>Journal of Immunology</i> , 2019, 202, 37-47.	0.8	48
47	Proinflammatory macrophages impair skeletal muscle differentiation in obesity through secretion of tumor necrosis factor- α via sustained activation of p38 mitogen-activated protein kinase. <i>Journal of Cellular Physiology</i> , 2019, 234, 2566-2580.	4.1	19
48	Sodium selenite induces apoptosis and inhibits autophagy in human synovial sarcoma cell line SW982 in <i>in vitro</i> . <i>Molecular Medicine Reports</i> , 2018, 17, 6560-6568.	2.4	6
49	Down-regulation of miR-10a-5p promotes proliferation and restricts apoptosis via targeting T-box transcription factor 5 in inflamed synoviocytes. <i>Bioscience Reports</i> , 2018, 38, .	2.4	14
50	Down-regulation of miR-10a-5p in synoviocytes contributes to TBX5-controlled joint inflammation. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 241-250.	3.6	40
51	Selenium-sensitive miR-181a-5p targeting miR-181a-5p targeting miR-181a-5p regulates selenoproteins expression in cartilage. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 5888-5898.	3.6	14
52	Signaling network between the dysregulated expression of microRNAs and mRNAs in propofol-induced developmental neurotoxicity in mice. <i>Scientific Reports</i> , 2018, 8, 14172.	3.3	14
53	Discovery of 2-(aminopyrimidin-5-yl)-4-(morpholin-4-yl)-6- substituted triazine as PI3K and BRAF dual inhibitor. <i>Future Medicinal Chemistry</i> , 2018, 10, 2445-2455.	2.3	7
54	SFMBT2 positively regulates SOX9 and chondrocyte proliferation. <i>International Journal of Molecular Medicine</i> , 2018, 42, 3503-3512.	4.0	5

#	ARTICLE	IF	CITATIONS
55	Tumor necrosis factor- α and diabetic retinopathy: Review and meta-analysis. <i>Clinica Chimica Acta</i> , 2018, 485, 210-217.	1.1	24
56	Downregulated in OA cartilage, SFMBT2 contributes to NF- κ B-mediated ECM degradation. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 5753-5758.	3.6	11
57	Beclin1 overexpression suppresses tumor cell proliferation and survival via an autophagy-dependent pathway in human synovial sarcoma cells. <i>Oncology Reports</i> , 2018, 40, 1927-1936.	2.6	28
58	Downregulation of HS6ST2 by miR-23b-3p enhances matrix degradation through p38 MAPK pathway in osteoarthritis. <i>Cell Death and Disease</i> , 2018, 9, 699.	6.3	22
59	GPx1 knockdown suppresses chondrogenic differentiation of ATDC5 cells through induction of reductive stress. <i>Acta Biochimica Et Biophysica Sinica</i> , 2017, 49, 110-118.	2.0	14
60	Bioinformatic prediction and functional characterization of human KIAA0100 gene. <i>Journal of Pharmaceutical Analysis</i> , 2017, 7, 10-18.	5.3	6
61	Constitutive high expression of protein arginine methyltransferase 1 in asthmatic airway smooth muscle cells is caused by reduced microRNA-19a expression and leads to enhanced remodeling. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 140, 510-524.e3.	2.9	44
62	Preparation of monoclonal antibody against human KIAA0100 protein and Northern blot analysis of human KIAA0100 gene. <i>Journal of Pharmaceutical Analysis</i> , 2017, 7, 190-195.	5.3	2
63	A microfluidic immunoassay system on a centrifugal platform. <i>Sensors and Actuators B: Chemical</i> , 2017, 251, 242-249.	7.8	29
64	Pristane induces autophagy in macrophages, promoting a STAT1-IRF1-TLR3 pathway and arthritis. <i>Clinical Immunology</i> , 2017, 175, 56-68.	3.2	13
65	IL-22 expression is increased variedly in the initial phase, onset and chronic phase of a pristane-induced arthritis rat model. <i>Molecular Medicine Reports</i> , 2017, 16, 1109-1116.	2.4	5
66	Neutrophil-Lymphocyte Ratio in Children with Recurrent Wheezing. <i>Pediatric, Allergy, Immunology, and Pulmonology</i> , 2017, 30, 227-231.	0.8	2
67	Identification and application of anti-inflammatory compounds screening system based on RAW264.7 cells stably expressing NF- κ B-dependent SEAP reporter gene. <i>BMC Pharmacology & Toxicology</i> , 2017, 18, 5.	2.4	10
68	Construction of Conveniently Screening pLKO.1-TRC Vector Tagged with TurboGFP. <i>Applied Biochemistry and Biotechnology</i> , 2017, 181, 699-709.	2.9	7
69	Increased expression of Th17 cytokines and interleukin-22 correlates with disease activity in pristane-induced arthritis in rats. <i>PLoS ONE</i> , 2017, 12, e0188199.	2.5	4
70	Animal Models of Rheumatoid Arthritis (I): Pristane-Induced Arthritis in the Rat. <i>PLoS ONE</i> , 2016, 11, e0155936.	2.5	56
71	Specific regulation of PRMT1 expression by PIAS1 and RKIP in BEAS-2B epithelia cells and HFL-1 fibroblasts in lung inflammation. <i>Scientific Reports</i> , 2016, 6, 21810.	3.3	31
72	TrxR2 deficiencies promote chondrogenic differentiation and induce apoptosis of chondrocytes through mitochondrial reactive oxygen species. <i>Experimental Cell Research</i> , 2016, 344, 67-75.	2.6	20

#	ARTICLE	IF	CITATIONS
73	Methotrexate affects HMGB1 expression in rheumatoid arthritis, and the downregulation of HMGB1 prevents rheumatoid arthritis progression. <i>Molecular and Cellular Biochemistry</i> , 2016, 420, 161-170.	3.1	22
74	Selenoprotein O deficiencies suppress chondrogenic differentiation of ATDC5 cells. <i>Cell Biology International</i> , 2016, 40, 1033-1040.	3.0	17
75	Specificity Evaluation and Disease Monitoring in Arthritis Imaging with Complement Receptor of the Ig superfamily targeting Nanobodies. <i>Scientific Reports</i> , 2016, 6, 35966.	3.3	11
76	Extracellular microRNA-21 and microRNA-26a increase in body fluids from rats with antigen induced pulmonary inflammation and children with recurrent wheezing. <i>BMC Pulmonary Medicine</i> , 2016, 16, 50.	2.0	16
77	Activation of $\hat{1}\pm$ 1 adrenoceptors in ventrolateral orbital cortex attenuates allodynia induced by spared nerve injury in rats. <i>Neurochemistry International</i> , 2016, 99, 85-93.	3.8	18
78	A novel long noncoding RNA Lncâ€œHC binds hnRNPA2B1 to regulate expressions of Cyp7a1 and Abca1 in hepatocytic cholesterol metabolism. <i>Hepatology</i> , 2016, 64, 58-72.	7.3	122
79	PDGF-BB induces PRMT1 expression through ERK1/2 dependent STAT1 activation and regulates remodeling in primary human lung fibroblasts. <i>Cellular Signalling</i> , 2016, 28, 307-315.	3.6	54
80	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	9.1	4,701
81	Autophagy induction contributes to the resistance to methotrexate treatment in rheumatoid arthritis fibroblast-like synovial cells through high mobility group box chromosomal protein 1. <i>Arthritis Research and Therapy</i> , 2015, 17, 374.	3.5	55
82	Abnormality of epiphyseal plate induced by selenium deficiency diet in two generation <scp>DA</scp> rats. <i>Apmis</i> , 2015, 123, 697-705.	2.0	20
83	PRMT1 Upregulated by Epithelial Proinflammatory Cytokines Participates in COX2 Expression in Fibroblasts and Chronic Antigen-Induced Pulmonary Inflammation. <i>Journal of Immunology</i> , 2015, 195, 298-306.	0.8	60
84	Identification of differentially expressed genes related to metabolic syndrome induced with high-fat diet in E3 rats. <i>Experimental Biology and Medicine</i> , 2015, 240, 235-241.	2.4	8
85	The elevated expression of Th17-related cytokines and receptors is associated with skin lesion severity in early systemic sclerosis. <i>Human Immunology</i> , 2015, 76, 22-29.	2.4	55
86	Pristane primed rat T cells enhance TLR3 expression of fibroblast-like synoviocytes via TNF- $\hat{1}\pm$ initiated p38 MAPK and NF- $\hat{1}\pm$ B pathways. <i>Clinical Immunology</i> , 2015, 156, 141-153.	3.2	20
87	Down-regulation of miR-144 elicits proinflammatory cytokine production by targeting toll-like receptor 2 in nonalcoholic steatohepatitis of high-fat-diet-induced metabolic syndrome E3 rats. <i>Molecular and Cellular Endocrinology</i> , 2015, 402, 1-12.	3.2	36
88	Synthesis and antitumor activities evaluation of m-(4-morpholinoquinazolin-2-yl)benzamides inÂvitro and inÂvivo. <i>European Journal of Medicinal Chemistry</i> , 2015, 96, 382-395.	5.5	33
89	A comprehensive meta-analysis of association between genetic variants of GDF5 and osteoarthritis of the knee, hip and hand. <i>Inflammation Research</i> , 2015, 64, 405-414.	4.0	43
90	NOD2 pathway via RIPK2 and TBK1 is involved in the aberrant catabolism induced by T-2 toxin in chondrocytes. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1575-1585.	1.3	19

#	ARTICLE	IF	CITATIONS
91	Design, synthesis and antiproliferative activity evaluation of m-(4-morpholinyl-1,3,5-triazin-2-yl)benzamides in vitro. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 1730-1735.	2.2	14
92	MiR-223 targeting MAFB suppresses proliferation and migration of nasopharyngeal carcinoma cells. <i>BMC Cancer</i> , 2015, 15, 461.	2.6	47
93	Discovery of 4-benzoylamino-N-(prop-2-yn-1-yl)benzamides as novel microRNA-21 inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 6510-6519.	3.0	21
94	Upregulation of miR-497 induces hepatic insulin resistance in E3 rats with HFD-MetS by targeting insulin receptor. <i>Molecular and Cellular Endocrinology</i> , 2015, 416, 57-69.	3.2	24
95	Synthesis and anticancer effects evaluation of 1-alkyl-3-(6-(2-methoxy-3-sulfonylamino-pyridin-5-yl)benzo[d]thiazol-2-yl)urea as anticancer agents with low toxicity. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 6477-6485.	3.0	39
96	Synthesis and antitumor activity evaluation of PI3K inhibitors containing 3-substituted quinazolin-4(3H)-one moiety. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 7765-7776.	3.0	19
97	Characterizations and potential functions of protein arginine methyltransferase 1 in primary lung structural cells. , 2015, , .		0
98	MicroRNAs associated with osteoarthritis differently expressed in bone matrix gelatin (BMG) rat model. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 1009-17.	1.3	23
99	Direct role of interrod spacing in mediating cell adhesion on Sr-HA nanorod-patterned coatings. <i>International Journal of Nanomedicine</i> , 2014, 9, 1243.	6.7	40
100	Pdcd4 modulates markers of macrophage alternative activation and airway remodeling in antigen-induced pulmonary inflammation. <i>Journal of Leukocyte Biology</i> , 2014, 96, 1065-1075.	3.3	36
101	Combination of 2-methoxy-3-phenylsulfonylamino benzamide and 2-aminobenzothiazole to discover novel anticancer agents. <i>Bioorganic and Medicinal Chemistry</i> , 2014, 22, 3739-3748.	3.0	26
102	MicroRNA-26a negatively regulates toll-like receptor 3 expression of rat macrophages and ameliorates pristane induced arthritis in rats. <i>Arthritis Research and Therapy</i> , 2014, 16, R9.	3.5	83
103	Enhanced osteoblast functions and bactericidal effect of Ca and Ag dual-ion implanted surface layers on nanograined titanium alloys. <i>Journal of Materials Chemistry B</i> , 2014, 2, 4531.	5.8	25
104	Transcription factor AP1 binds the functional region of the promoter and regulates gene expression of human PPARdelta in LoVo cell. <i>Tumor Biology</i> , 2013, 34, 3619-3625.	1.8	3
105	Synthesis and anticancer activity evaluation of a series of [1,2,4]triazolo[1,5-a]pyridinylpyridines in vitro and in vivo. <i>European Journal of Medicinal Chemistry</i> , 2013, 67, 243-251.	5.5	44
106	Levels of HTNV-specific CD8+ T lymphocytes in PBMC from the patients with hemorrhagic fever with renal syndrome. <i>Internal and Emergency Medicine</i> , 2013, 8, 503-508.	2.0	8
107	Correlation of AIM2 expression in peripheral blood mononuclear cells from humans with acute and chronic hepatitis B. <i>Human Immunology</i> , 2013, 74, 514-521.	2.4	30
108	Role of grain size in the regulation of osteoblast response to Ti-25Nb-3Mo-3Zr-2Sn alloy. <i>Colloids and Surfaces B: Biointerfaces</i> , 2013, 111, 232-241.	5.0	56

#	ARTICLE	IF	CITATIONS
109	Reduced apoptosis correlates with enhanced autophagy in synovial tissues of rheumatoid arthritis. <i>Inflammation Research</i> , 2013, 62, 229-237.	4.0	122
110	Discovery of 2-aryl-8-hydroxy (or methoxy)-isoquinolin-1(2H)-ones as novel EGFR inhibitor by scaffold hopping. <i>Bioorganic and Medicinal Chemistry</i> , 2013, 21, 6956-6964.	3.0	16
111	Regulation of Osteoblast Proliferation and Differentiation by Interrod Spacing of Sr-HA Nanorods on Microporous Titania Coatings. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 5358-5365.	8.0	102
112	HDAC3 interacts with sumoylated C/EBP β to negatively regulate the LXR β expression in rat hepatocytes. <i>Molecular and Cellular Endocrinology</i> , 2013, 374, 35-45.	3.2	6
113	Enhanced osteoblast functions of narrow interligand spaced Sr-HA nano-fibers/rods grown on microporous titania coatings. <i>RSC Advances</i> , 2013, 3, 11169.	3.6	47
114	Selenium effect on selenoprotein transcriptome in chondrocytes. <i>BioMetals</i> , 2013, 26, 285-296.	4.1	40
115	Upregulated Protein Arginine Methyltransferase 1 by IL-4 Increases Eotaxin-1 Expression in Airway Epithelial Cells and Participates in Antigen-Induced Pulmonary Inflammation in Rats. <i>Journal of Immunology</i> , 2012, 188, 3506-3512.	0.8	44
116	Age versus clinical virological characteristics in chronic hepatitis B virus infection. <i>European Journal of Gastroenterology and Hepatology</i> , 2012, 24, 1.	1.6	9
117	Overexpression of Toll-Like Receptor 3 in Spleen is Associated with Experimental Arthritis in Rats. <i>Scandinavian Journal of Immunology</i> , 2012, 76, 263-270.	2.7	17
118	Synthesis and biological evaluation of N-aryl salicylamides with a hydroxamic acid moiety at 5-position as novel HDAC-EGFR dual inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2012, 20, 4405-4412.	3.0	39
119	T-2 toxin enhances catabolic activity of hypertrophic chondrocytes through ROS-NF- κ B-HIF-2 β pathway. <i>Toxicology in Vitro</i> , 2012, 26, 1106-1113.	2.4	33
120	Further evidence for the association of genetic variants of ZNF804A with schizophrenia and a meta-analysis for genome-wide significance variant rs1344706. <i>Schizophrenia Research</i> , 2012, 141, 40-47.	2.0	28
121	Mitogen-Activated Protein Kinase Pathways are Involved in the Upregulation of Calcitonin Gene-Related Peptide of Rat Trigeminal Ganglion After Organ Culture. <i>Journal of Molecular Neuroscience</i> , 2012, 48, 53-65.	2.3	26
122	Class II major histocompatibility complex-associated response to type XI collagen regulates the development of chronic arthritis in rats. <i>Arthritis and Rheumatism</i> , 2012, 64, 2537-2547.	6.7	15
123	Selenium promotes proliferation of chondrogenic cell ATDC5 by increment of intracellular ATP content under serum deprivation. <i>Cell Biochemistry and Function</i> , 2012, 30, 657-663.	2.9	18
124	MicroRNA-337 is associated with chondrogenesis through regulating TGFBR2 expression. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 593-602.	1.3	50
125	Induction of toll-like receptor 2 positive antigen-presenting cells in spleen of pristane-induced arthritis in rats. <i>Molecular Biology Reports</i> , 2012, 39, 3667-3673.	2.3	8
126	Genetic Evidence for the Association between the Early Growth Response 3 (EGR3) Gene and Schizophrenia. <i>PLoS ONE</i> , 2012, 7, e30237.	2.5	24

#	ARTICLE	IF	CITATIONS
127	The Effects of Rosiglitazone on Fatty Liver of High Fat and Cholesterol-Fed Rabbits. <i>Journal of Animal and Veterinary Advances</i> , 2012, 11, 2564-2569.	0.1	0
128	Is the conserved mammalian region of ZNF804A locus associated with schizophrenia? A population-based genetics analysis. <i>Schizophrenia Research</i> , 2011, 133, 159-164.	2.0	13
129	Arthritis is associated with T-cell-induced upregulation of Toll-like receptor 3 on synovial fibroblasts. <i>Arthritis Research and Therapy</i> , 2011, 13, R103.	3.5	43
130	A novel replicated association between FXD6 gene and schizophrenia. <i>Biochemical and Biophysical Research Communications</i> , 2011, 405, 118-121.	2.1	10
131	From selenoprotein to endochondral ossification: A novel mechanism with microRNAs potential in bone related diseases?. <i>Medical Hypotheses</i> , 2011, 77, 807-811.	1.5	8
132	Autoimmune and inflammatory responses in Kashin-Beck disease compared with rheumatoid arthritis and osteoarthritis. <i>Human Immunology</i> , 2011, 72, 812-816.	2.4	17
133	High expression of liver histone deacetylase 3 contributes to high-fat-diet-induced metabolic syndrome by suppressing the PPAR- β and LXR- β -pathways in E3 rats. <i>Molecular and Cellular Endocrinology</i> , 2011, 344, 69-80.	3.2	35
134	Different challenge terms determine disease patterns of antigen-induced pulmonary inflammation in E3 rats. <i>Apmis</i> , 2011, 119, 229-238.	2.0	5
135	Population-based and family-based association studies of ZNF804A locus and schizophrenia. <i>Molecular Psychiatry</i> , 2011, 16, 360-361.	7.9	58
136	MicroRNAs of rat articular cartilage at different developmental stages identified by Solexa sequencing. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 1237-1245.	1.3	29
137	Interferon plus Chinese herbs are associated with higher sustained virological response than interferon alone in chronic Hepatitis C: A meta-analysis of randomised trials. <i>Antiviral Research</i> , 2011, 89, 156-164.	4.1	17
138	Methotrexate ameliorates pristane-induced arthritis by decreasing IFN- β and IL-17A expressions. <i>Journal of Zhejiang University: Science B</i> , 2011, 12, 40-46.	2.8	11
139	Analysis of correlation between blood biochemical indicators and bone mineral density of post-menopausal women. <i>Molecular Biology Reports</i> , 2011, 38, 939-948.	2.3	25
140	Expression of VLA-4 molecule in PBMC from patients with hemorrhagic fever with renal syndrome. <i>Inflammation Research</i> , 2011, 60, 613-617.	4.0	0
141	Down-regulated HS6ST2 in osteoarthritis and Kashin-Beck disease inhibits cell viability and influences expression of the genes relevant to aggrecan metabolism of human chondrocytes. <i>Rheumatology</i> , 2011, 50, 2176-2186.	1.9	21
142	Infliximab alleviates inflammation and ex vivo airway hyperreactivity in asthmatic E3 rats. <i>International Immunology</i> , 2011, 23, 443-451.	4.0	24
143	TLR3 and TLR7 Modulate IgE Production in Antigen Induced Pulmonary Inflammation via Influencing IL-4 Expression in Immune Organs. <i>PLoS ONE</i> , 2011, 6, e17252.	2.5	25
144	A comparison of peginterferon α -2a and α -2b for treatment-naive patients with chronic hepatitis C virus: A meta-analysis of randomized trials. <i>Clinical Therapeutics</i> , 2010, 32, 1565-1577.	2.5	18

#	ARTICLE	IF	CITATIONS
145	Up-regulation of Tiam1 and Rac1 Correlates with Poor Prognosis in Hepatocellular Carcinoma. Japanese Journal of Clinical Oncology, 2010, 40, 1053-1059.	1.3	38
146	Genetic analysis of glutamate cysteine ligase modifier (GCLM) gene and schizophrenia in Han Chinese. Schizophrenia Research, 2010, 119, 273-274.	2.0	13
147	The major histocompatibility complex genes are associated with basal pain sensitivity differences between Dark-Agouti and novel congenic DA.1U rats. Life Sciences, 2010, 86, 972-978.	4.3	6
148	Treatment with peginterferon versus interferon in Chinese patients with hepatitis B. Biomedicine and Pharmacotherapy, 2010, 64, 559-564.	5.6	7
149	Is the EFNB2 locus associated with schizophrenia? Single nucleotide polymorphisms and haplotypes analysis. Psychiatry Research, 2010, 180, 5-9.	3.3	16
150	Toll-like receptor 3 upregulation in macrophages participates in the initiation and maintenance of pristane-induced arthritis in rats. Arthritis Research and Therapy, 2010, 12, R103.	3.5	55
151	Nitric Oxide in Both Bronchoalveolar Lavage Fluid and Serum Is Associated With Pathogenesis and Severity of Antigen-Induced Pulmonary Inflammation in Rats. Journal of Asthma, 2010, 47, 135-144.	1.7	22
152	Suppressive effects of black seed oil on ovalbumin induced acute lung remodeling in E3 rats. Swiss Medical Weekly, 2010, 140, w13128.	1.6	12
153	A Modified Method using TRIzol® Reagent and Liquid Nitrogen Produces High-Quality RNA from Rat Pancreas. Applied Biochemistry and Biotechnology, 2009, 158, 253-261.	2.9	46
154	Correlation Analysis Between Bone Mineral Density and Serum Element Contents of Postmenopausal Women in Xi'an Urban Area. Biological Trace Element Research, 2009, 131, 205-214.	3.5	35
155	Housekeeping gene stability in pristane-induced arthritis and antigen-induced pulmonary inflammation of rats. Inflammation Research, 2009, 58, 601-609.	4.0	8
156	Alteration of airway responsiveness mediated by receptors in ovalbumin-induced asthmatic E3 rats. Acta Pharmacologica Sinica, 2009, 30, 965-972.	6.1	9
157	Relationships between endothelial nitric oxide synthase gene polymorphisms and osteoporosis in postmenopausal women. Journal of Zhejiang University: Science B, 2009, 10, 609-618.	2.8	13
158	Black seed oil ameliorates allergic airway inflammation by inhibiting T-cell proliferation in rats. Pulmonary Pharmacology and Therapeutics, 2009, 22, 37-43.	2.6	53
159	Evidence for transmission disequilibrium at the DAOA gene locus in a schizophrenia family sample. Neuroscience Letters, 2009, 462, 105-108.	2.1	11
160	Mechanical hyperalgesia is attenuated by local administration of octreotide in pristane-induced arthritis in Dark-Agouti rats. Life Sciences, 2008, 83, 732-738.	4.3	8
161	Arthritis Induced with Minor Cartilage Proteins. Methods in Molecular Medicine, 2007, 136, 225-242.	0.8	5
162	Pristane, a Non-Antigenic Adjuvant, Induces MHC Class II-Restricted, Arthritogenic T Cells in the Rat. Journal of Immunology, 2006, 176, 1172-1179.	0.8	73

#	ARTICLE	IF	CITATIONS
163	The major T cell epitope on type II collagen is glycosylated in normal cartilage but modified by arthritis in both rats and humans. <i>European Journal of Immunology</i> , 2005, 35, 357-366.	2.9	72
164	Inconsistent susceptibility to autoimmunity in inbred LEW rats is due to genetic crossbreeding involving segregation of the arthritis-regulating gene <i>Ncf1</i> . <i>Genomics</i> , 2004, 83, 765-771.	2.9	16
165	A comparative genetic analysis between collagen-induced arthritis and pristane-induced arthritis. <i>Arthritis and Rheumatism</i> , 2003, 48, 2332-2342.	6.7	19
166	Positional identification of <i>Ncf1</i> as a gene that regulates arthritis severity in rats. <i>Nature Genetics</i> , 2003, 33, 25-32.	21.4	617
167	Immunization of Rats with Homologous Type XI Collagen Leads to Chronic and Relapsing Arthritis with Different Genetics and Joint Pathology Than Arthritis Induced with Homologous Type II Collagen. <i>Journal of Autoimmunity</i> , 2002, 18, 199-211.	6.5	33
168	Extra-articular cartilage affected in collagen-induced, but not pristane-induced, arthritis models. <i>Clinical and Experimental Immunology</i> , 2002, 127, 37-42.	2.6	12
169	Both common and unique susceptibility genes in different rat strains with pristane-induced arthritis. <i>European Journal of Human Genetics</i> , 2002, 10, 475-483.	2.8	22
170	Arthritis induced in rats with non-immunogenic adjuvants as models for rheumatoid arthritis. <i>Immunological Reviews</i> , 2001, 184, 184-202.	6.0	190
171	Different Therapeutic and Bystander Effects by Intranasal Administration of Homologous Type II and Type IX Collagens on the Collagen-Induced Arthritis and Pristane-Induced Arthritis in Rats. <i>Clinical Immunology</i> , 1999, 90, 119-127.	3.2	22