

Pierluigi Cocco

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1560199/publications.pdf>

Version: 2024-02-01

153
papers

7,187
citations

71102

41
h-index

62596

80
g-index

166
all docs

166
docs citations

166
times ranked

9195
citing authors

#	ARTICLE	IF	CITATIONS
1	Autoimmune disorders and risk of non-Hodgkin lymphoma subtypes: a pooled analysis within the InterLymph Consortium. <i>Blood</i> , 2008, 111, 4029-4038.	1.4	508
2	A case-control study of gastric cancer and diet in Italy. <i>International Journal of Cancer</i> , 1989, 44, 611-616.	5.1	472
3	Genetic variation in TNF and IL10 and risk of non-Hodgkin lymphoma: a report from the InterLymph Consortium. <i>Lancet Oncology</i> , The, 2006, 7, 27-38.	10.7	345
4	Hepatitis C and Non-Hodgkin Lymphoma Among 4784 Cases and 6269 Controls From the International Lymphoma Epidemiology Consortium. <i>Clinical Gastroenterology and Hepatology</i> , 2008, 6, 451-458.	4.4	313
5	Etiologic Heterogeneity Among Non-Hodgkin Lymphoma Subtypes: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 130-144.	2.1	265
6	Carcinogenicity of night shift work. <i>Lancet Oncology</i> , The, 2019, 20, 1058-1059.	10.7	219
7	A case-control study of gastric cancer and diet in Italy: II. Association with nutrients. <i>International Journal of Cancer</i> , 1990, 45, 896-901.	5.1	217
8	Genome-wide association study identifies multiple risk loci for chronic lymphocytic leukemia. <i>Nature Genetics</i> , 2013, 45, 868-876.	21.4	179
9	Personal sun exposure and risk of non Hodgkin lymphoma: A pooled analysis from the Interlymph Consortium. <i>International Journal of Cancer</i> , 2008, 122, 144-154.	5.1	152
10	Genome-wide association study of follicular lymphoma identifies a risk locus at 6p21.32. <i>Nature Genetics</i> , 2010, 42, 661-664.	21.4	152
11	Analysis of Heritability and Shared Heritability Based on Genome-Wide Association Studies for Thirteen Cancer Types. <i>Journal of the National Cancer Institute</i> , 2015, 107, djv279.	6.3	152
12	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Follicular Lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 26-40.	2.1	151
13	Genome-Wide Association Study of Classical Hodgkin Lymphoma and Epstein-Barr Virus Status-Defined Subgroups. <i>Journal of the National Cancer Institute</i> , 2012, 104, 240-253.	6.3	141
14	Differences in the carcinogenic evaluation of glyphosate between the International Agency for Research on Cancer (IARC) and the European Food Safety Authority (EFSA). <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 741-745.	3.7	138
15	Tumor Necrosis Factor (TNF) and Lymphotoxin- α (LTA) Polymorphisms and Risk of Non-Hodgkin Lymphoma in the InterLymph Consortium. <i>American Journal of Epidemiology</i> , 2010, 171, 267-276.	3.4	128
16	Risk factors for male breast cancer (United States). <i>Cancer Causes and Control</i> , 1998, 9, 269-275.	1.8	119
17	Non-Hodgkin lymphoma and obesity: A pooled analysis from the InterLymph Consortium. <i>International Journal of Cancer</i> , 2008, 122, 2062-2070.	5.1	104
18	On the rumors about the silent spring: review of the scientific evidence linking occupational and environmental pesticide exposure to endocrine disruption health effects. <i>Cadernos De Saude Publica</i> , 2002, 18, 379-402.	1.0	103

#	ARTICLE	IF	CITATIONS
19	Occupational exposure to solvents and risk of lymphoma subtypes: results from the EpiLymph case-control study. <i>Occupational and Environmental Medicine</i> , 2010, 67, 341-347.	2.8	101
20	Increased Mitochondrial DNA Copy Number in Occupations Associated with Low-Dose Benzene Exposure. <i>Environmental Health Perspectives</i> , 2012, 120, 210-215.	6.0	99
21	Personal Use of Hair Dye and the Risk of Certain Subtypes of Non-Hodgkin Lymphoma. <i>American Journal of Epidemiology</i> , 2008, 167, 1321-1331.	3.4	98
22	Genome-wide Association Study Identifies Five Susceptibility Loci for Follicular Lymphoma outside the HLA Region. <i>American Journal of Human Genetics</i> , 2014, 95, 462-471.	6.2	96
23	Meta-analysis of genome-wide association studies discovers multiple loci for chronic lymphocytic leukemia. <i>Nature Communications</i> , 2016, 7, 10933.	12.8	94
24	Atopic Disease and Risk of Non-Hodgkin Lymphoma: An InterLymph Pooled Analysis. <i>Cancer Research</i> , 2009, 69, 6482-6489.	0.9	86
25	IARC Monographs: 40 Years of Evaluating Carcinogenic Hazards to Humans. <i>Environmental Health Perspectives</i> , 2015, 123, 507-514.	6.0	86
26	A case-control study of gastric cancer and diet in Italy. III. Risk patterns by histologic type. <i>International Journal of Cancer</i> , 1991, 48, 369-374.	5.1	85
27	Lymphoma risk and occupational exposure to pesticides: results of the EpiLymph study. <i>Occupational and Environmental Medicine</i> , 2013, 70, 91-98.	2.8	84
28	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 41-51.	2.1	82
29	Cancer Mortality and Environmental Exposure to DDE in the United States. <i>Environmental Health Perspectives</i> , 2000, 108, 1.	6.0	80
30	Occupational exposure to chlorinated aliphatic hydrocarbons and risk of astrocytic brain cancer. <i>American Journal of Industrial Medicine</i> , 1994, 26, 155-169.	2.1	79
31	Genome-wide association analysis implicates dysregulation of immunity genes in chronic lymphocytic leukaemia. <i>Nature Communications</i> , 2017, 8, 14175.	12.8	75
32	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Marginal Zone Lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 52-65.	2.1	70
33	Gender differences in risk of renal cell carcinoma and occupational exposures to chlorinated aliphatic hydrocarbons. <i>American Journal of Industrial Medicine</i> , 1999, 36, 54-59.	2.1	69
34	Occupational risk factors for cancer of the central nervous system (CNS) among US women. , 1999, 36, 70-74.		62
35	Associations of Non-Hodgkin Lymphoma (NHL) Risk With Autoimmune Conditions According to Putative NHL Loci. <i>American Journal of Epidemiology</i> , 2015, 181, 406-421.	3.4	54
36	Rationale and Design of the International Lymphoma Epidemiology Consortium (InterLymph) Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 1-14.	2.1	52

#	ARTICLE	IF	CITATIONS
37	Hepatitis B virus infection and risk of lymphoma: results of a serological analysis within the European caseâ€control study EpiLymph. <i>Journal of Cancer Research and Clinical Oncology</i> , 2012, 138, 1993-2001.	2.5	51
38	Occupational Risk Factors for Gastric Cancer: an Overview. <i>Epidemiologic Reviews</i> , 1996, 18, 218-234.	3.5	48
39	Epidemiology, Public Health, and the Rhetoric of False Positives. <i>Environmental Health Perspectives</i> , 2009, 117, 1809-1813.	6.0	48
40	Occupational exposures as risk factors for gastric cancer in Italy. <i>Cancer Causes and Control</i> , 1994, 5, 241-248.	1.8	45
41	Interleukin-1B (IL1B) and interleukin-6 (IL6) gene polymorphisms are associated with risk of chronic lymphocytic leukaemia. <i>Hematological Oncology</i> , 2008, 26, 98-103.	1.7	44
42	Risk of childhood leukaemia and non-Hodgkin's lymphoma after parental occupational exposure to solvents and other agents: the SETIL Study. <i>Occupational and Environmental Medicine</i> , 2013, 70, 648-655.	2.8	44
43	Multiple myeloma and family history of lymphohaematopoietic cancers: Results from the International Multiple Myeloma Consortium. <i>British Journal of Haematology</i> , 2016, 175, 87-101.	2.5	43
44	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Mycosis Fungoides and Sezary Syndrome: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 98-105.	2.1	42
45	Cancer Mortality among Men Occupationally Exposed to Dichlorodiphenyltrichloroethane. <i>Cancer Research</i> , 2005, 65, 9588-9594.	0.9	41
46	Occupation and Risk of Non-Hodgkin Lymphoma and Its Subtypes: A Pooled Analysis from the InterLymph Consortium. <i>Environmental Health Perspectives</i> , 2016, 124, 396-405.	6.0	41
47	Nutritional factors and worldwide incidence of childhood type 1 diabetes. <i>American Journal of Clinical Nutrition</i> , 2000, 71, 1525-1529.	4.7	40
48	Job strain, hypoxia and risk of amyotrophic lateral sclerosis: Results from a death certificate study. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2010, 11, 430-434.	2.1	40
49	Occupational risk factors for cancer of the central nervous system: A case-control study on death certificates from 24 U.S. states. , 1998, 33, 247-255.		39
50	Association of JAKâ€STAT pathway related genes with lymphoma risk: results of a European caseâ€control study (EpiLymph). <i>British Journal of Haematology</i> , 2011, 153, 318-333.	2.5	39
51	Long-term Health Effects of the Occupational Exposure to DDT. <i>Annals of the New York Academy of Sciences</i> , 1997, 837, 246-256.	3.8	37
52	Peritoneal cancer and occupational exposure to asbestos: Results from the application of a job-exposure matrix. , 1999, 35, 9-14.		37
53	Reproductive outcomes in DDT applicators. <i>Environmental Research</i> , 2005, 98, 120-126.	7.5	35
54	A comprehensive study of polymorphisms in the <i>ABCB1</i>, <i>ABCC2</i>, <i>ABCG2</i>, <i>NR1I2</i> genes and lymphoma risk. <i>International Journal of Cancer</i> , 2012, 131, 803-812.	5.1	35

#	ARTICLE	IF	CITATIONS
55	HLA Class I and II Diversity Contributes to the Etiologic Heterogeneity of Non-Hodgkin Lymphoma Subtypes. <i>Cancer Research</i> , 2018, 78, 4086-4096.	0.9	34
56	Lung cancer mortality and airways obstruction among metal miners exposed to silica and low levels of radon daughters. <i>American Journal of Industrial Medicine</i> , 1994, 25, 489-506.	2.1	33
57	Young Adult and Usual Adult Body Mass Index and Multiple Myeloma Risk: A Pooled Analysis in the International Multiple Myeloma Consortium (IMMC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 876-885.	2.5	33
58	Clustered protocadherins methylation alterations in cancer. <i>Clinical Epigenetics</i> , 2019, 11, 100.	4.1	33
59	Lung cancer risk, silica exposure, and silicosis in Chinese mines and pottery factories: The modifying role of other workplace lung carcinogens. <i>American Journal of Industrial Medicine</i> , 2001, 40, 674-682.	2.1	32
60	Work Related Stress, Well-Being and Cardiovascular Risk among Flight Logistic Workers: An Observational Study. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1952.	2.6	32
61	Fear of future violence at work and job burnout: A diary study on the role of psychological violence and job control. <i>Burnout Research</i> , 2017, 7, 36-46.	4.5	29
62	Risk of malignant lymphoma following viral hepatitis infection. <i>International Journal of Hematology</i> , 2008, 87, 474-483.	1.6	28
63	Genetic overlap between autoimmune diseases and non-Hodgkin lymphoma subtypes. <i>Genetic Epidemiology</i> , 2019, 43, 844-863.	1.3	28
64	Environmental and lifestyle factors affect benzene uptake biomonitoring of residents near a petrochemical plant. <i>Environment International</i> , 2012, 39, 2-7.	10.0	27
65	Assessment of DNA damages in lymphocytes of agricultural workers exposed to pesticides by comet assay in a cross-sectional study. <i>Biomarkers</i> , 2018, 23, 462-473.	1.9	27
66	Multiple myeloma and occupation: A pooled analysis by the International Multiple Myeloma Consortium. <i>Cancer Epidemiology</i> , 2013, 37, 300-305.	1.9	26
67	trans,trans-Muconic acid excretion in relation to environmental exposure to benzene. <i>International Archives of Occupational and Environmental Health</i> , 2003, 76, 456-460.	2.3	25
68	Effect of Urban Traffic, Individual Habits, and Genetic Polymorphisms on Background Urinary 1-Hydroxypyrene Excretion. <i>Annals of Epidemiology</i> , 2007, 17, 1-8.	1.9	24
69	Serum sex hormones in men occupationally exposed to dichloro-diphenyl-trichloro ethane (DDT) as young adults. <i>Journal of Endocrinology</i> , 2004, 182, 391-397.	2.6	23
70	Self-reported history of infections and the risk of non-Hodgkin lymphoma: An InterLymph pooled analysis. <i>International Journal of Cancer</i> , 2012, 131, 2342-2348.	5.1	23
71	Occupational exposure to meat and risk of lymphoma: A multicenter case-control study from Europe. <i>International Journal of Cancer</i> , 2007, 121, 2761-2766.	5.1	22
72	Birth Order and Risk of Non-Hodgkin Lymphoma—True Association or Bias?. <i>American Journal of Epidemiology</i> , 2010, 172, 621-630.	3.4	22

#	ARTICLE	IF	CITATIONS
73	The Metabolomic Profile of Lymphoma Subtypes: A Pilot Study. <i>Molecules</i> , 2019, 24, 2367.	3.8	21
74	A Novel Risk Locus at 6p21.3 for Epstein-Barr Virus-Positive Hodgkin Lymphoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1838-1843.	2.5	20
75	Meta-analysis of genome-wide association studies reveals genetic overlap between Hodgkin lymphoma and multiple sclerosis. <i>International Journal of Epidemiology</i> , 2016, 45, 728-740.	1.9	20
76	Occupational Exposure to Ethylene Oxide and Risk of Lymphoma. <i>Epidemiology</i> , 2010, 21, 905-910.	2.7	19
77	Reproductive factors and lymphoid neoplasms in Europe: findings from the EpiLymph case-control study. <i>Cancer Causes and Control</i> , 2012, 23, 195-206.	1.8	19
78	A Pooled Analysis of Alcohol Consumption and Risk of Multiple Myeloma in the International Multiple Myeloma Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 1620-1627.	2.5	19
79	Association between Work-Related Stress and QT Prolongation in Male Workers. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4781.	2.6	19
80	Role Stress and Emotional Exhaustion Among Health Care Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2017, 59, e187-e193.	1.7	18
81	Methylation alteration of <i>SHANK1</i> as a predictive, diagnostic and prognostic biomarker for chronic lymphocytic leukemia. <i>Oncotarget</i> , 2019, 10, 4987-5002.	1.8	18
82	Analysis of potential influence factors on background urinary benzene concentration among a non-smoking, non-occupationally exposed general population sample. <i>International Archives of Occupational and Environmental Health</i> , 2014, 87, 793-799.	2.3	16
83	Preliminary Results of a Geographic Correlation Study on G6PD Deficiency and Cancer. <i>Toxicologic Pathology</i> , 1987, 15, 106-108.	1.8	15
84	Single nucleotide polymorphisms of matrix metalloproteinase 9 (MMP9) and tumor protein 73 (TP73) interact with Epstein-Barr virus in chronic lymphocytic leukemia: results from the European case-control study EpiLymph. <i>Haematologica</i> , 2011, 96, 323-327.	3.5	15
85	Urinary 6-sulfatoxymelatonin excretion in humans during domestic exposure to 50 hertz electromagnetic fields. <i>Neuroendocrinology Letters</i> , 2005, 26, 136-42.	0.2	14
86	Nitrate in Community Water Supplies and Risk of Childhood Type 1 Diabetes in Sardinia, Italy. <i>European Journal of Epidemiology</i> , 2006, 21, 245-247.	5.7	13
87	Comparison Bias and Dilution Effect in Occupational Cohort Studies. <i>International Journal of Occupational and Environmental Health</i> , 2007, 13, 143-152.	1.2	13
88	Risk of lymphoma subtypes by occupational exposure in Southern Italy. <i>Journal of Occupational Medicine and Toxicology</i> , 2017, 12, 31.	2.2	13
89	Lipid Trait Variants and the Risk of Non-Hodgkin Lymphoma Subtypes: A Mendelian Randomization Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1074-1078.	2.5	13
90	Occupational insecticide exposure and risk of non-Hodgkin lymphoma: A pooled case-control study from the InterLymph Consortium. <i>International Journal of Cancer</i> , 2021, 149, 1768-1786.	5.1	13

#	ARTICLE	IF	CITATIONS
91	Effects of short-term occupational exposure to lead on erythrocyte glucose-6-phosphate dehydrogenase activity and serum cholesterol. <i>Journal of Applied Toxicology</i> , 1995, 15, 375-378.	2.8	12
92	Asbestos exposure and malignant lymphoma: a multicenter case-control study in Germany and Italy. <i>International Archives of Occupational and Environmental Health</i> , 2010, 83, 563-570.	2.3	12
93	A functional TNFRSF5 polymorphism and risk of non-Hodgkin lymphoma, a pooled analysis. <i>International Journal of Cancer</i> , 2011, 128, 1481-1485.	5.1	12
94	Lymphoma risk in livestock farmers: Results of the Epilymph study. <i>International Journal of Cancer</i> , 2013, 132, 2613-2618.	5.1	12
95	Pooled study of occupational exposure to aromatic hydrocarbon solvents and risk of multiple myeloma. <i>Occupational and Environmental Medicine</i> , 2018, 75, 798-806.	2.8	12
96	COVID-19: Heterogeneous Excess Mortality and Burden of Disease in Germany and Italy and Their States and Regions, January-June 2020. <i>Frontiers in Public Health</i> , 2021, 9, 663259.	2.7	12
97	Thalassemia intermedia is associated with a proatherogenic biochemical phenotype. <i>Blood Cells, Molecules, and Diseases</i> , 2011, 46, 294-299.	1.4	11
98	QTc interval and electrocardiographic changes by type of shift work. <i>American Journal of Industrial Medicine</i> , 2013, 56, 1174-1179.	2.1	11
99	Male fertility following occupational exposure to dichlorodiphenyltrichloroethane (DDT). <i>Environment International</i> , 2015, 77, 42-47.	10.0	11
100	Ranking occupational contexts associated with risk of non-Hodgkin lymphoma. <i>American Journal of Industrial Medicine</i> , 2016, 59, 561-574.	2.1	11
101	Road Traffic Pollution and Childhood Leukemia: A Nationwide Case-control Study in Italy. <i>Archives of Medical Research</i> , 2016, 47, 694-705.	3.3	10
102	Metabolomic patterns associated to QTc interval in shiftworkers: an explorative analysis. <i>Biomarkers</i> , 2016, 21, 607-613.	1.9	10
103	Long-Term Lithium Treatment and Survival From External Causes Including Suicide. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 544-546.	1.4	9
104	Evidence for a Proatherogenic Biochemical Phenotype in Beta Thalassemia Minor and Intermedia. <i>Acta Haematologica</i> , 2011, 126, 87-94.	1.4	9
105	Risk of lymphoma subtypes and dietary habits in a Mediterranean area. <i>Cancer Epidemiology</i> , 2015, 39, 1093-1098.	1.9	9
106	Occupational exposure to immunologically active agents and risk for lymphoma: The European Epilymph case-control study. <i>Cancer Epidemiology</i> , 2013, 37, 378-384.	1.9	8
107	Occupational exposure to glyphosate and risk of lymphoma: results of an Italian multicenter case-control study. <i>Environmental Health</i> , 2021, 20, 49.	4.0	8
108	Reproductive outcomes following environmental exposure to DDT. <i>Reproductive Toxicology</i> , 2006, 22, 5-7.	2.9	7

#	ARTICLE	IF	CITATIONS
109	Environmental Exposure to Ultrafine Particles inside and nearby a Military Airport. <i>Atmosphere</i> , 2016, 7, 138.	2.3	7
110	Ultrafine Particle Distribution and Chemical Composition Assessment during Military Operative Trainings. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 579.	2.6	7
111	Childhood Acute Lymphoblastic Leukemia: A Cluster in Southwestern Sardinia (Italy). <i>International Journal of Occupational and Environmental Health</i> , 1995, 1, 232-238.	1.2	6
112	Occupational lead exposure and screening of glucose-6-phosphate dehydrogenase polymorphism: useful prevention or nonvoluntary discrimination?. <i>International Archives of Occupational and Environmental Health</i> , 1998, 71, 148-150.	2.3	6
113	A Pooled Analysis of Reproductive Factors, Exogenous Hormone Use, and Risk of Multiple Myeloma among Women in the International Multiple Myeloma Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 217-221.	2.5	6
114	Particle Background Levels In Human Tissuesâ€”PABALIHT project. Part I: a nanometallic study of metal-based micro- and nanoparticles in liver and kidney in an Italian population group. <i>Journal of Nanoparticle Research</i> , 2019, 21, 1.	1.9	6
115	Association of ionizing radiation dose from common medical diagnostic procedures and lymphoma risk in the Epilymph case-control study. <i>PLoS ONE</i> , 2020, 15, e0235658.	2.5	6
116	Response of the Cardiac Autonomic Control to Exposure to Nanoparticles and Noise: A Cross-Sectional Study of Airport Ground Staff. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2507.	2.6	6
117	Haemolympathic cancer among children in Sardinia, Italy: 1974â€”2003 incidence. <i>BMJ Open</i> , 2020, 10, e037163.	1.9	6
118	Indexes of cardiac autonomic profile detected with short term Holter ECG in health care shift workers: a cross sectional study. <i>Medicina Del Lavoro</i> , 2019, 110, 437-445.	0.4	6
119	Glucose-6-Phosphate Dehydrogenase Polymorphism and Lymphoma Risk. <i>Tumori</i> , 2007, 93, 121-123.	1.1	5
120	Night shift work and lymphoma: results from an Italian multicentre caseâ€”control study. <i>Occupational and Environmental Medicine</i> , 2022, , oemed-2021-107845.	2.8	5
121	Causes of death among lead smelters in relation to the glucose-6-phosphate dehydrogenase polymorphism. <i>Occupational and Environmental Medicine</i> , 2006, 64, 414-416.	2.8	4
122	Estimation of Source-Specific Occupational Benzene Exposure in a Population-Based Caseâ€”Control Study of Non-Hodgkin Lymphoma. <i>Annals of Work Exposures and Health</i> , 2019, 63, 842-855.	1.4	4
123	Dental caries and quality of life among preschool children: a hospital-based nested case-control study. <i>British Dental Journal</i> , 2020, , .	0.6	4
124	Biomarkers of Low-Level Environmental Exposure to Benzene and Oxidative DNA Damage in Primary School Children in Sardinia, Italy. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4644.	2.6	4
125	Glucose-6-phosphate dehydrogenase polymorphism and lymphoma risk. <i>Tumori</i> , 2007, 93, 121-3.	1.1	4
126	B-Cell NHL Subtype Risk Associated with Autoimmune Conditions and PRS. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 1103-1110.	2.5	4

#	ARTICLE	IF	CITATIONS
127	Occupational exposures and gastric cancer aetiology. <i>European Journal of Gastroenterology and Hepatology</i> , 1994, 6, 1089-1096.	1.6	3
128	Household contact with pets and birds and risk of lymphoma. <i>Cancer Causes and Control</i> , 2011, 22, 159-165.	1.8	3
129	Leukemia in children and youths of the Azuay province, Ecuador: 2000-2010. <i>International Journal of Environmental Health Research</i> , 2013, 23, 58-65.	2.7	3
130	Acetyltransferase polymorphisms are associated with risk of lymphoma subtypes. <i>Hematological Oncology</i> , 2016, 34, 79-83.	1.7	3
131	Occupational exposure to ionizing radiation and risk of lymphoma subtypes: results of the Epilymph European case-control study. <i>Environmental Health</i> , 2020, 19, 43.	4.0	3
132	Occupational exposure to organic dust and risk of lymphoma subtypes in the EPILYMPH case-control study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 42-51.	3.4	3
133	Incidence of non-Hodgkin's lymphoma among adults in Sardinia, Italy. <i>PLoS ONE</i> , 2022, 17, e0260078.	2.5	3
134	Time trend and Bayesian mapping of multiple myeloma incidence in Sardinia, Italy. <i>Scientific Reports</i> , 2022, 12, 2736.	3.3	3
135	Activation of the aryl hydrocarbon receptor and risk of lymphoma subtypes. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2017, 8, 40-44.	0.4	2
136	Silica, silicosis and lung cancer: what level of exposure is acceptable?. <i>Medicina Del Lavoro</i> , 2018, 109, 478-480.	0.4	2
137	The determinants of the changing speed of spread of COVID-19 across Italy. <i>Epidemiology and Infection</i> , 2022, , 1-26.	2.1	2
138	Matrix is a reasonable method to assess exposures. <i>American Journal of Industrial Medicine</i> , 1996, 30, 508-509.	2.1	1
139	The preventable burden of work-related ill-health. <i>Occupational Medicine</i> , 2018, 68, 327-331.	1.4	1
140	Pulmonary Function and CT Scan Imaging at Low-Level Occupational Exposure to Asbestos. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 50.	2.6	1
141	Schrodinger's Worker: Are They Positive or Negative for SARS-CoV-2?. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6316.	2.6	1
142	Reply to Comment on Lecca, L.I.; Portoghese, I.; Mucci, N.; Galletta, M.; Meloni, F.; Pilia, I.; Marcias, G.; Fabbri, D.; Fostinelli, J.; Lucchini, R.G.; Cocco, P.; Campagna, M. Association between Work-Related Stress and QT Prolongation in Male Workers. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 510.	2.6	1
143	Prevalence of sleep disruption and determinants of sleepiness in a cohort of Italian hospital physicians: The PRESOMO study. <i>Journal of Sleep Research</i> , 2021, , e13377.	3.2	1
144	Occupational exposure to organic dust and risk of lymphoma subtypes in the EPILYMPH case-control study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 42-51.	3.4	1

#	ARTICLE	IF	CITATIONS
145	Methylene chloride and brain cancer: Interpreting a new study in light of existing literature. American Journal of Industrial Medicine, 1996, 30, 506-507.	2.1	0
146	Do matrix metalloproteinase-1 and glucose-6-phosphate dehydrogenase gene polymorphisms interact in promoting lymphoma development?. Leukemia and Lymphoma, 2013, 54, 2734-2735.	1.3	0
147	P141â€¦Burnout level, cardiovascular risk and renal function in health care workers: an explorative analysis. , 2016, , .		0
148	S14-3â€¦The italian network marel and new occupational diseases. , 2016, , .		0
149	0403â€¦Findings from the first year of marel: the italian network on work-related diseases. , 2017, , .		0
150	Genome-wide homozygosity and risk of four non-Hodgkin lymphoma subtypes. , 2021, 5, 200-217.		0
151	Down Regulation of Hepcidin and Interleukin 1-Alpha in Pbmc from Patients with Beta thalassemia. Blood, 2008, 112, 2880-2880.	1.4	0
152	Silica and lung cancer: state of the art, practical implications and future research. Foreword. Medicina Del Lavoro, 2011, 102, 307-9.	0.4	0
153	Cancer incidence among the NATO peacekeeping forces in Bosnia and Kosovo: a systematic review and metanalysis.. Medicina Del Lavoro, 2022, 113, e2022011.	0.4	0