

# Pierluigi Cocco

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1560199/publications.pdf>

Version: 2024-02-01

153  
papers

7,187  
citations

71102

41  
h-index

62596

80  
g-index

166  
all docs

166  
docs citations

166  
times ranked

9195  
citing authors

#	ARTICLE	IF	CITATIONS
1	Night shift work and lymphoma: results from an Italian multicentre case-control study. Occupational and Environmental Medicine, 2022, , oemed-2021-107845.	2.8	5
2	Incidence of non-Hodgkin's lymphoma among adults in Sardinia, Italy. PLoS ONE, 2022, 17, e0260078.	2.5	3
3	Time trend and Bayesian mapping of multiple myeloma incidence in Sardinia, Italy. Scientific Reports, 2022, 12, 2736.	3.3	3
4	B-Cell NHL Subtype Risk Associated with Autoimmune Conditions and PRS. Cancer Epidemiology Biomarkers and Prevention, 2022, 31, 1103-1110.	2.5	4
5	Cancer incidence among the NATO peacekeeping forces in Bosnia and Kosovo: a systematic review and metanalysis.. Medicina Del Lavoro, 2022, 113, e2022011.	0.4	0
6	The determinants of the changing speed of spread of COVID-19 across Italy. Epidemiology and Infection, 2022, , 1-26.	2.1	2
7	Genome-wide homozygosity and risk of four non-Hodgkin lymphoma subtypes. , 2021, 5, 200-217.		0
8	Response of the Cardiac Autonomic Control to Exposure to Nanoparticles and Noise: A Cross-Sectional Study of Airport Ground Staff. International Journal of Environmental Research and Public Health, 2021, 18, 2507.	2.6	6
9	Biomarkers of Low-Level Environmental Exposure to Benzene and Oxidative DNA Damage in Primary School Children in Sardinia, Italy. International Journal of Environmental Research and Public Health, 2021, 18, 4644.	2.6	4
10	Occupational exposure to glyphosate and risk of lymphoma: results of an Italian multicenter case-control study. Environmental Health, 2021, 20, 49.	4.0	8
11	COVID-19: Heterogeneous Excess Mortality and "Burden of Disease" in Germany and Italy and Their States and Regions, January-June 2020. Frontiers in Public Health, 2021, 9, 663259.	2.7	12
12	Prevalence of sleep disruption and determinants of sleepiness in a cohort of Italian hospital physicians: The PRESOMO study. Journal of Sleep Research, 2021, , e13377.	3.2	1
13	Occupational insecticide exposure and risk of non-Hodgkin lymphoma: A pooled case-control study from the InterLymph Consortium. International Journal of Cancer, 2021, 149, 1768-1786.	5.1	13
14	Occupational exposure to organic dust and risk of lymphoma subtypes in the EPILYMPH case-control study. Scandinavian Journal of Work, Environment and Health, 2021, 47, 42-51.	3.4	1
15	Occupational exposure to organic dust and risk of lymphoma subtypes in the EPILYMPH case-control study. Scandinavian Journal of Work, Environment and Health, 2021, 47, 42-51.	3.4	3
16	Pulmonary Function and CT Scan Imaging at Low-Level Occupational Exposure to Asbestos. International Journal of Environmental Research and Public Health, 2020, 17, 50.	2.6	1
17	Dental caries and quality of life among preschool children: a hospital-based nested case-control study. British Dental Journal, 2020, , .	0.6	4
18	Schrodinger's Worker: Are They Positive or Negative for SARS-CoV-2?. International Journal of Environmental Research and Public Health, 2020, 17, 6316.	2.6	1

#	ARTICLE	IF	CITATIONS
19	Association of ionizing radiation dose from common medical diagnostic procedures and lymphoma risk in the Epilymph case-control study. PLoS ONE, 2020, 15, e0235658.	2.5	6
20	Reply to Comment on Lecca, L.I.; Portoghese, I.; Mucci, N.; Galletta, M.; Meloni, F.; Pilia, I.; Marcias, G.; Fabbri, D.; Fostinelli, J.; Lucchini, R.G.; Cocco, P.; Campagna, M. Association between Work-Related Stress and QT Prolongation in Male Workers. International Journal of Environmental Research and Public Health, 2020, 17, 510.	2.6	1
21	Occupational exposure to ionizing radiation and risk of lymphoma subtypes: results of the Epilymph European case-control study. Environmental Health, 2020, 19, 43.	4.0	3
22	Lipid Trait Variants and the Risk of Non-Hodgkin Lymphoma Subtypes: A Mendelian Randomization Study. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1074-1078.	2.5	13
23	Haemolymphatic cancer among children in Sardinia, Italy: 1974-2003 incidence. BMJ Open, 2020, 10, e037163.	1.9	6
24	Genetic overlap between autoimmune diseases and non-Hodgkin lymphoma subtypes. Genetic Epidemiology, 2019, 43, 844-863.	1.3	28
25	Clustered protocadherins methylation alterations in cancer. Clinical Epigenetics, 2019, 11, 100.	4.1	33
26	The Metabolomic Profile of Lymphoma Subtypes: A Pilot Study. Molecules, 2019, 24, 2367.	3.8	21
27	Carcinogenicity of night shift work. Lancet Oncology, The, 2019, 20, 1058-1059.	10.7	219
28	Methylation alteration of <i>SHANK1</i> as a predictive, diagnostic and prognostic biomarker for chronic lymphocytic leukemia. Oncotarget, 2019, 10, 4987-5002.	1.8	18
29	Estimation of Source-Specific Occupational Benzene Exposure in a Population-Based Case-Control Study of Non-Hodgkin Lymphoma. Annals of Work Exposures and Health, 2019, 63, 842-855.	1.4	4
30	Particle Background Levels In Human Tissues - PABALIHT project. Part I: a nanometallic study of metal-based micro- and nanoparticles in liver and kidney in an Italian population group. Journal of Nanoparticle Research, 2019, 21, 1.	1.9	6
31	Association between Work-Related Stress and QT Prolongation in Male Workers. International Journal of Environmental Research and Public Health, 2019, 16, 4781.	2.6	19
32	Indexes of cardiac autonomic profile detected with short term Holter ECG in health care shift workers: a cross sectional study. Medicina Del Lavoro, 2019, 110, 437-445.	0.4	6
33	Assessment of DNA damages in lymphocytes of agricultural workers exposed to pesticides by comet assay in a cross-sectional study. Biomarkers, 2018, 23, 462-473.	1.9	27
34	Work Related Stress, Well-Being and Cardiovascular Risk among Flight Logistic Workers: An Observational Study. International Journal of Environmental Research and Public Health, 2018, 15, 1952.	2.6	32
35	The preventable burden of work-related ill-health. Occupational Medicine, 2018, 68, 327-331.	1.4	1
36	HLA Class I and II Diversity Contributes to the Etiologic Heterogeneity of Non-Hodgkin Lymphoma Subtypes. Cancer Research, 2018, 78, 4086-4096.	0.9	34

#	ARTICLE	IF	CITATIONS
37	Pooled study of occupational exposure to aromatic hydrocarbon solvents and risk of multiple myeloma. <i>Occupational and Environmental Medicine</i> , 2018, 75, 798-806.	2.8	12
38	Silica, silicosis and lung cancer: what level of exposure is acceptable?. <i>Medicina Del Lavoro</i> , 2018, 109, 478-480.	0.4	2
39	Young Adult and Usual Adult Body Mass Index and Multiple Myeloma Risk: A Pooled Analysis in the International Multiple Myeloma Consortium (IMMC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 876-885.	2.5	33
40	Genome-wide association analysis implicates dysregulation of immunity genes in chronic lymphocytic leukaemia. <i>Nature Communications</i> , 2017, 8, 14175.	12.8	75
41	Role Stress and Emotional Exhaustion Among Health Care Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2017, 59, e187-e193.	1.7	18
42	Fear of future violence at work and job burnout: A diary study on the role of psychological violence and job control. <i>Burnout Research</i> , 2017, 7, 36-46.	4.5	29
43	0403â€¦Findings from the first year of marel: the italian network on work-related diseases. , 2017, , .		0
44	Ultrafine Particle Distribution and Chemical Composition Assessment during Military Operative Trainings. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 579.	2.6	7
45	Risk of lymphoma subtypes by occupational exposure in Southern Italy. <i>Journal of Occupational Medicine and Toxicology</i> , 2017, 12, 31.	2.2	13
46	Activation of the aryl hydrocarbon receptor and risk of lymphoma subtypes. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2017, 8, 40-44.	0.4	2
47	Occupation and Risk of Non-Hodgkin Lymphoma and Its Subtypes: A Pooled Analysis from the InterLymph Consortium. <i>Environmental Health Perspectives</i> , 2016, 124, 396-405.	6.0	41
48	Environmental Exposure to Ultrafine Particles inside and nearby a Military Airport. <i>Atmosphere</i> , 2016, 7, 138.	2.3	7
49	Multiple myeloma and family history of lymphohaematopoietic cancers: Results from the International Multiple Myeloma Consortium. <i>British Journal of Haematology</i> , 2016, 175, 87-101.	2.5	43
50	<i>N</i>â€¦acetyltransferase polymorphisms are associated with risk of lymphoma subtypes. <i>Hematological Oncology</i> , 2016, 34, 79-83.	1.7	3
51	Ranking occupational contexts associated with risk of nonâ€¦Hodgkin lymphoma. <i>American Journal of Industrial Medicine</i> , 2016, 59, 561-574.	2.1	11
52	Road Traffic Pollution and Childhood Leukemia: A Nationwide Case-control Study in Italy. <i>Archives of Medical Research</i> , 2016, 47, 694-705.	3.3	10
53	P141â€¦Burnout level, cardiovascular risk and renal function in health care workers: an explorative analysis. , 2016, , .		0
54	Differences in the carcinogenic evaluation of glyphosate between the International Agency for Research on Cancer (IARC) and the European Food Safety Authority (EFSA). <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 741-745.	3.7	138

#	ARTICLE	IF	CITATIONS
55	Metabolomic patterns associated to QTc interval in shiftworkers: an explorative analysis. <i>Biomarkers</i> , 2016, 21, 607-613.	1.9	10
56	Meta-analysis of genome-wide association studies reveals genetic overlap between Hodgkin lymphoma and multiple sclerosis. <i>International Journal of Epidemiology</i> , 2016, 45, 728-740.	1.9	20
57	Meta-analysis of genome-wide association studies discovers multiple loci for chronic lymphocytic leukemia. <i>Nature Communications</i> , 2016, 7, 10933.	12.8	94
58	S14-3â€¦The italian network marel and new occupational diseases. , 2016, , .		0
59	A Pooled Analysis of Reproductive Factors, Exogenous Hormone Use, and Risk of Multiple Myeloma among Women in the International Multiple Myeloma Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 217-221.	2.5	6
60	Analysis of Heritability and Shared Heritability Based on Genome-Wide Association Studies for Thirteen Cancer Types. <i>Journal of the National Cancer Institute</i> , 2015, 107, djv279.	6.3	152
61	A Novel Risk Locus at 6p21.3 for Epsteinâ€“Barr Virus-Positive Hodgkin Lymphoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1838-1843.	2.5	20
62	Risk of lymphoma subtypes and dietary habits in a Mediterranean area. <i>Cancer Epidemiology</i> , 2015, 39, 1093-1098.	1.9	9
63	Male fertility following occupational exposure to dichlorodiphenyltrichloroethane (DDT). <i>Environment International</i> , 2015, 77, 42-47.	10.0	11
64	Associations of Non-Hodgkin Lymphoma (NHL) Risk With Autoimmune Conditions According to Putative NHL Loci. <i>American Journal of Epidemiology</i> , 2015, 181, 406-421.	3.4	54
65	IARC Monographs: 40 Years of Evaluating Carcinogenic Hazards to Humans. <i>Environmental Health Perspectives</i> , 2015, 123, 507-514.	6.0	86
66	Rationale and Design of the International Lymphoma Epidemiology Consortium (InterLymph) Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 1-14.	2.1	52
67	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Mycosis Fungoides and Sezary Syndrome: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 98-105.	2.1	42
68	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Follicular Lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 26-40.	2.1	151
69	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Marginal Zone Lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 52-65.	2.1	70
70	Etiologic Heterogeneity Among Non-Hodgkin Lymphoma Subtypes: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 130-144.	2.1	265
71	Genome-wide Association Study Identifies Five Susceptibility Loci for Follicular Lymphoma outside the HLA Region. <i>American Journal of Human Genetics</i> , 2014, 95, 462-471.	6.2	96
72	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 41-51.	2.1	82

#	ARTICLE	IF	CITATIONS
73	Analysis of potential influence factors on background urinary benzene concentration among a non-smoking, non-occupationally exposed general population sample. <i>International Archives of Occupational and Environmental Health</i> , 2014, 87, 793-799.	2.3	16
74	Occupational exposure to immunologically active agents and risk for lymphoma: The European Epilymph case-control study. <i>Cancer Epidemiology</i> , 2013, 37, 378-384.	1.9	8
75	Do matrix metalloproteinase-1 and glucose-6-phosphate dehydrogenase gene polymorphisms interact in promoting lymphoma development?. <i>Leukemia and Lymphoma</i> , 2013, 54, 2734-2735.	1.3	0
76	Risk of childhood leukaemia and non-Hodgkin's lymphoma after parental occupational exposure to solvents and other agents: the SETIL Study. <i>Occupational and Environmental Medicine</i> , 2013, 70, 648-655.	2.8	44
77	Multiple myeloma and occupation: A pooled analysis by the International Multiple Myeloma Consortium. <i>Cancer Epidemiology</i> , 2013, 37, 300-305.	1.9	26
78	Genome-wide association study identifies multiple risk loci for chronic lymphocytic leukemia. <i>Nature Genetics</i> , 2013, 45, 868-876.	21.4	179
79	Leukemia in children and youths of the Azuay province, Ecuador: 2000-2010. <i>International Journal of Environmental Health Research</i> , 2013, 23, 58-65.	2.7	3
80	A Pooled Analysis of Alcohol Consumption and Risk of Multiple Myeloma in the International Multiple Myeloma Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 1620-1627.	2.5	19
81	Lymphoma risk in livestock farmers: Results of the Epilymph study. <i>International Journal of Cancer</i> , 2013, 132, 2613-2618.	5.1	12
82	QTc interval and electrocardiographic changes by type of shift work. <i>American Journal of Industrial Medicine</i> , 2013, 56, 1174-1179.	2.1	11
83	Lymphoma risk and occupational exposure to pesticides: results of the Epilymph study. <i>Occupational and Environmental Medicine</i> , 2013, 70, 91-98.	2.8	84
84	Increased Mitochondrial DNA Copy Number in Occupations Associated with Low-Dose Benzene Exposure. <i>Environmental Health Perspectives</i> , 2012, 120, 210-215.	6.0	99
85	Genome-Wide Association Study of Classical Hodgkin Lymphoma and Epstein-Barr Virus Status-Defined Subgroups. <i>Journal of the National Cancer Institute</i> , 2012, 104, 240-253.	6.3	141
86	Hepatitis B virus infection and risk of lymphoma: results of a serological analysis within the European case-control study Epilymph. <i>Journal of Cancer Research and Clinical Oncology</i> , 2012, 138, 1993-2001.	2.5	51
87	Environmental and lifestyle factors affect benzene uptake biomonitoring of residents near a petrochemical plant. <i>Environment International</i> , 2012, 39, 2-7.	10.0	27
88	Self-reported history of infections and the risk of non-Hodgkin lymphoma: An InterLymph pooled analysis. <i>International Journal of Cancer</i> , 2012, 131, 2342-2348.	5.1	23
89	A comprehensive study of polymorphisms in the <i>ABCB1</i> , <i>ABCC2</i> , <i>ABCG2</i> , <i>NR112</i> genes and lymphoma risk. <i>International Journal of Cancer</i> , 2012, 131, 803-812.	5.1	35
90	Reproductive factors and lymphoid neoplasms in Europe: findings from the EpiLymph case-control study. <i>Cancer Causes and Control</i> , 2012, 23, 195-206.	1.8	19

#	ARTICLE	IF	CITATIONS
91	Thalassemia intermedia is associated with a proatherogenic biochemical phenotype. <i>Blood Cells, Molecules, and Diseases</i> , 2011, 46, 294-299.	1.4	11
92	Single nucleotide polymorphisms of matrix metalloproteinase 9 (MMP9) and tumor protein 73 (TP73) interact with Epstein-Barr virus in chronic lymphocytic leukemia: results from the European case-control study EpiLymph. <i>Haematologica</i> , 2011, 96, 323-327.	3.5	15
93	Association of JAK-STAT pathway related genes with lymphoma risk: results of a European case-control study (EpiLymph). <i>British Journal of Haematology</i> , 2011, 153, 318-333.	2.5	39
94	Household contact with pets and birds and risk of lymphoma. <i>Cancer Causes and Control</i> , 2011, 22, 159-165.	1.8	3
95	A functional TNFRSF5 polymorphism and risk of non-Hodgkin lymphoma, a pooled analysis. <i>International Journal of Cancer</i> , 2011, 128, 1481-1485.	5.1	12
96	Evidence for a Proatherogenic Biochemical Phenotype in Beta Thalassemia Minor and Intermedia. <i>Acta Haematologica</i> , 2011, 126, 87-94.	1.4	9
97	Silica and lung cancer: state of the art, practical implications and future research. Foreword. <i>Medicina Del Lavoro</i> , 2011, 102, 307-9.	0.4	0
98	Occupational Exposure to Ethylene Oxide and Risk of Lymphoma. <i>Epidemiology</i> , 2010, 21, 905-910.	2.7	19
99	Asbestos exposure and malignant lymphoma: a multicenter case-control study in Germany and Italy. <i>International Archives of Occupational and Environmental Health</i> , 2010, 83, 563-570.	2.3	12
100	Genome-wide association study of follicular lymphoma identifies a risk locus at 6p21.32. <i>Nature Genetics</i> , 2010, 42, 661-664.	21.4	152
101	Occupational exposure to solvents and risk of lymphoma subtypes: results from the EpiLymph case-control study. <i>Occupational and Environmental Medicine</i> , 2010, 67, 341-347.	2.8	101
102	Birth Order and Risk of Non-Hodgkin Lymphoma—True Association or Bias?. <i>American Journal of Epidemiology</i> , 2010, 172, 621-630.	3.4	22
103	Tumor Necrosis Factor (TNF) and Lymphotoxin- $\alpha$ (LTA) Polymorphisms and Risk of Non-Hodgkin Lymphoma in the InterLymph Consortium. <i>American Journal of Epidemiology</i> , 2010, 171, 267-276.	3.4	128
104	Job strain, hypoxia and risk of amyotrophic lateral sclerosis: Results from a death certificate study. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2010, 11, 430-434.	2.1	40
105	Epidemiology, Public Health, and the Rhetoric of False Positives. <i>Environmental Health Perspectives</i> , 2009, 117, 1809-1813.	6.0	48
106	Atopic Disease and Risk of Non-Hodgkin Lymphoma: An InterLymph Pooled Analysis. <i>Cancer Research</i> , 2009, 69, 6482-6489.	0.9	86
107	Non-Hodgkin lymphoma and obesity: A pooled analysis from the InterLymph Consortium. <i>International Journal of Cancer</i> , 2008, 122, 2062-2070.	5.1	104
108	Risk of malignant lymphoma following viral hepatitis infection. <i>International Journal of Hematology</i> , 2008, 87, 474-483.	1.6	28



#	ARTICLE	IF	CITATIONS
109	Interleukin-1B (IL1B) and interleukin-6 (IL6) gene polymorphisms are associated with risk of chronic lymphocytic leukaemia. <i>Hematological Oncology</i> , 2008, 26, 98-103.	1.7	44
110	Personal sun exposure and risk of non Hodgkin lymphoma: A pooled analysis from the Interlymph Consortium. <i>International Journal of Cancer</i> , 2008, 122, 144-154.	5.1	152
111	Autoimmune disorders and risk of non-Hodgkin lymphoma subtypes: a pooled analysis within the InterLymph Consortium. <i>Blood</i> , 2008, 111, 4029-4038.	1.4	508
112	Hepatitis C and Non-Hodgkin Lymphoma Among 4784 Cases and 6269 Controls From the International Lymphoma Epidemiology Consortium. <i>Clinical Gastroenterology and Hepatology</i> , 2008, 6, 451-458.	4.4	313
113	Personal Use of Hair Dye and the Risk of Certain Subtypes of Non-Hodgkin Lymphoma. <i>American Journal of Epidemiology</i> , 2008, 167, 1321-1331.	3.4	98
114	Down Regulation of Hecpudin and Interleukin 1-Alpha in Pbmc from Patients with Beta thalassemia. <i>Blood</i> , 2008, 112, 2880-2880.	1.4	0
115	Comparison Bias and Dilution Effect in Occupational Cohort Studies. <i>International Journal of Occupational and Environmental Health</i> , 2007, 13, 143-152.	1.2	13
116	Long-Term Lithium Treatment and Survival From External Causes Including Suicide. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 544-546.	1.4	9
117	Effect of Urban Traffic, Individual Habits, and Genetic Polymorphisms on Background Urinary 1-Hydroxypyrene Excretion. <i>Annals of Epidemiology</i> , 2007, 17, 1-8.	1.9	24
118	Glucose-6-Phosphate Dehydrogenase Polymorphism and Lymphoma Risk. <i>Tumori</i> , 2007, 93, 121-123.	1.1	5
119	Occupational exposure to meat and risk of lymphoma: A multicenter case-control study from Europe. <i>International Journal of Cancer</i> , 2007, 121, 2761-2766.	5.1	22
120	Glucose-6-phosphate dehydrogenase polymorphism and lymphoma risk. <i>Tumori</i> , 2007, 93, 121-3.	1.1	4
121	Genetic variation in TNF and IL10 and risk of non-Hodgkin lymphoma: a report from the InterLymph Consortium. <i>Lancet Oncology</i> , The, 2006, 7, 27-38.	10.7	345
122	Nitrate in Community Water Supplies and Risk of Childhood Type 1 Diabetes in Sardinia, Italy. <i>European Journal of Epidemiology</i> , 2006, 21, 245-247.	5.7	13
123	Reproductive outcomes following environmental exposure to DDT. <i>Reproductive Toxicology</i> , 2006, 22, 5-7.	2.9	7
124	Causes of death among lead smelters in relation to the glucose-6-phosphate dehydrogenase polymorphism. <i>Occupational and Environmental Medicine</i> , 2006, 64, 414-416.	2.8	4
125	Cancer Mortality among Men Occupationally Exposed to Dichlorodiphenyltrichloroethane. <i>Cancer Research</i> , 2005, 65, 9588-9594.	0.9	41
126	Reproductive outcomes in DDT applicators. <i>Environmental Research</i> , 2005, 98, 120-126.	7.5	35



#	ARTICLE	IF	CITATIONS
127	Urinary 6-sulfatoxymelatonin excretion in humans during domestic exposure to 50 hertz electromagnetic fields. <i>Neuroendocrinology Letters</i> , 2005, 26, 136-42.	0.2	14
128	Serum sex hormones in men occupationally exposed to dichloro-diphenyl-trichloro ethane (DDT) as young adults. <i>Journal of Endocrinology</i> , 2004, 182, 391-397.	2.6	23
129	trans,trans -Muconic acid excretion in relation to environmental exposure to benzene. <i>International Archives of Occupational and Environmental Health</i> , 2003, 76, 456-460.	2.3	25
130	On the rumors about the silent spring: review of the scientific evidence linking occupational and environmental pesticide exposure to endocrine disruption health effects. <i>Cadernos De Saude Publica</i> , 2002, 18, 379-402.	1.0	103
131	Lung cancer risk, silica exposure, and silicosis in Chinese mines and pottery factories: The modifying role of other workplace lung carcinogens. <i>American Journal of Industrial Medicine</i> , 2001, 40, 674-682.	2.1	32
132	Nutritional factors and worldwide incidence of childhood type 1 diabetes. <i>American Journal of Clinical Nutrition</i> , 2000, 71, 1525-1529.	4.7	40
133	Cancer Mortality and Environmental Exposure to DDE in the United States. <i>Environmental Health Perspectives</i> , 2000, 108, 1.	6.0	80
134	Peritoneal cancer and occupational exposure to asbestos: Results from the application of a job-exposure matrix. , 1999, 35, 9-14.		37
135	Gender differences in risk of renal cell carcinoma and occupational exposures to chlorinated aliphatic hydrocarbons. <i>American Journal of Industrial Medicine</i> , 1999, 36, 54-59.	2.1	69
136	Occupational risk factors for cancer of the central nervous system (CNS) among US women. , 1999, 36, 70-74.		62
137	Risk factors for male breast cancer (United States). <i>Cancer Causes and Control</i> , 1998, 9, 269-275.	1.8	119
138	Occupational risk factors for cancer of the central nervous system: A case-control study on death certificates from 24 U.S. states. , 1998, 33, 247-255.		39
139	Occupational lead exposure and screening of glucose-6-phosphate dehydrogenase polymorphism: useful prevention or nonvoluntary discrimination?. <i>International Archives of Occupational and Environmental Health</i> , 1998, 71, 148-150.	2.3	6
140	Long-term Health Effects of the Occupational Exposure to DDT. <i>Annals of the New York Academy of Sciences</i> , 1997, 837, 246-256.	3.8	37
141	Occupational Risk Factors for Gastric Cancer: an Overview. <i>Epidemiologic Reviews</i> , 1996, 18, 218-234.	3.5	48
142	Methylene chloride and brain cancer: Interpreting a new study in light of existing literature. <i>American Journal of Industrial Medicine</i> , 1996, 30, 506-507.	2.1	0
143	Matrix is a reasonable method to assess exposures. <i>American Journal of Industrial Medicine</i> , 1996, 30, 508-509.	2.1	1
144	Effects of short-term occupational exposure to lead on erythrocyte glucose-6-phosphate dehydrogenase activity and serum cholesterol. <i>Journal of Applied Toxicology</i> , 1995, 15, 375-378.	2.8	12

#	ARTICLE	IF	CITATIONS
145	Childhood Acute Lymphoblastic Leukemia: A Cluster in Southwestern Sardinia (Italy). <i>International Journal of Occupational and Environmental Health</i> , 1995, 1, 232-238.	1.2	6
146	Occupational exposures as risk factors for gastric cancer in Italy. <i>Cancer Causes and Control</i> , 1994, 5, 241-248.	1.8	45
147	Lung cancer mortality and airways obstruction among metal miners exposed to silica and low levels of radon daughters. <i>American Journal of Industrial Medicine</i> , 1994, 25, 489-506.	2.1	33
148	Occupational exposure to chlorinated aliphatic hydrocarbons and risk of astrocytic brain cancer. <i>American Journal of Industrial Medicine</i> , 1994, 26, 155-169.	2.1	79
149	Occupational exposures and gastric cancer aetiology. <i>European Journal of Gastroenterology and Hepatology</i> , 1994, 6, 1089-1096.	1.6	3
150	A case-control study of gastric cancer and diet in Italy. III. Risk patterns by histologic type. <i>International Journal of Cancer</i> , 1991, 48, 369-374.	5.1	85
151	A case-control study of gastric cancer and diet in Italy: II. Association with nutrients. <i>International Journal of Cancer</i> , 1990, 45, 896-901.	5.1	217
152	A case-control study of gastric cancer and diet in Italy. <i>International Journal of Cancer</i> , 1989, 44, 611-616.	5.1	472
153	Preliminary Results of a Geographic Correlation Study on G6PD Deficiency and Cancer. <i>Toxicologic Pathology</i> , 1987, 15, 106-108.	1.8	15