

# William Sellwood

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1562203/publications.pdf>

Version: 2024-02-01

49  
papers

1,510  
citations

361413

20  
h-index

330143

37  
g-index

49  
all docs

49  
docs citations

49  
times ranked

1856  
citing authors

#	ARTICLE	IF	CITATIONS
1	The questionnaire about the process of recovery (QPR): A measurement tool developed in collaboration with service users. <i>Psychosis</i> , 2009, 1, 145-155.	0.8	236
2	Associations between specific psychotic symptoms and specific childhood adversities are mediated by attachment styles: An analysis of the National Comorbidity Survey. <i>Psychiatry Research</i> , 2014, 217, 202-209.	3.3	133
3	Randomised controlled effectiveness trial of a needs-based psychosocial intervention service for carers of people with schizophrenia. <i>British Journal of Psychiatry</i> , 1999, 174, 505-511.	2.8	126
4	Needs-based cognitive-behavioural family intervention for carers of patients suffering from schizophrenia: 12-month follow-up. <i>Acta Psychiatrica Scandinavica</i> , 2001, 104, 346-355.	4.5	67
5	Demographic factors associated with extreme non-compliance in schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1994, 29, 172-177.	3.1	67
6	Post-traumatic growth in adults following a burn. <i>Burns</i> , 2014, 40, 1089-1096.	1.9	60
7	Trauma and psychosis: The mediating role of self-concept clarity and dissociation. <i>Psychiatry Research</i> , 2015, 228, 626-632.	3.3	55
8	Enhanced relapse prevention for bipolar disorder by community mental health teams: cluster feasibility randomised trial. <i>British Journal of Psychiatry</i> , 2010, 196, 59-63.	2.8	52
9	The family and compliance in schizophrenia: the influence of clinical variables, relatives' knowledge and expressed emotion. <i>Psychological Medicine</i> , 2003, 33, 91-96.	4.5	48
10	Assessing relatives' needs for psychosocial interventions in schizophrenia: a relatives' version of the Cardinal Needs Schedule (RCNS). <i>Psychological Medicine</i> , 1998, 28, 531-542.	4.5	41
11	Compliance and psychological reactance in schizophrenia. <i>British Journal of Clinical Psychology</i> , 2000, 39, 287-295.	3.5	39
12	Psychological therapies for bipolar disorder: the role of model-driven approaches to therapy integration. <i>Bipolar Disorders</i> , 2005, 7, 22-32.	1.9	39
13	Guilt, shame and expressed emotion in carers of people with long-term mental health difficulties: A systematic review. <i>Psychiatry Research</i> , 2017, 249, 139-151.	3.3	38
14	GROUP CBT FOR PEOPLE WITH SCHIZOPHRENIA: A PRELIMINARY EVALUATION. <i>Behavioural and Cognitive Psychotherapy</i> , 1998, 26, 63-75.	1.2	34
15	Parental Communication and Psychosis: A Meta-analysis. <i>Schizophrenia Bulletin</i> , 2014, 40, 756-768.	4.3	34
16	Needs-based cognitive-behavioural family intervention for patients suffering from schizophrenia: 5-year follow-up of a randomized controlled effectiveness trial. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 447-452.	4.5	31
17	Disorganisation, thought disorder and socio-cognitive functioning in schizophrenia spectrum disorders. <i>British Journal of Psychiatry</i> , 2019, 214, 103-112.	2.8	30
18	Subjective Cognitive Complaints in Schizophrenia: Relation to Antipsychotic Medication Dose, Actual Cognitive Performance, Insight and Symptoms. <i>PLoS ONE</i> , 2013, 8, e83774.	2.5	30

#	ARTICLE	IF	CITATIONS
19	The dynamics of attachment insecurity and paranoid thoughts: An experience sampling study. <i>Psychiatry Research</i> , 2016, 246, 32-38.	3.3	29
20	Clinical effectiveness of a web-based peer-supported self-management intervention for relatives of people with psychosis or bipolar (REACT): online, observer-blind, randomised controlled superiority trial. <i>BMC Psychiatry</i> , 2020, 20, 160.	2.6	23
21	Group CBT for psychosis: A longitudinal, controlled trial with inpatients. <i>Behaviour Research and Therapy</i> , 2015, 65, 76-85.	3.1	22
22	“No man is an island”™. Testing the specific role of social isolation in formal thought disorder. <i>Psychiatry Research</i> , 2015, 230, 304-313.	3.3	22
23	Ethnicity and impact on the receipt of cognitive-behavioural therapy in people with psychosis or bipolar disorder: an English cohort study. <i>BMJ Open</i> , 2020, 10, e034913.	1.9	22
24	Enhanced relapse prevention for bipolar disorder – ERP trial. A cluster randomised controlled trial to assess the feasibility of training care coordinators to offer enhanced relapse prevention for bipolar disorder. <i>BMC Psychiatry</i> , 2007, 7, 6.	2.6	18
25	The role of social isolation and social cognition in thought disorder. <i>Psychiatry Research</i> , 2018, 269, 56-63.	3.3	18
26	Inner Speech and Clarity of Self-Concept in Thought Disorder and Auditory-Verbal Hallucinations. <i>Journal of Nervous and Mental Disease</i> , 2016, 204, 885-893.	1.0	16
27	Advances in the psychological management of positive symptoms of schizophrenia. <i>International Review of Psychiatry</i> , 1994, 6, 201-215.	2.8	15
28	BATTLING BOREDOM: GROUP COGNITIVE BEHAVIOUR THERAPY FOR NEGATIVE SYMPTOMS OF SCHIZOPHRENIA. <i>Behavioural and Cognitive Psychotherapy</i> , 2002, 30, 341-346.	1.2	15
29	A randomised controlled trial of home-based rehabilitation versus outpatient-based rehabilitation for patients suffering from chronic schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1999, 34, 250-253.	3.1	14
30	A web-based, peer-supported self-management intervention to reduce distress in relatives of people with psychosis or bipolar disorder: the REACT RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-142.	2.8	14
31	A cognitive behavioural groupbased educational programme for psychotic symptoms in a low secure setting: a pilot evaluation. <i>British Journal of Forensic Practice</i> , 2006, 8, 36-46.	0.5	13
32	The affective reactivity of psychotic speech: The role of internal source monitoring in explaining increased thought disorder under emotional challenge. <i>Schizophrenia Research</i> , 2016, 172, 189-194.	2.0	13
33	Developments in Cognitive-Behaviour Therapy for Persistent Psychotic Symptoms. <i>Behaviour Change</i> , 1994, 11, 200-212.	1.3	11
34	Policy implications of a psychological model of mental disorder. <i>Journal of Mental Health</i> , 2008, 17, 93-103.	1.9	11
35	Working together: Service Users and researchers in Psychosis research. <i>Psychosis</i> , 2013, 5, 306-316.	0.8	11
36	Eye movement desensitization and reprocessing therapy for psychosis (<scp>EMDRp</scp>): Protocol of a feasibility randomized controlled trial with early intervention service users. <i>Microbial Biotechnology</i> , 2021, 15, 1224-1233.	1.7	9

#	ARTICLE	IF	CITATIONS
37	Informal caregivers in early psychosis: evaluation of need for psychosocial intervention and unresolved grief. <i>Microbial Biotechnology</i> , 2013, 7, 291-299.	1.7	7
38	Birth experiences, trauma responses and self-concept in postpartum psychotic-like experiences. <i>Schizophrenia Research</i> , 2018, 197, 531-538.	2.0	6
39	Avoidance in nonepileptic attack disorder: A systematic review and meta-analyses. <i>Epilepsy and Behavior</i> , 2019, 95, 100-111.	1.7	6
40	Mental health practitioner experiences of engaging with service users in community mental health settings: A systematic review and thematic synthesis of qualitative evidence. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2020, 27, 807-820.	2.1	6
41	The Role and Clinical Correlates of Complex Post-traumatic Stress Disorder in People With Psychosis. <i>Frontiers in Psychology</i> , 2022, 13, 791996.	2.1	6
42	Training Staff in Enhanced Relapse Prevention for Bipolar Disorder: Rates of Uptake and Measures of Skill and Confidence. <i>Psychiatric Services</i> , 2009, 60, 702-706.	2.0	5
43	The quest for genuine care: A qualitative study of the experiences of young people who self-harm in residential care. <i>Clinical Child Psychology and Psychiatry</i> , 2021, 26, 418-429.	1.6	5
44	Cognitive Factors in the Maintenance of Injection Phobia. <i>Behavioural and Cognitive Psychotherapy</i> , 1995, 23, 57-61.	1.2	4
45	Attachment, mentalisation and expressed emotion in carers of people with long-term mental health difficulties. <i>BMC Psychiatry</i> , 2018, 18, 257.	2.6	4
46	Group CBT for psychosis in acute care: a review of outcome studies. <i>The Cognitive Behaviour Therapist</i> , 2015, 8, .	1.0	3
47	Psychological inflexibility and somatization in nonepileptic attack disorder. <i>Epilepsy and Behavior</i> , 2020, 111, 107155.	1.7	1
48	Self-Report Measures Assessing Aspects of Personal Recovery in Relatives and Other Informal Carers of Those With Psychosis: A Systematic Review. <i>Frontiers in Psychology</i> , 0, 13, .	2.1	1
49	Mapping early environment using communication deviance: A longitudinal study of maternal sensitivity toward 6-month-old children. <i>Development and Psychopathology</i> , 2019, 31, 1501-1511.	2.3	0