

# Thera P Links

List of Publications by Year  
in descending order

Source: <https://exaly.com/author-pdf/156450/publications.pdf>

Version: 2024-02-01

108  
papers

3,499  
citations

136950

32  
h-index

155660

55  
g-index

110  
all docs

110  
docs citations

110  
times ranked

4486  
citing authors

#	ARTICLE	IF	CITATIONS
1	Adrenocortical carcinoma: A population-based study on incidence and survival in the Netherlands since 1993. <i>European Journal of Cancer</i> , 2013, 49, 2579-2586.	2.8	241
2	2018 European Thyroid Association (ETA) Guidelines for the Management of Amiodarone-Associated Thyroid Dysfunction. <i>European Thyroid Journal</i> , 2018, 7, 55-66.	2.4	165
3	Incidence of pheochromocytoma and sympathetic paraganglioma in the Netherlands: A nationwide study and systematic review. <i>European Journal of Internal Medicine</i> , 2018, 51, 68-73.	2.2	160
4	6-[F-18]Fluoro- $\alpha$ -Dihydroxyphenylalanine Positron Emission Tomography Is Superior to Conventional Imaging with 123I-Metaiodobenzylguanidine Scintigraphy, Computer Tomography, and Magnetic Resonance Imaging in Localizing Tumors Causing Catecholamine Excess. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 3922-3930.	3.6	153
5	Outcomes of adrenal-sparing surgery or total adrenalectomy in pheochromocytoma associated with multiple endocrine neoplasia type 2: an international retrospective population-based study. <i>Lancet Oncology</i> , 2014, 15, 648-655.	10.7	137
6	Molecular imaging in neuroendocrine tumors: Molecular uptake mechanisms and clinical results. <i>Critical Reviews in Oncology/Hematology</i> , 2009, 71, 199-213.	4.4	135
7	Plasma Free Metanephrine Measurement Using Automated Online Solid-Phase Extraction HPLC-Tandem Mass Spectrometry. <i>Clinical Chemistry</i> , 2007, 53, 1684-1693.	3.2	132
8	Individual Mindfulness-Based Cognitive Therapy and Cognitive Behavior Therapy for Treating Depressive Symptoms in Patients With Diabetes: Results of a Randomized Controlled Trial. <i>Diabetes Care</i> , 2014, 37, 2427-2434.	8.6	117
9	Rare neuroendocrine tumours: Results of the surveillance of rare cancers in Europe project. <i>European Journal of Cancer</i> , 2013, 49, 2565-2578.	2.8	91
10	Natural history, treatment, and long-term follow up of patients with multiple endocrine neoplasia type 2B: an international, multicentre, retrospective study. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 213-220.	11.4	86
11	Efficacy of $\beta$ -Blockers on Hemodynamic Control during Pheochromocytoma Resection: A Randomized Controlled Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 2381-2391.	3.6	85
12	Comparison of Pheochromocytoma-Specific Morbidity and Mortality Among Adults With Bilateral Pheochromocytomas Undergoing Total Adrenalectomy vs Cortical-Sparing Adrenalectomy. <i>JAMA Network Open</i> , 2019, 2, e198898.	5.9	80
13	No Effect of the Thr92Ala Polymorphism of Deiodinase-2 on Thyroid Hormone Parameters, Health-Related Quality of Life, and Cognitive Functioning in a Large Population-Based Cohort Study. <i>Thyroid</i> , 2017, 27, 147-155.	4.5	78
14	EUS is superior for detection of pancreatic lesions compared with standard imaging in patients with multiple endocrine neoplasia type 1. <i>Gastrointestinal Endoscopy</i> , 2015, 81, 159-167.e2.	1.0	69
15	Treatment of Amiodarone-Induced Thyrotoxicosis Type 2: A Randomized Clinical Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 499-506.	3.6	66
16	Determinants and outcome of amiodarone-associated thyroid dysfunction. <i>Clinical Endocrinology</i> , 2011, 75, 388-394.	2.4	60
17	Everolimus Reduces $^{89}\text{Zr}$ -Bevacizumab Tumor Uptake in Patients with Neuroendocrine Tumors. <i>Journal of Nuclear Medicine</i> , 2014, 55, 1087-1092.	5.0	56
18	Pediatric Differentiated Thyroid Carcinoma in The Netherlands: A Nationwide Follow-Up Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 2031-2039.	3.6	55

#	ARTICLE	IF	CITATIONS
19	Everolimus in patients with advanced follicular-derived thyroid cancer; results of a phase II clinical trial.. Journal of Clinical Endocrinology and Metabolism, 2017, 102, jc.2016-2525.	3.6	55
20	Catecholamine-Synthesizing Enzymes in Carcinoid Tumors and Pheochromocytomas. Clinical Chemistry, 2003, 49, 586-593.	3.2	52
21	Effects of Radioiodine Treatment on Salivary Gland Function in Patients with Differentiated Thyroid Carcinoma: A Prospective Study. Journal of Nuclear Medicine, 2016, 57, 1685-1691.	5.0	52
22	65 YEARS OF THE DOUBLE HELIX: Genetics informs precision practice in the diagnosis and management of pheochromocytoma. Endocrine-Related Cancer, 2018, 25, T201-T219.	3.1	52
23	Thyroid function and metabolic syndrome in the population-based LifeLines cohort study. BMC Endocrine Disorders, 2017, 17, 65.	2.2	44
24	Unenhanced CT imaging is highly sensitive to exclude pheochromocytoma: a multicenter study. European Journal of Endocrinology, 2018, 178, 431-437.	3.7	44
25	Treatment for periodic paralysis. The Cochrane Library, 2008, , CD005045.	2.8	42
26	Preventive medicine of von Hippel-Lindau disease-associated pancreatic neuroendocrine tumors. Endocrine-Related Cancer, 2018, 25, 783-793.	3.1	42
27	Distant Metastases From Childhood Differentiated Thyroid Carcinoma: Clinical Course and Mutational Landscape. Journal of Clinical Endocrinology and Metabolism, 2021, 106, 1683-1697.	3.6	42
28	Increased Risk of Atrial Fibrillation After Treatment for Differentiated Thyroid Carcinoma. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 4563-4569.	3.6	39
29	Clinical implications of the oncometabolite succinate in <i>SDHx</i> mutation carriers. Clinical Genetics, 2020, 97, 39-53.	2.0	39
30	Pancreatic cyst development: insights from von Hippel-Lindau disease. Cilia, 2013, 2, 3.	1.8	38
31	Catecholamine-Synthesizing Enzymes Are Expressed in Parasympathetic Head and Neck Paraganglioma Tissue. Neuroendocrinology, 2015, 101, 289-295.	2.5	37
32	Individual Mindfulness-Based Cognitive Therapy for People with Diabetes: a Pilot Randomized Controlled Trial. Mindfulness, 2015, 6, 99-110.	2.8	37
33	Generation and Differentiation of Adult Tissue-Derived Human Thyroid Organoids. Stem Cell Reports, 2021, 16, 913-925.	4.8	37
34	Intricacies of the Molecular Machinery of Catecholamine Biosynthesis and Secretion by Chromaffin Cells of the Normal Adrenal Medulla and in Pheochromocytoma and Paraganglioma. Cancers, 2019, 11, 1121.	3.7	36
35	Calcitonin testing for detection of medullary thyroid cancer in people with thyroid nodules. The Cochrane Library, 2020, 2020, CD010159.	2.8	35
36	Cigarette smoking is associated with higher thyroid hormone and lower TSH levels: the PREVENT study. Endocrine, 2020, 67, 613-622.	2.3	32

#	ARTICLE	IF	CITATIONS
37	Immunological Adaptations to Pregnancy in Women with Type 1 Diabetes. <i>Scientific Reports</i> , 2015, 5, 13618.	3.3	31
38	Age-related differences in health-related quality of life among thyroid cancer survivors compared with a normative sample: Results from the PROFILES Registry. <i>Head and Neck</i> , 2018, 40, 2235-2245.	2.0	31
39	Bone Marrow Function After <sup>131</sup> I Therapy in Patients With Differentiated Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 3911-3917.	3.6	30
40	Calculating the optimal surveillance for head and neck paraganglioma in SDHB-mutation carriers. <i>Familial Cancer</i> , 2017, 16, 123-130.	1.9	30
41	The clinical value of regular thyroid function tests during amiodarone treatment. <i>European Journal of Endocrinology</i> , 2017, 177, 9-14.	3.7	26
42	Long-Term Effects of Radioiodine Treatment on Salivary Gland Function in Adult Survivors of Pediatric Differentiated Thyroid Carcinoma. <i>Journal of Nuclear Medicine</i> , 2019, 60, 172-177.	5.0	25
43	Patient-Derived Papillary Thyroid Cancer Organoids for Radioactive Iodine Refractory Screening. <i>Cancers</i> , 2020, 12, 3212.	3.7	25
44	What works best for whom? Cognitive Behavior Therapy and Mindfulness-Based Cognitive Therapy for depressive symptoms in patients with diabetes. <i>PLoS ONE</i> , 2017, 12, e0179941.	2.5	23
45	ENDOCRINE TUMOURS: Progressive metastatic medullary thyroid carcinoma: first- and second-line strategies. <i>European Journal of Endocrinology</i> , 2015, 172, R241-R251.	3.7	22
46	Increased Global DNA Hypomethylation in Distant Metastatic and Dedifferentiated Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 397-406.	3.6	20
47	Diagnostic Accuracy of Computed Tomography to Exclude Pheochromocytoma: A Systematic Review, Meta-analysis, and Cost Analysis. <i>Mayo Clinic Proceedings</i> , 2019, 94, 2040-2052.	3.0	20
48	Long-Term Effects of Radioiodine Treatment on Female Fertility in Survivors of Childhood Differentiated Thyroid Carcinoma. <i>Thyroid</i> , 2020, 30, 1169-1176.	4.5	20
49	The penetrance of MEN2 pheochromocytoma is not only determined by RET mutations. <i>Endocrine-Related Cancer</i> , 2017, 24, L63-L67.	3.1	19
50	False-positive findings on 6-[ <sup>18</sup> F]fluor-L-3,4-dihydroxyphenylalanine PET (18F-FDOPA-PET) performed for imaging of neuroendocrine tumors. <i>European Journal of Endocrinology</i> , 2018, 179, 125-133.	3.7	19
51	Expression of HIF-1 $\alpha$ in medullary thyroid cancer identifies a subgroup with poor prognosis. <i>Oncotarget</i> , 2017, 8, 28650-28659.	1.8	19
52	<sup>89</sup> Zr-Bevacizumab PET Visualizes Disease Manifestations in Patients with von Hippel-Lindau Disease. <i>Journal of Nuclear Medicine</i> , 2016, 57, 1244-1250.	5.0	17
53	The incidence of consecutive manifestations in Von Hippel-Lindau disease. <i>Familial Cancer</i> , 2019, 18, 369-376.	1.9	17
54	Impact of a Forced Dose-Equivalent Levothyroxine Brand Switch on Plasma Thyrotropin: A Cohort Study. <i>Thyroid</i> , 2020, 30, 821-828.	4.5	17

#	ARTICLE	IF	CITATIONS
55	Primary hyperparathyroidism as first manifestation in multiple endocrine neoplasia type 2A: an international multicenter study. <i>Endocrine Connections</i> , 2020, 9, 489-497.	1.9	17
56	Diastolic Dysfunction is Common in Survivors of Pediatric Differentiated Thyroid Carcinoma. <i>Thyroid</i> , 2017, 27, 1481-1489.	4.5	16
57	Reasons for low uptake of a psychological intervention offered to cancer survivors with elevated depressive symptoms. <i>Psycho-Oncology</i> , 2019, 28, 830-838.	2.3	15
58	The theranostic target prostate-specific membrane antigen is expressed in medullary thyroid cancer. <i>Human Pathology</i> , 2018, 81, 245-254.	2.0	14
59	Management recommendations for pancreatic manifestations of von Hippel-Lindau disease. <i>Cancer</i> , 2022, 128, 435-446.	4.1	14
60	HDL Cholesterol Efflux Capacity is Impaired in Severe Short-Term Hypothyroidism Despite Increased HDL Cholesterol. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e3355-e3362.	3.6	13
61	Psychological Distress and Illness Perceptions in Thyroid Cancer Survivors: Does Age Matter?. <i>Journal of Adolescent and Young Adult Oncology</i> , 2020, 9, 375-383.	1.3	13
62	Emerging role of dopamine in neovascularization of pheochromocytoma and paraganglioma. <i>FASEB Journal</i> , 2017, 31, 2226-2240.	0.5	12
63	Kidney Involvement in Systemic Calcitonin Amyloidosis Associated With Medullary Thyroid Carcinoma. <i>American Journal of Kidney Diseases</i> , 2017, 69, 546-549.	1.9	12
64	Survival in anaplastic thyroid cancer in relation to pre-existing goiter: a population-based study. <i>American Journal of Surgery</i> , 2015, 209, 1013-1019.	1.8	11
65	Difference in CXCR4 expression between sporadic and VHL-related hemangioblastoma. <i>Familial Cancer</i> , 2016, 15, 607-616.	1.9	11
66	Additional value of a high sensitive thyroglobulin assay in the follow-up of patients with differentiated thyroid carcinoma. <i>Clinical Endocrinology</i> , 2017, 86, 419-424.	2.4	11
67	No influence of antihypertensive agents on plasma free metanephrines. <i>Clinical Biochemistry</i> , 2016, 49, 1368-1371.	1.9	10
68	Potential value of EUS in pancreatic surveillance of VHL patients. <i>European Journal of Endocrinology</i> , 2016, 174, 611-620.	3.7	10
69	Mass spectrometric quantification of salivary metanephrines—A study in healthy subjects. <i>Clinical Biochemistry</i> , 2016, 49, 983-988.	1.9	10
70	Thyroid function and risk of all-cause and cardiovascular mortality: a prospective population-based cohort study. <i>Endocrine</i> , 2021, 71, 385-396.	2.3	10
71	Low-Iodine Diet of 4 Days Is Sufficient Preparation for <sup>131</sup> I Therapy in Differentiated Thyroid Cancer Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e604-e611.	3.6	10
72	Presentation and outcome of subsequent thyroid cancer among childhood cancer survivors compared to sporadic thyroid cancer: a matched national study. <i>European Journal of Endocrinology</i> , 2020, 183, 169-180.	3.7	10

#	ARTICLE	IF	CITATIONS
73	NT-proBNP is increased in differentiated thyroid carcinoma patients and may predict cardiovascular risk. <i>Clinical Biochemistry</i> , 2017, 50, 696-702.	1.9	9
74	Cholesterol delivery to the adrenal glands estimated by adrenal venous sampling: An inÂvivo model to determine the contribution of circulating lipoproteins to steroidogenesis in humans. <i>Journal of Clinical Lipidology</i> , 2017, 11, 733-738.	1.5	9
75	Onset of hypothyroidism after total laryngectomy: Effects of thyroid gland surgery and preoperative and postoperative radiotherapy. <i>Head and Neck</i> , 2020, 42, 636-644.	2.0	9
76	Blood sampling for metanephrines comparing venipuncture vs. indwelling intravenous cannula in healthy subjects. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, 1681-1686.	2.3	9
77	Thyroid Gland Organoids: Current Models and Insights for Application in Tissue Engineering. <i>Tissue Engineering - Part A</i> , 2022, 28, 500-510.	3.1	9
78	Survey on Paediatric Differentiated Thyroid Cancer Care in Europe. <i>Hormone Research in Paediatrics</i> , 2018, 89, 58-62.	1.8	8
79	Use of Salivary Iodine Concentrations to Estimate the Iodine Status of Adults in Clinical Practice. <i>Journal of Nutrition</i> , 2021, 151, 3671-3677.	2.9	8
80	Opposite Incidence Trends for Differentiated and Medullary Thyroid Cancer in Young Dutch Patients over a 30-Year Time Span. <i>Cancers</i> , 2021, 13, 5104.	3.7	8
81	Skin accumulation of advanced glycation end products is increased in patients with an abdominal aortic aneurysm. <i>Journal of Vascular Surgery</i> , 2017, 66, 1696-1703.e1.	1.1	7
82	Intraoperative MET-receptor targeted fluorescent imaging and spectroscopy for lymph node detection in papillary thyroid cancer: novel diagnostic tools for more selective central lymph node compartment dissection. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 3557-3570.	6.4	7
83	Multidisciplinary integrated care pathway for von Hippelâ€Lindau disease. <i>Cancer</i> , 2022, , .	4.1	7
84	Cardiovascular effects of overt and subclinical hyperthyroidism: focus on differentiated thyroid cancer. <i>Endocrine Connections</i> , 2021, 10, R43-R51.	1.9	6
85	High-density lipoproteins and adrenal steroidogenesis: A population-based study. <i>Journal of Clinical Lipidology</i> , 2017, 11, 469-476.	1.5	5
86	Plasma branched chain amino acids are lower in short-term profound hypothyroidism and increase in response to thyroid hormone supplementation. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2020, 80, 562-566.	1.2	5
87	Recent results of basic and clinical research in MEN1: opportunities to improve early detection and treatment. <i>Expert Review of Endocrinology and Metabolism</i> , 2012, 7, 331-344.	2.4	4
88	Risk factors for venous thromboembolism in patients treated for differentiated thyroid carcinoma. <i>Endocrine-Related Cancer</i> , 2017, 24, 267-273.	3.1	4
89	Long-Term Follow-Up for Differentiated Thyroid Carcinoma Patients: A Reconsideration. <i>Thyroid</i> , 2017, 27, 475-476.	4.5	4
90	Outcomes of surgery and postoperative radiation therapy in managing medullary thyroid carcinoma. <i>Journal of Surgical Oncology</i> , 2020, 121, 234-243.	1.7	4

#	ARTICLE	IF	CITATIONS
91	Hypocalcemia induced by tyrosine kinase inhibitors: targeted treatment with "untargeted" side effects. <i>Acta Oncologica</i> , 2020, 59, 726-729.	1.8	4
92	Clinical considerations for the treatment of secondary differentiated thyroid carcinoma in childhood cancer survivors. <i>European Journal of Endocrinology</i> , 2020, 183, P1-P10.	3.7	4
93	Surgical Complications and Referral Patterns in 567 Patients with Differentiated Thyroid Cancer in the Northern Region of the Netherlands: A Population-Based Study Towards Clinical Management Implementation. <i>Annals of Surgical Oncology</i> , 2020, 27, 3872-3881.	1.5	3
94	Recombinant TSH Stimulated Remnant Ablation Therapy in Thyroid Cancer: The Success Rate Depends on the Definition of Ablation Success"An Observational Study. <i>PLoS ONE</i> , 2015, 10, e0120184.	2.5	3
95	The outcome of treatment in differentiated thyroid cancer according to recommendations in current Dutch and American guidelines. <i>Clinical Endocrinology</i> , 2023, 98, 123-130.	2.4	3
96	Multiple endocrine neoplasia type 2. <i>Expert Review of Endocrinology and Metabolism</i> , 2009, 4, 443-465.	2.4	2
97	Diagnostic Accuracy of Salivary Metanephrines in Pheochromocytomas and Paragangliomas. <i>Clinical Chemistry</i> , 2021, 67, 1090-1097.	3.2	2
98	Multiple endocrine neoplasia type 1. <i>Expert Review of Endocrinology and Metabolism</i> , 2009, 4, 371-388.	2.4	1
99	Calcitonin testing for detection of medullary thyroid cancer in patients with thyroid nodules. <i>The Cochrane Library</i> , 2012, , .	2.8	1
100	Standards of care intended for multiple endocrine neoplasia families. <i>International Journal of Endocrine Oncology</i> , 2014, 1, 111-124.	0.4	1
101	The Value of Pre-Ablative I-131 Scan for Clinical Management in Patients With Differentiated Thyroid Carcinoma. <i>Frontiers in Endocrinology</i> , 2021, 12, 655676.	3.5	1
102	Influence of Receptor Polymorphisms on the Response to $\alpha$ -Adrenergic Receptor Blockers in Pheochromocytoma Patients. <i>Biomedicines</i> , 2022, 10, 896.	3.2	1
103	Author Reply: Patients with Familial Adenomatous Polyposis. <i>Annals of Surgical Oncology</i> , 2009, 16, 1449-1450.	1.5	0
104	PS12 - 1. Mindfulness-Based Cognitive Therapy (MBCT) and Cognitive Behavior Therapy (CBT) for treating depression in patients with diabetes: A randomized controlled trial. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2013, 11, 166-166.	0.0	0
105	Von Hippel-Lindau disease: a multidisciplinary neoplasia syndrome. <i>International Journal of Endocrine Oncology</i> , 2017, 4, 5-8.	0.4	0
106	Platelet serotonin is not elevated in patients with benign head and neck paragangliomas. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, e181-e183.	2.3	0
107	Patient quality criteria for a multidisciplinary integrated care pathway for von Hippel-Lindau syndrome.. <i>Journal of Clinical Oncology</i> , 2021, 39, e13534-e13534.	1.6	0
108	89Zr-bevacizumab PET imaging of disease manifestations in patients with Von Hippel-Lindau disease.. <i>Journal of Clinical Oncology</i> , 2014, 32, 11090-11090.	1.6	0