

Thera P Links

List of Publications by Year
in descending order

Source: <https://exaly.com/author-pdf/156450/publications.pdf>

Version: 2024-02-01

108
papers

3,499
citations

136950

32
h-index

155660

55
g-index

110
all docs

110
docs citations

110
times ranked

4486
citing authors

#	ARTICLE	IF	CITATIONS
1	The outcome of treatment in differentiated thyroid cancer according to recommendations in current Dutch and American guidelines. <i>Clinical Endocrinology</i> , 2023, 98, 123-130.	2.4	3
2	Low-Iodine Diet of 4 Days Is Sufficient Preparation for ¹³¹ I Therapy in Differentiated Thyroid Cancer Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e604-e611.	3.6	10
3	Management recommendations for pancreatic manifestations of von Hippel-Lindau disease. <i>Cancer</i> , 2022, 128, 435-446.	4.1	14
4	Thyroid Gland Organoids: Current Models and Insights for Application in Tissue Engineering. <i>Tissue Engineering - Part A</i> , 2022, 28, 500-510.	3.1	9
5	Intraoperative MET-receptor targeted fluorescent imaging and spectroscopy for lymph node detection in papillary thyroid cancer: novel diagnostic tools for more selective central lymph node compartment dissection. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 3557-3570.	6.4	7
6	Influence of Receptor Polymorphisms on the Response to α -Adrenergic Receptor Blockers in Pheochromocytoma Patients. <i>Biomedicines</i> , 2022, 10, 896.	3.2	1
7	Multidisciplinary integrated care pathway for von Hippel-Lindau disease. <i>Cancer</i> , 2022, , .	4.1	7
8	Thyroid function and risk of all-cause and cardiovascular mortality: a prospective population-based cohort study. <i>Endocrine</i> , 2021, 71, 385-396.	2.3	10
9	Cardiovascular effects of overt and subclinical hyperthyroidism: focus on differentiated thyroid cancer. <i>Endocrine Connections</i> , 2021, 10, R43-R51.	1.9	6
10	Generation and Differentiation of Adult Tissue-Derived Human Thyroid Organoids. <i>Stem Cell Reports</i> , 2021, 16, 913-925.	4.8	37
11	The Value of Pre-Ablative I-131 Scan for Clinical Management in Patients With Differentiated Thyroid Carcinoma. <i>Frontiers in Endocrinology</i> , 2021, 12, 655676.	3.5	1
12	Patient quality criteria for a multidisciplinary integrated care pathway for von Hippel-Lindau syndrome.. <i>Journal of Clinical Oncology</i> , 2021, 39, e13534-e13534.	1.6	0
13	Diagnostic Accuracy of Salivary Metanephrines in Pheochromocytomas and Paragangliomas. <i>Clinical Chemistry</i> , 2021, 67, 1090-1097.	3.2	2
14	Use of Salivary Iodine Concentrations to Estimate the Iodine Status of Adults in Clinical Practice. <i>Journal of Nutrition</i> , 2021, 151, 3671-3677.	2.9	8
15	Distant Metastases From Childhood Differentiated Thyroid Carcinoma: Clinical Course and Mutational Landscape. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, 1683-1697.	3.6	42
16	Opposite Incidence Trends for Differentiated and Medullary Thyroid Cancer in Young Dutch Patients over a 30-Year Time Span. <i>Cancers</i> , 2021, 13, 5104.	3.7	8
17	Clinical implications of the oncometabolite succinate in <i>SDHx</i> mutation carriers. <i>Clinical Genetics</i> , 2020, 97, 39-53.	2.0	39
18	Outcomes of surgery and postoperative radiation therapy in managing medullary thyroid carcinoma. <i>Journal of Surgical Oncology</i> , 2020, 121, 234-243.	1.7	4

#	ARTICLE	IF	CITATIONS
19	Cigarette smoking is associated with higher thyroid hormone and lower TSH levels: the PREVENT study. <i>Endocrine</i> , 2020, 67, 613-622.	2.3	32
20	Efficacy of β -Blockers on Hemodynamic Control during Pheochromocytoma Resection: A Randomized Controlled Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 2381-2391.	3.6	85
21	Onset of hypothyroidism after total laryngectomy: Effects of thyroid gland surgery and preoperative and postoperative radiotherapy. <i>Head and Neck</i> , 2020, 42, 636-644.	2.0	9
22	HDL Cholesterol Efflux Capacity is Impaired in Severe Short-Term Hypothyroidism Despite Increased HDL Cholesterol. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e3355-e3362.	3.6	13
23	Plasma branched chain amino acids are lower in short-term profound hypothyroidism and increase in response to thyroid hormone supplementation. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2020, 80, 562-566.	1.2	5
24	Patient-Derived Papillary Thyroid Cancer Organoids for Radioactive Iodine Refractory Screening. <i>Cancers</i> , 2020, 12, 3212.	3.7	25
25	Calcitonin testing for detection of medullary thyroid cancer in people with thyroid nodules. <i>The Cochrane Library</i> , 2020, 2020, CD010159.	2.8	35
26	Impact of a Forced Dose-Equivalent Levothyroxine Brand Switch on Plasma Thyrotropin: A Cohort Study. <i>Thyroid</i> , 2020, 30, 821-828.	4.5	17
27	Hypocalcemia induced by tyrosine kinase inhibitors: targeted treatment with α -untargeted TM side effects. <i>Acta Oncol³gica</i> , 2020, 59, 726-729.	1.8	4
28	Long-Term Effects of Radioiodine Treatment on Female Fertility in Survivors of Childhood Differentiated Thyroid Carcinoma. <i>Thyroid</i> , 2020, 30, 1169-1176.	4.5	20
29	Psychological Distress and Illness Perceptions in Thyroid Cancer Survivors: Does Age Matter?. <i>Journal of Adolescent and Young Adult Oncology</i> , 2020, 9, 375-383.	1.3	13
30	Surgical Complications and Referral Patterns in 567 Patients with Differentiated Thyroid Cancer in the Northern Region of the Netherlands: A Population-Based Study Towards Clinical Management Implementation. <i>Annals of Surgical Oncology</i> , 2020, 27, 3872-3881.	1.5	3
31	Blood sampling for metanephrines comparing venipuncture vs. indwelling intravenous cannula in healthy subjects. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, 1681-1686.	2.3	9
32	Primary hyperparathyroidism as first manifestation in multiple endocrine neoplasia type 2A: an international multicenter study. <i>Endocrine Connections</i> , 2020, 9, 489-497.	1.9	17
33	Presentation and outcome of subsequent thyroid cancer among childhood cancer survivors compared to sporadic thyroid cancer: a matched national study. <i>European Journal of Endocrinology</i> , 2020, 183, 169-180.	3.7	10
34	Clinical considerations for the treatment of secondary differentiated thyroid carcinoma in childhood cancer survivors. <i>European Journal of Endocrinology</i> , 2020, 183, P1-P10.	3.7	4
35	Intricacies of the Molecular Machinery of Catecholamine Biosynthesis and Secretion by Chromaffin Cells of the Normal Adrenal Medulla and in Pheochromocytoma and Paraganglioma. <i>Cancers</i> , 2019, 11, 1121.	3.7	36
36	Comparison of Pheochromocytoma-Specific Morbidity and Mortality Among Adults With Bilateral Pheochromocytomas Undergoing Total Adrenalectomy vs Cortical-Sparing Adrenalectomy. <i>JAMA Network Open</i> , 2019, 2, e198898.	5.9	80

#	ARTICLE	IF	CITATIONS
37	Diagnostic Accuracy of Computed Tomography to Exclude Pheochromocytoma: A Systematic Review, Meta-analysis, and Cost Analysis. <i>Mayo Clinic Proceedings</i> , 2019, 94, 2040-2052.	3.0	20
38	The incidence of consecutive manifestations in Von Hippel-Lindau disease. <i>Familial Cancer</i> , 2019, 18, 369-376.	1.9	17
39	Reasons for low uptake of a psychological intervention offered to cancer survivors with elevated depressive symptoms. <i>Psycho-Oncology</i> , 2019, 28, 830-838.	2.3	15
40	Natural history, treatment, and long-term follow up of patients with multiple endocrine neoplasia type 2B: an international, multicentre, retrospective study. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 213-220.	11.4	86
41	Long-Term Effects of Radioiodine Treatment on Salivary Gland Function in Adult Survivors of Pediatric Differentiated Thyroid Carcinoma. <i>Journal of Nuclear Medicine</i> , 2019, 60, 172-177.	5.0	25
42	Unenhanced CT imaging is highly sensitive to exclude pheochromocytoma: a multicenter study. <i>European Journal of Endocrinology</i> , 2018, 178, 431-437.	3.7	44
43	Incidence of pheochromocytoma and sympathetic paraganglioma in the Netherlands: A nationwide study and systematic review. <i>European Journal of Internal Medicine</i> , 2018, 51, 68-73.	2.2	160
44	Increased Global DNA Hypomethylation in Distant Metastatic and Dedifferentiated Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 397-406.	3.6	20
45	2018 European Thyroid Association (ETA) Guidelines for the Management of Amiodarone-Associated Thyroid Dysfunction. <i>European Thyroid Journal</i> , 2018, 7, 55-66.	2.4	165
46	Survey on Paediatric Differentiated Thyroid Cancer Care in Europe. <i>Hormone Research in Paediatrics</i> , 2018, 89, 58-62.	1.8	8
47	Platelet serotonin is not elevated in patients with benign head and neck paragangliomas. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, e181-e183.	2.3	0
48	65 YEARS OF THE DOUBLE HELIX: Genetics informs precision practice in the diagnosis and management of pheochromocytoma. <i>Endocrine-Related Cancer</i> , 2018, 25, T201-T219.	3.1	52
49	Age-related differences in health-related quality of life among thyroid cancer survivors compared with a normative sample: Results from the PROFILES Registry. <i>Head and Neck</i> , 2018, 40, 2235-2245.	2.0	31
50	The theranostic target prostate-specific membrane antigen is expressed in medullary thyroid cancer. <i>Human Pathology</i> , 2018, 81, 245-254.	2.0	14
51	Preventive medicine of von Hippel-Lindau disease-associated pancreatic neuroendocrine tumors. <i>Endocrine-Related Cancer</i> , 2018, 25, 783-793.	3.1	42
52	False-positive findings on 6-[18F]fluor-l-3,4-dihydroxyphenylalanine PET (18F-FDOPA-PET) performed for imaging of neuroendocrine tumors. <i>European Journal of Endocrinology</i> , 2018, 179, 125-133.	3.7	19
53	Everolimus in patients with advanced follicular-derived thyroid cancer; results of a phase II clinical trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, jc.2016-2525.	3.6	55
54	High-density lipoproteins and adrenal steroidogenesis: A population-based study. <i>Journal of Clinical Lipidology</i> , 2017, 11, 469-476.	1.5	5

#	ARTICLE	IF	CITATIONS
55	Emerging role of dopamine in neovascularization of pheochromocytoma and paraganglioma. <i>FASEB Journal</i> , 2017, 31, 2226-2240.	0.5	12
56	NT-proBNP is increased in differentiated thyroid carcinoma patients and may predict cardiovascular risk. <i>Clinical Biochemistry</i> , 2017, 50, 696-702.	1.9	9
57	Cholesterol delivery to the adrenal glands estimated by adrenal venous sampling: An in vivo model to determine the contribution of circulating lipoproteins to steroidogenesis in humans. <i>Journal of Clinical Lipidology</i> , 2017, 11, 733-738.	1.5	9
58	The clinical value of regular thyroid function tests during amiodarone treatment. <i>European Journal of Endocrinology</i> , 2017, 177, 9-14.	3.7	26
59	Risk factors for venous thromboembolism in patients treated for differentiated thyroid carcinoma. <i>Endocrine-Related Cancer</i> , 2017, 24, 267-273.	3.1	4
60	Von Hippel-Lindau disease: a multidisciplinary neoplasia syndrome. <i>International Journal of Endocrine Oncology</i> , 2017, 4, 5-8.	0.4	0
61	Kidney Involvement in Systemic Calcitonin Amyloidosis Associated With Medullary Thyroid Carcinoma. <i>American Journal of Kidney Diseases</i> , 2017, 69, 546-549.	1.9	12
62	Long-Term Follow-Up for Differentiated Thyroid Carcinoma Patients: A Reconsideration. <i>Thyroid</i> , 2017, 27, 475-476.	4.5	4
63	Diastolic Dysfunction is Common in Survivors of Pediatric Differentiated Thyroid Carcinoma. <i>Thyroid</i> , 2017, 27, 1481-1489.	4.5	16
64	The penetrance of MEN2 pheochromocytoma is not only determined by RET mutations. <i>Endocrine-Related Cancer</i> , 2017, 24, L63-L67.	3.1	19
65	Skin accumulation of advanced glycation end products is increased in patients with an abdominal aortic aneurysm. <i>Journal of Vascular Surgery</i> , 2017, 66, 1696-1703.e1.	1.1	7
66	No Effect of the Thr92Ala Polymorphism of Deiodinase-2 on Thyroid Hormone Parameters, Health-Related Quality of Life, and Cognitive Functioning in a Large Population-Based Cohort Study. <i>Thyroid</i> , 2017, 27, 147-155.	4.5	78
67	Additional value of a high sensitive thyroglobulin assay in the follow-up of patients with differentiated thyroid carcinoma. <i>Clinical Endocrinology</i> , 2017, 86, 419-424.	2.4	11
68	Calculating the optimal surveillance for head and neck paraganglioma in SDHB-mutation carriers. <i>Familial Cancer</i> , 2017, 16, 123-130.	1.9	30
69	Thyroid function and metabolic syndrome in the population-based LifeLines cohort study. <i>BMC Endocrine Disorders</i> , 2017, 17, 65.	2.2	44
70	What works best for whom? Cognitive Behavior Therapy and Mindfulness-Based Cognitive Therapy for depressive symptoms in patients with diabetes. <i>PLoS ONE</i> , 2017, 12, e0179941.	2.5	23
71	Expression of HIF-1 α in medullary thyroid cancer identifies a subgroup with poor prognosis. <i>Oncotarget</i> , 2017, 8, 28650-28659.	1.8	19
72	Pediatric Differentiated Thyroid Carcinoma in The Netherlands: A Nationwide Follow-Up Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 2031-2039.	3.6	55

#	ARTICLE	IF	CITATIONS
73	No influence of antihypertensive agents on plasma free metanephrines. <i>Clinical Biochemistry</i> , 2016, 49, 1368-1371.	1.9	10
74	⁸⁹ Zr-Bevacizumab PET Visualizes Disease Manifestations in Patients with von Hippel-Lindau Disease. <i>Journal of Nuclear Medicine</i> , 2016, 57, 1244-1250.	5.0	17
75	Difference in CXCR4 expression between sporadic and VHL-related hemangioblastoma. <i>Familial Cancer</i> , 2016, 15, 607-616.	1.9	11
76	Potential value of EUS in pancreatic surveillance of VHL patients. <i>European Journal of Endocrinology</i> , 2016, 174, 611-620.	3.7	10
77	Effects of Radioiodine Treatment on Salivary Gland Function in Patients with Differentiated Thyroid Carcinoma: A Prospective Study. <i>Journal of Nuclear Medicine</i> , 2016, 57, 1685-1691.	5.0	52
78	Mass spectrometric quantification of salivary metanephrines—A study in healthy subjects. <i>Clinical Biochemistry</i> , 2016, 49, 983-988.	1.9	10
79	Immunological Adaptations to Pregnancy in Women with Type 1 Diabetes. <i>Scientific Reports</i> , 2015, 5, 13618.	3.3	31
80	Increased Risk of Atrial Fibrillation After Treatment for Differentiated Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 4563-4569.	3.6	39
81	Catecholamine-Synthesizing Enzymes Are Expressed in Parasympathetic Head and Neck Paraganglioma Tissue. <i>Neuroendocrinology</i> , 2015, 101, 289-295.	2.5	37
82	ENDOCRINE TUMOURS: Progressive metastatic medullary thyroid carcinoma: first- and second-line strategies. <i>European Journal of Endocrinology</i> , 2015, 172, R241-R251.	3.7	22
83	Bone Marrow Function After ¹³¹ I Therapy in Patients With Differentiated Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 3911-3917.	3.6	30
84	EUS is superior for detection of pancreatic lesions compared with standard imaging in patients with multiple endocrine neoplasia type 1. <i>Gastrointestinal Endoscopy</i> , 2015, 81, 159-167.e2.	1.0	69
85	Survival in anaplastic thyroid cancer in relation to pre-existing goiter: a population-based study. <i>American Journal of Surgery</i> , 2015, 209, 1013-1019.	1.8	11
86	Individual Mindfulness-Based Cognitive Therapy for People with Diabetes: a Pilot Randomized Controlled Trial. <i>Mindfulness</i> , 2015, 6, 99-110.	2.8	37
87	Recombinant TSH Stimulated Remnant Ablation Therapy in Thyroid Cancer: The Success Rate Depends on the Definition of Ablation Success—An Observational Study. <i>PLoS ONE</i> , 2015, 10, e0120184.	2.5	3
88	Individual Mindfulness-Based Cognitive Therapy and Cognitive Behavior Therapy for Treating Depressive Symptoms in Patients With Diabetes: Results of a Randomized Controlled Trial. <i>Diabetes Care</i> , 2014, 37, 2427-2434.	8.6	117
89	Everolimus Reduces ⁸⁹ Zr-Bevacizumab Tumor Uptake in Patients with Neuroendocrine Tumors. <i>Journal of Nuclear Medicine</i> , 2014, 55, 1087-1092.	5.0	56
90	Outcomes of adrenal-sparing surgery or total adrenalectomy in pheochromocytoma associated with multiple endocrine neoplasia type 2: an international retrospective population-based study. <i>Lancet Oncology</i> , 2014, 15, 648-655.	10.7	137

#	ARTICLE	IF	CITATIONS
91	Standards of care intended for multiple endocrine neoplasia families. <i>International Journal of Endocrine Oncology</i> , 2014, 1, 111-124.	0.4	1
92	⁸⁹ Zr-bevacizumab PET imaging of disease manifestations in patients with Von Hippel-Lindau disease.. <i>Journal of Clinical Oncology</i> , 2014, 32, 11090-11090.	1.6	0
93	Pancreatic cyst development: insights from von Hippel-Lindau disease. <i>Cilia</i> , 2013, 2, 3.	1.8	38
94	Adrenocortical carcinoma: A population-based study on incidence and survival in the Netherlands since 1993. <i>European Journal of Cancer</i> , 2013, 49, 2579-2586.	2.8	241
95	Rare neuroendocrine tumours: Results of the surveillance of rare cancers in Europe project. <i>European Journal of Cancer</i> , 2013, 49, 2565-2578.	2.8	91
96	PS12 - 1. Mindfulness-Based Cognitive Therapy (MBCT) and Cognitive Behavior Therapy (CBT) for treating depression in patients with diabetes: A randomized controlled trial. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2013, 11, 166-166.	0.0	0
97	Treatment of Amiodarone-Induced Thyrotoxicosis Type 2: A Randomized Clinical Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 499-506.	3.6	66
98	Calcitonin testing for detection of medullary thyroid cancer in patients with thyroid nodules. <i>The Cochrane Library</i> , 2012, , .	2.8	1
99	Recent results of basic and clinical research in MEN1: opportunities to improve early detection and treatment. <i>Expert Review of Endocrinology and Metabolism</i> , 2012, 7, 331-344.	2.4	4
100	Determinants and outcome of amiodarone-associated thyroid dysfunction. <i>Clinical Endocrinology</i> , 2011, 75, 388-394.	2.4	60
101	⁶ -[F-18]Fluoro-Dihydroxyphenylalanine Positron Emission Tomography Is Superior to Conventional Imaging with ¹²³ I-Metaiodobenzylguanidine Scintigraphy, Computer Tomography, and Magnetic Resonance Imaging in Localizing Tumors Causing Catecholamine Excess. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 3922-3930.	3.6	153
102	Molecular imaging in neuroendocrine tumors: Molecular uptake mechanisms and clinical results. <i>Critical Reviews in Oncology/Hematology</i> , 2009, 71, 199-213.	4.4	135
103	Author Reply: Patients with Familial Adenomatous Polyposis. <i>Annals of Surgical Oncology</i> , 2009, 16, 1449-1450.	1.5	0
104	Multiple endocrine neoplasia type 1. <i>Expert Review of Endocrinology and Metabolism</i> , 2009, 4, 371-388.	2.4	1
105	Multiple endocrine neoplasia type 2. <i>Expert Review of Endocrinology and Metabolism</i> , 2009, 4, 443-465.	2.4	2
106	Treatment for periodic paralysis. <i>The Cochrane Library</i> , 2008, , CD005045.	2.8	42
107	Plasma Free Metanephrine Measurement Using Automated Online Solid-Phase Extraction HPLC-Tandem Mass Spectrometry. <i>Clinical Chemistry</i> , 2007, 53, 1684-1693.	3.2	132
108	Catecholamine-Synthesizing Enzymes in Carcinoid Tumors and Pheochromocytomas. <i>Clinical Chemistry</i> , 2003, 49, 586-593.	3.2	52