

Abd Majid wan haliza

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1568344/publications.pdf>

Version: 2024-02-01

131
papers

4,862
citations

279798

23
h-index

98798

67
g-index

133
all docs

133
docs citations

133
times ranked

6245
citing authors

#	ARTICLE	IF	CITATIONS
1	Tailoring the morphology of BiNbO ₄ of polymorph in 2D nanosheets for enhancement of photocatalytic activity in the visible range. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2022, 136, 115009.	2.7	4
2	Effect of Flux Rate Variation at Fixed V/III Ratio on Semi-Polar (112̂ ²) GaN: Crystal Quality and Surface Morphology Study. <i>Crystals</i> , 2022, 12, 247.	2.2	2
3	Solar-Light-Driven Ag ₉ (SiO ₄) ₂ NO ₃ for Efficient Photocatalytic Bactericidal Performance. <i>Journal of Composites Science</i> , 2022, 6, 108.	3.0	1
4	Electrical and structural comparison of (100) and (002) oriented AlN thin films deposited by RF magnetron sputtering. <i>Journal of Materials Science: Materials in Electronics</i> , 2022, 33, 12271-12280.	2.2	5
5	Improved performance of InGaN/GaN LED by optimizing the properties of the bulk and interface of ITO on p-GaN. <i>Applied Surface Science</i> , 2021, 540, 148406.	6.1	5
6	The effect of Multi Quantum Well growth regime transition on MQW/p-GaN structure and light emitting diode (LED) performance. <i>Materials Science in Semiconductor Processing</i> , 2021, 121, 105431.	4.0	5
7	The crystallographic quality and band-edge transition of as-deposited PALE AlN films via metal organic chemical vapor deposition. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 3211-3221.	2.2	2
8	Diminishing the Induced Strain and Oxygen Incorporation on Aluminium Nitride Films Deposited Using Pulsed Atomic-Layer Epitaxy Techniques at Standard Pressure MOCVD. <i>Journal of Electronic Materials</i> , 2021, 50, 2313-2322.	2.2	5
9	The Effect of Bioactive Glass and Sintering Conditions on the Properties of Titanium-Hydroxyapatite Composites. <i>Sains Malaysiana</i> , 2021, 50, 1089-1099.	0.5	0
10	The Effect of Trap Density on the Trapping and De-trapping Processes in Determining the Turn-On Voltage of Double-Carrier Organic Light-Emitting Devices (OLEDs). <i>Journal of Electronic Materials</i> , 2021, 50, 4511-4523.	2.2	1
11	Impact of sandwiched strain periodic multilayer AlN/GaN on strain and crystalline quality of a-plane GaN. <i>Scientific Reports</i> , 2021, 11, 9724.	3.3	3
12	Structural and mechanical properties of a-axis AlN thin films growth using reactive RF magnetron sputtering plasma. <i>Microelectronics International</i> , 2021, 38, 99-104.	0.6	0
13	The optimization of n-type and p-type m-plane GaN grown on m-plane sapphire substrate by metal organic chemical vapor deposition. <i>Materials Science in Semiconductor Processing</i> , 2021, 131, 105836.	4.0	10
14	Effect of silver nanoparticles deposited on indium tin oxide by plasma-assisted hot-filament evaporation on phosphorescent organic light-emitting diode performance. <i>Applied Surface Science</i> , 2021, 570, 151280.	6.1	2
15	Electronic surface, optical and electrical properties of p-â€ GaN activated via in-situ MOCVD and ex-situ thermal annealing in InGaN/GaN LED. <i>Materials Science in Semiconductor Processing</i> , 2020, 106, 104757.	4.0	0
16	Controlled growth of silver nanoparticles on indium tin oxide substrates by plasma-assisted hot-filament evaporation: Physical properties, composition, and electronic structure. <i>Thin Solid Films</i> , 2020, 693, 137686.	1.8	9
17	Poly(3-hexylthiophene-2,5-diyl) regioregular (P3HT) thin film as saturable absorber for passively Q-switched and mode-locked Erbium-doped fiber laser. <i>Optical Fiber Technology</i> , 2020, 54, 102073.	2.7	17
18	Alq ₃ saturable absorber for generating Q-switched pulses in erbium-doped fiber laser. <i>Microwave and Optical Technology Letters</i> , 2020, 62, 1028-1032.	1.4	1

#	ARTICLE	IF	CITATIONS
19	Preparation and characterization of electrode from annealed nano-diamond particles with boric acid for anodic oxidation process. <i>Electrochimica Acta</i> , 2020, 362, 137221.	5.2	9
20	Efficiency enhancement in blue phosphorescent organic light emitting diode with silver nanoparticles prepared by plasma-assisted hot-filament evaporation as an external light-extraction layer. <i>Materials Chemistry and Physics</i> , 2020, 256, 123618.	4.0	6
21	Thermally Stimulated Current Study and Relaxation Behaviour of Annealed Copolymer P(VDF-TrFE) Films for Potential Pyroelectric Energy Harvesting. <i>Journal of Electronic Materials</i> , 2020, 49, 5585-5599.	2.2	4
22	Enhanced Photoreduction Activity in BiOI _{1-x} F _x Nanosheet for Efficient Removal of Pollutants from Aqueous Solution. <i>ChemistrySelect</i> , 2020, 5, 9758-9764.	1.5	10
23	Characterization of Amorphous GaN Thin Films after Conventional Thermal Anneal. , 2020, , .		0
24	High-performance (K,Na)NbO ₃ -based binary lead-free piezoelectric ceramics modified with acceptor metal oxide. <i>Ceramics International</i> , 2020, 46, 21762-21770.	4.8	22
25	MEH-PPV organic material as saturable absorber for Q-switching and mode-locking applications. <i>Journal of Modern Optics</i> , 2020, 67, 746-753.	1.3	5
26	Agglomeration enhancement of AlN surface diffusion fluxes on a (0 0 0 1)-sapphire substrate grown by pulsed atomic-layer epitaxy techniques <i>via</i> MOCVD. <i>CrystEngComm</i> , 2020, 22, 3309-3321.	2.6	7
27	Ferroelectric, pyroelectric and piezoelectric properties of CeO ₂ -doped Na _{0.5} Bi _{0.5} TiO ₃ ceramics. <i>SN Applied Sciences</i> , 2019, 1, 1.	2.9	8
28	Solution-Processable Vertical Organic Light-Emitting Transistors (VOLETs) with Directly Deposited Silver Nanowires Intermediate Source Electrode. <i>Journal of Nanoscience and Nanotechnology</i> , 2019, 19, 6995-7003.	0.9	6
29	Dielectric and Structural Properties of Poly(vinylidene fluoride) (PVDF) and Poly(vinylidene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 5 Nanomaterials, 2019, 2019, 1-12.	2.7	82
30	Annealing effects on output characteristics of solution processable vertical organic light-emitting transistor (VOLET). <i>Molecular Crystals and Liquid Crystals</i> , 2019, 693, 30-38.	0.9	0
31	Tris(8-hydroxyquinoline) aluminium thin film as saturable absorber for passively Q-switched erbium-doped fibre laser. <i>IET Optoelectronics</i> , 2019, 13, 247-253.	3.3	18
32	Prospect of silver nanowire (AgNW) in development of simple and cost-effective vertical organic light-emitting transistors. <i>Applied Physics A: Materials Science and Processing</i> , 2019, 125, 1.	2.3	6
33	Enhancing the performance of vanadyl phthalocyanine-based humidity sensor by varying the thickness. <i>Sensors and Actuators B: Chemical</i> , 2019, 279, 148-156.	7.8	35
34	Nanosecond pulse generation with a gallium nitride saturable absorber. <i>OSA Continuum</i> , 2019, 2, 134.	1.8	7
35	Plasma-treated Langmuir-Blodgett reduced graphene oxide thin film for applications in biophotovoltaics. <i>Applied Physics A: Materials Science and Processing</i> , 2018, 124, 1.	2.3	7
36	VTP as an Active Layer in a Vertical Organic Field Effect Transistor. <i>Journal of Electronic Materials</i> , 2018, 47, 2184-2191.	2.2	10

#	ARTICLE	IF	CITATIONS
37	Ferroelectric polarization and pyroelectric activity of functionalized P(VDF-TrFE) thin film lead free nanocomposites. <i>Polymer</i> , 2018, 141, 184-193.	3.8	18
38	Miscibility and Crystallinity Study of Poly(vinylidene Fluoride) / Poly(L-Lactic Acid) Polymer Blend. <i>Materials Today: Proceedings</i> , 2018, 5, S130-S136.	1.8	2
39	Investigation of VTP:PC71BM organic composite as highly responsive organic photodetector. <i>Sensors and Actuators A: Physical</i> , 2018, 279, 361-366.	4.1	19
40	Observation of saturation transfer characteristics in solution processed vertical organic field-effect transistors (VOFETs) with high leakage current. <i>Current Applied Physics</i> , 2018, 18, 1415-1421.	2.4	12
41	Tailoring electronics structure, electrical and magnetic properties of synthesized transition metal (Ni)-doped ZnO thin film. <i>Journal of Alloys and Compounds</i> , 2018, 769, 640-648.	5.5	18
42	Dielectric, pyroelectric, and ferroelectric properties of gadolinium doped Sr _{0.53} Ba _{0.47} Nb ₂ O ₆ ceramic. <i>Ceramics International</i> , 2017, 43, 9783-9789.	4.8	12
43	Ligand-Stabilized ZnO Quantum Dots: Molecular Dynamics and Experimental Study. <i>Australian Journal of Chemistry</i> , 2017, 70, 1110.	0.9	5
44	Pyroelectric, ferroelectric, piezoelectric and dielectric properties of Na _{0.5} Bi _{0.5} TiO ₃ ceramic prepared by sol-gel method. <i>Ceramics International</i> , 2016, 42, 15664-15670.	4.8	24
45	Optimization of sintering temperature for the enhancement of pyroelectric properties of lead-free 0.88(Na _{0.5} Bi _{0.5})TiO ₃ â€“0.084(K _{0.5} Bi _{0.5})TiO ₃ â€“0.036BaTiO ₃ piezoelectric ceramics. <i>Journal of Alloys and Compounds</i> , 2016, 688, 77-87.	5.5	19
46	Ferroelectric polarization, pyroelectric activity and dielectric relaxation in Form IV poly(vinylidene) Tj ETQq0 0 0 rgBT (Overlock 10 Tf 50	3.8	21
47	Piezoelectric and pyroelectric properties of BNT-base ternary lead-free ceramicâ€“polymer nanocomposites under different poling conditions. <i>RSC Advances</i> , 2016, 6, 81296-81309.	3.6	31
48	Molecular dynamics of anhydrous glycolipid self-assembly in lamellar and hexagonal phases. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 15182-15190.	2.8	11
49	Preparation of PVDF-TrFE layer-based bilayer composite PbTiO₃/PVDF-TrFE films for MIM capacitor. <i>Transactions of the Institute of Metal Finishing</i> , 2016, 94, 187-192.	1.3	1
50	Determination of Traps' Density of State in OLEDs from Currentâ€“Voltage Analysis. <i>Chinese Physics Letters</i> , 2016, 33, 018101.	3.3	6
51	Effect of cerium addition on the microstructure, electrical and relaxor behavior of Sr _{0.5} Ba _{0.5} Nb ₂ O ₆ ceramics. <i>Journal of Alloys and Compounds</i> , 2016, 666, 334-340.	5.5	22
52	Structural and Electrical Properties of Solâ€“Gel-Derived Lead Titanate Nanofilms with Different Pb Contents for MIM Capacitors. <i>Jom</i> , 2015, 67, 2869-2876.	1.9	2
53	Electroluminescence and negative differential resistance studies of TPD:PBD:Alq ₃ blend organic-light-emitting diodes. <i>Bulletin of Materials Science</i> , 2015, 38, 235-239.	1.7	9
54	The structural and electrical properties of Sr _x Ba(1â€“x)Nb ₂ O ₆ (SBN) ceramic with varied composition. <i>Ceramics International</i> , 2015, 41, 7119-7124.	4.8	34

#	ARTICLE	IF	CITATIONS
55	Enhancing pyroelectric and ferroelectric properties of PVDF composite thin films by dispersing a non-ferroelectric inclusion La ₂ O ₃ for application in sensors. <i>Organic Electronics</i> , 2015, 26, 121-128.	2.6	12
56	Ferroelectric and pyroelectric properties of novel lead-free polyvinylidene fluoride-trifluoroethylene/Bi _{0.5} Na _{0.5} TiO ₃ nanocomposite thin films for sensing applications. <i>Ceramics International</i> , 2015, 41, 13836-13843.	4.8	29
57	Determination of energy band diagram and charge carrier mobility of white emitting polymer from optical, electrical and impedance spectroscopy. <i>Journal of Luminescence</i> , 2015, 159, 134-138.	3.1	9
58	Hot Plate Annealing at a Low Temperature of a Thin Ferroelectric P(VDF-TrFE) Film with an Improved Crystalline Structure for Sensors and Actuators. <i>Sensors</i> , 2014, 14, 19115-19127.	3.8	94
59	Fabrication and Characterization of Solution Processed Top-Gate-Type Organic Light-Emitting Transistor. <i>Nanoscience and Nanotechnology Letters</i> , 2014, 6, 1035-1039.	0.4	3
60	Phase sensitive molecular dynamics of self-assembly glycolipid thin films: A dielectric spectroscopy investigation. <i>Journal of Chemical Physics</i> , 2014, 141, 085101.	3.0	17
61	Ferroelectric Properties of Polyvinylidene fluoride-Trifluoroethylene (PVDF-TrFE) Annealed Thin Film. <i>Advanced Materials Research</i> , 2014, 879, 1-6.	0.3	0
62	Pyroelectricity enhancement of PVDF nanocomposite thin films doped with ZnO nanoparticles. <i>Smart Materials and Structures</i> , 2014, 23, 125006.	3.5	49
63	Effect of TiO ₂ on enhanced pyroelectric activity of PVDF composite. <i>Smart Materials and Structures</i> , 2014, 23, 045026.	3.5	38
64	Junction properties and conduction mechanism of new terbium complexes with triethylene glycol ligand for potential application in organic electronic device. <i>Journal of Rare Earths</i> , 2014, 32, 633-640.	4.8	7
65	Tunable optoelectronic properties of sol-gel derived ZnO nanostructure thin film by annealing treatment. <i>Materials Express</i> , 2014, 4, 422-428.	0.5	3
66	Substrate free synthesis of wide area stannic oxide nano-structured sheets via a sol-gel method using gelatin. <i>Materials Letters</i> , 2013, 109, 309-312.	2.6	8
67	Different Surface Morphology of Annealed PVDF-TrFE Thin Films and the Effect on its Ferroelectric Properties. <i>Advanced Materials Research</i> , 2013, 832, 724-727.	0.3	2
68	Pyroelectricity in Synthetic Amphitropic Glycolipid for Potential Application of IR Sensor Device. <i>Ferroelectrics</i> , 2013, 445, 67-73.	0.6	5
69	Sonochemical synthesis of hierarchical ZnO nanostructures. <i>Ultrasonics Sonochemistry</i> , 2013, 20, 395-400.	8.2	182
70	The SEM & AFM Images of MEH-PPV Films below CLA Region. <i>Procedia Engineering</i> , 2013, 53, 354-361.	1.2	15
71	Effect of oleic acid content and chemical crosslinking on the properties of palm oil based polyurethane coatings. <i>Journal of Applied Polymer Science</i> , 2013, 129, 415-421.	2.6	5
72	Starch-stabilized synthesis of ZnO nanopowders at low temperature and optical properties study. <i>Advanced Powder Technology</i> , 2013, 24, 618-624.	4.1	149

#	ARTICLE	IF	CITATIONS
73	Annealing Effect on Small Molecules Blend Organic Light-Emitting Diodes. <i>Advanced Materials Research</i> , 2013, 795, 110-114.	0.3	1
74	Effect of Annealing Temperature on the Crystallinity, Morphology and Ferroelectric of Polyvinylidene fluoride-Trifluoroethylene (PVDF-TrFE) Thin Film. <i>Advanced Materials Research</i> , 2013, 812, 60-65.	0.3	14
75	Fabrication and Characterization of Organic Light-Emitting Diodes Containing Small Molecules Blends as Emissive Layer. <i>Advanced Materials Research</i> , 2013, 795, 106-109.	0.3	2
76	Mechanical and Thermodynamic Properties of Langmuir Films of Fatty Acids. <i>Advanced Science Letters</i> , 2013, 19, 179-182.	0.2	3
77	One-Pot Synthesis of Ag Decorated ZnO Microsphere in Triethanolamine Media with Enhanced Photocatalytic Activity. <i>Journal of Nanoelectronics and Optoelectronics</i> , 2013, 8, 431-436.	0.5	1
78	Electronic Device Characteristics and Charge Conduction Mechanisms of Single-Layer Organic Light Emitting Devices Based on Alq ₃ , TPD:Alq ₃ and TPD:PBD:Alq ₃ Blend System. <i>Journal of Nanoelectronics and Optoelectronics</i> , 2013, 8, 437-445.	0.5	3
79	Effect of Transition Metal Dopant on the Optoelectronics Properties of Zinc Oxide Thin Film. <i>Journal of Nanoelectronics and Optoelectronics</i> , 2013, 8, 425-430.	0.5	1
80	Current-Voltage Characterization on Au-DNA-Au Junctions under the Influence of Magnetic Field. <i>Advanced Materials Research</i> , 2012, 535-537, 1350-1353.	0.3	2
81	Electrical Characterization of Gold-DNA-Gold Structures in Presence of an External Magnetic Field by Means of I-V Curve Analysis. <i>Sensors</i> , 2012, 12, 3578-3586.	3.8	18
82	Effect of various annealing temperature on the morphological and dielectric properties of Polyvinylidene fluoride-Trifluoroethylene thin film. , 2012, , .		7
83	Theoretical and experimental approach on dielectric properties of ZnO nanoparticles and polyurethane/ZnO nanocomposites. <i>Journal of Applied Physics</i> , 2012, 112, .	2.5	53
84	Facile synthesis and characterization of lanthanum (III) oxychloride nanoparticles using a natural polymeric matrix. <i>Materials Chemistry and Physics</i> , 2012, 136, 705-709.	4.0	18
85	Facile synthesis and X-ray peak broadening studies of Zn _{1-x} Mg _x O nanoparticles. <i>Ceramics International</i> , 2012, 38, 2059-2064.	4.8	100
86	Synthesis, magnetic properties and X-ray analysis of Zn _{0.97} X _{0.03} O nanoparticles (X=Mn, Ni, and Co) using Scherrer and size-strain plot methods. <i>Solid State Sciences</i> , 2012, 14, 488-494.	3.2	128
87	Structural, optical and electrical properties of europium picrate tetraethylene glycol complex as emissive material for OLED. <i>Journal of Luminescence</i> , 2012, 132, 91-99.	3.1	8
88	X-ray analysis of ZnO nanoparticles by Williamson-Hall and size-strain plot methods. <i>Solid State Sciences</i> , 2011, 13, 251-256.	3.2	1,869
89	Synthesis and characterization of ZnO nanoparticles prepared in gelatin media. <i>Materials Letters</i> , 2011, 65, 70-73.	2.6	172
90	Solvothermal synthesis of microsphere ZnO nanostructures in DEA media. <i>Ceramics International</i> , 2011, 37, 3657-3663.	4.8	80

#	ARTICLE	IF	CITATIONS
91	Effects of annealing temperature on some structural and optical properties of ZnO nanoparticles prepared by a modified sol-gel combustion method. <i>Ceramics International</i> , 2011, 37, 393-398.	4.8	401
92	Effect of solvent on structure and optical properties of PZT nanoparticles prepared by sol-gel method, in infrared region. <i>Ceramics International</i> , 2011, 37, 753-758.	4.8	40
93	Experimental and theoretical dielectric studies of PVDF/PZT nanocomposite thin films. <i>Ceramics International</i> , 2011, 37, 1653-1660.	4.8	123
94	Electrical behavior of polyurethane derived from polyols synthesized with glycerol, phthalic anhydride, and oleic acid. <i>Journal of Applied Polymer Science</i> , 2011, 121, 1796-1803.	2.6	2
95	Samarium(III) picrate tetraethylene glycol complex: Photoluminescence study and active material in monolayer electroluminescent. <i>Journal of Luminescence</i> , 2011, 131, 1959-1965.	3.1	10
96	Study and fabrication of europium picrate triethylene glycol complex. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2011, 78, 52-58.	3.9	14
97	Synthesis and characterization of a narrow size distribution of zinc oxide nanoparticles. <i>International Journal of Nanomedicine</i> , 2011, 6, 1399.	6.7	305
98	Synthesis and Characterization of Lead Calcium Titanate Nanocomposite. <i>AIP Conference Proceedings</i> , 2011, , .	0.4	1
99	Dielectric Properties of PVDF-PZT. , 2011, , .		0
100	DNA Strand Patterns on Aluminium Thin Films. <i>Sensors</i> , 2011, 11, 6719-6727.	3.8	7
101	Pyroelectric detection in glycolipid thin film. <i>Thin Solid Films</i> , 2010, 518, 4412-4416.	1.8	6
102	Characterization and X-ray peak broadening analysis in PZT nanoparticles prepared by modified sol-gel method. <i>Ceramics International</i> , 2010, 36, 1905-1910.	4.8	46
103	Optical, Structural and Electrical Study of Organic Light Emitting Diode (OLED)Based on MEH-PPV:C ₆₀ Composite. , 2010, , .		0
104	Fabrication and Characterization of New Hybrid Organic Light Emitting Diode (OLED): Europium-picrate-triethylene oxide Complex. , 2009, , .		0
105	Effect of Forced Mixing of Bacteriorhodopsin Suspension and Hexane in the Formation of Stable Langmuir Blodgett Films. , 2009, , .		0
106	Synthesis and characterization of polyurethane coatings derived from polyols synthesized with glycerol, phthalic anhydride and oleic acid. <i>Progress in Organic Coatings</i> , 2009, 66, 367-371.	3.9	68
107	The physical and mechanical properties of polyurethanes from oleic acid polyols. <i>Journal of Applied Polymer Science</i> , 2009, 112, 3554-3559.	2.6	19
108	Fractal morphological analysis of Bacteriorhodopsin (bR) layers deposited onto Indium Tin Oxide (ITO) electrodes. <i>Materials Science and Engineering C</i> , 2009, 29, 1621-1626.	7.3	7

#	ARTICLE	IF	CITATIONS
109	A Study on Lanthanide Complexes as a Potential Organic Light Emitting Devices. , 2009, , .		0
110	The Effect of Gases on Pyroelectric Properties of PVDF/TiO ₂ Treated by Plasma Etcher. Transactions of the Materials Research Society of Japan, 2009, 34, 67-71.	0.2	3
111	Degradation of Single Layer MEH-PPV Organic Light Emitting Diode (OLED). , 2006, , .		12
112	Molecular organization of phospholipid monolayers on the water surface by Maxwell displacement current measurement. Applied Surface Science, 2006, 252, 2875-2881.	6.1	9
113	Fabrication and photoresponse of novel carboxymethylcellulose (CMC) based bacteriorhodopsin (bR) sensor. Organic Electronics, 2006, 7, 300-304.	2.6	3
114	Note from the Publishers. European Physical Journal B, 2006, 52, 575-575.	1.5	0
115	Molecular Orientation of Phospholipid Langmuir-Blodgett Films. Materials Science Forum, 2006, 517, 65-68.	0.3	0
116	Pyroelectric Properties of Polyvinylidene Fluoride (PVDF) by Quasi Static Method. , 2006, , .		4
117	Pyroelectric behavior and dielectric properties of linear copolysiloxane/eicosylamine superlattice. European Physical Journal B, 2005, 45, 33-37.	1.5	5
118	High temperature superconductivity and electron-phonon coupling. Superconductor Science and Technology, 2005, 18, 912-915.	3.5	0
119	Qualitative evaluation of pyroelectric mechanisms in Langmuir-Blodgett films containing a cyclic polysiloxane substituted with aliphatic side chains using Fourier transform infrared (FTIR) spectroscopy. Thin Solid Films, 2000, 376, 225-231.	1.8	14
120	Optimisation of the pyroelectric figure of merit of polysiloxane/amine superlattices. Thin Solid Films, 1996, 284-285, 915-918.	1.8	3
121	High pyroelectric sensitivity in alternate layer Langmuir-Blodgett superlattices. Materials Science and Engineering C, 1995, 3, 197-203.	7.3	8
122	Temperature-dependent polarization in LB films of a stilbazole complex of iridium(I). International Journal of Electronics, 1994, 77, 951-956.	1.4	7
123	Cyclic polysiloxanes in polar LB assemblies: synthesis, evaluation and pyroelectric behaviour. Thin Solid Films, 1994, 243, 378-383.	1.8	9
124	Langmuir-Blodgett films of linear polysiloxanes incorporating aromatic side-chains: structure-property relationships. Thin Solid Films, 1994, 242, 61-66.	1.8	6
125	Langmuir-blodgett films of stilbazole complexes of iridium(I) and rhodium(I). Advanced Materials for Optics and Electronics, 1994, 4, 243-251.	0.4	15
126	Molecular engineering of pyroelectric polysiloxane Langmuir-Blodgett superlattices: synthesis, film preparation and pyroelectric properties. Supramolecular Science, 1994, 1, 39-53.	0.7	16

#	ARTICLE	IF	CITATIONS
127	Pyroelectric activity of aromatic-substituted copolysiloxane/ eicosylamine alternate-layer Langmuir-Blodgett films. International Journal of Electronics, 1994, 76, 745-750.	1.4	5
128	Optical transition characteristic energies of amorphous and polycrystalline tin oxide films. , 1991, 1519, 872.		0
129	Optimization of Annealing Temperature for PVDF-TrFE (70:30 mol %) Thin Film. Advanced Materials Research, 0, 626, 721-726.	0.3	2
130	Structural and Optical Properties of Nickel-Doped and Undoped Zinc Oxide Thin Films Deposited by Sol-Gel Method. Advanced Materials Research, 0, 895, 250-253.	0.3	4
131	Investigations on Fractal Nanostructure of Zinc Oxide by Small Angle Neutron Scattering (SANS). Advanced Materials Research, 0, 895, 531-534.	0.3	0