

Mãjrio M Espã-rito-Santo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1568675/publications.pdf>

Version: 2024-02-01

69
papers

3,740
citations

186265

28
h-index

133252

59
g-index

73
all docs

73
docs citations

73
times ranked

4521
citing authors

#	ARTICLE	IF	CITATIONS
1	Contrasting successional stages lead to intra- and interspecific differences in leaf functional traits and herbivory levels in a Mexican tropical dry forest. <i>European Journal of Forest Research</i> , 2022, 141, 225-239.	2.5	3
2	DinÃmica EspaÃo-Temporal da Cobertura e Uso do Solo em Unidades de ConservaÃ£o no Norte de Minas Gerais, Brasil, entre 1986 e 2015. <i>Biodiversidade Brasileira - BioBrasil</i> , 2022, 12, .	0.2	0
3	Strong floristic distinctiveness across Neotropical successional forests. <i>Science Advances</i> , 2022, 8, .	10.3	10
4	Expanding tropical forest monitoring into Dry Forests: The DRYFLOR protocol for permanent plots. <i>Plants People Planet</i> , 2021, 3, 295-300.	3.3	12
5	Soil resource availability, plant defense, and herbivory along a successional gradient in a tropical dry forest. <i>Plant Ecology</i> , 2021, 222, 625-637.	1.6	4
6	Intra- and interspecific variations on plant functional traits along a successional gradient in a Brazilian tropical dry forest. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2021, 279, 151815.	1.2	5
7	Taking the pulse of Earth's tropical forests using networks of highly distributed plots. <i>Biological Conservation</i> , 2021, 260, 108849.	4.1	71
8	Dynamics of Carbon Accumulation in Tropical Dry Forests under Climate Change Extremes. <i>Forests</i> , 2021, 12, 106.	2.1	14
9	Functional recovery of secondary tropical forests. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	34
10	Land-cover changes and drivers of palm swamp degradation in southeastern Brazil from 1984 to 2018. <i>Applied Geography</i> , 2021, 137, 102604.	3.7	7
11	Multidimensional tropical forest recovery. <i>Science</i> , 2021, 374, 1370-1376.	12.6	165
12	Successional and Intraspecific Variations in Leaf Traits, Spectral Reflectance Indices and Herbivory in a Brazilian Tropical Dry Forest. <i>Frontiers in Forests and Global Change</i> , 2021, 4, .	2.3	1
13	Does leaf flushing in the dry season affect leaf traits and herbivory in a tropical dry forest?. <i>Die Naturwissenschaften</i> , 2020, 107, 51.	1.6	5
14	Biophysical and Socioeconomic Factors Associated to Deforestation and Forest Recovery in Brazilian Tropical Dry Forests. <i>Frontiers in Forests and Global Change</i> , 2020, 3, .	2.3	9
15	Estimates of deforestation avoided by protected areas: a case study in Brazilian tropical dry forests and Cerrado. <i>Landscape Research</i> , 2020, 45, 470-483.	1.6	9
16	MONITORING OF BRAZILIAN DECIDUOUS SEASONAL FOREST BY REMOTE SENSING. <i>Mercator: Revista De Geografia Da UFC</i> , 2020, 19, 1-20.	0.2	1
17	Litterfall dynamics along a successional gradient in a Brazilian tropical dry forest. <i>Forest Ecosystems</i> , 2019, 6, .	3.1	41
18	MODIS and PROBA-V NDVI Products Differ when Compared with Observations from Phenological Towers at Four Tropical Dry Forests in the Americas. <i>Remote Sensing</i> , 2019, 11, 2316.	4.0	9

#	ARTICLE	IF	CITATIONS
19	Wet and dry tropical forests show opposite successional pathways in wood density but converge over time. <i>Nature Ecology and Evolution</i> , 2019, 3, 928-934.	7.8	120
20	Biodiversity recovery of Neotropical secondary forests. <i>Science Advances</i> , 2019, 5, eaau3114.	10.3	291
21	Leaf damage and functional traits along a successional gradient in Brazilian tropical dry forests. <i>Plant Ecology</i> , 2018, 219, 403-415.	1.6	11
22	Determining the K coefficient to leaf area index estimations in a tropical dry forest. <i>International Journal of Biometeorology</i> , 2018, 62, 1187-1197.	3.0	3
23	Interception of Rainfall in Successional Tropical Dry Forests in Brazil and Costa Rica. <i>Geosciences (Switzerland)</i> , 2018, 8, 486.	2.2	11
24	Effects of Habitat Structure, Plant Cover, and Successional Stage on the Bat Assemblage of a Tropical Dry Forest at Different Spatial Scales. <i>Diversity</i> , 2018, 10, 41.	1.7	10
25	Protected areas and territorial exclusion of traditional communities: analyzing the social impacts of environmental compensation strategies in Brazil. <i>Ecology and Society</i> , 2018, 23, .	2.3	48
26	Legume abundance along successional and rainfall gradients in Neotropical forests. <i>Nature Ecology and Evolution</i> , 2018, 2, 1104-1111.	7.8	107
27	Land use policies and deforestation in Brazilian tropical dry forests between 2000 and 2015. <i>Environmental Research Letters</i> , 2018, 13, 035008.	5.2	31
28	Assessing ecosystem services in Neotropical dry forests: a systematic review. <i>Environmental Conservation</i> , 2017, 44, 34-43.	1.3	30
29	Seasonal and diel variations in the activity of canopy insect herbivores differ between deciduous and evergreen plant species in a tropical dry forest. <i>Journal of Insect Conservation</i> , 2017, 21, 667-676.	1.4	17
30	Comparing MODIS and near-surface vegetation indexes for monitoring tropical dry forest phenology along a successional gradient using optical phenology towers. <i>Environmental Research Letters</i> , 2017, 12, 105007.	5.2	35
31	MYRACRODRUON URUNDEUVA FR ALL. (AROEIRA TREE) POPULATION DYNAMICS, DIAMETER GROWTH RATE AND ITS POTENTIAL FOR SUSTAINABLE MANAGEMENT IN SUCCESSIONAL TROPICAL DRY FORESTS OF BRAZIL. <i>Revista Arvore</i> , 2017, 41, .	0.5	1
32	Ant Assemblage Structure in a Secondary Tropical Dry Forest: The Role of Ecological Succession and Seasonality. <i>Sociobiology</i> , 2017, 64, 261.	0.5	22
33	<i>Glycaspis brimblecombei</i> (Hemiptera: Psyllidae) attack patterns on different <i>Eucalyptus</i> genotypes. <i>PeerJ</i> , 2017, 5, e3864.	2.0	4
34	Understanding patterns of land-cover change in the Brazilian Cerrado from 2000 to 2015. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016, 371, 20150435.	4.0	40
35	Carbon sequestration potential of second-growth forest regeneration in the Latin American tropics. <i>Science Advances</i> , 2016, 2, e1501639.	10.3	423
36	Galling Insect Species Richness and Leaf Herbivory in an Abrupt Transition Between Cerrado and Tropical Dry Forest. <i>Annals of the Entomological Society of America</i> , 2016, 109, 705-712.	2.5	7

#	ARTICLE	IF	CITATIONS
37	Biomass resilience of Neotropical secondary forests. <i>Nature</i> , 2016, 530, 211-214.	27.8	763
38	Consequences of habitat disturbance on seed fate of a <i>Brazilian tropical dry forest tree</i> <i>avanillesia arborea</i> (<i>M</i> <i>alvaceae</i>). <i>Austral Ecology</i> , 2015, 40, 726-732.	1.5	7
39	Leaf traits and herbivory on deciduous and evergreen trees in a tropical dry forest. <i>Basic and Applied Ecology</i> , 2015, 16, 210-219.	2.7	45
40	The role of tropical dry forests for biodiversity, carbon and water conservation in the neotropics: lessons learned and opportunities for its sustainable management. <i>Regional Environmental Change</i> , 2015, 15, 1039-1049.	2.9	90
41	Simulating Deforestation in Minas Gerais, Brazil, under Changing Government Policies and Socioeconomic Conditions. <i>PLoS ONE</i> , 2015, 10, e0137911.	2.5	11
42	Phyllostomid Bat Occurrence in Successional Stages of Neotropical Dry Forests. <i>PLoS ONE</i> , 2014, 9, e84572.	2.5	20
43	Spatiotemporal variation in phyllostomid bat assemblages over a successional gradient in a tropical dry forest in southeastern Brazil. <i>Journal of Tropical Ecology</i> , 2014, 30, 123-132.	1.1	8
44	Changes in tree phenology along natural regeneration in a seasonally dry tropical forest. <i>Plant Biosystems</i> , 2014, 148, 965-974.	1.6	45
45	Insect Herbivores and Leaf Damage along Successional and Vertical Gradients in a Tropical Dry Forest. <i>Biotropica</i> , 2014, 46, 14-24.	1.6	62
46	Baccharis: A Neotropical Model System to Study Insect Plant Interactions. , 2014, , 193-219.		9
47	Monitoring deforestation with MODIS Active Fires in Neotropical dry forests: An analysis of local-scale assessments in Mexico, Brazil and Bolivia. <i>Journal of Arid Environments</i> , 2013, 97, 150-159.	2.4	17
48	Optical wireless sensor networks observe leaf phenology and photosynthetic radiation interception in a Brazilian tropical dry forest. , 2012, , .		0
49	Ontogenetic and Temporal Variations in Herbivory and Defense of <i>Handroanthus spongiosus</i> (<i>Bignoniaceae</i>) in a Brazilian Tropical Dry Forest. <i>Environmental Entomology</i> , 2012, 41, 541-550.	1.4	16
50	Herbivory on <i>Handroanthus ochraceus</i> (<i>Bignoniaceae</i>) along a successional gradient in a tropical dry forest. <i>Arthropod-Plant Interactions</i> , 2012, 6, 45-57.	1.1	36
51	Plant Phenology and Absence of Sex-Biased Gall Attack on Three Species of <i>Baccharis</i> . <i>PLoS ONE</i> , 2012, 7, e46896.	2.5	28
52	An experimental test of rainfall as a control agent of <i>Glycaspis brimblecombei</i> Moore (Hemiptera,) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i> <i>Entomologia</i> , 2012, 56, 101-105.	0.4	8
53	Canopy Herbivory and Insect Herbivore Diversity in a Dry Forest—Savanna Transition in Brazil. <i>Biotropica</i> , 2010, 42, 112-118.	1.6	56
54	Successional and Seasonal Changes in a Community of Dung Beetles (<i>Coleoptera: Scarabaeinae</i>) in a Brazilian Tropical Dry Forest. <i>Natureza A Conservacao</i> , 2010, 08, 160-164.	2.5	51

#	ARTICLE	IF	CITATIONS
55	Changes in tree and liana communities along a successional gradient in a tropical dry forest in south-eastern Brazil. <i>Plant Ecology</i> , 2009, 201, 291-304.	1.6	130
56	Sustainability of tropical dry forests: Two case studies in southeastern and central Brazil. <i>Forest Ecology and Management</i> , 2009, 258, 922-930.	3.2	50
57	Succession and management of tropical dry forests in the Americas: Review and new perspectives. <i>Forest Ecology and Management</i> , 2009, 258, 1014-1024.	3.2	260
58	Tropical dry forest succession and the contribution of lianas to wood area index (WAI). <i>Forest Ecology and Management</i> , 2009, 258, 941-948.	3.2	38
59	Changes in tree and liana communities along a successional gradient in a tropical dry forest in south-eastern Brazil. , 2009, , 291-304.		5
60	Plant architecture and meristem dynamics as the mechanisms determining the diversity of gall-inducing insects. <i>Oecologia</i> , 2007, 153, 353-364.	2.0	83
61	Parasitoid attack and its consequences to the development of the galling psyllid <i>Baccharopelma dracunculifoliae</i> . <i>Basic and Applied Ecology</i> , 2004, 5, 475-484.	2.7	24
62	Gall-inducing jumping plant-lice of the Neotropical genus <i>Baccharopelma</i> (Hemiptera, Psylloidea) associated with <i>Baccharis</i> (Asteraceae). <i>Journal of Natural History</i> , 2004, 38, 2051-2071.	0.5	22
63	Sexual Differences in Reproductive Phenology and their Consequences for the Demography of <i>Baccharis dracunculifolia</i> (Asteraceae), a Dioecious Tropical Shrub. <i>Annals of Botany</i> , 2003, 91, 13-19.	2.9	90
64	Host plant effects on the development and survivorship of the galling insect <i>Neopelma baccharidis</i> (Homoptera: Psyllidae). <i>Austral Ecology</i> , 2002, 27, 249-257.	1.5	24
65	Species Diversity and Abundance of Vascular Epiphytes on <i>Vellozia piresiana</i> in Brazil1. <i>Biotropica</i> , 2002, 34, 51-57.	1.6	33
66	Cynipid gall growth dynamics and enemy attack: effects of gall size, toughness and thickness. <i>Neotropical Entomology</i> , 1999, 28, 211-218.	0.2	4
67	Tannins in <i>Baccharis dracunculifolia</i> (Asteraceae): effects of seasonality, water availability and plant sex. <i>Acta Botanica Brasilica</i> , 1999, 13, 167-174.	0.8	15
68	Efeitos da umidade do solo e da cobertura vegetal na distribui�o e abund�ncia de <i>Drosera montana</i> (Droseraceae). <i>Acta Botanica Brasilica</i> , 1999, 13, 299-305.	0.8	0
69	Abundance of <i>Neopelma baccharidis</i> (Homoptera: Psyllidae) Galls on the Dioecious Shrub <i>Baccharis dracunculifolia</i> (Asteraceae). <i>Environmental Entomology</i> , 1998, 27, 870-876.	1.4	47