

Lawrence L Wald

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1570777/publications.pdf>

Version: 2024-02-01

329
papers

22,436
citations

8749

75
h-index

14736

127
g-index

354
all docs

354
docs citations

354
times ranked

17755
citing authors

#	ARTICLE	IF	CITATIONS
1	Scout accelerated motion estimation and reduction (SAMER). <i>Magnetic Resonance in Medicine</i> , 2022, 87, 163-178.	1.9	9
2	A Huygensâ€™ surface approach to rapid characterization of peripheral nerve stimulation. <i>Magnetic Resonance in Medicine</i> , 2022, 87, 377-393.	1.9	4
3	External Dynamic InTerference Estimation and Removal (EDITER) for low field MRI. <i>Magnetic Resonance in Medicine</i> , 2022, 87, 614-628.	1.9	23
4	A 31â€ channel integrated AC/DC shim and radiofrequency receive array coil for improved 7T MRI. <i>Magnetic Resonance in Medicine</i> , 2022, 87, 1074-1092.	1.9	14
5	Comprehensive diffusion MRI dataset for in vivo human brain microstructure mapping using 300 mT/m gradients. <i>Scientific Data</i> , 2022, 9, 7.	2.4	16
6	3D Echo Planar Time-resolved Imaging (3D-EPTI) for ultrafast multi-parametric quantitative MRI. <i>NeuroImage</i> , 2022, 250, 118963.	2.1	22
7	Disruption of Brainstem Structural Connectivity in REM Sleep Behavior Disorder Using 7 Tesla MRI. <i>Movement Disorders</i> , 2022, 37, 847-853.	2.2	24
8	Efficient distortion-free diffusion relaxometry imaging using accelerated echo-planar time-resolving imaging (ACE-EPTI). <i>Magnetic Resonance in Medicine</i> , 2022, 88, 164-179.	1.9	9
9	An efficient approach to optimal experimental design for magnetic resonance fingerprinting with B-splines. <i>Magnetic Resonance in Medicine</i> , 2022, 88, 239-253.	1.9	12
10	Mapping the human connectome using diffusion MRI at 300 mT/m gradient strength: Methodological advances and scientific impact. <i>NeuroImage</i> , 2022, 254, 118958.	2.1	18
11	In Vivo Absolute Metabolite Quantification Using a Multiplexed ERETIC Array Coil for Whole-Brain MR Spectroscopic Imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2022, 56, 121-133.	1.9	2
12	A patient-friendly 16 channel transmit/64 channel receive coil array for combined head-neck MRI at 7 Tesla. <i>Magnetic Resonance in Medicine</i> , 2022, 88, 1419-1433.	1.9	13
13	Individualized SAR calculations using computer vision-based MR segmentation and a fast electromagnetic solver. <i>Magnetic Resonance in Medicine</i> , 2021, 85, 429-443.	1.9	18
14	A portable scanner for magnetic resonance imaging of the brain. <i>Nature Biomedical Engineering</i> , 2021, 5, 229-239.	11.6	103
15	Investigating cardiac stimulation limits of MRI gradient coils using electromagnetic and electrophysiological simulations in human and canine body models. <i>Magnetic Resonance in Medicine</i> , 2021, 85, 1047-1061.	1.9	13
16	Optimization of MRI Gradient Coils With Explicit Peripheral Nerve Stimulation Constraints. <i>IEEE Transactions on Medical Imaging</i> , 2021, 40, 129-142.	5.4	23
17	The Path to Parent-Inclusive Conferences. <i>Journal of the American College of Radiology</i> , 2021, 18, 334-336.	0.9	0
18	Rapid head-pose detection for automated slice prescription of fetal brain MRI. <i>International Journal of Imaging Systems and Technology</i> , 2021, 31, 1136-1154.	2.7	7

#	ARTICLE	IF	CITATIONS
19	Distortion-free, high-isotropic-resolution diffusion MRI with gSlider BUDA-EPI and multicoil dynamic B ₀ shimming. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 791-803.	1.9	31
20	In vivo human whole-brain Connectom diffusion MRI dataset at 760-µm isotropic resolution. <i>Scientific Data</i> , 2021, 8, 122.	2.4	37
21	A size-adaptive 32-channel array coil for awake infant neuroimaging at 3-Tesla MRI. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 1773-1785.	1.9	11
22	Location of Subcortical Microbleeds and Recovery of Consciousness After Severe Traumatic Brain Injury. <i>Neurology</i> , 2021, 97, e113-e123.	1.5	16
23	Optimized 64-channel array configurations for accelerated simultaneous multislice acquisitions in 3T cardiac MRI. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 2276-2289.	1.9	7
24	Concept for using magnetic particle imaging for intraoperative margin analysis in breast-conserving surgery. <i>Scientific Reports</i> , 2021, 11, 13456.	1.6	21
25	Low-field portable brain MRI in CNS demyelinating disease. <i>Multiple Sclerosis and Related Disorders</i> , 2021, 51, 102903.	0.9	10
26	Safety and imaging performance of two-channel RF shimming for fetal MRI at 3T. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 2810-2821.	1.9	3
27	Modeling of cardiac stimulation by externally applied electromagnetic fields. , 2021, , .		0
28	A 128-channel head coil array for cortical imaging at 7 Tesla. , 2021, , .		3
29	A 48-channel receive array coil for mesoscopic diffusion-weighted MRI of ex vivo human brain on the 3T connectome scanner. <i>NeuroImage</i> , 2021, 238, 118256.	2.1	13
30	Safety and image quality at 7T MRI for deep brain stimulation systems: Ex vivo study with lead-only and full-systems. <i>PLoS ONE</i> , 2021, 16, e0257077.	1.1	27
31	Quantitative T1 and T2 mapping by magnetic resonance fingerprinting (MRF) of the placenta before and after maternal hyperoxia. <i>Placenta</i> , 2021, 114, 124-132.	0.7	4
32	Connectome 2.0: Developing the next-generation ultra-high gradient strength human MRI scanner for bridging studies of the micro-, meso- and macro-connectome. <i>NeuroImage</i> , 2021, 243, 118530.	2.1	58
33	Simultaneous pure T2 and varying T2-weighted BOLD fMRI using Echo Planar Time-resolved Imaging for mapping cortical-depth dependent responses. <i>NeuroImage</i> , 2021, 245, 118641.	2.1	9
34	High-gradient diffusion MRI reveals distinct estimates of axon diameter index within different white matter tracts in the in vivo human brain. <i>Brain Structure and Function</i> , 2020, 225, 1277-1291.	1.2	55
35	Low-cost and portable MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 52, 686-696.	1.9	128
36	Design and implementation of a low-cost, tabletop MRI scanner for education and research prototyping. <i>Journal of Magnetic Resonance</i> , 2020, 310, 106625.	1.2	24

#	ARTICLE	IF	CITATIONS
37	Parallel transmission to reduce absorbed power around deep brain stimulation devices in MRI: Impact of number and arrangement of transmit channels. <i>Magnetic Resonance in Medicine</i> , 2020, 83, 299-311.	1.9	25
38	High-fidelity, high-isotropic-resolution diffusion imaging through gSlider acquisition with and T1 corrections and integrated 1^{st} B0 / Rx shim array. <i>Magnetic Resonance in Medicine</i> , 2020, 83, 56-67.	1.9	31
39	Individual variation in simulated fetal SAR assessed in multiple body models. <i>Magnetic Resonance in Medicine</i> , 2020, 83, 1418-1428.	1.9	12
40	An orthogonal shim coil for 3T brain imaging. <i>Magnetic Resonance in Medicine</i> , 2020, 83, 1499-1511.	1.9	11
41	Optimizing selective stimulation of peripheral nerves with arrays of coils or surface electrodes using a linear peripheral nerve stimulation metric. <i>Journal of Neural Engineering</i> , 2020, 17, 016029.	1.8	14
42	A 16-channel AC/DC array coil for anesthetized monkey whole-brain imaging at 7T. <i>NeuroImage</i> , 2020, 207, 116396.	2.1	26
43	Axon diameter index estimation independent of fiber orientation distribution using high-gradient diffusion MRI. <i>NeuroImage</i> , 2020, 222, 117197.	2.1	49
44	An integrated RF-receive/B0-shim array coil boosts performance of whole-brain MR spectroscopic imaging at 7T. <i>Scientific Reports</i> , 2020, 10, 15029.	1.6	12
45	Further Development of Subspace Imaging to Magnetic Resonance Fingerprinting: A Low-rank Tensor Approach. , 2020, 2020, 1662-1666.		3
46	Evaluation of RF interactions between a 3T birdcage transmit coil and transcranial magnetic stimulation coils using a realistically shaped head phantom. <i>Magnetic Resonance in Medicine</i> , 2020, 84, 1061-1075.	1.9	11
47	Placental MRI: Effect of maternal position and uterine contractions on placental BOLD MRI measurements. <i>Placenta</i> , 2020, 95, 69-77.	0.7	27
48	Changes in the specific absorption rate (SAR) of radiofrequency energy in patients with retained cardiac leads during MRI at 1.5T and 3T. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 653-669.	1.9	42
49	Prediction of peripheral nerve stimulation thresholds of MRI gradient coils using coupled electromagnetic and neurodynamic simulations. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 686-701.	1.9	51
50	Computer-Vision Techniques for Water-Fat Separation in Ultra High-Field MRI Local Specific Absorption Rate Estimation. <i>IEEE Transactions on Biomedical Engineering</i> , 2019, 66, 768-774.	2.5	3
51	Reconfigurable MRI coil technology can substantially reduce RF heating of deep brain stimulation implants: First in-vitro study of RF heating reduction in bilateral DBS leads at 1.5 T. <i>PLoS ONE</i> , 2019, 14, e0220043.	1.1	43
52	Ultimate MRI. <i>Journal of Magnetic Resonance</i> , 2019, 306, 139-144.	1.2	19
53	7 Tesla MRI of the ex vivo human brain at 100 micron resolution. <i>Scientific Data</i> , 2019, 6, 244.	2.4	179
54	In vivo Probabilistic Structural Atlas of the Inferior and Superior Colliculi, Medial and Lateral Geniculate Nuclei and Superior Olivary Complex in Humans Based on 7 Tesla MRI. <i>Frontiers in Neuroscience</i> , 2019, 13, 764.	1.4	31

#	ARTICLE	IF	CITATIONS
55	Intracortical smoothing of small-voxel fMRI data can provide increased detection power without spatial resolution losses compared to conventional large-voxel fMRI data. <i>NeuroImage</i> , 2019, 189, 601-614.	2.1	41
56	Echo planar time-resolved imaging (EPTI). <i>Magnetic Resonance in Medicine</i> , 2019, 81, 3599-3615.	1.9	75
57	The MR Cap: A single-sided MRI system designed for potential point-of-care limited field-of-view brain imaging. <i>Magnetic Resonance in Medicine</i> , 2019, 82, 1946-1960.	1.9	52
58	Corpus callosum axon diameter relates to cognitive impairment in multiple sclerosis. <i>Annals of Clinical and Translational Neurology</i> , 2019, 6, 882-892.	1.7	38
59	Functional Involvement of Human Periaqueductal Gray and Other Midbrain Nuclei in Cognitive Control. <i>Journal of Neuroscience</i> , 2019, 39, 6180-6189.	1.7	23
60	Highly accelerated multishot echo planar imaging through synergistic machine learning and joint reconstruction. <i>Magnetic Resonance in Medicine</i> , 2019, 82, 1343-1358.	1.9	40
61	Representational similarity precedes category selectivity in the developing ventral visual pathway. <i>NeuroImage</i> , 2019, 197, 565-574.	2.1	29
62	Reconfigurable MRI technology for low-SAR imaging of deep brain stimulation at 3T: Application in bilateral leads, fully-implanted systems, and surgically modified lead trajectories. <i>NeuroImage</i> , 2019, 199, 18-29.	2.1	51
63	Network Accelerated Motion Estimation and Reduction (NAMER): Convolutional neural network guided retrospective motion correction using a separable motion model. <i>Magnetic Resonance in Medicine</i> , 2019, 82, 1452-1461.	1.9	67
64	Dependence of resting-state fMRI fluctuation amplitudes on cerebral cortical orientation relative to the direction of B ₀ and anatomical axes. <i>NeuroImage</i> , 2019, 196, 337-350.	2.1	29
65	Phase-matched virtual coil reconstruction for highly accelerated diffusion echo-planar imaging. <i>NeuroImage</i> , 2019, 194, 291-302.	2.1	19
66	Comparison between 8- and 32-channel phased-array receive coils for in vivo hyperpolarized ¹³ C imaging of the human brain. <i>Magnetic Resonance in Medicine</i> , 2019, 82, 833-841.	1.9	28
67	Highly accelerated volumetric brain examination using optimized waveCAIPI encoding. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 961-974.	1.9	44
68	Age-related alterations in axonal microstructure in the corpus callosum measured by high-gradient diffusion MRI. <i>NeuroImage</i> , 2019, 191, 325-336.	2.1	55
69	Imaging G-Ratio in Multiple Sclerosis Using High-Gradient Diffusion MRI and Macromolecular Tissue Volume. <i>American Journal of Neuroradiology</i> , 2019, 40, 1871-1877.	1.2	30
70	Placental MRI. <i>Topics in Magnetic Resonance Imaging</i> , 2019, 28, 285-297.	0.7	23
71	TiltedCAIPI for highly accelerated distortion-free EPI with point spread function (PSF) encoding. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 377-392.	1.9	37
72	Sensitivity analysis of neurodynamic and electromagnetic simulation parameters for robust prediction of peripheral nerve stimulation. <i>Physics in Medicine and Biology</i> , 2019, 64, 015005.	1.6	9

#	ARTICLE	IF	CITATIONS
73	Reducing RF-Induced Heating Near Implanted Leads Through High-Dielectric Capacitive Bleeding of Current (CBLOC). IEEE Transactions on Microwave Theory and Techniques, 2019, 67, 1265-1273.	2.9	46
74	Hyperpolarized ¹³ C MRI: Path to Clinical Translation in Oncology. Neoplasia, 2019, 21, 1-16.	2.3	316
75	The "virtual DBS population"™: five realistic computational models of deep brain stimulation patients for electromagnetic MR safety studies. Physics in Medicine and Biology, 2019, 64, 035021.	1.6	11
76	Optimal Experiment Design for Magnetic Resonance Fingerprinting: Cram�r-Rao Bound Meets Spin Dynamics. IEEE Transactions on Medical Imaging, 2019, 38, 844-861.	5.4	89
77	RF-induced heating in tissue near bilateral DBS implants during MRI at 1.5�T and 3T: The role of surgical lead management. NeuroImage, 2019, 184, 566-576.	2.1	92
78	Oxytocin attenuates trust as a subset of more general reinforcement learning, with altered reward circuit functional connectivity in males. NeuroImage, 2018, 174, 35-43.	2.1	25
79	Motion-robust sub-millimeter isotropic diffusion imaging through motion corrected generalized slice dithered enhanced resolution (MC-gSlider) acquisition. Magnetic Resonance in Medicine, 2018, 80, 1891-1906.	1.9	28
80	Realistic modeling of deep brain stimulation implants for electromagnetic MRI safety studies. Physics in Medicine and Biology, 2018, 63, 095015.	1.6	27
81	Validation of diffusion MRI estimates of compartment size and volume fraction in a biomimetic brain phantom using a human MRI scanner with 300�mT/m maximum gradient strength. NeuroImage, 2018, 182, 469-478.	2.1	39
82	Multimodal Characterization of the Late Effects of Traumatic Brain Injury: A Methodological Overview of the Late Effects of Traumatic Brain Injury Project. Journal of Neurotrauma, 2018, 35, 1604-1619.	1.7	32
83	Improving parallel imaging by jointly reconstructing multi-contrast data. Magnetic Resonance in Medicine, 2018, 80, 619-632.	1.9	62
84	TARgeted Motion Estimation and Reduction (TAMER): Data Consistency Based Motion Mitigation for MRI Using a Reduced Model Joint Optimization. IEEE Transactions on Medical Imaging, 2018, 37, 1253-1265.	5.4	44
85	Computation of ultimate SAR amplification factors for radiofrequency hyperthermia in non-uniform body models: impact of frequency and tumour location. International Journal of Hyperthermia, 2018, 34, 87-100.	1.1	22
86	Improved magnetic resonance fingerprinting reconstruction with low-rank and subspace modeling. Magnetic Resonance in Medicine, 2018, 79, 933-942.	1.9	113
87	A probabilistic template of human mesopontine tegmental nuclei from in vivo 7 T MRI. NeuroImage, 2018, 170, 222-230.	2.1	45
88	WaveCAIPI for highly accelerated MP-RAGE imaging. Magnetic Resonance in Medicine, 2018, 79, 401-406.	1.9	53
89	High-resolution in vivo diffusion imaging of the human brain with generalized slice dithered enhanced resolution: Simultaneous multislice (gSLIDER-SMS). Magnetic Resonance in Medicine, 2018, 79, 141-151.	1.9	134
90	In vivo B ₀ field shimming methods for MRI at 7 T. NeuroImage, 2018, 168, 71-87.	2.1	105

#	ARTICLE	IF	CITATIONS
91	Design of Sparse Halbach Magnet Arrays for Portable MRI Using a Genetic Algorithm. IEEE Transactions on Magnetics, 2018, 54, 1-12.	1.2	85
92	Pushing the spatio-temporal limits of MRI and fMRI. NeuroImage, 2018, 164, 1-3.	2.1	20
93	Simulations of a birdcage coil B_1 field on a human body model for designing a 3T multichannel TMS/MRI head coil array. , 2018, 2018, 4752-4755.		4
94	Magnetic Resonance Imaging technology "bridging the gap between noninvasive human imaging and optical microscopy. Current Opinion in Neurobiology, 2018, 50, 250-260.	2.0	18
95	Rodent Cerebral Blood Volume (CBV) changes during hypercapnia observed using Magnetic Particle Imaging (MPI) detection. NeuroImage, 2018, 178, 713-720.	2.1	39
96	A comprehensive diffusion MRI dataset acquired on the MGH Connectome scanner in a biomimetic brain phantom. Data in Brief, 2018, 18, 334-339.	0.5	3
97	Comparison of new element designs for combined RF shim arrays at 7 T. Concepts in Magnetic Resonance Part B, 2018, 48B, .	0.3	1
98	Feasibility of using linearly polarized rotating birdcage transmitters and close-fitting receive arrays in MRI to reduce SAR in the vicinity of deep brain stimulation implants. Magnetic Resonance in Medicine, 2017, 77, 1701-1712.	1.9	70
99	Single-step quantitative susceptibility mapping with variational penalties. NMR in Biomedicine, 2017, 30, e3570.	1.6	50
100	Simultaneous multislice magnetic resonance fingerprinting (SMS-MRF) with direct spiral slice GRAPPA (ds-SSG) reconstruction. Magnetic Resonance in Medicine, 2017, 77, 1966-1974.	1.9	35
101	Organization of high-level visual cortex in human infants. Nature Communications, 2017, 8, 13995.	5.8	224
102	High b-value and high Resolution Integrated Diffusion (HIBRID) imaging. NeuroImage, 2017, 150, 162-176.	2.1	24
103	Simultaneous Time Interleaved MultiSlice (STIMS) for Rapid Susceptibility Weighted acquisition. NeuroImage, 2017, 155, 577-586.	2.1	21
104	Improved 7 Tesla resting-state fMRI connectivity measurements by cluster-based modeling of respiratory volume and heart rate effects. NeuroImage, 2017, 153, 262-272.	2.1	14
105	The ultimate signal-to-noise ratio in realistic body models. Magnetic Resonance in Medicine, 2017, 78, 1969-1980.	1.9	61
106	Diffusion MRI microstructure models with in vivo human brain Connectome data: results from a multi-group comparison. NMR in Biomedicine, 2017, 30, e3734.	1.6	33
107	Reduction of across-run variability of temporal SNR in accelerated EPI time-series data through FLEET-based robust autocalibration. NeuroImage, 2017, 152, 348-359.	2.1	10
108	Use of pattern recognition for unaliasing simultaneously acquired slices in simultaneous multislice MR fingerprinting. Magnetic Resonance in Medicine, 2017, 78, 1870-1876.	1.9	25

#	ARTICLE	IF	CITATIONS
109	Impacting the effect of fMRI noise through hardware and acquisition choices – Implications for controlling false positive rates. <i>NeuroImage</i> , 2017, 154, 15-22.	2.1	38
110	Construction and modeling of a reconfigurable MRI coil for lowering SAR in patients with deep brain stimulation implants. <i>NeuroImage</i> , 2017, 147, 577-588.	2.1	58
111	3D MR fingerprinting with accelerated stack-of-spirals and hybrid sliding-window and GRAPPA reconstruction. <i>NeuroImage</i> , 2017, 162, 13-22.	2.1	87
112	Predicting Magnetostimulation Thresholds in the Peripheral Nervous System using Realistic Body Models. <i>Scientific Reports</i> , 2017, 7, 5316.	1.6	45
113	Local <sc>SAR</sc> near deep brain stimulation (<sc>DBS</sc>) electrodes at 64 and 127 <sc>MH</sc>z: A simulation study of the effect of extracranial loops. <i>Magnetic Resonance in Medicine</i> , 2017, 78, 1558-1565.	1.9	81
114	Autocalibrated wave<sc>CAIPI</sc> reconstruction; Joint optimization of k<sc>space trajectory and parallel imaging reconstruction. <i>Magnetic Resonance in Medicine</i> , 2017, 78, 1093-1099.	1.9	47
115	g-Ratio weighted imaging of the human spinal cord in vivo. <i>NeuroImage</i> , 2017, 145, 11-23.	2.1	66
116	Simultaneous multislice magnetic resonance fingerprinting with low-rank and subspace modeling. , 2017, 2017, 3264-3268.		6
117	Design analysis of an MPI human functional brain scanner. <i>International Journal on Magnetic Particle Imaging</i> , 2017, 3, .	1.0	29
118	Signal Fluctuation Sensitivity: An Improved Metric for Optimizing Detection of Resting-State fMRI Networks. <i>Frontiers in Neuroscience</i> , 2016, 10, 180.	1.4	22
119	Accelerating magnetic resonance fingerprinting (MRF) using t-blipped simultaneous multislice (SMS) acquisition. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 2078-2085.	1.9	54
120	General design approach and practical realization of decoupling matrices for parallel transmission coils. <i>Magnetic Resonance in Medicine</i> , 2016, 76, 329-339.	1.9	8
121	Fast three-dimensional inner volume excitations using parallel transmission and optimized k<sc>space trajectories. <i>Magnetic Resonance in Medicine</i> , 2016, 76, 1170-1182.	1.9	16
122	Coil-to-coil physiological noise correlations and their impact on functional MRI time-series signal-to-noise ratio. <i>Magnetic Resonance in Medicine</i> , 2016, 76, 1708-1719.	1.9	21
123	Multi-atlas and label fusion approach for patient-specific MRI based skull estimation. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 1797-1807.	1.9	21
124	Robust time-shifted spoke pulse design in the presence of large B0 variations with simultaneous reduction of through-plane dephasing, B1+ effects, and the specific absorption rate using parallel transmission. <i>Magnetic Resonance in Medicine</i> , 2016, 76, 540-554.	1.9	20
125	Parallel transmission pulse design with explicit control for the specific absorption rate in the presence of radiofrequency errors. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 2493-2504.	1.9	9
126	Toward 20Â magnetic resonance for human brain studies: opportunities for discovery and neuroscience rationale. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2016, 29, 617-639.	1.1	66

#	ARTICLE	IF	CITATIONS
127	The pulsatility volume index: an indicator of cerebrovascular compliance based on fast magnetic resonance imaging of cardiac and respiratory pulsatility. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2016, 374, 20150184.	1.6	17
128	Globally conditioned Granger causality in brain-brain and brain-heart interactions: a combined heart rate variability/ultra-high-field (7 T) functional magnetic resonance imaging study. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2016, 374, 20150185.	1.6	42
129	Neuroimaging brainstem circuitry supporting cardiovagal response to pain: a combined heart rate variability/ultrahigh-field (7 T) functional magnetic resonance imaging study. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2016, 374, 20150189.	1.6	39
130	In vivo functional connectome of human brainstem nuclei of the ascending arousal, autonomic, and motor systems by high spatial resolution 7-Tesla fMRI. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2016, 29, 451-462.	1.1	59
131	Transmit Array Spatial Encoding (TRASE) using broadband WURST pulses for RF spatial encoding in inhomogeneous B0 fields. <i>Journal of Magnetic Resonance</i> , 2016, 268, 36-48.	1.2	24
132	Efficacy and Safety of Pedunculopontine Nuclei (PPN) Deep Brain Stimulation in the Treatment of Gait Disorders: A Meta-Analysis of Clinical Studies. <i>Canadian Journal of Neurological Sciences</i> , 2016, 43, 120-126.	0.3	32
133	Selective magnetic resonance imaging of magnetic nanoparticles by acoustically induced rotary saturation. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 97-106.	1.9	7
134	A 32-channel combined RF and B_0 shim array for 3T brain imaging. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 441-451.	1.9	106
135	Reducing sensitivity losses due to respiration and motion in accelerated echo planar imaging by reordering the autocalibration data acquisition. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 665-679.	1.9	113
136	Dense, shape-optimized posterior 32-channel coil for submillimeter functional imaging of visual cortex at 3T. <i>Magnetic Resonance in Medicine</i> , 2016, 76, 321-328.	1.9	10
137	Physiological noise model comparison for resting-state fMRI at 7 T. , 2016, , .		1
138	Optimal experiment design for magnetic resonance fingerprinting. , 2016, 2016, 453-456.		21
139	Automatic cortical surface reconstruction of high-resolution T1 echo planar imaging data. <i>NeuroImage</i> , 2016, 134, 338-354.	2.1	57
140	Fast Electromagnetic Analysis of MRI Transmit RF Coils Based on Accelerated Integral Equation Methods. <i>IEEE Transactions on Biomedical Engineering</i> , 2016, 63, 2250-2261.	2.5	34
141	Maximum Likelihood Reconstruction for Magnetic Resonance Fingerprinting. <i>IEEE Transactions on Medical Imaging</i> , 2016, 35, 1812-1823.	5.4	99
142	Characterization of Axonal Disease in Patients with Multiple Sclerosis Using High-Gradient-Diffusion MR Imaging. <i>Radiology</i> , 2016, 280, 244-251.	3.6	37
143	Variability and anatomical specificity of the orbitofrontothalamic fibers of passage in the ventral capsule/ventral striatum (VC/VS): precision care for patient-specific tractography-guided targeting of deep brain stimulation (DBS) in obsessive compulsive disorder (OCD). <i>Brain Imaging and Behavior</i> , 2016, 10, 1054-1067.	1.1	115
144	MGH-USC Human Connectome Project datasets with ultra-high b-value diffusion MRI. <i>NeuroImage</i> , 2016, 124, 1108-1114.	2.1	209

#	ARTICLE	IF	CITATIONS
145	Rapid multi-orientation quantitative susceptibility mapping. <i>NeuroImage</i> , 2016, 125, 1131-1141.	2.1	52
146	Category-sensitive visual regions in human infants. <i>Journal of Vision</i> , 2016, 16, 204.	0.1	1
147	Brain Genomics Superstruct Project initial data release with structural, functional, and behavioral measures. <i>Scientific Data</i> , 2015, 2, 150031.	2.4	318
148	Design of parallel transmission pulses for simultaneous multislice with explicit control for peak power and local specific absorption rate. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 1946-1953.	1.9	51
149	A 31-channel MR brain array coil compatible with positron emission tomography. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 2363-2375.	1.9	38
150	Wave-CAIPI for highly accelerated 3D imaging. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 2152-2162.	1.9	180
151	Globally conditioned causality in estimating directed brain-heart interactions through joint MRI and RR series analysis. , 2015, 2015, 3795-8.		0
152	Fast group matching for MR fingerprinting reconstruction. <i>Magnetic Resonance in Medicine</i> , 2015, 74, 523-528.	1.9	87
153	Comparison of simulated parallel transmit body arrays at 3 T using excitation uniformity, global SAR, local SAR, and power efficiency metrics. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 1137-1150.	1.9	57
154	RARE/turbo spin echo imaging with simultaneous multislice Wave-CAIPI. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 929-938.	1.9	68
155	In vivo mapping of human spinal cord microstructure at 300 mT/m. <i>NeuroImage</i> , 2015, 118, 494-507.	2.1	69
156	Real diffusion-weighted MRI enabling true signal averaging and increased diffusion contrast. <i>NeuroImage</i> , 2015, 122, 373-384.	2.1	88
157	Toward an <i>In Vivo</i> Neuroimaging Template of Human Brainstem Nuclei of the Ascending Arousal, Autonomic, and Motor Systems. <i>Brain Connectivity</i> , 2015, 5, 597-607.	0.8	68
158	A computational atlas of the hippocampal formation using ex vivo, ultra-high resolution MRI: Application to adaptive segmentation of in vivo MRI. <i>NeuroImage</i> , 2015, 115, 117-137.	2.1	939
159	The impact of gradient strength on in vivo diffusion MRI estimates of axon diameter. <i>NeuroImage</i> , 2015, 106, 464-472.	2.1	95
160	White matter compartment models for in vivo diffusion MRI at 300 mT/m. <i>NeuroImage</i> , 2015, 118, 468-483.	2.1	53
161	Parallel transmit pulse design for patients with deep brain stimulation implants. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 1896-1903.	1.9	56
162	An anatomically realistic temperature phantom for radiofrequency heating measurements. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 442-450.	1.9	40

#	ARTICLE	IF	CITATIONS
163	Two-dimensional imaging in a lightweight portable MRI scanner without gradient coils. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 872-883.	1.9	125
164	Fast reconstruction for multichannel compressed sensing using a hierarchically semiseparable solver. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 1034-1040.	1.9	14
165	SAR reduction in 7T spine imaging using a "dark modes" transmit array strategy. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 1533-1539.	1.9	26
166	Field Strength Dependence of Contrast and Noise in fMRI. <i>Biological Magnetic Resonance</i> , 2015, , 793-818.	0.4	3
167	Techniques for Brain Functional Connectivity Analysis from High Resolution Imaging. <i>Studies in Computational Intelligence</i> , 2015, , 131-138.	0.7	0
168	Array Coils. , 2014, , 59-67.		7
169	A study-specific fMRI normalization approach that operates directly on high resolution functional EPI data at 7Tesla. <i>NeuroImage</i> , 2014, 100, 710-714.	2.1	18
170	Wave-CAIPI enables highly accelerated 3D MRI. , 2014, , .		1
171	Rapid high spatial resolution diffusion MRI at 7 Tesla using simultaneous multislice acquisition. , 2014, , .		0
172	Fast quantitative susceptibility mapping with L1-regularization and automatic parameter selection. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 1444-1459.	1.9	110
173	Nineteen-channel receive array and four-channel transmit array coil for cervical spinal cord imaging at 7T. <i>Magnetic Resonance in Medicine</i> , 2014, 72, spcone-spcone.	1.9	0
174	Investigating the Capability to Resolve Complex White Matter Structures with High b -Value Diffusion Magnetic Resonance Imaging on the MGH-USC Connectom Scanner. <i>Brain Connectivity</i> , 2014, 4, 718-726.	0.8	53
175	Nineteen-channel receive array and four-channel transmit array coil for cervical spinal cord imaging at 7T. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 291-300.	1.9	52
176	A low power radiofrequency pulse for simultaneous multislice excitation and refocusing. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 949-958.	1.9	47
177	Slice accelerated gradient-echo spin-echo dynamic susceptibility contrast imaging with blipped CAIPI for increased slice coverage. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 770-778.	1.9	35
178	Interslice leakage artifact reduction technique for simultaneous multislice acquisitions. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 93-102.	1.9	229
179	Fast image reconstruction with L2-regularization. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 181-191.	1.9	125
180	Local specific absorption rate (SAR), global SAR, transmitter power, and excitation accuracy tradeoffs in low flip-angle parallel transmit pulse design. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 1446-1457.	1.9	84

#	ARTICLE	IF	CITATIONS
181	Targeting of White Matter Tracts with Transcranial Magnetic Stimulation. <i>Brain Stimulation</i> , 2014, 7, 80-84.	0.7	56
182	Quantitative comparison of cortical surface reconstructions from MP2RAGE and multi-echo MPRAGE data at 3 and 7T. <i>NeuroImage</i> , 2014, 90, 60-73.	2.1	85
183	Slice accelerated diffusion-weighted imaging at ultra-high field strength. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 1518-1525.	1.9	41
184	Simultaneous multislice excitation by parallel transmission. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 1416-1427.	1.9	51
185	Effects of image reconstruction on fiber orientation mapping from multichannel diffusion MRI: Reducing the noise floor using SENSE. <i>Magnetic Resonance in Medicine</i> , 2013, 70, 1682-1689.	1.9	169
186	The Challenge of Connecting the Dots in the B.R.A.I.N.. <i>Neuron</i> , 2013, 80, 270-274.	3.8	73
187	Surface based analysis of diffusion orientation for identifying architectonic domains in the in vivo human cortex. <i>NeuroImage</i> , 2013, 69, 87-100.	2.1	134
188	Sparsity-Promoting Calibration for GRAPPA Accelerated Parallel MRI Reconstruction. <i>IEEE Transactions on Medical Imaging</i> , 2013, 32, 1325-1335.	5.4	67
189	Fast Dictionary-Based Reconstruction for Diffusion Spectrum Imaging. <i>IEEE Transactions on Medical Imaging</i> , 2013, 32, 2022-2033.	5.4	16
190	A 64-channel 3T array coil for accelerated brain MRI. <i>Magnetic Resonance in Medicine</i> , 2013, 70, 248-258.	1.9	202
191	Massively parallel MRI detector arrays. <i>Journal of Magnetic Resonance</i> , 2013, 229, 75-89.	1.2	143
192	The Human Connectome Project and beyond: Initial applications of 300mT/m gradients. <i>NeuroImage</i> , 2013, 80, 234-245.	2.1	309
193	Predicting the location of human perirhinal cortex, Brodmann's area 35, from MRI. <i>NeuroImage</i> , 2013, 64, 32-42.	2.1	81
194	Pushing the limits of in vivo diffusion MRI for the Human Connectome Project. <i>NeuroImage</i> , 2013, 80, 220-233.	2.1	460
195	Identification of discrete functional subregions of the human periaqueductal gray. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 17101-17106.	3.3	125
196	7T MRI of the spinal cord can detect lateral corticospinal tract abnormality in amyotrophic lateral sclerosis. <i>Muscle and Nerve</i> , 2013, 47, 760-762.	1.0	31
197	A 22-channel receive array with Helmholtz transmit coil for anesthetized macaque MRI at 3 T. <i>NMR in Biomedicine</i> , 2013, 26, 1431-1440.	1.6	19
198	32-channel phased-array receive with asymmetric birdcage transmit coil for hyperpolarized xenon-129 lung imaging. <i>Magnetic Resonance in Medicine</i> , 2013, 70, 576-583.	1.9	22

#	ARTICLE	IF	CITATIONS
199	7T MRI of spinal cord injury. <i>Neurology</i> , 2012, 79, 2217-2217.	1.5	18
200	Accelerated diffusion spectrum imaging with compressed sensing using adaptive dictionaries. <i>Magnetic Resonance in Medicine</i> , 2012, 68, spcone-spcone.	1.9	4
201	Accelerated parallel magnetic resonance imaging reconstruction using joint estimation with a sparse signal model. , 2012, , .		2
202	Accelerated diffusion spectrum imaging with compressed sensing using adaptive dictionaries. <i>Magnetic Resonance in Medicine</i> , 2012, 68, 1747-1754.	1.9	66
203	Neural Correlates of the Formation and Retention of Cocaine-Induced Stimulusâ€“Reward Associations. <i>Biological Psychiatry</i> , 2012, 72, 422-428.	0.7	15
204	Optogenetically Induced Behavioral and Functional Network Changes in Primates. <i>Current Biology</i> , 2012, 22, 1722-1726.	1.8	196
205	T2* mapping and B0 orientation-dependence at 7T reveal cyto- and myeloarchitecture organization of the human cortex. <i>NeuroImage</i> , 2012, 60, 1006-1014.	2.1	133
206	The future of acquisition speed, coverage, sensitivity, and resolution. <i>NeuroImage</i> , 2012, 62, 1221-1229.	2.1	40
207	An implanted 8-channel array coil for high-resolution macaque MRI at 3T. <i>NeuroImage</i> , 2012, 62, 1529-1536.	2.1	46
208	Improving diffusion MRI using simultaneous multi-slice echo planar imaging. <i>NeuroImage</i> , 2012, 63, 569-580.	2.1	303
209	Blippedâ€“controlled aliasing in parallel imaging for simultaneous multislice echo planar imaging with reduced <i>g</i> factor penalty. <i>Magnetic Resonance in Medicine</i> , 2012, 67, 1210-1224.	1.9	1,144
210	Local SAR in parallel transmission pulse design. <i>Magnetic Resonance in Medicine</i> , 2012, 67, 1566-1578.	1.9	71
211	Denoising sparse images from GRAPPA using the nullspace method. <i>Magnetic Resonance in Medicine</i> , 2012, 68, 1176-1189.	1.9	18
212	Sodium imaging of human brain at 7 T with 15â€“channel array coil. <i>Magnetic Resonance in Medicine</i> , 2012, 68, 1807-1814.	1.9	36
213	Entorhinal verrucae geometry is coincident and correlates with Alzheimerâ€™s lesions: a combined neuropathology and high-resolution ex vivo MRI analysis. <i>Acta Neuropathologica</i> , 2012, 123, 85-96.	3.9	21
214	Accelerated Diffusion Spectrum Imaging with Compressed Sensing Using Adaptive Dictionaries. <i>Lecture Notes in Computer Science</i> , 2012, 15, 1-9.	1.0	11
215	Combined compressed sensing and parallel mri compared for uniform and random cartesian undersampling of K-space. , 2011, , .		5
216	Physiological noise and signal-to-noise ratio in fMRI with multi-channel array coils. <i>NeuroImage</i> , 2011, 55, 597-606.	2.1	167

#	ARTICLE	IF	CITATIONS
217	Echo-Time and Field Strength Dependence of BOLD Reactivity in Veins and Parenchyma Using Flow-Normalized Hypercapnic Manipulation. PLoS ONE, 2011, 6, e24519.	1.1	19
218	Regularizing GRAPPA using simultaneous sparsity to recover de-noised images. Proceedings of SPIE, 2011, , .	0.8	2
219	Quality assessment of high angular resolution diffusion imaging data using bootstrap on Qâ€ball reconstruction. Journal of Magnetic Resonance Imaging, 2011, 33, 1194-1208.	1.9	29
220	A 20â€channel receiveâ€only mouse array coil for a 3 T clinical MRI system. Magnetic Resonance in Medicine, 2011, 66, 582-593.	1.9	14
221	32â€Channel RF coil optimized for brain and cervical spinal cord at 3 T. Magnetic Resonance in Medicine, 2011, 66, 1198-1208.	1.9	45
222	Sizeâ€optimized 32â€channel brain arrays for 3 T pediatric imaging. Magnetic Resonance in Medicine, 2011, 66, 1777-1787.	1.9	118
223	CENTS: Cortical enhanced neonatal tissue segmentation. Human Brain Mapping, 2011, 32, 382-396.	1.9	40
224	Evaluating sparsity penalty functions for combined compressed sensing and parallel MRI. , 2011, , .		3
225	Atlas-based segmentation for globus pallidus internus targeting on low-resolution MRI. , 2011, 2011, 5706-9.		1
226	Performance evaluation of a 32â€element head array with respect to the ultimate intrinsic SNR. NMR in Biomedicine, 2010, 23, 142-151.	1.6	53
227	Proposing magnetic nanoparticle hyperthermia in lowâ€field MRI. Concepts in Magnetic Resonance Part A: Bridging Education and Research, 2010, 36A, 36-47.	0.2	21
228	Design and evaluation of a 32â€channel phasedâ€array coil for lung imaging with hyperpolarized 3â€helium. Magnetic Resonance in Medicine, 2010, 63, 456-464.	1.9	16
229	T_2 -weighted 3D fMRI using S_2 -SSFP at 7 tesla. Magnetic Resonance in Medicine, 2010, 63, 1015-1020.	1.9	34
230	Fourâ€dimensional spectralâ€spatial RF pulses for simultaneous correction of $B_1 +$ inhomogeneity and susceptibility artifacts in T_2^* -weighted MRI. Magnetic Resonance in Medicine, 2010, 64, 1-8.	1.9	21
231	Heating in the MRI environment due to superparamagnetic fluid suspensions in a rotating magnetic field. Journal of Magnetism and Magnetic Materials, 2010, 322, 727-733.	1.0	28
232	Simulating magnetic nanoparticle behavior in low-field MRI under transverse rotating fields and imposed fluid flow. Journal of Magnetism and Magnetic Materials, 2010, 322, 2607-2617.	1.0	9
233	In vivo 1D and 2D correlation MR spectroscopy of the soleus muscle at 7T. Journal of Magnetic Resonance, 2010, 204, 91-98.	1.2	36
234	Three dimensional echo-planar imaging at 7 Tesla. NeuroImage, 2010, 51, 261-266.	2.1	266

#	ARTICLE	IF	CITATIONS
235	Laminar analysis of 7T BOLD using an imposed spatial activation pattern in human V1. <i>NeuroImage</i> , 2010, 52, 1334-1346.	2.1	378
236	Cortical enhanced tissue segmentation of neonatal brain MR images acquired by a dedicated phased array coil. , 2009, , .		2
237	Visual Field Map Clusters in Macaque Extrastriate Visual Cortex. <i>Journal of Neuroscience</i> , 2009, 29, 7031-7039.	1.7	158
238	Automated segmentation of hippocampal subfields from ultra-high resolution in vivo MRI. <i>Hippocampus</i> , 2009, 19, 549-557.	0.9	381
239	Broadband slab selection with B mitigation at 7T via parallel spectral-spatial excitation. <i>Magnetic Resonance in Medicine</i> , 2009, 61, 493-500.	1.9	54
240	Simultaneous shim method for reducing susceptibility artifacts with multiple transmitters. <i>Magnetic Resonance in Medicine</i> , 2009, 61, 255-259.	1.9	27
241	96-Channel receive-only head coil for 3 Tesla: Design optimization and evaluation. <i>Magnetic Resonance in Medicine</i> , 2009, 62, 754-762.	1.9	237
242	Measuring SPIO and Gd contrast agent magnetization using 3T MRI. <i>NMR in Biomedicine</i> , 2009, 22, 891-897.	1.6	15
243	Predicting the location of entorhinal cortex from MRI. <i>NeuroImage</i> , 2009, 47, 8-17.	2.1	94
244	Lung Motion and Volume Measurement by Dynamic 3D MRI Using a 128-Channel Receiver Coil. <i>Academic Radiology</i> , 2009, 16, 22-27.	1.3	34
245	Cortical enhanced tissue segmentation of neonatal brain MR images acquired by a dedicated phased array coil. , 2009, 2009, 39-45.		1
246	Dissociation of neural regions associated with anticipatory versus consummatory phases of incentive processing. <i>Psychophysiology</i> , 2008, 45, 36-49.	1.2	92
247	Physiological noise in MR images: An indicator of the tissue response to ischemia?. <i>Journal of Magnetic Resonance Imaging</i> , 2008, 27, 866-871.	1.9	18
248	Specific absorption rate studies of the parallel transmission of inner-volume excitations at 7T. <i>Journal of Magnetic Resonance Imaging</i> , 2008, 28, 1005-1018.	1.9	67
249	Magnitude least squares optimization for parallel radio frequency excitation design demonstrated at 7 Tesla with eight channels. <i>Magnetic Resonance in Medicine</i> , 2008, 59, 908-915.	1.9	181
250	Accelerated proton echo planar spectroscopic imaging (PEPSI) using GRAPPA with a 32-channel phased array coil. <i>Magnetic Resonance in Medicine</i> , 2008, 59, 989-998.	1.9	63
251	Fast slice-selective radio-frequency excitation pulses for mitigating B_1 inhomogeneity in the human brain at 7 Tesla. <i>Magnetic Resonance in Medicine</i> , 2008, 59, 1355-1364.	1.9	68
252	A 128-channel receive-only cardiac coil for highly accelerated cardiac MRI at 3 Tesla. <i>Magnetic Resonance in Medicine</i> , 2008, 59, 1431-1439.	1.9	142

#	ARTICLE	IF	CITATIONS
253	Accelerated radiation damping for increased spin equilibrium (ARISE): A new method for controlling the recovery of longitudinal magnetization. <i>Magnetic Resonance in Medicine</i> , 2008, 60, 1112-1121.	1.9	7
254	Slice-selective RF pulses for in vivo inhomogeneity mitigation at 7 tesla using parallel RF excitation with a 16-element coil. <i>Magnetic Resonance in Medicine</i> , 2008, 60, 1422-1432.	1.9	140
255	High-flip-angle slice-selective parallel RF transmission with 8 channels at 7T. <i>Journal of Magnetic Resonance</i> , 2008, 195, 76-84.	1.2	41
256	Sparsity-Enforced Slice-Selective MRI RF Excitation Pulse Design. <i>IEEE Transactions on Medical Imaging</i> , 2008, 27, 1213-1229.	5.4	54
257	Accurate prediction of V1 location from cortical folds in a surface coordinate system. <i>NeuroImage</i> , 2008, 39, 1585-1599.	2.1	221
258	Event-related single-shot volumetric functional magnetic resonance inverse imaging of visual processing. <i>NeuroImage</i> , 2008, 42, 230-247.	2.1	45
259	Stimulus-induced Rotary Saturation (SIRS): A potential method for the detection of neuronal currents with MRI. <i>NeuroImage</i> , 2008, 42, 1357-1365.	2.1	41
260	The Intrinsic Shape of Human and Macaque Primary Visual Cortex. <i>Cerebral Cortex</i> , 2008, 18, 2586-2595.	1.6	35
261	Sparsity in MRI RF excitation pulse design. , 2008, , .		3
262	Model-Based Segmentation of Hippocampal Subfields in Ultra-High Resolution In Vivo MRI. <i>Lecture Notes in Computer Science</i> , 2008, 11, 235-243.	1.0	19
263	Multimodal Registration of White Matter Brain Data via Optimal Mass Transport. , 2008, 2008, 27-35.		0
264	Visual word processing and experiential origins of functional selectivity in human extrastriate cortex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 9087-9092.	3.3	325
265	Phase maps reveal cortical architecture. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 11513-11514.	3.3	29
266	3.0 T Plaque Imaging. <i>Topics in Magnetic Resonance Imaging</i> , 2007, 18, 389-400.	0.7	8
267	Frontal connections and cognitive changes in normal aging rhesus monkeys: A DTI study. <i>Neurobiology of Aging</i> , 2007, 28, 1556-1567.	1.5	105
268	Brain, skull, and cerebrospinal fluid volumes in adult posttraumatic stress disorder. <i>Journal of Traumatic Stress</i> , 2007, 20, 763-774.	1.0	21
269	Comparison of three algorithms for solving linearized systems of parallel excitation RF waveform design equations: Experiments on an eight-channel system at 3 Tesla. <i>Concepts in Magnetic Resonance Part B</i> , 2007, 31B, 176-190.	0.3	7
270	Sensitivity-encoded (SENSE) proton echo-planar spectroscopic imaging (PEPSI) in the human brain. <i>Magnetic Resonance in Medicine</i> , 2007, 57, 249-257.	1.9	78

#	ARTICLE	IF	CITATIONS
271	Degenerate mode band-pass birdcage coil for accelerated parallel excitation. <i>Magnetic Resonance in Medicine</i> , 2007, 57, 1148-1158.	1.9	53
272	New Coil Systems for Highly Parallel MR Acquisition Strategies. <i>Medical Radiology</i> , 2007, , 497-510.	0.0	2
273	Parallel-Excitation Techniques for Ultra-High-Field MRI. <i>Medical Radiology</i> , 2007, , 511-521.	0.0	2
274	Effect of spatial smoothing on physiological noise in high-resolution fMRI. <i>NeuroImage</i> , 2006, 32, 551-557.	2.1	125
275	Bright and black blood imaging of the carotid bifurcation at 3.0T. <i>European Journal of Radiology</i> , 2006, 57, 403-411.	1.2	22
276	Targeted imaging of human endothelial-specific marker in a model of adoptive cell transfer. <i>Laboratory Investigation</i> , 2006, 86, 599-609.	1.7	63
277	32-channel 3 Tesla receive-only phased-array head coil with soccer-ball element geometry. <i>Magnetic Resonance in Medicine</i> , 2006, 56, 216-223.	1.9	347
278	Direct parallel image reconstructions for spiral trajectories using GRAPPA. <i>Magnetic Resonance in Medicine</i> , 2006, 56, 317-326.	1.9	80
279	Dynamic magnetic resonance inverse imaging of human brain function. <i>Magnetic Resonance in Medicine</i> , 2006, 56, 787-802.	1.9	93
280	Parallel RF transmission with eight channels at 3 Tesla. <i>Magnetic Resonance in Medicine</i> , 2006, 56, 1163-1171.	1.9	148
281	Signal-to-noise ratio and spectral linewidth improvements between 1.5 and 7 Tesla in proton echo-planar spectroscopic imaging. <i>Magnetic Resonance in Medicine</i> , 2006, 56, 1200-1210.	1.9	115
282	Accelerated volumetric MRI with a SENSE/GRAPPA combination. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 24, 444-450.	1.9	70
283	Hippocampal Volume, PTSD, and Alcoholism in Combat Veterans. <i>American Journal of Psychiatry</i> , 2006, 163, 674-681.	4.0	65
284	Aspects of Clinical Imaging at 7 T. <i>Biological Magnetic Resonance</i> , 2006, , 59-103.	0.4	4
285	Hippocampal Volume, PTSD, and Alcoholism in Combat Veterans. <i>American Journal of Psychiatry</i> , 2006, 163, 674-681.	4.0	48
286	High-Resolution and Microscopic Imaging at High Field. , 2006, , 343-371.		4
287	Detection of entorhinal layer II using Tesla magnetic resonance imaging. <i>Annals of Neurology</i> , 2005, 57, 489-494.	2.8	110
288	Eight-channel phased array coil and detunable TEM volume coil for 7 T brain imaging. <i>Magnetic Resonance in Medicine</i> , 2005, 54, 235-240.	1.9	88

#	ARTICLE	IF	CITATIONS
289	Functional MRI using regularized parallel imaging acquisition. <i>Magnetic Resonance in Medicine</i> , 2005, 54, 343-353.	1.9	48
290	Uncovering of intracellular water in cultured cells. <i>Magnetic Resonance in Medicine</i> , 2005, 54, 79-86.	1.9	17
291	Design considerations and coil comparisons for 7 T brain imaging. <i>Applied Magnetic Resonance</i> , 2005, 29, 19-37.	0.6	51
292	3T phased array MRI improves the presurgical evaluation in focal epilepsies: A prospective study. <i>Neurology</i> , 2005, 65, 1026-1031.	1.5	217
293	Comparison of physiological noise at 1.5 T, 3 T and 7 T and optimization of fMRI acquisition parameters. <i>NeuroImage</i> , 2005, 26, 243-250.	2.1	598
294	Nonstationary noise estimation in functional MRI. <i>NeuroImage</i> , 2005, 28, 890-903.	2.1	42
295	Parallel imaging reconstruction using automatic regularization. <i>Magnetic Resonance in Medicine</i> , 2004, 51, 559-567.	1.9	232
296	Chapter 52 Aids to telemetry in the presurgical evaluation of epilepsy patients: MRI, MEG and other non-invasive imaging techniques. <i>Supplements To Clinical Neurophysiology</i> , 2004, 57, 494-502.	2.1	5
297	A wavelet-based approximation of surface coil sensitivity profiles for correction of image intensity inhomogeneity and parallel imaging reconstruction. <i>Human Brain Mapping</i> , 2003, 19, 96-111.	1.9	68
298	Degenerate mode birdcage volume coil for sensitivity-encoded imaging. <i>Magnetic Resonance in Medicine</i> , 2003, 50, 1107-1111.	1.9	18
299	In vivo tracing of major rat brain pathways using manganese-enhanced magnetic resonance imaging and three-dimensional digital atlasing. <i>NeuroImage</i> , 2003, 20, 1591-1600.	2.1	98
300	Stereopsis Activates V3A and Caudal Intraparietal Areas in Macaques and Humans. <i>Neuron</i> , 2003, 39, 555-568.	3.8	309
301	Comparison of Cardiac MRI on 1.5 and 3.0 Tesla Clinical Whole Body Systems. <i>Investigative Radiology</i> , 2003, 38, 436-442.	3.5	62
302	Modulation of brain and serum glutamatergic concentrations following a switch from conventional neuroleptics to olanzapine. <i>Biological Psychiatry</i> , 2002, 51, 493-497.	0.7	104
303	Repeated fMRI Using Iron Oxide Contrast Agent in Awake, Behaving Macaques at 3 Tesla. <i>NeuroImage</i> , 2002, 16, 283-294.	2.1	250
304	In vivo GABA+ measurement at 1.5T using a PRESS-localized double quantum filter. <i>Magnetic Resonance in Medicine</i> , 2002, 48, 233-241.	1.9	41
305	A detunable elliptic transmission line resonator for body imaging at 3 Tesla. <i>Concepts in Magnetic Resonance</i> , 2002, 15, 92-100.	1.3	2
306	Chronic citicoline increases phosphodiesterases in the brains of healthy older subjects: an in vivo phosphorus magnetic resonance spectroscopy study. <i>Psychopharmacology</i> , 2002, 161, 248-254.	1.5	45

#	ARTICLE	IF	CITATIONS
307	Brain proton magnetic resonance spectroscopy in Alzheimer disease: changes after treatment with xanomeline. American Journal of Geriatric Psychiatry, 2002, 10, 81-8.	0.6	16
308	Systematic spatial distortion in MRI due to gradient non-linearities. NeuroImage, 2001, 13, 50.	2.1	18
309	Three-dimensional magnetic resonance spectroscopic imaging of histologically confirmed brain tumors. Magnetic Resonance Imaging, 2001, 19, 89-101.	1.0	95
310	A phased array echoplanar imaging system for fMRI. Magnetic Resonance Imaging, 1999, 17, 121-129.	1.0	9
311	Lactate detection at 3T: Compensating J coupling effects with BASING. Journal of Magnetic Resonance Imaging, 1999, 9, 732-737.	1.9	63
312	NAA-weighted imaging of the human brain using a conventional readout gradient. Magnetic Resonance in Medicine, 1999, 41, 187-192.	1.9	3
313	High spatial resolution 1H-MRSI and segmented MRI of cortical gray matter and subcortical white matter in three regions of the human brain. Magnetic Resonance in Medicine, 1999, 41, 21-29.	1.9	82
314	Multislice perfusion and perfusion territory imaging in humans with separate label and image coils. Magnetic Resonance in Medicine, 1999, 41, 1093-1098.	1.9	135
315	T1 Effects in Sequential Dynamic Susceptibility Contrast Experiments. Journal of Magnetic Resonance, 1998, 130, 292-295.	1.2	20
316	A localized double-quantum filter for their vivo detection of brain glucose. Magnetic Resonance in Medicine, 1998, 39, 651-656.	1.9	32
317	22. Pharmacologic studies of brain phospholipid metabolism using MRS. Biological Psychiatry, 1998, 43, S7.	0.7	1
318	Serial proton magnetic resonance spectroscopy imaging of glioblastoma multiforme after brachytherapy. Journal of Neurosurgery, 1997, 87, 525-534.	0.9	155
319	High resolution T2-weighted imaging of the human brain using surface coils and an analytical reception profile correction. Journal of Magnetic Resonance Imaging, 1997, 7, 512-517.	1.9	16
320	Volume MRI and MRSI techniques for the quantitation of treatment response in brain tumors: Presentation of a detailed case study. Journal of Magnetic Resonance Imaging, 1997, 7, 1146-1152.	1.9	80
321	In vivo detection of GABA in human brain using a localized double-quantum filter technique. Magnetic Resonance in Medicine, 1997, 37, 366-371.	1.9	113
322	Theory and application of array coils in MR spectroscopy. , 1997, 10, 394-410.		247
323	Alignment of Volume MR Images and High Resolution [18F]Fluorodeoxyglucose PET Images for the Evaluation of Patients with Brain Tumors. Journal of Computer Assisted Tomography, 1997, 21, 183-191.	0.5	23
324	A technique for detecting GABA in the human brain with PRESS localization and optimized refocusing spectral editing radiofrequency pulses. Magnetic Resonance in Medicine, 1996, 36, 458-461.	1.9	50

#	ARTICLE	IF	CITATIONS
325	Phased array detectors and an automated intensity-correction algorithm for high-resolution MR imaging of the human brain. <i>Magnetic Resonance in Medicine</i> , 1995, 34, 433-439.	1.9	126
326	Proton spectroscopic imaging of the human brain using phased array detectors. <i>Magnetic Resonance in Medicine</i> , 1995, 34, 440-445.	1.9	84
327	Variation of the Pr ³⁺ nuclear quadrupole resonance spectrum across the inhomogeneous optical line in Pr ³⁺ :LaF ₃ . <i>Journal of the Optical Society of America B: Optical Physics</i> , 1992, 9, 784.	0.9	6
328	Fluorine spin frozen core in Pr ³⁺ :LaF ₃ observed by cross relaxation. <i>Journal of the Optical Society of America B: Optical Physics</i> , 1992, 9, 789.	0.9	16
329	Nuclear magnetic resonance with DC SQUID preamplifiers. <i>IEEE Transactions on Magnetics</i> , 1989, 25, 1193-1199.	1.2	30