

Giulio Molon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1574835/publications.pdf>

Version: 2024-02-01

74
papers

2,405
citations

361413

20
h-index

206112

48
g-index

78
all docs

78
docs citations

78
times ranked

2934
citing authors

#	ARTICLE	IF	CITATIONS
1	Chronic Kidney Disease with Mild and Mild to Moderate Reduction in Renal Function and Long-Term Recurrences of Atrial Fibrillation after Pulmonary Vein Cryoballoon Ablation. <i>Journal of Cardiovascular Development and Disease</i> , 2022, 9, 126.	1.6	2
2	The Impact of the SARS-CoV-2 Outbreak on the Psychological Flexibility and Behaviour of Cancelling Medical Appointments of Italian Patients with Pre-Existing Medical Condition: The "ImpACT-COVID-19 for Patients" Multi-Centre Observational Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 340.	2.6	14
3	First-line therapy: insights from a real-world analysis of cryoablation in patients with atrial fibrillation. <i>Journal of Cardiovascular Medicine</i> , 2021, 22, 618-623.	1.5	8
4	Performance of first pacemaker to use smart device app for remote monitoring. <i>Heart Rhythm O2</i> , 2021, 2, 463-471.	1.7	17
5	Prognostic Role of Pericardial Fat on the Incidence of Heart Failure. <i>Journal of the American College of Cardiology</i> , 2021, 78, e111.	2.8	0
6	The Impact of COVID-19 Pandemic and Lockdown Restrictions on Cardiac Implantable Device Recipients with Remote Monitoring. <i>Journal of Clinical Medicine</i> , 2021, 10, 5626.	2.4	9
7	Safety and Efficacy of Cryoballoon Ablation of Atrial Fibrillation in relation to the Patients' Age: Results from a Large Real-World Multicenter Observational Project. <i>Cardiology Research and Practice</i> , 2021, 2021, 1-10.	1.1	4
8	Cryoballoon Ablation in Patients With Paroxysmal Atrial Fibrillation: An Evaluation of Cohorts With and Without Structural Heart Disease. <i>Heart Lung and Circulation</i> , 2020, 29, 1078-1086.	0.4	3
9	A comparison of acute procedural outcomes within four generations of cryoballoon catheters utilized in the real-world multicenter experience of 1STOP. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 80-88.	1.7	10
10	ICD-measured heart sounds and their correlation with echocardiographic indexes of systolic and diastolic function. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2020, 58, 95-101.	1.3	18
11	Epicardial left ventricular lead implantation in cardiac resynchronization therapy patients via a video-assisted thoracoscopic technique: Long-term outcome. <i>Clinical Cardiology</i> , 2020, 43, 284-290.	1.8	14
12	Predictive role of early recurrence of atrial fibrillation after cryoballoon ablation. <i>Europace</i> , 2020, 22, 1798-1804.	1.7	20
13	Cryoballoon or radiofrequency ablation? Alternating technique for repeat procedures in patients with atrial fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020, 43, 687-697.	1.2	4
14	Prospective evaluation of the multisensor HeartLogic algorithm for heart failure monitoring. <i>Clinical Cardiology</i> , 2020, 43, 691-697.	1.8	37
15	Electrocardiographic RR Interval Dynamic Analysis to Identify Acute Stroke Patients at High Risk for Atrial Fibrillation Episodes During Stroke Unit Admission. <i>Translational Stroke Research</i> , 2019, 10, 273-278.	4.2	14
16	Sex effect on efficacy of pulmonary vein cryoablation in patients with atrial fibrillation: data from the multicenter real-world 1STOP project. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2019, 56, 9-18.	1.3	12
17	Coronary Sinus Ablation Is a Key Player Substrate in Recurrence of Persistent Atrial Fibrillation. <i>Cardiology</i> , 2019, 143, 107-113.	1.4	9
18	Preliminary experience with the multisensor HeartLogic algorithm for heart failure monitoring: a retrospective case series report. <i>ESC Heart Failure</i> , 2019, 6, 308-318.	3.1	48

#	ARTICLE	IF	CITATIONS
19	Microvolt T-Wave Alternans Testing in Defibrillator Implantation Decision-Making in Primary Prevention of Sudden Cardiac Death in Nonischemic Cardiomyopathy: Remarks After the DANISH Study. Canadian Journal of Cardiology, 2019, 35, 1420.e5-1420.e6.	1.7	0
20	Cryoablation for paroxysmal and persistent AF in patients with structural heart disease and preserved ejection fraction: Clinical outcomes from 1STOP, a multicenter observational project. Journal of Cardiology, 2019, 74, 19-26.	1.9	10
21	TWARMI pilot trial: The value and optimal criteria of microvolt T-wave alternans in the diagnosis of reversible myocardial ischemia in patients without structural cardiac disease. Annals of Noninvasive Electrocardiology, 2019, 24, e12610.	1.1	3
22	Percutaneous Left Atrial Appendage Closure with WATCHMAN [®] device: peri-procedural and mid-term outcomes from the TRAPS Registry. Journal of Interventional Cardiac Electrophysiology, 2018, 52, 47-52.	1.3	8
23	Pulmonary vein isolation cryoablation for patients with persistent and long-standing persistent atrial fibrillation: Clinical outcomes from the real-world multicenter observational project. Heart Rhythm, 2018, 15, 363-368.	0.7	69
24	Is the time between first diagnosis of paroxysmal atrial fibrillation and cryoballoon ablation a predictor of efficacy?. Journal of Cardiovascular Medicine, 2018, 19, 446-452.	1.5	13
25	Center experience does not influence long-term outcome and peri-procedural complications after cryoballoon ablation of paroxysmal atrial fibrillation: Data on 860 patients from the real-world multicenter observational project. International Journal of Cardiology, 2018, 272, 130-136.	1.7	22
26	Efficacy of cryoballoon ablation in patients with paroxysmal atrial fibrillation without time to pulmonary vein isolation assessment. International Journal of Cardiology, 2018, 272, 118-122.	1.7	11
27	Minimally Invasive Thoracoscopic Technique for LV Lead Implantation in CRT Patients. Journal of Clinical & Experimental Cardiology, 2018, 09, .	0.0	1
28	Prediction of mortality in patients with implantable defibrillator using CHADS2 score: data from a prospective observational investigation. American Journal of Cardiovascular Disease, 2018, 8, 48-57.	0.5	3
29	Early impairment in left ventricular longitudinal systolic function is associated with an increased risk of incident atrial fibrillation in patients with type 2 diabetes. Journal of Diabetes and Its Complications, 2017, 31, 413-418.	2.3	24
30	A Multisensor Algorithm Predicts Heart Failure Events in Patients With Implanted Devices. JACC: Heart Failure, 2017, 5, 216-225.	4.1	248
31	Electrical treatment of atrial arrhythmias in heart failure patients implanted with a dual defibrillator CRT device. Results from the TRADE-HF study. International Journal of Cardiology, 2017, 236, 181-186.	1.7	1
32	ANMCO/AIAC/SICI-GISE/SIC/SICCH Consensus Document: percutaneous occlusion of the left atrial appendage in non-valvular atrial fibrillation patients: indications, patient selection, staff skills, organisation, and training. European Heart Journal Supplements, 2017, 19, D333-D353.	0.1	32
33	Relation between detection rate and inappropriate shocks in single versus dual chamber cardioverter-defibrillator – an analysis from the OPTION trial. Scientific Reports, 2016, 6, 21748.	3.3	4
34	Left atrial appendage closure in a patient with cor triatriatum and ASD: the added value of 3D echocardiography. European Heart Journal Cardiovascular Imaging, 2016, 17, 753-753.	1.2	3
35	PP-158 Coronary Sinus Can Be Target for Permanent Atrial Fibrillation Ablation Therapy?. American Journal of Cardiology, 2016, 117, S98.	1.6	2
36	Prognostic implications of mitral regurgitation in patients after cardiac resynchronization therapy. European Journal of Heart Failure, 2016, 18, 1060-1068.	7.1	30

#	ARTICLE	IF	CITATIONS
37	Reduction of inappropriate anti-tachycardia pacing therapies and shocks by a novel suite of detection algorithms in heart failure patients with cardiac resynchronization therapy defibrillators: a historical comparison of a prospective database. <i>Europace</i> , 2016, 18, 1391-1398.	1.7	4
38	Ventricular antitachycardia pacing therapy in patients with heart failure implanted with a cardiac resynchronization therapy defibrillator device: Efficacy, safety, and impact on mortality. <i>Heart Rhythm</i> , 2016, 13, 472-480.	0.7	6
39	Prospective Use of Microvolt T-Wave Alternans Testing to Guide Primary Prevention Implantable Cardioverter Defibrillator Therapy. <i>Circulation Journal</i> , 2015, 79, 1912-1919.	1.6	11
40	One Year Incidence of Atrial Septal Defect after PV Isolation: A Comparison Between Conventional Radiofrequency and Cryoballoon Ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015, 38, 1049-1057.	1.2	38
41	Multicentre comparison Of shock efficacy using single-vs. Dual-coil lead systems and Anodal vs. cathodal polarity defibrillation in patients undergoing transvenous cardioverter-defibrillator implantation. The MODALITY study. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2015, 43, 45-54.	1.3	13
42	Relationship between increased left atrial volume and microvascular complications in patients with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2015, 29, 822-828.	2.3	12
43	Improving Atrial Fibrillation Detection in Patients with Implantable Cardiac Devices by Means of a Remote Monitoring and Management Application. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014, 37, 1610-1618.	1.2	12
44	Reduced Risk for Inappropriate Implantable Cardioverter-Defibrillator Shocks With Dual-Chamber Therapy Compared With Single-Chamber Therapy. <i>JACC: Heart Failure</i> , 2014, 2, 611-619.	4.1	51
45	Is microvolt μ-wave alternans testing suitable for patients recently hospitalized due to decompensated heart failure?. <i>European Journal of Heart Failure</i> , 2014, 16, 112-112.	7.1	1
46	Incremental Value of Larger Interventricular Conduction Time in Improving Cardiac Resynchronization Therapy Outcome in Patients with Different QRS Duration. <i>Journal of Cardiovascular Electrophysiology</i> , 2014, 25, 500-506.	1.7	19
47	Pulmonary fluid overload monitoring in heart failure patients with single and dual chamber defibrillators. <i>Journal of Cardiovascular Medicine</i> , 2014, 15, 307-314.	1.5	4
48	The interventricular conduction time is associated with response to cardiac resynchronization therapy. <i>International Journal of Cardiology</i> , 2013, 168, 5067-5068.	1.7	19
49	Cardiac resynchronization therapy-defibrillator improves long-term survival compared with cardiac resynchronization therapy-pacemaker in patients with a class IA indication for cardiac resynchronization therapy: data from the Contak Italian Registry. <i>Europace</i> , 2013, 15, 1273-1279.	1.7	45
50	Clinical use of microvolt T-wave alternans in patients with depressed left ventricular function eligible for ICD implantation: mortality outcomes after long term follow-up. <i>International Journal of Cardiology</i> , 2013, 168, 3038-3040.	1.7	6
51	Clinical Characteristics, Mortality, Cardiac Hospitalization, and Ventricular Arrhythmias in Patients Undergoing CRT-ICD Implantation: Results of the ACTION-HF Study. <i>Journal of Cardiovascular Electrophysiology</i> , 2013, 24, 173-181.	1.7	9
52	Clinical outcomes in patients with implantable cardioverter defibrillators and Sprint Fidelis leads. <i>Heart</i> , 2013, 99, 799-804.	2.9	8
53	Nonalcoholic Fatty Liver Disease Is Associated With Left Ventricular Diastolic Dysfunction in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2012, 35, 389-395.	8.6	159
54	Impact of Mitral Regurgitation on the Outcome of Patients Treated with CRT-ICD: Data from the InSync ICD Italian Registry. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012, 35, 146-154.	1.2	17

#	ARTICLE	IF	CITATIONS
55	Device-Detected Atrial Tachyarrhythmias Predict Adverse Outcome in Real-World Patients With Implantable Biventricular Defibrillators. <i>Journal of the American College of Cardiology</i> , 2011, 57, 167-172.	2.8	116
56	Treatment of atrial fibrillation with a dual defibrillator in heart failure patients (TRADE HF): protocol for a randomized clinical trial. <i>Trials</i> , 2011, 12, 44.	1.6	6
57	ICD and Neuromodulation Devices: Is Peaceful Coexistence Possible?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2011, 34, 690-693.	1.2	16
58	Relationship Between Early Diastolic Dysfunction and Abnormal Microvolt T-Wave Alternans in Patients With Type 2 Diabetes. <i>Circulation: Cardiovascular Imaging</i> , 2011, 4, 408-414.	2.6	12
59	Prospective multicenter randomized trial of fast ventricular tachycardia termination by prolonged versus conventional anti-tachyarrhythmia burst pacing in implantable cardioverter-defibrillator patients-Atp DeliVery for pAiNless ICD thErapy (ADVANCE-D) Trial results. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2010, 27, 127-135.	1.3	50
60	Baseline Heart Rate Variability Predicts Clinical Events in Heart Failure Patients Implanted with Cardiac Resynchronization Therapy: Validation by Means of Related Complexity Index. <i>Annals of Noninvasive Electrocardiology</i> , 2010, 15, 301-307.	1.1	11
61	Proportion of patients needing an implantable cardioverter defibrillator on the basis of current guidelines: impact on healthcare resources in Italy and the USA. Data from the ALPHA study registry. <i>Europace</i> , 2010, 12, 1105-1111.	1.7	14
62	Effectiveness of cardiac resynchronization therapy in heart failure patients with valvular heart disease: comparison with patients affected by ischaemic heart disease or dilated cardiomyopathy. The InSync/InSync ICD Italian Registry. <i>European Heart Journal</i> , 2009, 30, 2275-2283.	2.2	21
63	Predictors of Mortality and Hospitalization for Cardiac Causes in Patients with Heart Failure and Nonischemic Heart Disease: A Subanalysis of the ALPHA Study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009, 32, S214-8.	1.2	10
64	Presence and Duration of Atrial Fibrillation Detected by Continuous Monitoring: Crucial Implications for the Risk of Thromboembolic Events. <i>Journal of Cardiovascular Electrophysiology</i> , 2009, 20, 241-248.	1.7	341
65	RESPONSE: LETTER TO THE EDITOR. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008, 31, 261-261.	1.2	0
66	The Drug And Pace Health cliNical Evaluation (DAPHNE) study: A randomized trial comparing sotalol versus β -blockers to treat symptomatic atrial fibrillation in patients with brady-tachycardia syndrome implanted with an antitachycardia pacemaker. <i>American Heart Journal</i> , 2008, 156, 373.e1-373.e8.	2.7	19
67	Atrial fibrillation in heart failure patients: Prevalence in daily practice and effect on the severity of symptoms. Data from the ALPHA study registry. <i>European Journal of Heart Failure</i> , 2007, 9, 502-509.	7.1	78
68	Effects of cardiac resynchronization therapy on insulin-like growth factor-1 in patients with advanced heart failure. <i>Journal of Cardiovascular Medicine</i> , 2007, 8, 917-922.	1.5	0
69	Prognostic Value of T-Wave Alternans in Patients With Heart Failure Due to Nonischemic Cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2007, 50, 1896-1904.	2.8	117
70	Relationship Between Abnormal Microvolt T-Wave Alternans and Poor Glycemic Control in Type 2 Diabetic Patients. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2007, 30, 1267-1272.	1.2	21
71	Predictors of Atrial Antitachycardia Pacing Efficacy in Patients Affected by Brady-Tachy Form of Sick Sinus Syndrome and Implanted with a DDDR Device. <i>Journal of Cardiovascular Electrophysiology</i> , 2005, 16, 714-723.	1.7	22
72	Long-term reduction of atrial tachyarrhythmia recurrences in patients paced for bradycardia-tachycardia syndrome. <i>Heart Rhythm</i> , 2005, 2, 1047-1057.	0.7	11

#	ARTICLE	IF	CITATIONS
73	Monitored Atrial Fibrillation Duration Predicts Arterial Embolic Events in Patients Suffering From Bradycardia and Atrial Fibrillation Implanted With Antitachycardia Pacemakers. Journal of the American College of Cardiology, 2005, 46, 1913-1920.	2.8	375
74	Spontaneous Ventricular Tachycardia and Fibrillation in a Patient with a Positive Microvolt T Wave Alternans Test and Negative Electrophysiological Study. PACE - Pacing and Clinical Electrophysiology, 2004, 27, 120-122.	1.2	1