

Jeffrey A Johnson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1576387/publications.pdf>

Version: 2024-02-01

400
papers

24,858
citations

6592

79
h-index

9553

142
g-index

405
all docs

405
docs citations

405
times ranked

28464
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Effect of Pravastatin on Outcomes after Cardiac Transplantation. <i>New England Journal of Medicine</i> , 1995, 333, 621-627. | 13.9 | 1,215 |
| 2 | US Valuation of the EQ-5D Health States. <i>Medical Care</i> , 2005, 43, 203-220. | 1.1 | 1,145 |
| 3 | Increased Cancer-Related Mortality for Patients With Type 2 Diabetes Who Use Sulfonylureas or Insulin. <i>Diabetes Care</i> , 2006, 29, 254-258. | 4.3 | 845 |
| 4 | Physical activity level and health-related quality of life in the general adult population: A systematic review. <i>Preventive Medicine</i> , 2007, 45, 401-415. | 1.6 | 800 |
| 5 | Drug-Related Morbidity and Mortality. <i>Archives of Internal Medicine</i> , 1995, 155, 1949. | 4.3 | 577 |
| 6 | Clinical Pharmacogenetics Implementation Consortium Guidelines for CYP2C9 and VKORC1 Genotypes and Warfarin Dosing. <i>Clinical Pharmacology and Therapeutics</i> , 2011, 90, 625-629. | 2.3 | 571 |
| 7 | Clinical Pharmacogenetics Implementation Consortium (CPIC) Guideline for Pharmacogenetics-Guided Warfarin Dosing: 2017 Update. <i>Clinical Pharmacology and Therapeutics</i> , 2017, 102, 397-404. | 2.3 | 479 |
| 8 | Decreased Mortality Associated With the Use of Metformin Compared With Sulfonylurea Monotherapy in Type 2 Diabetes. <i>Diabetes Care</i> , 2002, 25, 2244-2248. | 4.3 | 403 |
| 9 | Mortality After Incident Cancer in People With and Without Type 2 Diabetes. <i>Diabetes Care</i> , 2012, 35, 299-304. | 4.3 | 381 |
| 10 | Improved Clinical Outcomes Associated With Metformin in Patients With Diabetes and Heart Failure. <i>Diabetes Care</i> , 2005, 28, 2345-2351. | 4.3 | 363 |
| 11 | Self-Reported Health Status of the General Adult U.S. Population as Assessed by the EQ-5D and Health Utilities Index. <i>Medical Care</i> , 2005, 43, 1078-1086. | 1.1 | 343 |
| 12 | Benefits and harms of antidiabetic agents in patients with diabetes and heart failure: systematic review. <i>BMJ: British Medical Journal</i> , 2007, 335, 497. | 2.4 | 293 |
| 13 | A Time Trade-off-derived Value Set of the EQ-5D-5L for Canada. <i>Medical Care</i> , 2016, 54, 98-105. | 1.1 | 290 |
| 14 | Health Literacy and Health Outcomes in Diabetes: A Systematic Review. <i>Journal of General Internal Medicine</i> , 2013, 28, 444-452. | 1.3 | 283 |
| 15 | Comparative Safety and Effectiveness of Metformin in Patients With Diabetes Mellitus and Heart Failure. <i>Circulation: Heart Failure</i> , 2013, 6, 395-402. | 1.6 | 282 |
| 16 | Comparison of the EQ-5D and SF-12 in an adult US sample. , 1998, 7, 155-166. | | 262 |
| 17 | Nrf2—a therapeutic target for the treatment of neurodegenerative diseases. <i>Free Radical Biology and Medicine</i> , 2015, 88, 253-267. | 1.3 | 262 |
| 18 | A Randomized Trial of the Effect of Community Pharmacist Intervention on Cholesterol Risk Management< subtitle>The Study of Cardiovascular Risk Intervention by Pharmacists (SCRIP)</ subtitle>. <i>Archives of Internal Medicine</i> , 2002, 162, 1149. | 4.3 | 251 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Comparison of the EQ-5D and SF-12 Health Surveys in a General Population Survey in Alberta, Canada. <i>Medical Care</i> , 2000, 38, 115-121. | 1.1 | 240 |
| 20 | Oxidative damage and the Nrf2-ARE pathway in neurodegenerative diseases. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2014, 1842, 1208-1218. | 1.8 | 231 |
| 21 | Valuation of EuroQOL (EQ-5D) Health States in an Adult US Sample. <i>Pharmacoeconomics</i> , 1998, 13, 421-433. | 1.7 | 225 |
| 22 | Effect of Vitamin D ₃ Supplementation on Improving Glucose Homeostasis and Preventing Diabetes: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 3551-3560. | 1.8 | 221 |
| 23 | Cross-sectional validity of a modified Edmonton symptom assessment system in dialysis patients: A simple assessment of symptom burden. <i>Kidney International</i> , 2006, 69, 1621-1625. | 2.6 | 211 |
| 24 | Valuations of EQ-5D Health States. <i>Medical Care</i> , 2005, 43, 221-228. | 1.1 | 202 |
| 25 | How Evidence-Based Are the Recommendations in Evidence-Based Guidelines?. <i>PLoS Medicine</i> , 2007, 4, e250. | 3.9 | 199 |
| 26 | Multimorbidity prevalence and patterns across socioeconomic determinants: a cross-sectional survey. <i>BMC Public Health</i> , 2012, 12, 201. | 1.2 | 196 |
| 27 | Diabetes and cancer (1): evaluating the temporal relationship between type 2 diabetes and cancer incidence. <i>Diabetologia</i> , 2012, 55, 1607-1618. | 2.9 | 191 |
| 28 | Long-Term Association Between Frailty and Health-Related Quality of Life Among Survivors of Critical Illness. <i>Critical Care Medicine</i> , 2015, 43, 973-982. | 0.4 | 189 |
| 29 | Dose-response relation between sulfonylurea drugs and mortality in type 2 diabetes mellitus: a population-based cohort study. <i>Cmaj</i> , 2006, 174, 169-174. | 0.9 | 186 |
| 30 | Efficacy and safety of low and very low carbohydrate diets for type 2 diabetes remission: systematic review and meta-analysis of published and unpublished randomized trial data. <i>BMJ</i> , The, 2021, 372, m4743. | 3.0 | 186 |
| 31 | Drug-related morbidity and mortality. A cost-of-illness model. <i>Archives of Internal Medicine</i> , 1995, 155, 1949-56. | 4.3 | 182 |
| 32 | Radiologic and patient-reported functional outcomes in an elderly cohort with conservatively treated distal radius fractures. <i>Journal of Hand Surgery</i> , 2004, 29, 1121-1127. | 0.7 | 170 |
| 33 | Instrument-Defined Estimates of the Minimally Important Difference for EQ-5D-5L Index Scores. <i>Value in Health</i> , 2017, 20, 644-650. | 0.1 | 170 |
| 34 | Health-related quality of life deficits associated with diabetes and comorbidities in a Canadian National Population Health Survey. <i>Quality of Life Research</i> , 2005, 14, 1311-1320. | 1.5 | 167 |
| 35 | Agreement Between Patient and Proxy Assessments of Health-Related Quality of Life After Stroke Using the EQ-5D and Health Utilities Index. <i>Stroke</i> , 2004, 35, 607-612. | 1.0 | 165 |
| 36 | Prevalence of cardiovascular risk factors and disease in people with schizophrenia: A population-based study. <i>Schizophrenia Research</i> , 2010, 117, 75-82. | 1.1 | 162 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Longitudinal validation of a modified Edmonton symptom assessment system (ESAS) in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 3189-3195. | 0.4 | 155 |
| 38 | A Systematic Review of Drug Therapy to Delay or Prevent Type 2 Diabetes. <i>Diabetes Care</i> , 2005, 28, 736-744. | 4.3 | 150 |
| 39 | Using Instrument-Defined Health State Transitions to Estimate Minimally Important Differences for Four Preference-Based Health-Related Quality of Life Instruments. <i>Medical Care</i> , 2010, 48, 365-371. | 1.1 | 150 |
| 40 | The effect of weight loss on health-related quality of life: systematic review and meta-analysis of randomized trials. <i>Obesity Reviews</i> , 2014, 15, 169-182. | 3.1 | 150 |
| 41 | A Controlled Trial To Increase Detection and Treatment of Osteoporosis in Older Patients with a Wrist Fracture. <i>Annals of Internal Medicine</i> , 2004, 141, 366. | 2.0 | 148 |
| 42 | Glucose-lowering agents and cancer mortality rates in type 2 diabetes: assessing effects of time-varying exposure. <i>Diabetologia</i> , 2010, 53, 1631-1637. | 2.9 | 148 |
| 43 | Increased Alzheimer's disease-like pathology in the APP/PS1 ^{E9} mouse model lacking Nrf2 through modulation of autophagy. <i>Neurobiology of Aging</i> , 2015, 36, 664-679. | 1.5 | 147 |
| 44 | Health-related quality of life and healthcare utilization in multimorbidity: results of a cross-sectional survey. <i>Quality of Life Research</i> , 2013, 22, 791-799. | 1.5 | 144 |
| 45 | Reduced cardiovascular morbidity and mortality associated with metformin use in subjects with Type 2 diabetes. <i>Diabetic Medicine</i> , 2005, 22, 497-502. | 1.2 | 142 |
| 46 | Use of thiazolidinediones and the risk of bladder cancer among people with type 2 diabetes: a meta-analysis. <i>Cmaj</i> , 2012, 184, E675-E683. | 0.9 | 140 |
| 47 | Pioglitazone and bladder cancer risk: a multipopulation pooled, cumulative exposure analysis. <i>Diabetologia</i> , 2015, 58, 493-504. | 2.9 | 140 |
| 48 | Responsiveness of generic health-related quality of life measures in stroke. <i>Quality of Life Research</i> , 2005, 14, 207-219. | 1.5 | 139 |
| 49 | Evidence of suboptimal management of cardiovascular risk in patients with type 2 diabetes mellitus and symptomatic atherosclerosis. <i>Cmaj</i> , 2004, 171, 1189-1192. | 0.9 | 135 |
| 50 | Association Between Direct Measures of Body Composition and Prognostic Factors in Chronic Heart Failure. <i>Mayo Clinic Proceedings</i> , 2010, 85, 609-617. | 1.4 | 135 |
| 51 | Time-varying incidence of cancer after the onset of type 2 diabetes: evidence of potential detection bias. <i>Diabetologia</i> , 2011, 54, 2263-2271. | 2.9 | 135 |
| 52 | Multifaceted intervention to improve diagnosis and treatment of osteoporosis in patients with recent wrist fracture: a randomized controlled trial. <i>Cmaj</i> , 2008, 178, 569-575. | 0.9 | 132 |
| 53 | Drug-related morbidity and mortality and the economic impact of pharmaceutical care. <i>American Journal of Health-System Pharmacy</i> , 1997, 54, 554-558. | 0.5 | 129 |
| 54 | Intensive glycaemic control and cancer risk in type 2 diabetes: a meta-analysis of major trials. <i>Diabetologia</i> , 2011, 54, 25-31. | 2.9 | 128 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | A multicenter disease management program for hospitalized patients with heart failure. <i>Journal of Cardiac Failure</i> , 2004, 10, 473-480. | 0.7 | 127 |
| 56 | Itch Severity Scale: a self-report instrument for the measurement of pruritus severity. <i>British Journal of Dermatology</i> , 2007, 156, 667-673. | 1.4 | 119 |
| 57 | Increased Cancer-Related Mortality for Patients With Type 2 Diabetes Who Use Sulfonylureas or Insulin: Response to Farooki and Schneider. <i>Diabetes Care</i> , 2006, 29, 1990-1991. | 4.3 | 118 |
| 58 | Influence of Race or Ethnicity on Pharmacokinetics of Drugs. <i>Journal of Pharmaceutical Sciences</i> , 1997, 86, 1328-1333. | 1.6 | 117 |
| 59 | Do radiographic indices of distal radius fracture reduction predict outcomes in older adults receiving conservative treatment?. <i>Clinical Radiology</i> , 2007, 62, 65-72. | 0.5 | 117 |
| 60 | Interventions to Improve Influenza and Pneumococcal Vaccination Rates Among Community-Dwelling Adults: A Systematic Review and Meta-Analysis. <i>Annals of Family Medicine</i> , 2012, 10, 538-546. | 0.9 | 117 |
| 61 | Comparing the EQ-5D 3L and 5L: measurement properties and association with chronic conditions and multimorbidity in the general population. <i>Health and Quality of Life Outcomes</i> , 2014, 12, 74. | 1.0 | 114 |
| 62 | Insulin use and increased risk of mortality in type 2 diabetes: a cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2010, 12, 47-53. | 2.2 | 110 |
| 63 | History of Depression Increases Risk of Type 2 Diabetes in Younger Adults. <i>Diabetes Care</i> , 2005, 28, 1063-1067. | 4.3 | 109 |
| 64 | Diabetes and cancer (2): evaluating the impact of diabetes on mortality in patients with cancer. <i>Diabetologia</i> , 2012, 55, 1619-1632. | 2.9 | 109 |
| 65 | Replicability of SF-36 Summary Scores by the SF-12 in Stroke Patients. <i>Stroke</i> , 1999, 30, 1213-1217. | 1.0 | 107 |
| 66 | Productivity Losses Associated With Diabetes in the U.S.. <i>Diabetes Care</i> , 2001, 24, 257-261. | 4.3 | 106 |
| 67 | Type 2 Diabetes and Comorbid Symptoms of Depression and Anxiety: Longitudinal Associations With Mortality Risk. <i>Diabetes Care</i> , 2017, 40, 352-358. | 4.3 | 102 |
| 68 | Multimorbidity prevalence in the general population: the role of obesity in chronic disease clustering. <i>BMC Public Health</i> , 2013, 13, 1161. | 1.2 | 101 |
| 69 | Predictability of the effects of race or ethnicity on pharmacokinetics of drugs. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2000, 38, 53-60. | 0.3 | 101 |
| 70 | Assessing responsiveness of generic and specific health related quality of life measures in heart failure. <i>Health and Quality of Life Outcomes</i> , 2006, 4, 89. | 1.0 | 98 |
| 71 | Reactive astrocytes acquire neuroprotective as well as deleterious signatures in response to Tau and A β pathology. <i>Nature Communications</i> , 2022, 13, 135. | 5.8 | 97 |
| 72 | Understanding the Determinants of Health for People With Type 2 Diabetes. <i>American Journal of Public Health</i> , 2006, 96, 1649-1655. | 1.5 | 96 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Weight loss required by the severely obese to achieve clinically important differences in health-related quality of life: two-year prospective cohort study. <i>BMC Medicine</i> , 2014, 12, 175. | 2.3 | 96 |
| 74 | Effect of Adding Pharmacists to Primary Care Teams on Blood Pressure Control in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2011, 34, 20-26. | 4.3 | 94 |
| 75 | The risk of heart failure in patients with type 2 diabetes treated with oral agent monotherapy. <i>European Journal of Heart Failure</i> , 2008, 10, 703-708. | 2.9 | 90 |
| 76 | The Impact of Selecting a High Hemoglobin Target Level on Health-Related Quality of Life for Patients With Chronic Kidney Disease. <i>Archives of Internal Medicine</i> , 2009, 169, 1104. | 4.3 | 88 |
| 77 | Impact of gestational diabetes mellitus and high maternal weight on the development of diabetes, hypertension and cardiovascular disease: a population-level analysis. <i>Diabetic Medicine</i> , 2015, 32, 164-173. | 1.2 | 87 |
| 78 | Predictors of medication noncompliance in a sample of older adults. <i>Clinical Therapeutics</i> , 1994, 16, 110-7. | 1.1 | 87 |
| 79 | Controlled Trial of a Multifaceted Intervention for Improving Quality of Care for Rural Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2003, 26, 3061-3066. | 4.3 | 85 |
| 80 | Persistence, reproducibility, and cost-effectiveness of an intervention to improve the quality of osteoporosis care after a fracture of the wrist: results of a controlled trial. <i>Osteoporosis International</i> , 2007, 18, 261-270. | 1.3 | 84 |
| 81 | Determinants of quality of life in adults with type 1 and type 2 diabetes. <i>Health and Quality of Life Outcomes</i> , 2011, 9, 115. | 1.0 | 84 |
| 82 | Measuring Health Literacy in Individuals With Diabetes. <i>Health Education and Behavior</i> , 2013, 40, 42-55. | 1.3 | 83 |
| 83 | Sex and Gender Discrepancies in Health-Related Quality of Life Outcomes Among Patients With Established Coronary Artery Disease. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2008, 1, 123-130. | 0.9 | 77 |
| 84 | Assessing the use of health-related quality of life measures in the routine clinical care of lung-transplant patients. <i>Quality of Life Research</i> , 2010, 19, 371-379. | 1.5 | 76 |
| 85 | Thiazolidinedione use and cancer incidence in type 2 diabetes: A systematic review and meta-analysis. <i>Diabetes and Metabolism</i> , 2012, 38, 475-484. | 1.4 | 76 |
| 86 | Medication Nonadherence and Subsequent Risk of Hospitalisation and Mortality among Older Adults. <i>Drugs and Aging</i> , 2006, 23, 345-356. | 1.3 | 75 |
| 87 | Type of antidepressant therapy and risk of type 2 diabetes in people with depression. <i>Diabetes Research and Clinical Practice</i> , 2008, 79, 61-67. | 1.1 | 75 |
| 88 | Primary health care teams: team members' perceptions of the collaborative process. <i>Journal of Interprofessional Care</i> , 2004, 18, 75-78. | 0.8 | 74 |
| 89 | Enrolment in primary care networks: impact on outcomes and processes of care for patients with diabetes. <i>Cmaj</i> , 2012, 184, E144-E152. | 0.9 | 74 |
| 90 | Understanding the complex associations between patient-provider relationships, self-care behaviours, and health-related quality of life in type 2 diabetes: A structural equation modeling approach. <i>Quality of Life Research</i> , 2005, 14, 1489-1500. | 1.5 | 70 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Short-Term Risk for Stroke Is Doubled in Persons With Newly Treated Type 2 Diabetes Compared With Persons Without Diabetes. <i>Stroke</i> , 2007, 38, 1739-1743. | 1.0 | 69 |
| 92 | Outcomes of singleton and twin pregnancies complicated by pre-existing diabetes and gestational diabetes: A population-based study in Alberta, Canada, 2005-11. <i>Journal of Diabetes</i> , 2016, 8, 45-55. | 0.8 | 69 |
| 93 | Type 2 diabetes does not increase risk of depression. <i>Cmaj</i> , 2006, 175, 42-46. | 0.9 | 68 |
| 94 | Insulin use and cancer risk in patients with type 2 diabetes: A systematic review and meta-analysis of observational studies. <i>Diabetes and Metabolism</i> , 2012, 38, 485-506. | 1.4 | 66 |
| 95 | Compliance with Clinical Practice Guidelines for Type 2 Diabetes in Rural Patients: Treatment Gaps and Opportunities for Improvement. <i>Pharmacotherapy</i> , 2003, 23, 659-665. | 1.2 | 64 |
| 96 | Collaborative Care Versus Screening and Follow-up for Patients With Diabetes and Depressive Symptoms: Results of a Primary Care-Based Comparative Effectiveness Trial. <i>Diabetes Care</i> , 2014, 37, 3220-3226. | 4.3 | 63 |
| 97 | Health-Related Quality of Life of Diabetic Pima Indians. <i>Medical Care</i> , 1996, 34, 97-102. | 1.1 | 63 |
| 98 | Underutilisation of ACE Inhibitors in Patients with Congestive Heart Failure. <i>Drugs</i> , 2001, 61, 2021-2033. | 4.9 | 61 |
| 99 | Utility values for symptomatic non-severe hypoglycaemia elicited from persons with and without diabetes in Canada and the United Kingdom. <i>Health and Quality of Life Outcomes</i> , 2008, 6, 73. | 1.0 | 60 |
| 100 | Diabetes, Insulin Use, and Cancer Risk: Are Observational Studies Part of the Solution or Part of the Problem?. <i>Diabetes</i> , 2010, 59, 1129-1131. | 0.3 | 60 |
| 101 | Reduced Mortality Associated With the Use of ACE Inhibitors in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2004, 27, 1330-1334. | 4.3 | 58 |
| 102 | Health related quality of life measures in Arabic speaking populations: A systematic review on cross-cultural adaptation and measurement properties. <i>Quality of Life Research</i> , 2013, 22, 213-229. | 1.5 | 58 |
| 103 | A Comparison of EQ-5D Index Scores Derived from the US and UK Population-Based Scoring Functions. <i>Medical Decision Making</i> , 2007, 27, 321-326. | 1.2 | 57 |
| 104 | Dialysis Adequacy and Health Related Quality of Life in Hemodialysis Patients. <i>ASAIO Journal</i> , 2002, 48, 565-569. | 0.9 | 55 |
| 105 | Performance of the RAND-12 and SF-12 summary scores in type 2 diabetes. <i>Quality of Life Research</i> , 2004, 13, 449-456. | 1.5 | 55 |
| 106 | The effect of specialist care within the first year on subsequent outcomes in 24 232 adults with new-onset diabetes mellitus: population-based cohort study. <i>Quality and Safety in Health Care</i> , 2007, 16, 6-11. | 2.5 | 55 |
| 107 | Relative Efficiency of the EQ-5D, HUI2, and HUI3 Index Scores in Measuring Health Burden of Chronic Medical Conditions in a Population Health Survey in the United States. <i>Medical Care</i> , 2009, 47, 53-60. | 1.1 | 54 |
| 108 | Minimally Important Difference of the EQ-5D-5L Index Score in Adults with Type 2 Diabetes. <i>Value in Health</i> , 2018, 21, 1090-1097. | 0.1 | 54 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Association between Physical Activity and Health-Related Quality of Life in Adults with Type 2 Diabetes. Canadian Journal of Diabetes, 2017, 41, 58-63. | 0.4 | 53 |
| 110 | Racial Differences in β -Adrenoceptor-Mediated Responsiveness. Journal of Cardiovascular Pharmacology, 1995, 25, 90-96. | 0.8 | 52 |
| 111 | Effectiveness of influenza vaccination in working-age adults with diabetes: a population-based cohort study. Thorax, 2013, 68, 658-663. | 2.7 | 51 |
| 112 | Study of Cardiovascular Risk Intervention by Pharmacists (SCRIP): A Randomized Trial Design of the Effect of a Community Pharmacist Intervention Program on Serum Cholesterol Risk. Annals of Pharmacotherapy, 1999, 33, 910-919. | 0.9 | 50 |
| 113 | Practice-Based Research: Lessons from Community Pharmacist Participants. Pharmacotherapy, 2001, 21, 731-739. | 1.2 | 50 |
| 114 | Effect of community pharmacist intervention on cholesterol levels in patients at high risk of cardiovascular events: the second study of cardiovascular risk intervention by pharmacists (SCRIP-plus). American Journal of Medicine, 2004, 116, 130-133. | 0.6 | 50 |
| 115 | Health Care Use and Costs in the Decade After Identification of Type 1 and Type 2 Diabetes: A population-based study. Diabetes Care, 2006, 29, 2403-2408. | 4.3 | 50 |
| 116 | Quality of Life After Islet Transplant: Impact of the Number of Islet Infusions and Metabolic Outcome. Transplantation, 2007, 84, 664-666. | 0.5 | 50 |
| 117 | Nurse case-manager vs multifaceted intervention to improve quality of osteoporosis care after wrist fracture: randomized controlled pilot study. Osteoporosis International, 2011, 22, 223-230. | 1.3 | 48 |
| 118 | The safety profile of exogenous insulin in people with type 2 diabetes: justification for concern. Diabetes, Obesity and Metabolism, 2012, 14, 1-4. | 2.2 | 47 |
| 119 | Reduced Fear of Hypoglycemia in Successful Islet Transplantation. Diabetes Care, 2004, 27, 624-625. | 4.3 | 46 |
| 120 | Improvements in Patient-Reported Outcomes Associated With an Intervention to Enhance Quality of Care for Rural Patients With Type 2 Diabetes: Results of a controlled trial. Diabetes Care, 2004, 27, 1306-1312. | 4.3 | 46 |
| 121 | Metformin treatment in diabetes and heart failure: when academic equipoise meets clinical reality. Trials, 2009, 10, 12. | 0.7 | 45 |
| 122 | Construct validity of the RAND-12 and Health Utilities Index Mark 2 and 3 in type 2 diabetes. Quality of Life Research, 2004, 13, 435-448. | 1.5 | 44 |
| 123 | Recent epidemiologic trends of diabetes mellitus among status Aboriginal adults. Cmaj, 2011, 183, E803-E808. | 0.9 | 44 |
| 124 | Cohort Profile: Alberta's Tomorrow Project. International Journal of Epidemiology, 2017, 46, 1097-1098. | 0.9 | 44 |
| 125 | Racial/ethnic differences in preferences for the EQ-5D health states: results from the U.S. valuation study. Journal of Clinical Epidemiology, 2007, 60, 479-490. | 2.4 | 43 |
| 126 | The Alberta Diabetes and Physical Activity Trial (ADAPT): A Randomized Trial Evaluating Theory-Based Interventions to Increase Physical Activity in Adults with Type 2 Diabetes. Annals of Behavioral Medicine, 2013, 45, 45-56. | 1.7 | 43 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Check the score: Field validation of Street Smart Walk Score in Alberta, Canada. Preventive Medicine Reports, 2016, 4, 532-539. | 0.8 | 43 |
| 128 | CYP1A2 and CYP2D6 4-hydroxylate propranolol and both reactions exhibit racial differences. Journal of Pharmacology and Experimental Therapeutics, 2000, 294, 1099-105. | 1.3 | 43 |
| 129 | Economic Impact of Community Pharmacist Intervention in Cholesterol Risk Management: An Evaluation of the Study of Cardiovascular Risk Intervention by Pharmacists. Pharmacotherapy, 2001, 21, 627-635. | 1.2 | 42 |
| 130 | Secondary Failure Rates Associated with Metformin and Sulfonylurea Therapy for Type 2 Diabetes Mellitus. Pharmacotherapy, 2005, 25, 810-816. | 1.2 | 42 |
| 131 | Self-Efficacy Theory as a Framework for Community Pharmacy-Based Diabetes Education Programs. The Diabetes Educator, 1996, 22, 237-241. | 2.6 | 41 |
| 132 | Risk of Breast Cancer After Onset of Type 2 Diabetes. Diabetes Care, 2011, 34, 2542-2544. | 4.3 | 41 |
| 133 | A cohort study found the RAND-12 and Health Utilities Index Mark 3 demonstrated construct validity in high-risk primary care patients. Journal of Clinical Epidemiology, 2005, 58, 138-141. | 2.4 | 40 |
| 134 | Educational intervention to reduce falls and fear of falling in patients after fragility fracture: Results of a controlled pilot study. Preventive Medicine, 2006, 42, 316-319. | 1.6 | 40 |
| 135 | Risks of Gestational Diabetes and Preeclampsia Over the Last Decade in a Cohort of Alberta Women. Journal of Obstetrics and Gynaecology Canada, 2013, 35, 986-994. | 0.3 | 40 |
| 136 | Comparison of Finnish and U.S.-based Visual Analog Scale Valuations of the EQ-5D Measure. Medical Decision Making, 2000, 20, 281-289. | 1.2 | 39 |
| 137 | A cross-sectional study of health-related quality of life deficits in individuals with comorbid diabetes and cancer. Health and Quality of Life Outcomes, 2006, 4, 17. | 1.0 | 39 |
| 138 | Diabetic Foot Disease, Self-Care and Clinical Monitoring in Adults with Type 2 Diabetes: The Alberta's Caring for Diabetes (ABCD) Cohort Study. Canadian Journal of Diabetes, 2015, 39, S120-S126. | 0.4 | 39 |
| 139 | The Impact of Pharmacist Interventions on Health-Related Quality of Life. Annals of Pharmacotherapy, 1999, 33, 1167-1172. | 0.9 | 38 |
| 140 | The usefulness of the EQ-5D in differentiating among persons with major depressive episode and anxiety. Quality of Life Research, 2007, 16, 749-754. | 1.5 | 38 |
| 141 | Cost-effectiveness of a multifaceted intervention to improve quality of osteoporosis care after wrist fracture. Osteoporosis International, 2011, 22, 1799-1808. | 1.3 | 38 |
| 142 | Health Literacy and Nurses' Communication With Type 2 Diabetes Patients in Primary Care Settings. Nursing Research, 2014, 63, 408-417. | 0.8 | 38 |
| 143 | Cost-effectiveness analysis of adding pharmacists to primary care teams to reduce cardiovascular risk in patients with Type 2 diabetes: results from a randomized controlled trial. Diabetic Medicine, 2015, 32, 899-906. | 1.2 | 38 |
| 144 | Using Focus Groups to Identify Barriers to Drug Use in Patients with Congestive Heart Failure. Pharmacotherapy, 2000, 20, 823-829. | 1.2 | 37 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Clinical and socio-demographic factors associated with diabetic ketoacidosis hospitalization in adults with Type 1 diabetes. <i>Diabetic Medicine</i> , 2013, 30, 567-573. | 1.2 | 36 |
| 146 | Impact of cancer on adherence to glucose-lowering drug treatment in individuals with diabetes. <i>Diabetologia</i> , 2015, 58, 951-960. | 2.9 | 36 |
| 147 | Severe Obesity Is Associated With Increased Risk of Early Complications and Extended Length of Stay Following Coronary Artery Bypass Grafting Surgery. <i>Journal of the American Heart Association</i> , 2016, 5, . | 1.6 | 36 |
| 148 | The cost of major comorbidity in people with diabetes mellitus. <i>Cmaj</i> , 2003, 168, 1661-7. | 0.9 | 36 |
| 149 | Health-related quality of life deficits associated with varying degrees of disease severity in type 2 diabetes. <i>Health and Quality of Life Outcomes</i> , 2003, 1, 78. | 1.0 | 35 |
| 150 | Risk of Heart Failure in Patients With Recent-Onset Type 2 Diabetes: Population-Based Cohort Study. <i>Journal of Cardiac Failure</i> , 2009, 15, 152-157. | 0.7 | 35 |
| 151 | Insulin, glucose and the increased risk of cancer in patients with type 2 diabetes. <i>Diabetologia</i> , 2010, 53, 2086-2088. | 2.9 | 35 |
| 152 | Diabetes treatments and cancer risk: the importance of considering aspects of drug exposure. <i>Lancet Diabetes and Endocrinology</i> , 2013, 1, 132-139. | 5.5 | 35 |
| 153 | Symptoms of anxiety and depression in type 2 diabetes: Associations with clinical diabetes measures and self-management outcomes in the Norwegian HUNT study. <i>Psychoneuroendocrinology</i> , 2017, 84, 116-123. | 1.3 | 35 |
| 154 | Lack of insurance coverage for testing supplies is associated with poorer glycemic control in patients with type 2 diabetes. <i>Cmaj</i> , 2004, 171, 39-43. | 0.9 | 34 |
| 155 | Controlled trial of a collaborative primary care team model for patients with diabetes and depression: Rationale and design for a comprehensive evaluation. <i>BMC Health Services Research</i> , 2012, 12, 258. | 0.9 | 34 |
| 156 | Validation of classification algorithms for childhood diabetes identified from administrative data. <i>Pediatric Diabetes</i> , 2012, 13, 229-234. | 1.2 | 34 |
| 157 | Implementation and evaluation of the 5As framework of obesity management in primary care: design of the 5As Team (5AsT) randomized control trial. <i>Implementation Science</i> , 2014, 9, 78. | 2.5 | 34 |
| 158 | Racial differences in propranolol pharmacokinetics. <i>Clinical Pharmacology and Therapeutics</i> , 1992, 51, 495-500. | 2.3 | 33 |
| 159 | A Comparison of the Health Utilities Indices Mark 2 and Mark 3 in Type 2 Diabetes. <i>Medical Decision Making</i> , 2003, 23, 489-501. | 1.2 | 33 |
| 160 | Interventions to Increase Osteoporosis Treatment in Patients with "Incidentally" Detected Vertebral Fractures. <i>American Journal of Medicine</i> , 2012, 125, 929-936. | 0.6 | 33 |
| 161 | Association of Inadequate Health Literacy with Health Outcomes in Patients with Type 2 Diabetes and Depression: Secondary Analysis of a Controlled Trial. <i>Canadian Journal of Diabetes</i> , 2015, 39, 259-265. | 0.4 | 33 |
| 162 | Prevalence and Timing of Screening and Diagnostic Testing for Gestational Diabetes Mellitus: A Population-Based Study in Alberta, Canada. <i>Diabetes Care</i> , 2016, 39, 55-60. | 4.3 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Comparative performance of the EQ-5D-5L and SF-6D index scores in adults with type 2 diabetes. <i>Quality of Life Research</i> , 2017, 26, 2057-2066. | 1.5 | 33 |
| 164 | The Structure of Satisfaction with Pharmacy Services. <i>Medical Care</i> , 1998, 36, 244-250. | 1.1 | 33 |
| 165 | A Median Model for Predicting United States Population-Based EQ-5D Health State Preferences. <i>Value in Health</i> , 2010, 13, 278-288. | 0.1 | 32 |
| 166 | Validation of diabetes case definitions using administrative claims data. <i>Diabetic Medicine</i> , 2011, 28, 424-427. | 1.2 | 32 |
| 167 | Adding pharmacists to primary care teams reduces predicted long-term risk of cardiovascular events in Type 2 diabetic patients without established cardiovascular disease: results from a randomized trial. <i>Diabetic Medicine</i> , 2012, 29, 1433-1439. | 1.2 | 32 |
| 168 | Genetic and Nongenetic Factors Affecting Clopidogrel Response in the Egyptian Population. <i>Clinical and Translational Science</i> , 2016, 9, 23-28. | 1.5 | 32 |
| 169 | Health literacy and health-related quality of life in adults with type 2 diabetes: a longitudinal study. <i>Quality of Life Research</i> , 2016, 25, 1487-1494. | 1.5 | 32 |
| 170 | Health Utilities Index mark 3 demonstrated construct validity in a population-based sample with type 2 diabetes. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 472-477. | 2.4 | 31 |
| 171 | An individualized patient-reported outcome measure (PROM) based patient decision aid and surgeon report for patients considering total knee arthroplasty: protocol for a pragmatic randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 89. | 0.8 | 31 |
| 172 | Cost of Care for Individuals with Cystic Fibrosis: A Regression Approach to Determining the Impact of Recombinant Human DNase. <i>Pharmacotherapy</i> , 1999, 19, 1159-1166. | 1.2 | 30 |
| 173 | Contextualizing the Effectiveness of a Collaborative Care Model for Primary Care Patients with Diabetes and Depression (Teamcare): A Qualitative Assessment Using RE-AIM. <i>Canadian Journal of Diabetes</i> , 2015, 39, S83-S91. | 0.4 | 30 |
| 174 | Treatment gaps for hypertension management in rural Canadian patients with type 2 diabetes mellitus*1. <i>Clinical Therapeutics</i> , 2004, 26, 598-606. | 1.1 | 29 |
| 175 | Atenolol as initial antihypertensive therapy: an observational study comparing first-line agents. <i>Journal of Hypertension</i> , 2007, 25, 1499-1505. | 0.3 | 29 |
| 176 | Working-age adults with diabetes experience greater susceptibility to seasonal influenza: a population-based cohort study. <i>Diabetologia</i> , 2014, 57, 690-698. | 2.9 | 29 |
| 177 | Socioeconomic factors associated with visual impairment and ophthalmic care utilization in patients with type II diabetes. <i>Canadian Journal of Ophthalmology</i> , 2015, 50, 119-126. | 0.4 | 29 |
| 178 | The safety of sulfonylurea therapy in type 2 diabetes: have we reached the practical limits of our evidence base?. <i>Diabetologia</i> , 2015, 58, 1-3. | 2.9 | 29 |
| 179 | The temporal relationship between diabetes and cancer: A population-based study. <i>Cancer</i> , 2016, 122, 2731-2738. | 2.0 | 29 |
| 180 | The 5As team patient study: patient perspectives on the role of primary care in obesity management. <i>BMC Family Practice</i> , 2017, 18, 19. | 2.9 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Long-Term Impact of a Community Pharmacist Intervention on Cholesterol Levels in Patients at High Risk for Cardiovascular Events: Extended Follow-up of the Second Study of Cardiovascular Risk Intervention by Pharmacists (SCRIP-plus). <i>Pharmacotherapy</i> , 2005, 25, 110-115. | 1.2 | 28 |
| 182 | Activation of Antioxidant Response Element in Mouse Primary Cortical Cultures with Sesquiterpene Lactones Isolated from <i>Tanacetum parthenium</i> . <i>Planta Medica</i> , 2012, 78, 1725-1730. | 0.7 | 28 |
| 183 | Associations Between Health Literacy and Health Outcomes in a Predominantly Low-Income African American Population with Type 2 Diabetes. <i>Journal of Health Communication</i> , 2015, 20, 581-588. | 1.2 | 28 |
| 184 | Engaging Patients and Clinicians in Establishing Research Priorities for Gestational Diabetes Mellitus. <i>Canadian Journal of Diabetes</i> , 2017, 41, 156-163. | 0.4 | 28 |
| 185 | Self-monitoring in Type 2 diabetes: a randomized trial of reimbursement policy. <i>Diabetic Medicine</i> , 2006, 23, 1247-1251. | 1.2 | 27 |
| 186 | Health Care Costs and Mortality for Canadian Urban and Rural Patients with Diabetes: Population-Based Trends from 1993-2001. <i>Clinical Therapeutics</i> , 2007, 29, 1316-1324. | 1.1 | 27 |
| 187 | Age at stroke onset influences the clinical outcome and health-related quality of life in pediatric ischemic stroke survivors. <i>Developmental Medicine and Child Neurology</i> , 2015, 57, 1027-1034. | 1.1 | 27 |
| 188 | Determinants of time trade-off valuations for EQ-5D-5L health states: data from the Canadian EQ-5D-5L valuation study. <i>Quality of Life Research</i> , 2016, 25, 1679-1685. | 1.5 | 27 |
| 189 | Validation of administrative data case definitions for gestational diabetes mellitus. <i>Diabetic Medicine</i> , 2017, 34, 51-55. | 1.2 | 27 |
| 190 | Construct Validities of the Quality of Well-Being Scale and the MOS-HIV-34 Health Survey for HIV-infected Patients. <i>Medical Decision Making</i> , 1997, 17, 439-446. | 1.2 | 26 |
| 191 | Gender Differences in Labetalol Kinetics: Importance of Determining Stereoisomer Kinetics for Racemic Drugs. <i>Pharmacotherapy</i> , 2000, 20, 622-628. | 1.2 | 26 |
| 192 | Statin use in Type 2 diabetes mellitus is associated with a delay in starting insulin. <i>Diabetic Medicine</i> , 2004, 21, 962-967. | 1.2 | 26 |
| 193 | Greater Effect of Enhanced Pharmacist Care on Cholesterol Management in Patients with Diabetes Mellitus: A Planned Subgroup Analysis of the Study of Cardiovascular Risk Intervention by Pharmacists (SCRIP). <i>Pharmacotherapy</i> , 2004, 24, 389-394. | 1.2 | 26 |
| 194 | Comparison of Direct Body Composition Assessment Methods in Patients With Chronic Heart Failure. <i>Journal of Cardiac Failure</i> , 2010, 16, 867-872. | 0.7 | 26 |
| 195 | Detection Bias and Overestimation of Bladder Cancer Risk in Type 2 Diabetes: A matched cohort study. <i>Diabetes Care</i> , 2013, 36, 3070-3075. | 4.3 | 26 |
| 196 | A Systematic Review and Meta-Analysis to Assess Patient-Reported Outcomes after Lung Cancer Surgery. <i>Scientific World Journal</i> , The, 2013, 2013, 1-7. | 0.8 | 26 |
| 197 | Predictors of health-related quality of life in 500 severely obese patients. <i>Obesity</i> , 2014, 22, 1367-1372. | 1.5 | 26 |
| 198 | The Alberta's Caring for Diabetes (ABCD) Study: Rationale, Design and Baseline Characteristics of a Prospective Cohort of Adults with Type 2 Diabetes. <i>Canadian Journal of Diabetes</i> , 2015, 39, S113-S119. | 0.4 | 26 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Development of Perinatal Mental Illness in Women With Gestational Diabetes Mellitus: A Population-Based Cohort Study. <i>Canadian Journal of Diabetes</i> , 2018, 42, 350-355.e1. | 0.4 | 25 |
| 200 | Responsiveness of the EQ-5D-3L and EQ-5D-5L in patients following total hip or knee replacement. <i>Quality of Life Research</i> , 2019, 28, 2409-2417. | 1.5 | 25 |
| 201 | Selection of patient-reported outcome measures (PROMs) for use in health systems. <i>Journal of Patient-Reported Outcomes</i> , 2021, 5, 99. | 0.9 | 25 |
| 202 | Health Utilities Index Mark 3 showed valid in Alzheimer Disease, arthritis, and cataracts. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 733-739. | 2.4 | 24 |
| 203 | Determinants of quality of life in type 2 diabetes population: the inclusion of personality. <i>Quality of Life Research</i> , 2011, 20, 551-558. | 1.5 | 24 |
| 204 | Metformin, Asian ethnicity and risk of prostate cancer in type 2 diabetes: a systematic review and meta-analysis. <i>BMC Cancer</i> , 2018, 18, 65. | 1.1 | 24 |
| 205 | Underuse of aspirin in type 2 diabetes mellitus: Prevalence and correlates of therapy in rural Canada. <i>Clinical Therapeutics</i> , 2004, 26, 439-446. | 1.1 | 23 |
| 206 | A Cyclic Peptide Mimic of the β 2-Amyloid Binding Domain on Transthyretin. <i>ACS Chemical Neuroscience</i> , 2015, 6, 778-789. | 1.7 | 23 |
| 207 | Prevalence of gestational diabetes among Chinese and South Asians: A Canadian population-based analysis. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 529-536. | 1.2 | 23 |
| 208 | Comparing Strategies Targeting Osteoporosis to Prevent Fractures After an Upper Extremity Fracture (C-STOP Trial): A Randomized Controlled Trial. <i>Journal of Bone and Mineral Research</i> , 2018, 33, 2114-2121. | 3.1 | 23 |
| 209 | Angiogenin activates the astrocytic Nrf2/antioxidant-response element pathway and thereby protects murine neurons from oxidative stress. <i>Journal of Biological Chemistry</i> , 2019, 294, 15095-15103. | 1.6 | 23 |
| 210 | A cluster randomized controlled trial for the Evaluation of routinely Measured PATient reported outcomes in Hemodialysis care (EMPATHY): a study protocol. <i>BMC Health Services Research</i> , 2020, 20, 731. | 0.9 | 23 |
| 211 | Cost-effectiveness of a school-based health promotion program in Canada: A life-course modeling approach. <i>PLoS ONE</i> , 2017, 12, e0177848. | 1.1 | 23 |
| 212 | Health care utilization and costs in Saskatchewan's registered Indian population with diabetes. <i>BMC Health Services Research</i> , 2007, 7, 126. | 0.9 | 22 |
| 213 | Do the determinants of health differ between people living in the community and in institutions?. <i>Social Science and Medicine</i> , 2009, 69, 345-353. | 1.8 | 22 |
| 214 | Hydrochlorothiazide and Atenolol Combination Antihypertensive Therapy: Effects of Drug Initiation Order. <i>Clinical Pharmacology and Therapeutics</i> , 2009, 86, 533-539. | 2.3 | 22 |
| 215 | Determinants of lifestyle behavior in type 2 diabetes: results of the 2011 cross-sectional survey on living with chronic diseases in Canada. <i>BMC Public Health</i> , 2013, 13, 451. | 1.2 | 22 |
| 216 | Health-Related Quality of Life for Adults with Cystic Fibrosis: A Regression Approach to Assessing the Impact of Recombinant Human DNase. <i>Pharmacotherapy</i> , 2000, 20, 1167-1174. | 1.2 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Assessment of children's own health status using visual analogue scale and descriptive system of the EQ-5D-Y: linkage between two systems. <i>Quality of Life Research</i> , 2014, 23, 393-402. | 1.5 | 21 |
| 218 | Differences in Short- and Long-Term Mortality Associated With BMI Following Coronary Revascularization. <i>Journal of the American Heart Association</i> , 2017, 6, . | 1.6 | 21 |
| 219 | Understanding fragility fracture patients' decision-making process regarding bisphosphonate treatment. <i>Osteoporosis International</i> , 2017, 28, 219-229. | 1.3 | 21 |
| 220 | Adherence to osteoporosis therapy after an upper extremity fracture: a pre-specified substudy of the C-STOP randomized controlled trial. <i>Osteoporosis International</i> , 2019, 30, 127-134. | 1.3 | 21 |
| 221 | Pharmacists' Attitudes Toward Diabetes. <i>Journal of the American Pharmacists Association</i> , 2000, 40, 371-377. | 0.6 | 20 |
| 222 | Increasing incidence and prevalence with limited survival gains among rural Albertans with diabetes: a retrospective cohort study, 1995-2006. <i>Diabetic Medicine</i> , 2009, 26, 989-995. | 1.2 | 20 |
| 223 | Applying the RE-ALM framework to the Alberta's Caring for Diabetes Project: a protocol for a comprehensive evaluation of primary care quality improvement interventions. <i>BMJ Open</i> , 2012, 2, e002099. | 0.8 | 20 |
| 224 | Critical impact of patient knowledge and bone density testing on starting osteoporosis treatment after fragility fracture: secondary analyses from two controlled trials. <i>Osteoporosis International</i> , 2014, 25, 2173-2179. | 1.3 | 20 |
| 225 | The EQ-5D-5L Is Superior to the -3L Version in Measuring Health-related Quality of Life in Patients Awaiting THA or TKA. <i>Clinical Orthopaedics and Related Research</i> , 2019, 477, 1632-1644. | 0.7 | 20 |
| 226 | Generalizability and Persistence of a Multifaceted Intervention for Improving Quality of Care for Rural Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2005, 28, 783-788. | 4.3 | 19 |
| 227 | Analysis of drug coverage before and after the implementation of Canada's Common Drug Review. <i>Cmaj</i> , 2011, 183, E1259-E1266. | 0.9 | 19 |
| 228 | A multi-level approach for the use of routinely collected patient-reported outcome measures (PROMs) data in healthcare systems. <i>Journal of Patient-Reported Outcomes</i> , 2021, 5, 98. | 0.9 | 19 |
| 229 | Health-related Behaviours in Adults with Diabetes. <i>Canadian Journal of Public Health</i> , 2008, 99, 226-231. | 1.1 | 18 |
| 230 | Increasing Incidence and Prevalence of Diabetes among the Status Aboriginal Population in Urban and Rural Alberta, 1995-2006. <i>Canadian Journal of Public Health</i> , 2009, 100, 231-236. | 1.1 | 18 |
| 231 | Physical activity levels and differences in the prevalence of diabetes between the United States and Canada. <i>Preventive Medicine</i> , 2010, 50, 241-245. | 1.6 | 18 |
| 232 | Risk of acute coronary events associated with glyburide compared with gliclazide use in patients with type 2 diabetes: a nested case-control study. <i>Diabetes, Obesity and Metabolism</i> , 2014, 16, 22-29. | 2.2 | 18 |
| 233 | Cost-Effectiveness Evaluation of Collaborative Care for Diabetes and Depression in Primary Care. <i>American Journal of Preventive Medicine</i> , 2016, 51, e13-e20. | 1.6 | 18 |
| 234 | Postpartum Diabetes Testing Rates after Gestational Diabetes Mellitus in Canadian Women: A Population-Based Study. <i>Canadian Journal of Diabetes</i> , 2017, 41, 613-620. | 0.4 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Health-related quality of life and its determinants in paediatric arterial ischaemic stroke survivors. <i>Archives of Disease in Childhood</i> , 2018, 103, 930-936. | 1.0 | 18 |
| 236 | Life Course Impact of School-Based Promotion of Healthy Eating and Active Living to Prevent Childhood Obesity. <i>PLoS ONE</i> , 2014, 9, e102242. | 1.1 | 18 |
| 237 | Reassessing the Relevance of Pharmacoeconomic Analyses in Formulary Decisions. <i>Pharmacoeconomics</i> , 1998, 13, 479-485. | 1.7 | 17 |
| 238 | Utilization of diabetes medication and cost of testing supplies in Saskatchewan, 2001. <i>BMC Health Services Research</i> , 2006, 6, 159. | 0.9 | 17 |
| 239 | Do researchers use pharmacists' communication as an outcome measure? A scoping review of pharmacist involvement in diabetes care. <i>International Journal of Pharmacy Practice</i> , 2010, 18, 183-193. | 0.3 | 17 |
| 240 | Diabetes, cardiovascular disease, and health care use in people with and without schizophrenia. <i>European Psychiatry</i> , 2011, 26, 327-332. | 0.1 | 17 |
| 241 | Healthy eating and active living for diabetes in primary care networks (HEALD-PCN): rationale, design, and evaluation of a pragmatic controlled trial for adults with type 2 diabetes. <i>BMC Public Health</i> , 2012, 12, 455. | 1.2 | 17 |
| 242 | Quantifying the Impact of Drug Exposure Misclassification due to Restrictive Drug Coverage in Administrative Databases: A Simulation Cohort Study. <i>Value in Health</i> , 2012, 15, 191-197. | 0.1 | 17 |
| 243 | Adding Pharmacists to Primary Care Teams Increases Guideline-Concordant Antiplatelet Use in Patients with Type 2 Diabetes: Results from a Randomized Trial. <i>Annals of Pharmacotherapy</i> , 2013, 47, 43-48. | 0.9 | 17 |
| 244 | Increase in Daily Steps After an Exercise Specialist Led Lifestyle Intervention for Adults With Type 2 Diabetes in Primary Care: A Controlled Implementation Trial. <i>Journal of Physical Activity and Health</i> , 2015, 12, 1492-1499. | 1.0 | 17 |
| 245 | Rates and Correlates of Relapse Following ED Discharge for Acute Asthma. <i>Chest</i> , 2015, 147, 140-149. | 0.4 | 17 |
| 246 | The relationship of diabetes-related distress and depressive symptoms with physical activity and dietary behaviors in adults with type 2 diabetes: A cross-sectional study. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 967-970. | 1.2 | 17 |
| 247 | Metformin and the risk of prostate cancer across racial/ethnic groups: a population-based cohort study. <i>Prostate Cancer and Prostatic Diseases</i> , 2017, 20, 122-126. | 2.0 | 17 |
| 248 | Impact of the 5As Team study on clinical practice in primary care obesity management: a qualitative study. <i>CMAJ Open</i> , 2017, 5, E322-E329. | 1.1 | 17 |
| 249 | Responsiveness of the anxiety/depression dimension of the 3- and 5-level versions of the EQ-5D in assessing mental health. <i>Quality of Life Research</i> , 2018, 27, 1625-1633. | 1.5 | 17 |
| 250 | Survey of Pharmacist Activities and Attitudes in Diabetes Management. <i>Canadian Pharmacists Journal</i> , 2009, 142, 128-134.e2. | 0.4 | 16 |
| 251 | Current depressive symptoms but not history of depression predict hospital readmission or death after discharge from medical wards: a multisite prospective cohort study. <i>General Hospital Psychiatry</i> , 2016, 39, 80-85. | 1.2 | 16 |
| 252 | The performance of the EQ-5D-3L in screening for anxiety and depressive symptoms in hospital and community settings. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 96. | 1.0 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Shifting from Inpatient to Outpatient Treatment of Deep Vein Thrombosis in a Tertiary Care Center: A Cost-Minimization Analysis. <i>Pharmacotherapy</i> , 2003, 23, 301-309. | 1.2 | 15 |
| 254 | The relationship of neighbourhood-level material and social deprivation with health-related quality of life. <i>Quality of Life Research</i> , 2018, 27, 3265-3274. | 1.5 | 15 |
| 255 | Increasing rates of diabetes amongst status Aboriginal youth in Alberta, Canada. <i>International Journal of Circumpolar Health</i> , 2012, 71, 18501. | 0.5 | 14 |
| 256 | Trajectories of health-related quality of life differ by age among adults: Results from an eight-year longitudinal study. <i>Journal of Health Economics</i> , 2012, 31, 207-218. | 1.3 | 14 |
| 257 | Characteristics and health behaviors of diabetic patients receiving influenza vaccination. <i>Vaccine</i> , 2015, 33, 3549-3555. | 1.7 | 14 |
| 258 | Physical Activity and Health-Related Quality of Life in Adults With Type 2 Diabetes: Results From a Prospective Cohort Study. <i>Journal of Physical Activity and Health</i> , 2017, 14, 368-374. | 1.0 | 14 |
| 259 | Validation of administrative and clinical case definitions for gestational diabetes mellitus against laboratory results. <i>Diabetic Medicine</i> , 2017, 34, 781-785. | 1.2 | 14 |
| 260 | Changes in body mass index and incidence of diabetes: A longitudinal study of Alberta's Tomorrow Project Cohort. <i>Preventive Medicine</i> , 2018, 106, 157-163. | 1.6 | 14 |
| 261 | History of mood or anxiety disorders and risk of gestational diabetes mellitus in a population-based cohort. <i>Diabetic Medicine</i> , 2018, 35, 147-151. | 1.2 | 14 |
| 262 | Discriminative validity of the EQ-5D-5L and SF-12 in older adults with arthritis. <i>Health and Quality of Life Outcomes</i> , 2019, 17, 68. | 1.0 | 14 |
| 263 | Racial differences in lymphocyte beta-receptor sensitivity to propranolol. <i>Life Sciences</i> , 1993, 53, 297-304. | 2.0 | 13 |
| 264 | Alberta Diabetes and Physical Activity Trial (ADAPT): A randomized theory-based efficacy trial for adults with type 2 diabetes - rationale, design, recruitment, evaluation, and dissemination. <i>Trials</i> , 2010, 11, 4. | 0.7 | 13 |
| 265 | Utilization of General and Specialized Cardiac Care by People With Schizophrenia. <i>Psychiatric Services</i> , 2012, 63, 237-242. | 1.1 | 13 |
| 266 | Concordance Between Self-Report and a Survey-Based Algorithm for Classification of Type 1 and Type 2 Diabetes Using the 2011 Population-Based Survey on Living With Chronic Diseases in Canada (SLCDC)-Diabetes Component. <i>Canadian Journal of Diabetes</i> , 2013, 37, 249-253. | 0.4 | 13 |
| 267 | Measurement properties and comparative performance of health literacy screening questions in a predominantly low income African American population with diabetes. <i>Patient Education and Counseling</i> , 2014, 97, 88-95. | 1.0 | 13 |
| 268 | Cost-Effectiveness of Osteoporosis Interventions to Improve Quality of Care After Upper Extremity Fracture: Results From a Randomized Trial (C-STOP Trial). <i>Journal of Bone and Mineral Research</i> , 2019, 34, 1220-1228. | 3.1 | 13 |
| 269 | Cost-Effectiveness of Osteoporosis Interventions for 'Incidental' Vertebral Fractures. <i>American Journal of Medicine</i> , 2013, 126, 169.e9-169.e17. | 0.6 | 12 |
| 270 | Sex-based disparities in cardioprotective medication use in adults with diabetes. <i>Diabetology and Metabolic Syndrome</i> , 2014, 6, 117. | 1.2 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Alternation as a form of allocation for quality improvement studies in primary healthcare settings: the on-off study design. <i>Trials</i> , 2015, 16, 375. | 0.7 | 12 |
| 272 | Prompted awareness and use of <i>Eating Well with Canada's Food Guide</i>: a populationâ€based study. <i>Journal of Human Nutrition and Dietetics</i> , 2015, 28, 64-71. | 1.3 | 12 |
| 273 | Melatonin Pathway and Atenololâ€Related Glucose Dysregulation: Is There a Correlation?. <i>Clinical and Translational Science</i> , 2016, 9, 114-122. | 1.5 | 12 |
| 274 | How dead is dead? Qualitative findings from participants of combined traditional and lead-time time trade-off valuations. <i>Quality of Life Research</i> , 2016, 25, 35-43. | 1.5 | 12 |
| 275 | Patterns of glucoseâ€lowering therapies and neonatal outcomes in the treatment of gestational diabetes in Canada, 2009â€2014. <i>Diabetic Medicine</i> , 2017, 34, 1296-1302. | 1.2 | 12 |
| 276 | A Longitudinal Study on the Association Between Diabetic Foot Disease and Health-Related Quality of Life in Adults With Type 2 Diabetes. <i>Canadian Journal of Diabetes</i> , 2020, 44, 280-286.e1. | 0.4 | 12 |
| 277 | Sex differences in obesity related cancer incidence in relation to type 2 diabetes diagnosis (ZODIAC-49). <i>PLoS ONE</i> , 2018, 13, e0190870. | 1.1 | 12 |
| 278 | The Effectiveness of Æ-Blockers After Myocardial Infarction in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2005, 28, 2113-2117. | 4.3 | 11 |
| 279 | The Effect of Increasing Dialysis Dose in Overweight Hemodialysis Patients on Quality of Life: A 6-Week Randomized Crossover Trial. <i>American Journal of Kidney Diseases</i> , 2008, 51, 796-803. | 2.1 | 11 |
| 280 | Temporal variation of diabetic ketoacidosis and hypoglycemia in adults with type 1 diabetes: A nationwide cohort study. <i>Journal of Diabetes</i> , 2016, 8, 552-558. | 0.8 | 11 |
| 281 | Population-Level Outcomes with a 2-Step Approach for Gestational Diabetes Screening and Diagnosis. <i>Canadian Journal of Diabetes</i> , 2017, 41, 596-602. | 0.4 | 11 |
| 282 | Measuring socioeconomic inequalities in eye care services among patients with diabetes in Alberta, Canada, 1995â€2009. <i>Diabetes Research and Clinical Practice</i> , 2017, 127, 205-211. | 1.1 | 11 |
| 283 | Systematic review of community pharmacyâ€based and pharmacist-led foot care interventions for adults with type 2 diabetes. <i>Canadian Pharmacists Journal</i> , 2019, 152, 109-116. | 0.4 | 11 |
| 284 | Individualized health-related quality of life instrument Measure Yourself Medical Outcome Profile (MYMOP) and its adaptations: a critical appraisal. <i>Quality of Life Research</i> , 2019, 28, 879-893. | 1.5 | 11 |
| 285 | Misinterpretation with norm-based scoring of health status in adults with type 1 diabetes. <i>Health and Quality of Life Outcomes</i> , 2006, 4, 15. | 1.0 | 10 |
| 286 | The Darkening Cloud of Diabetes. <i>Diabetes Care</i> , 2008, 31, 2136-2142. | 4.3 | 10 |
| 287 | Predicting the Future Burden of Diabetes in Alberta from 2008 to 2035. <i>Canadian Journal of Diabetes</i> , 2011, 35, 274-281. | 0.4 | 10 |
| 288 | Restrictive Drug Coverage Policies can Induce Substantial Drug Exposure Misclassification in Pharmacoepidemiologic Studies. <i>Clinical Therapeutics</i> , 2012, 34, 1379-1386.e3. | 1.1 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | Profile of adults with type 2 diabetes and uptake of clinical care best practices: Results from the 2011 Survey on Living with Chronic Diseases in Canada – Diabetes component. <i>Diabetes Research and Clinical Practice</i> , 2014, 103, 11-19. | 1.1 | 10 |
| 290 | Association Between Diabetic Ketoacidosis Hospitalizations and Driving Distance to Outpatient Diabetes Centres in Adults with Type 1 Diabetes Mellitus. <i>Canadian Journal of Diabetes</i> , 2014, 38, 451-455. | 0.4 | 10 |
| 291 | Validation of drug prescription records for senior patients in Alberta's Tomorrow Project: Assessing agreement between two population-level administrative pharmaceutical databases in Alberta, Canada. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 1417-1421. | 0.9 | 10 |
| 292 | Metoprolol minimizes nighttime blood pressure dip in hypertensive black males. <i>American Journal of Hypertension</i> , 1995, 8, 254-259. | 1.0 | 9 |
| 293 | Glucose-lowering therapies and cancer risk: the trials and tribulations of trials and observations. <i>Diabetologia</i> , 2010, 53, 1823-1826. | 2.9 | 9 |
| 294 | Challenges in Identifying Patients with Type 2 Diabetes for Quality-Improvement Interventions in Primary Care Settings and the Importance of Valid Disease Registries. <i>Canadian Journal of Diabetes</i> , 2015, 39, S77-S82. | 0.4 | 9 |
| 295 | Contextualizing the Proven Effectiveness of a Lifestyle Intervention for Type 2 Diabetes in Primary Care: A Qualitative Assessment Based on the RE-AIM Framework. <i>Canadian Journal of Diabetes</i> , 2015, 39, S92-S99. | 0.4 | 9 |
| 296 | Walking and type 2 diabetes risk using CANRISK scores among older adults. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017, 42, 33-38. | 0.9 | 9 |
| 297 | Correlates of accelerometer-assessed physical activity and sedentary time among adults with type 2 diabetes. <i>Canadian Journal of Public Health</i> , 2017, 108, 355-361. | 1.1 | 9 |
| 298 | Population attributable fractions for Type 2 diabetes: an examination of multiple risk factors including symptoms of depression and anxiety. <i>Diabetology and Metabolic Syndrome</i> , 2018, 10, 84. | 1.2 | 9 |
| 299 | Objectively measured sleep and health-related quality of life in older adults with type 2 diabetes: a cross-sectional study from the Alberta's Caring for Diabetes Study. <i>Sleep Health</i> , 2017, 3, 102-106. | 1.3 | 9 |
| 300 | Patient-reported outcome measures in the care of in-centre hemodialysis patients. <i>Journal of Patient-Reported Outcomes</i> , 2021, 5, 93. | 0.9 | 9 |
| 301 | Pharmacoeconomic analysis in formulary decisions: An international perspective. <i>American Journal of Health-System Pharmacy</i> , 1994, 51, 2593-2598. | 0.5 | 8 |
| 302 | Relationship between number, timing, and type of pharmacist interventions and patient outcomes. <i>American Journal of Health-System Pharmacy</i> , 2005, 62, 1798-1801. | 0.5 | 8 |
| 303 | Pharmacists on primary care teams: Effect on antihypertensive medication management in patients with type 2 diabetes. <i>Journal of the American Pharmacists Association: JAPhA</i> , 2015, 55, 265-268. | 0.7 | 8 |
| 304 | Geographic Clustering of Acute Complications and Sociodemographic Factors in Adults with Type 1 Diabetes. <i>Canadian Journal of Diabetes</i> , 2017, 41, 132-137. | 0.4 | 8 |
| 305 | Risk of prostate cancer across different racial/ethnic groups in men with diabetes: a retrospective cohort study. <i>Diabetic Medicine</i> , 2018, 35, 107-111. | 1.2 | 8 |
| 306 | Systemic use of antibiotics and risk of diabetes in adults: a nested case-control study of Alberta's Tomorrow Project. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 849-857. | 2.2 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 307 | Women's experience with peer counselling and social support during a lifestyle intervention among women with a previous gestational diabetes pregnancy. <i>Health Psychology and Behavioral Medicine</i> , 2019, 7, 147-159. | 0.8 | 8 |
| 308 | Anthropometric changes and risk of diabetes: are there sex differences? A longitudinal study of Alberta's Tomorrow Project. <i>BMJ Open</i> , 2019, 9, e023829. | 0.8 | 8 |
| 309 | Association of Depressive Symptoms and Diabetes Distress With Severe Hypoglycemia in Adults With Type 2 Diabetes. <i>Canadian Journal of Diabetes</i> , 2019, 43, 316-321. | 0.4 | 8 |
| 310 | Pharmacoeconomic analysis in formulary decisions: an international perspective. <i>American Journal of Hospital Pharmacy</i> , 1994, 51, 2593-8. | 0.2 | 8 |
| 311 | Evidence and advocacy: Are all things considered?. <i>Cmaj</i> , 2006, 174, 1856-1856. | 0.9 | 7 |
| 312 | Use of the U.S. and U.K. Scoring Algorithm for the EuroQol-5D in an Economic Evaluation of Cardiac Care. <i>Medical Care</i> , 2007, 45, 269-273. | 1.1 | 7 |
| 313 | Health Behaviors for Hypertension Management in People With and Without Coexisting Diabetes. <i>Journal of Clinical Hypertension</i> , 2013, 15, 389-396. | 1.0 | 7 |
| 314 | How much will we pay to increase steps per day? Examining the cost-effectiveness of a pedometer-based lifestyle program in primary care. <i>Preventive Medicine Reports</i> , 2015, 2, 645-650. | 0.8 | 7 |
| 315 | How different are composite and traditional TTO valuations of severe EQ-5D-5L states?. <i>Quality of Life Research</i> , 2016, 25, 2101-2108. | 1.5 | 7 |
| 316 | Income-related inequalities in visual impairment and eye screening services in patients with type 2 diabetes. <i>Journal of Public Health</i> , 2016, 38, e571-e579. | 1.0 | 7 |
| 317 | Addressing the gaps in diabetes care in first nations communities with the reorganizing the approach to diabetes through the application of registries (RADAR): the project protocol. <i>BMC Health Services Research</i> , 2017, 17, 117. | 0.9 | 7 |
| 318 | Genome-wide association study identifies pharmacogenomic loci linked with specific antihypertensive drug treatment and new-onset diabetes. <i>Pharmacogenomics Journal</i> , 2018, 18, 106-112. | 0.9 | 7 |
| 319 | Feasibility of identifying and describing the burden of early-onset metabolic syndrome in primary care electronic medical record data: a cross-sectional analysis. <i>CMAJ Open</i> , 2020, 8, E779-E787. | 1.1 | 7 |
| 320 | Burden of mental health symptoms and perceptions of their management in in-centre hemodialysis care: a mixed methods study. <i>Journal of Patient-Reported Outcomes</i> , 2021, 5, 111. | 0.9 | 7 |
| 321 | Influence of metabolites on protein binding of verapamil enantiomers.. <i>British Journal of Clinical Pharmacology</i> , 1995, 39, 536-538. | 1.1 | 6 |
| 322 | Prescription Drug Data and the National Diabetes Surveillance System Case Definition. <i>Canadian Journal of Diabetes</i> , 2007, 31, 47-53. | 0.4 | 6 |
| 323 | Population-level response shift: novel implications for research. <i>Quality of Life Research</i> , 2012, 21, 1495-1498. | 1.5 | 6 |
| 324 | Impact of Organizational Stability on Adoption of Quality-Improvement Interventions for Diabetes in Primary Care Settings. <i>Canadian Journal of Diabetes</i> , 2015, 39, S100-S112. | 0.4 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 325 | Safety of Concomitant Metformin and Proton Pump Inhibitor Use: A Population Retrospective Cohort Study. <i>Clinical Therapeutics</i> , 2016, 38, 1392-1400. | 1.1 | 6 |
| 326 | Screening for Anxiety and Depressive Symptoms in Type 2 Diabetes Using Patient-Reported Outcome Measures: Comparative Performance of the EQ-5D-5L and SF-12v2. <i>MDM Policy and Practice</i> , 2018, 3, 238146831879936. | 0.5 | 6 |
| 327 | Optimal threshold of adherence to lipid lowering drugs in predicting acute coronary syndrome, stroke, or mortality: A cohort study. <i>PLoS ONE</i> , 2019, 14, e0223062. | 1.1 | 6 |
| 328 | Development of clinical indicators for type 2 diabetes. <i>Canadian Pharmacists Journal</i> , 2008, 141, 120-128. | 0.4 | 6 |
| 329 | Measuring value in healthcare from a patientsâ€™ perspective. <i>Journal of Patient-Reported Outcomes</i> , 2021, 5, 88. | 0.9 | 6 |
| 330 | The impact of COVID-19 pandemic on health-related quality of life of adults visiting emergency departments and primary care settings in Alberta. <i>Canadian Journal of Public Health</i> , 2022, 113, 96-106. | 1.1 | 6 |
| 331 | Enhancing Diabetes Surveillance Across Alberta by Adding Laboratory and Pharmacy Data to the National Diabetes Surveillance System Methods. <i>Canadian Journal of Diabetes</i> , 2022, 46, 375-380. | 0.4 | 6 |
| 332 | Improving Blood Pressure Management in Patients with Diabetes: The Design of the SCRIP-HTN Study. <i>Canadian Pharmacists Journal</i> , 2006, 139, 1-4. | 0.4 | 5 |
| 333 | Prospective Study of Hyperglycemia and Cancer Risk: Response to Stattin et al.. <i>Diabetes Care</i> , 2007, 30, e77-e77. | 4.3 | 5 |
| 334 | The association of survey language (Spanish vs. English) with Health Utilities Index and EQ-5D index scores in a United States population sample. <i>Quality of Life Research</i> , 2009, 18, 1377-1385. | 1.5 | 5 |
| 335 | Evaluating the introduction of a computerized prior-authorization system on the completeness of drug exposure data. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 551-555. | 0.9 | 5 |
| 336 | Social support, self-efficacy and motivation: a qualitative study of the journey through <sc>HEALD</sc> (Healthy Eating and Active Living for Diabetes). <i>Practical Diabetes</i> , 2014, 31, 370-374. | 0.1 | 5 |
| 337 | Health Behaviours and Awareness of Canadaâ€™s Food Guide: A Population-based Study. <i>Canadian Journal of Dietetic Practice and Research</i> , 2016, 77, 66-71. | 0.5 | 5 |
| 338 | Health literacy and logical inconsistencies in valuations of hypothetical health states: results from the Canadian EQ-5D-5L valuation study. <i>Quality of Life Research</i> , 2017, 26, 1483-1492. | 1.5 | 5 |
| 339 | Changes in glucose-lowering drug use before and after cancer diagnosis in patients with diabetes. <i>Diabetes and Metabolism</i> , 2018, 44, 22-29. | 1.4 | 5 |
| 340 | The association of self-efficacy and hospitalization rates in people with type-2 diabetes: A prospective cohort study. <i>Diabetes Research and Clinical Practice</i> , 2018, 143, 113-119. | 1.1 | 5 |
| 341 | Changing provider behaviour to increase nurse visits for obesity in family practice: the 5As Team randomized controlled trial. <i>CMAJ Open</i> , 2019, 7, E371-E378. | 1.1 | 5 |
| 342 | Factors associated with pneumococcal vaccination in 2040 people with type 2 diabetes: A cross-sectional study. <i>Diabetes and Metabolism</i> , 2020, 46, 137-143. | 1.4 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 343 | Physician Perceptions of Enhanced Community Pharmacist Care in Cholesterol Management. <i>Canadian Pharmacists Journal</i> , 2005, 138, 33-39. | 0.4 | 4 |
| 344 | Comment on: Evans JM, Ogston SA, Emslie-Smith A, Morris A (2006) Risk of mortality and adverse cardiovascular outcomes in type 2 diabetes: a comparison of patients treated with sulfonylureas and metformin. <i>Diabetologia</i> 49:930-936. <i>Diabetologia</i> , 2006, 49, 2805-2806. | 2.9 | 4 |
| 345 | The Natural History of LDL Control in Type 2 Diabetes: A prospective study of adherence to lipid guidelines. <i>Diabetes Care</i> , 2006, 29, 2506-2508. | 4.3 | 4 |
| 346 | Lay media reporting of rosiglitazone risk: extent, messaging and quality of reporting. <i>Cardiovascular Diabetology</i> , 2009, 8, 40. | 2.7 | 4 |
| 347 | Levels of Evidence Needed for Changing Indications, Contraindications, and Food and Drug Administration Labeling: The Case of Metformin. <i>Archives of Internal Medicine</i> , 2011, 171, 1042. | 4.3 | 4 |
| 348 | Balancing the risks and benefits for pioglitazone in type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2012, 98, 1-2. | 1.1 | 4 |
| 349 | Comment on Bordeleau et al. The Association of Basal Insulin Glargine and/or n-3 Fatty Acids With Incident Cancers in Patients With Dysglycemia. <i>Diabetes Care</i> 2014;37:1360-1366. <i>Diabetes Care</i> , 2014, 37, e221-e222. | 4.3 | 4 |
| 350 | A primary care based healthy-eating and active living education session for weight reduction in the pre-diabetic population. <i>Primary Care Diabetes</i> , 2014, 8, 301-307. | 0.9 | 4 |
| 351 | A qualitative study examining healthcare managers and providers' perspectives on participating in primary care implementation research. <i>BMC Health Services Research</i> , 2016, 16, 316. | 0.9 | 4 |
| 352 | A22-Genetic tools to validate and measure NRF2 in HD. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016, 87, A6.4-A7. | 0.9 | 4 |
| 353 | Dietary Patterns in Adults with Type 2 Diabetes Predict Cardiometabolic Risk Factors. <i>Canadian Journal of Diabetes</i> , 2016, 40, 296-303. | 0.4 | 4 |
| 354 | Within-class differences in cancer risk for sulfonylurea treatments in patients with type 2 diabetes (ZODIAC-55) - a study protocol. <i>BMC Cancer</i> , 2017, 17, 444. | 1.1 | 4 |
| 355 | Health-related quality-of-life and health-utility reporting in critical care. <i>World Journal of Critical Care Medicine</i> , 2022, 11, 236-245. | 0.8 | 4 |
| 356 | Changes in Thiazolidinedione Use and Outcomes Following Removal of a Prior-authorization Policy. <i>Medical Care</i> , 2014, 52, 47-55. | 1.1 | 3 |
| 357 | Relationship Between Duration of Type 2 Diabetes and Self-Reported Participation in Diabetes Education in Korea. <i>Asia-Pacific Journal of Public Health</i> , 2015, 27, NP311-NP321. | 0.4 | 3 |
| 358 | Time-Varying Risk for Breast Cancer Following Initiation of Glucose-Lowering Therapy in Women with Type 2 Diabetes: Exploring Detection Bias. <i>Canadian Journal of Diabetes</i> , 2017, 41, 204-210. | 0.4 | 3 |
| 359 | Body Mass Index Is Associated With Differential Rates of Coronary Revascularization After Cardiac Catheterization. <i>Canadian Journal of Cardiology</i> , 2017, 33, 822-829. | 0.8 | 3 |
| 360 | Healthy eating and active living after gestational diabetes mellitus (HEALD-GDM): Rationale, design, and proposed evaluation of a randomized controlled trial. <i>Contemporary Clinical Trials</i> , 2017, 61, 23-28. | 0.8 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 361 | Patients' Experiences of Nurse Case-Managed Osteoporosis Care: A Qualitative Study. <i>Journal of Patient Experience</i> , 2020, 7, 251-257. | 0.4 | 3 |
| 362 | Mapping the Edmonton Symptom Assessment System-Revised: Renal to the EQ-5D-5L in patients with chronic kidney disease. <i>Quality of Life Research</i> , 2022, 31, 567-577. | 1.5 | 3 |
| 363 | Economic Evaluation of Sucrose Octasulfate Dressing for the Treatment of Diabetic Foot Ulcers for Type 2 Diabetes Patients. <i>Canadian Journal of Diabetes</i> , 2021, , . | 0.4 | 3 |
| 364 | Development and validation of an index score to adjust for healthy user bias in observational studies. <i>Journal of Population Therapeutics and Clinical Pharmacology</i> , 2017, 24, e79-e89. | 1.9 | 3 |
| 365 | Analyzing composite outcomes in cardiovascular studies: traditional Cox proportional hazards versus quality-of-life-adjusted survival approaches. <i>Open Medicine</i> , 2010, 4, e40-8. | 1.5 | 3 |
| 366 | Changes in labelling for metformin use in patients with type 2 diabetes and heart failure: documented safety outweighs theoretical risks. <i>Open Medicine</i> , 2011, 5, e33-4. | 1.5 | 3 |
| 367 | Evaluation of Published Pharmacoeconomic Studies. <i>Journal of Pharmacy Practice</i> , 1995, 8, 156-166. | 0.5 | 2 |
| 368 | PP157. Risk of preeclampsia in pregnant women with gestational diabetes in Alberta. <i>Pregnancy Hypertension</i> , 2012, 2, 323-324. | 0.6 | 2 |
| 369 | Impact of cancer on use of glucose-lowering drug treatment in individuals with diabetes: potential mechanisms. Reply to Pouwer F [letter]. <i>Diabetologia</i> , 2015, 58, 1380-1381. | 2.9 | 2 |
| 370 | Testing social-cognitive mediators for objective estimates of physical activity from the Healthy Eating and Active Living for Diabetes in Primary Care Networks (HEALD-PCN) study. <i>Psychology, Health and Medicine</i> , 2016, 21, 945-953. | 1.3 | 2 |
| 371 | Handling Regional Variation in Health State Preferences within a Country. <i>Medical Decision Making</i> , 2017, 37, 252-261. | 1.2 | 2 |
| 372 | Examining Diet-Related Care Practices Among Adults with Type 2 Diabetes: A Focus on Glycemic Index Choices. <i>Canadian Journal of Dietetic Practice and Research</i> , 2017, 78, 26-31. | 0.5 | 2 |
| 373 | Working towards a better understanding of type 2 diabetes care organization with First Nations communities: a qualitative assessment. <i>Archives of Public Health</i> , 2020, 78, 7. | 1.0 | 2 |
| 374 | The predictive ability of EQ-5D-3L compared to the LACE index and its association with 30-day post-hospitalization outcomes. <i>Quality of Life Research</i> , 2021, 30, 2583-2590. | 1.5 | 2 |
| 375 | Humanistic Outcomes. , 1996, , 403-445. | | 2 |
| 376 | Small differences in EQ-5D-5L health utility scores were interpreted differently between and within respondents. <i>Journal of Clinical Epidemiology</i> , 2022, 142, 133-143. | 2.4 | 2 |
| 377 | Mental health and the relationship between health promotion counseling and health outcomes in chronic conditions: cross-sectional population-based study. <i>Canadian Family Physician</i> , 2014, 60, e113-20. | 0.1 | 2 |
| 378 | Anti-Hyperglycemic Medication Adherence and Health Services Utilization in People with Diabetes: A Longitudinal Study of Alberta's Tomorrow Project. <i>Patient Preference and Adherence</i> , 0, Volume 16, 1457-1467. | 0.8 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 379 | Diabetes, Fitness, and Body Mass Index. Archives of Internal Medicine, 2006, 166, 1326. | 4.3 | 1 |
| 380 | Meta-analysis of trial data may support a causal role of hyperglycaemia in cancer. Reply to Yang XL, Ma RCW, Chan JCN [letter]. Diabetologia, 2011, 54, 711-712. | 2.9 | 1 |
| 381 | 6-Month Follow Up Among Participants from the Healthy Eating and Active Living for Diabetes in Primary Care Networks Trial: A Qualitative Study. Canadian Journal of Diabetes, 2013, 37, S19. | 0.4 | 1 |
| 382 | Exenatide may improve maintenance of HbA1c targets, with less hypoglycaemia, but more early adverse effects when compared with low-dose glimepiride. Evidence-Based Medicine, 2013, 18, e42-e42. | 0.6 | 1 |
| 383 | Healthy Eating and Active Living for Diabetes-Glycemic Index (HEALD-GI): A Pragmatic Randomized Controlled Trial. Current Developments in Nutrition, 2020, 4, nzaa059_006. | 0.1 | 1 |
| 384 | Adopting and implementing an innovative model to organize diabetes care within First Nations communities: A qualitative assessment. BMC Health Services Research, 2021, 21, 415. | 0.9 | 1 |
| 385 | Health-related quality of life and its determinants in paediatric arterial ischaemic stroke survivors. , 0, . | | 1 |
| 386 | Evaluating pharmacists' experience using diabetes practice tools: A pilot study. Canadian Pharmacists Journal, 2007, 140, 312-319. | 0.4 | 1 |
| 387 | A comparison of drug coverage in alberta before and after the introduction of the national common drug review process. Healthcare Policy, 2010, 6, e117-44. | 0.3 | 1 |
| 388 | Insulin versus an oral antidiabetic agent as add-on therapy in type 2 diabetes after failure of an oral antidiabetic regimen: a meta-analysis. Open Medicine, 2008, 2, e26-38. | 1.5 | 1 |
| 389 | Letter to the editor. American Heart Journal, 2004, 148, e3. | 1.2 | 0 |
| 390 | IHE Consensus Conference on Self-Monitoring in Diabetes: An Innovative Approach to Health Policy Development. Canadian Journal of Diabetes, 2007, 31, 18-19. | 0.4 | 0 |
| 391 | Reflections on Self-Monitoring of Blood Glucose: Why Do We Recommend the Things We Do?. Canadian Pharmacists Journal, 2010, 143, 216-217. | 0.4 | 0 |
| 392 | Healthcare Costs for Initial Management of Children with New-Onset Type 1 Diabetes Mellitus in Central and Northern Alberta. Canadian Journal of Diabetes, 2012, 36, 128-132. | 0.4 | 0 |
| 393 | Limited Impact of Drug Exposure Misclassification From Non-Benefit Thiazolidinedione Drug Use on Mortality and Hospitalizations From Saskatchewan, Canada: A Cohort Study. Clinical Therapeutics, 2015, 37, 629-642. | 1.1 | 0 |
| 394 | 3125 steps to perfect health: a nonparametric approach to developing the EQ-5D-5L value set. Quality of Life Research, 2020, 29, 3109-3118. | 1.5 | 0 |
| 395 | Effect of a pharmacy comprehensive chronic diseases care plan on use of lipid-lowering drugs among patients with hypertension. Journal of Managed Care & Specialty Pharmacy, 2021, 27, 426-434. | 0.5 | 0 |
| 396 | Modifying the quality-adjusted life year calculation to account for meaningful change in health-related quality of life: insights from a pragmatic clinical trial. European Journal of Health Economics, 2021, 22, 1441-1451. | 1.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 397 | Exploring the impact of pharmacist comprehensive annual care plans on perceived quality of chronic illness care by patients in Alberta, Canada. <i>Canadian Pharmacists Journal</i> , 2021, 154, 331-341. | 0.4 | 0 |
| 398 | Healthy Eating and Active Living for Diabetes-Glycemic Index (HEALD-GI): Protocol for a Pragmatic Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2019, 8, e11707. | 0.5 | 0 |
| 399 | Effect of a pharmacy comprehensive chronic diseases care plan on use of lipid-lowering drugs among patients with hypertension. <i>Journal of Managed Care & Specialty Pharmacy</i> , 2021, 27, 426-434. | 0.5 | 0 |
| 400 | Comparative performance of the EuroQol EQ-5D-5L and the CDC healthy days measures in assessing population health. <i>Journal of Patient-Reported Outcomes</i> , 2022, 6, . | 0.9 | 0 |