

Jeffrey A Johnson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1576387/publications.pdf>

Version: 2024-02-01

400
papers

24,858
citations

6592

79
h-index

9553

142
g-index

405
all docs

405
docs citations

405
times ranked

28464
citing authors

#	ARTICLE	IF	CITATIONS
1	Mapping the Edmonton Symptom Assessment System-Revised: Renal to the EQ-5D-5L in patients with chronic kidney disease. <i>Quality of Life Research</i> , 2022, 31, 567-577.	1.5	3
2	Small differences in EQ-5D-5L health utility scores were interpreted differently between and within respondents. <i>Journal of Clinical Epidemiology</i> , 2022, 142, 133-143.	2.4	2
3	Reactive astrocytes acquire neuroprotective as well as deleterious signatures in response to Tau and A β pathology. <i>Nature Communications</i> , 2022, 13, 135.	5.8	97
4	The impact of COVID-19 pandemic on health-related quality of life of adults visiting emergency departments and primary care settings in Alberta. <i>Canadian Journal of Public Health</i> , 2022, 113, 96-106.	1.1	6
5	Enhancing Diabetes Surveillance Across Alberta by Adding Laboratory and Pharmacy Data to the National Diabetes Surveillance System Methods. <i>Canadian Journal of Diabetes</i> , 2022, 46, 375-380.	0.4	6
6	Comparative performance of the EuroQol EQ-5D-5L and the CDC healthy days measures in assessing population health. <i>Journal of Patient-Reported Outcomes</i> , 2022, 6, .	0.9	0
7	Health-related quality-of-life and health-utility reporting in critical care. <i>World Journal of Critical Care Medicine</i> , 2022, 11, 236-245.	0.8	4
8	Efficacy and safety of low and very low carbohydrate diets for type 2 diabetes remission: systematic review and meta-analysis of published and unpublished randomized trial data. <i>BMJ</i> , The, 2021, 372, m4743.	3.0	186
9	The performance of the EQ-5D-3L in screening for anxiety and depressive symptoms in hospital and community settings. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 96.	1.0	16
10	Effect of a pharmacy comprehensive chronic diseases care plan on use of lipid-lowering drugs among patients with hypertension. <i>Journal of Managed Care & Specialty Pharmacy</i> , 2021, 27, 426-434.	0.5	0
11	Adopting and implementing an innovative model to organize diabetes care within First Nations communities: A qualitative assessment. <i>BMC Health Services Research</i> , 2021, 21, 415.	0.9	1
12	The predictive ability of EQ-5D-3L compared to the LACE index and its association with 30-day post-hospitalization outcomes. <i>Quality of Life Research</i> , 2021, 30, 2583-2590.	1.5	2
13	Modifying the quality-adjusted life year calculation to account for meaningful change in health-related quality of life: insights from a pragmatic clinical trial. <i>European Journal of Health Economics</i> , 2021, 22, 1441-1451.	1.4	0
14	Exploring the impact of pharmacist comprehensive annual care plans on perceived quality of chronic illness care by patients in Alberta, Canada. <i>Canadian Pharmacists Journal</i> , 2021, 154, 331-341.	0.4	0
15	Economic Evaluation of Sucrose Octasulfate Dressing for the Treatment of Diabetic Foot Ulcers for Type 2 Diabetes Patients. <i>Canadian Journal of Diabetes</i> , 2021, , .	0.4	3
16	Measuring value in healthcare from a patientsâ€™ perspective. <i>Journal of Patient-Reported Outcomes</i> , 2021, 5, 88.	0.9	6
17	Selection of patient-reported outcome measures (PROMs) for use in health systems. <i>Journal of Patient-Reported Outcomes</i> , 2021, 5, 99.	0.9	25
18	Patient-reported outcome measures in the care of in-centre hemodialysis patients. <i>Journal of Patient-Reported Outcomes</i> , 2021, 5, 93.	0.9	9

#	ARTICLE	IF	CITATIONS
19	A multi-level approach for the use of routinely collected patient-reported outcome measures (PROMs) data in healthcare systems. <i>Journal of Patient-Reported Outcomes</i> , 2021, 5, 98.	0.9	19
20	Burden of mental health symptoms and perceptions of their management in in-centre hemodialysis care: a mixed methods study. <i>Journal of Patient-Reported Outcomes</i> , 2021, 5, 111.	0.9	7
21	Effect of a pharmacy comprehensive chronic diseases care plan on use of lipid-lowering drugs among patients with hypertension. <i>Journal of Managed Care & Specialty Pharmacy</i> , 2021, 27, 426-434.	0.5	0
22	Factors associated with pneumococcal vaccination in 2040 people with type 2 diabetes: A cross-sectional study. <i>Diabetes and Metabolism</i> , 2020, 46, 137-143.	1.4	5
23	A Longitudinal Study on the Association Between Diabetic Foot Disease and Health-Related Quality of Life in Adults With Type 2 Diabetes. <i>Canadian Journal of Diabetes</i> , 2020, 44, 280-286.e1.	0.4	12
24	Patients'™ Experiences of Nurse Case-Managed Osteoporosis Care: A Qualitative Study. <i>Journal of Patient Experience</i> , 2020, 7, 251-257.	0.4	3
25	Healthy Eating and Active Living for Diabetes-Glycemic Index (HEALD-GI): A Pragmatic Randomized Controlled Trial. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa059_006.	0.1	1
26	Feasibility of identifying and describing the burden of early-onset metabolic syndrome in primary care electronic medical record data: a cross-sectional analysis. <i>CMAJ Open</i> , 2020, 8, E779-E787.	1.1	7
27	3125 steps to perfect health: a nonparametric approach to developing the EQ-5D-5L value set. <i>Quality of Life Research</i> , 2020, 29, 3109-3118.	1.5	0
28	A cluster randomized controlled trial for the Evaluation of routinely Measured PATient reported outcomes in Hemodialysis care (EMPATHY): a study protocol. <i>BMC Health Services Research</i> , 2020, 20, 731.	0.9	23
29	Working towards a better understanding of type 2 diabetes care organization with First Nations communities: a qualitative assessment. <i>Archives of Public Health</i> , 2020, 78, 7.	1.0	2
30	Angiogenin activates the astrocytic Nrf2/antioxidant-response element pathway and thereby protects murine neurons from oxidative stress. <i>Journal of Biological Chemistry</i> , 2019, 294, 15095-15103.	1.6	23
31	Validation of drug prescription records for senior patients in Alberta's Tomorrow Project: Assessing agreement between two population-level administrative pharmaceutical databases in Alberta, Canada. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 1417-1421.	0.9	10
32	Women's™ experience with peer counselling and social support during a lifestyle intervention among women with a previous gestational diabetes pregnancy. <i>Health Psychology and Behavioral Medicine</i> , 2019, 7, 147-159.	0.8	8
33	Optimal threshold of adherence to lipid lowering drugs in predicting acute coronary syndrome, stroke, or mortality: A cohort study. <i>PLoS ONE</i> , 2019, 14, e0223062.	1.1	6
34	Changing provider behaviour to increase nurse visits for obesity in family practice: the 5As Team randomized controlled trial. <i>CMAJ Open</i> , 2019, 7, E371-E378.	1.1	5
35	Responsiveness of the EQ-5D-3L and EQ-5D-5L in patients following total hip or knee replacement. <i>Quality of Life Research</i> , 2019, 28, 2409-2417.	1.5	25
36	Discriminative validity of the EQ-5D-5L and SF-12 in older adults with arthritis. <i>Health and Quality of Life Outcomes</i> , 2019, 17, 68.	1.0	14

#	ARTICLE	IF	CITATIONS
37	Systematic review of community pharmacy-based and pharmacist-led foot care interventions for adults with type 2 diabetes. <i>Canadian Pharmacists Journal</i> , 2019, 152, 109-116.	0.4	11
38	An individualized patient-reported outcome measure (PROM) based patient decision aid and surgeon report for patients considering total knee arthroplasty: protocol for a pragmatic randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 89.	0.8	31
39	Cost-Effectiveness of Osteoporosis Interventions to Improve Quality of Care After Upper Extremity Fracture: Results From a Randomized Trial (C-STOP Trial). <i>Journal of Bone and Mineral Research</i> , 2019, 34, 1220-1228.	3.1	13
40	Anthropometric changes and risk of diabetes: are there sex differences? A longitudinal study of Alberta's Tomorrow Project. <i>BMJ Open</i> , 2019, 9, e023829.	0.8	8
41	The EQ-5D-5L Is Superior to the -3L Version in Measuring Health-related Quality of Life in Patients Awaiting THA or TKA. <i>Clinical Orthopaedics and Related Research</i> , 2019, 477, 1632-1644.	0.7	20
42	Individualized health-related quality of life instrument Measure Yourself Medical Outcome Profile (MYMOP) and its adaptations: a critical appraisal. <i>Quality of Life Research</i> , 2019, 28, 879-893.	1.5	11
43	Association of Depressive Symptoms and Diabetes Distress With Severe Hypoglycemia in Adults With Type 2 Diabetes. <i>Canadian Journal of Diabetes</i> , 2019, 43, 316-321.	0.4	8
44	Adherence to osteoporosis therapy after an upper extremity fracture: a pre-specified substudy of the C-STOP randomized controlled trial. <i>Osteoporosis International</i> , 2019, 30, 127-134.	1.3	21
45	Healthy Eating and Active Living for Diabetes-Glycemic Index (HEALD-GI): Protocol for a Pragmatic Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2019, 8, e11707.	0.5	0
46	Responsiveness of the anxiety/depression dimension of the 3- and 5-level versions of the EQ-5D in assessing mental health. <i>Quality of Life Research</i> , 2018, 27, 1625-1633.	1.5	17
47	Health-related quality of life and its determinants in paediatric arterial ischaemic stroke survivors. <i>Archives of Disease in Childhood</i> , 2018, 103, 930-936.	1.0	18
48	Genome-wide association study identifies pharmacogenomic loci linked with specific antihypertensive drug treatment and new-onset diabetes. <i>Pharmacogenomics Journal</i> , 2018, 18, 106-112.	0.9	7
49	Changes in glucose-lowering drug use before and after cancer diagnosis in patients with diabetes. <i>Diabetes and Metabolism</i> , 2018, 44, 22-29.	1.4	5
50	Development of Perinatal Mental Illness in Women With Gestational Diabetes Mellitus: A Population-Based Cohort Study. <i>Canadian Journal of Diabetes</i> , 2018, 42, 350-355.e1.	0.4	25
51	Risk of prostate cancer across different racial/ethnic groups in men with diabetes: a retrospective cohort study. <i>Diabetic Medicine</i> , 2018, 35, 107-111.	1.2	8
52	Systemic use of antibiotics and risk of diabetes in adults: a nested case-control study of Alberta's Tomorrow Project. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 849-857.	2.2	8
53	Changes in body mass index and incidence of diabetes: A longitudinal study of Alberta's Tomorrow Project Cohort. <i>Preventive Medicine</i> , 2018, 106, 157-163.	1.6	14
54	History of mood or anxiety disorders and risk of gestational diabetes mellitus in a population-based cohort. <i>Diabetic Medicine</i> , 2018, 35, 147-151.	1.2	14

#	ARTICLE	IF	CITATIONS
55	Screening for Anxiety and Depressive Symptoms in Type 2 Diabetes Using Patient-Reported Outcome Measures: Comparative Performance of the EQ-5D-5L and SF-12v2. <i>MDM Policy and Practice</i> , 2018, 3, 238146831879936.	0.5	6
56	Population attributable fractions for Type 2 diabetes: an examination of multiple risk factors including symptoms of depression and anxiety. <i>Diabetology and Metabolic Syndrome</i> , 2018, 10, 84.	1.2	9
57	Minimally Important Difference of the EQ-5D-5L Index Score in Adults with Type 2 Diabetes. <i>Value in Health</i> , 2018, 21, 1090-1097.	0.1	54
58	Comparing Strategies Targeting Osteoporosis to Prevent Fractures After an Upper Extremity Fracture (C-STOP Trial): A Randomized Controlled Trial. <i>Journal of Bone and Mineral Research</i> , 2018, 33, 2114-2121.	3.1	23
59	The association of self-efficacy and hospitalization rates in people with type-2 diabetes: A prospective cohort study. <i>Diabetes Research and Clinical Practice</i> , 2018, 143, 113-119.	1.1	5
60	Metformin, Asian ethnicity and risk of prostate cancer in type 2 diabetes: a systematic review and meta-analysis. <i>BMC Cancer</i> , 2018, 18, 65.	1.1	24
61	The relationship of neighbourhood-level material and social deprivation with health-related quality of life. <i>Quality of Life Research</i> , 2018, 27, 3265-3274.	1.5	15
62	Sex differences in obesity related cancer incidence in relation to type 2 diabetes diagnosis (ZODIAC-49). <i>PLoS ONE</i> , 2018, 13, e0190870.	1.1	12
63	Validation of administrative data case definitions for gestational diabetes mellitus. <i>Diabetic Medicine</i> , 2017, 34, 51-55.	1.2	27
64	Handling Regional Variation in Health State Preferences within a Country. <i>Medical Decision Making</i> , 2017, 37, 252-261.	1.2	2
65	Instrument-Defined Estimates of the Minimally Important Difference for EQ-5D-5L Index Scores. <i>Value in Health</i> , 2017, 20, 644-650.	0.1	170
66	Metformin and the risk of prostate cancer across racial/ethnic groups: a population-based cohort study. <i>Prostate Cancer and Prostatic Diseases</i> , 2017, 20, 122-126.	2.0	17
67	Type 2 Diabetes and Comorbid Symptoms of Depression and Anxiety: Longitudinal Associations With Mortality Risk. <i>Diabetes Care</i> , 2017, 40, 352-358.	4.3	102
68	Physical Activity and Health-Related Quality of Life in Adults With Type 2 Diabetes: Results From a Prospective Cohort Study. <i>Journal of Physical Activity and Health</i> , 2017, 14, 368-374.	1.0	14
69	Clinical Pharmacogenetics Implementation Consortium (CPIC) Guideline for Pharmacogenetics-Guided Warfarin Dosing: 2017 Update. <i>Clinical Pharmacology and Therapeutics</i> , 2017, 102, 397-404.	2.3	479
70	Health literacy and logical inconsistencies in valuations of hypothetical health states: results from the Canadian EQ-5D-5L valuation study. <i>Quality of Life Research</i> , 2017, 26, 1483-1492.	1.5	5
71	Differences in Short- and Long-Term Mortality Associated With BMI Following Coronary Revascularization. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	21
72	Postpartum Diabetes Testing Rates after Gestational Diabetes Mellitus in Canadian Women: A Population-Based Study. <i>Canadian Journal of Diabetes</i> , 2017, 41, 613-620.	0.4	18

#	ARTICLE	IF	CITATIONS
73	Population-Level Outcomes with a 2-Step Approach for Gestational Diabetes Screening and Diagnosis. Canadian Journal of Diabetes, 2017, 41, 596-602.	0.4	11
74	Patterns of glucose-lowering therapies and neonatal outcomes in the treatment of gestational diabetes in Canada, 2009-2014. Diabetic Medicine, 2017, 34, 1296-1302.	1.2	12
75	Impact of the 5As Team study on clinical practice in primary care obesity management: a qualitative study. CMAJ Open, 2017, 5, E322-E329.	1.1	17
76	Comparative performance of the EQ-5D-5L and SF-6D index scores in adults with type 2 diabetes. Quality of Life Research, 2017, 26, 2057-2066.	1.5	33
77	Measuring socioeconomic inequalities in eye care services among patients with diabetes in Alberta, Canada, 1995-2009. Diabetes Research and Clinical Practice, 2017, 127, 205-211.	1.1	11
78	Time-Varying Risk for Breast Cancer Following Initiation of Glucose-Lowering Therapy in Women with Type 2 Diabetes: Exploring Detection Bias. Canadian Journal of Diabetes, 2017, 41, 204-210.	0.4	3
79	Body Mass Index Is Associated With Differential Rates of Coronary Revascularization After Cardiac Catheterization. Canadian Journal of Cardiology, 2017, 33, 822-829.	0.8	3
80	Healthy eating and active living after gestational diabetes mellitus (HEALD-GDM): Rationale, design, and proposed evaluation of a randomized controlled trial. Contemporary Clinical Trials, 2017, 61, 23-28.	0.8	3
81	Cohort Profile: Alberta's Tomorrow Project. International Journal of Epidemiology, 2017, 46, 1097-1098.	0.9	44
82	Symptoms of anxiety and depression in type 2 diabetes: Associations with clinical diabetes measures and self-management outcomes in the Norwegian HUNT study. Psychoneuroendocrinology, 2017, 84, 116-123.	1.3	35
83	The 5As team patient study: patient perspectives on the role of primary care in obesity management. BMC Family Practice, 2017, 18, 19.	2.9	29
84	Within-class differences in cancer risk for sulfonylurea treatments in patients with type 2 diabetes (ZODIAC-55) - a study protocol. BMC Cancer, 2017, 17, 444.	1.1	4
85	Addressing the gaps in diabetes care in first nations communities with the reorganizing the approach to diabetes through the application of registries (RADAR): the project protocol. BMC Health Services Research, 2017, 17, 117.	0.9	7
86	Validation of administrative and clinical case definitions for gestational diabetes mellitus against laboratory results. Diabetic Medicine, 2017, 34, 781-785.	1.2	14
87	Prevalence of gestational diabetes among Chinese and South Asians: A Canadian population-based analysis. Journal of Diabetes and Its Complications, 2017, 31, 529-536.	1.2	23
88	Walking and type 2 diabetes risk using CANRISK scores among older adults. Applied Physiology, Nutrition and Metabolism, 2017, 42, 33-38.	0.9	9
89	Association between Physical Activity and Health-Related Quality of Life in Adults with Type 2 Diabetes. Canadian Journal of Diabetes, 2017, 41, 58-63.	0.4	53
90	Understanding fragility fracture patients' decision-making process regarding bisphosphonate treatment. Osteoporosis International, 2017, 28, 219-229.	1.3	21

#	ARTICLE	IF	CITATIONS
91	Geographic Clustering of Acute Complications and Sociodemographic Factors in Adults with Type 1 Diabetes. <i>Canadian Journal of Diabetes</i> , 2017, 41, 132-137.	0.4	8
92	Engaging Patients and Clinicians in Establishing Research Priorities for Gestational Diabetes Mellitus. <i>Canadian Journal of Diabetes</i> , 2017, 41, 156-163.	0.4	28
93	Examining Diet-Related Care Practices Among Adults with Type 2 Diabetes: A Focus on Glycemic Index Choices. <i>Canadian Journal of Dietetic Practice and Research</i> , 2017, 78, 26-31.	0.5	2
94	Correlates of accelerometer-assessed physical activity and sedentary time among adults with type 2 diabetes. <i>Canadian Journal of Public Health</i> , 2017, 108, 355-361.	1.1	9
95	Objectively measured sleep and health-related quality of life in older adults with type 2 diabetes: a cross-sectional study from the Alberta's Caring for Diabetes Study. <i>Sleep Health</i> , 2017, 3, 102-106.	1.3	9
96	Cost-effectiveness of a school-based health promotion program in Canada: A life-course modeling approach. <i>PLoS ONE</i> , 2017, 12, e0177848.	1.1	23
97	Development and validation of an index score to adjust for healthy user bias in observational studies. <i>Journal of Population Therapeutics and Clinical Pharmacology</i> , 2017, 24, e79-e89.	1.9	3
98	Health Behaviours and Awareness of Canada's Food Guide: A Population-based Study. <i>Canadian Journal of Dietetic Practice and Research</i> , 2016, 77, 66-71.	0.5	5
99	A qualitative study examining healthcare managers and providers' perspectives on participating in primary care implementation research. <i>BMC Health Services Research</i> , 2016, 16, 316.	0.9	4
100	A Time Trade-off-derived Value Set of the EQ-5D-5L for Canada. <i>Medical Care</i> , 2016, 54, 98-105.	1.1	290
101	Determinants of time trade-off valuations for EQ-5D-5L health states: data from the Canadian EQ-5D-5L valuation study. <i>Quality of Life Research</i> , 2016, 25, 1679-1685.	1.5	27
102	The relationship of diabetes-related distress and depressive symptoms with physical activity and dietary behaviors in adults with type 2 diabetes: A cross-sectional study. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 967-970.	1.2	17
103	How different are composite and traditional TTO valuations of severe EQ-5D-5L states?. <i>Quality of Life Research</i> , 2016, 25, 2101-2108.	1.5	7
104	Current depressive symptoms but not history of depression predict hospital readmission or death after discharge from medical wards: a multisite prospective cohort study. <i>General Hospital Psychiatry</i> , 2016, 39, 80-85.	1.2	16
105	Safety of Concomitant Metformin and Proton Pump Inhibitor Use: A Population Retrospective Cohort Study. <i>Clinical Therapeutics</i> , 2016, 38, 1392-1400.	1.1	6
106	Income-related inequalities in visual impairment and eye screening services in patients with type 2 diabetes. <i>Journal of Public Health</i> , 2016, 38, e571-e579.	1.0	7
107	Check the score: Field validation of Street Smart Walk Score in Alberta, Canada. <i>Preventive Medicine Reports</i> , 2016, 4, 532-539.	0.8	43
108	Melatonin Pathway and Atenolol-Related Glucose Dysregulation: Is There a Correlation?. <i>Clinical and Translational Science</i> , 2016, 9, 114-122.	1.5	12

#	ARTICLE	IF	CITATIONS
109	Genetic and Nongenetic Factors Affecting Clopidogrel Response in the Egyptian Population. <i>Clinical and Translational Science</i> , 2016, 9, 23-28.	1.5	32
110	The temporal relationship between diabetes and cancer: A population-based study. <i>Cancer</i> , 2016, 122, 2731-2738.	2.0	29
111	A22...Genetic tools to validate and measure NRF2 in HD. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016, 87, A6.4-A7.	0.9	4
112	Cost-Effectiveness Evaluation of Collaborative Care for Diabetes and Depression in Primary Care. <i>American Journal of Preventive Medicine</i> , 2016, 51, e13-e20.	1.6	18
113	Severe Obesity Is Associated With Increased Risk of Early Complications and Extended Length of Stay Following Coronary Artery Bypass Grafting Surgery. <i>Journal of the American Heart Association</i> , 2016, 5, .	1.6	36
114	Dietary Patterns in Adults with Type 2 Diabetes Predict Cardiometabolic Risk Factors. <i>Canadian Journal of Diabetes</i> , 2016, 40, 296-303.	0.4	4
115	Temporal variation of diabetic ketoacidosis and hypoglycemia in adults with type 1 diabetes: A nationwide cohort study. <i>Journal of Diabetes</i> , 2016, 8, 552-558.	0.8	11
116	Outcomes of singleton and twin pregnancies complicated by pre-existing diabetes and gestational diabetes: A population-based study in Alberta, Canada, 2005-11. <i>Journal of Diabetes</i> , 2016, 8, 45-55.	0.8	69
117	Testing social-cognitive mediators for objective estimates of physical activity from the Healthy Eating and Active Living for Diabetes in Primary Care Networks (HEALD-PCN) study. <i>Psychology, Health and Medicine</i> , 2016, 21, 945-953.	1.3	2
118	Health literacy and health-related quality of life in adults with type 2 diabetes: a longitudinal study. <i>Quality of Life Research</i> , 2016, 25, 1487-1494.	1.5	32
119	How dead is dead? Qualitative findings from participants of combined traditional and lead-time time trade-off valuations. <i>Quality of Life Research</i> , 2016, 25, 35-43.	1.5	12
120	Prevalence and Timing of Screening and Diagnostic Testing for Gestational Diabetes Mellitus: A Population-Based Study in Alberta, Canada. <i>Diabetes Care</i> , 2016, 39, 55-60.	4.3	33
121	How much will we pay to increase steps per day? Examining the cost-effectiveness of a pedometer-based lifestyle program in primary care. <i>Preventive Medicine Reports</i> , 2015, 2, 645-650.	0.8	7
122	Increase in Daily Steps After an Exercise Specialist Led Lifestyle Intervention for Adults With Type 2 Diabetes in Primary Care: A Controlled Implementation Trial. <i>Journal of Physical Activity and Health</i> , 2015, 12, 1492-1499.	1.0	17
123	Pharmacists on primary care teams: Effect on antihypertensive medication management in patients with type 2 diabetes. <i>Journal of the American Pharmacists Association: JAPhA</i> , 2015, 55, 265-268.	0.7	8
124	Alternation as a form of allocation for quality improvement studies in primary healthcare settings: the on-off study design. <i>Trials</i> , 2015, 16, 375.	0.7	12
125	Cost-effectiveness analysis of adding pharmacists to primary care teams to reduce cardiovascular risk in patients with Type 2 diabetes: results from a randomized controlled trial. <i>Diabetic Medicine</i> , 2015, 32, 899-906.	1.2	38
126	Age at stroke onset influences the clinical outcome and health-related quality of life in pediatric ischemic stroke survivors. <i>Developmental Medicine and Child Neurology</i> , 2015, 57, 1027-1034.	1.1	27

#	ARTICLE	IF	CITATIONS
127	Rates and Correlates of Relapse Following ED Discharge for Acute Asthma. <i>Chest</i> , 2015, 147, 140-149.	0.4	17
128	Relationship Between Duration of Type 2 Diabetes and Self-Reported Participation in Diabetes Education in Korea. <i>Asia-Pacific Journal of Public Health</i> , 2015, 27, NP311-NP321.	0.4	3
129	Impact of gestational diabetes mellitus and high maternal weight on the development of diabetes, hypertension and cardiovascular disease: a population-level analysis. <i>Diabetic Medicine</i> , 2015, 32, 164-173.	1.2	87
130	Limited Impact of Drug Exposure Misclassification From Non-Benefit Thiazolidinedione Drug Use on Mortality and Hospitalizations From Saskatchewan, Canada: A Cohort Study. <i>Clinical Therapeutics</i> , 2015, 37, 629-642.	1.1	0
131	A Cyclic Peptide Mimic of the β -Amyloid Binding Domain on Transthyretin. <i>ACS Chemical Neuroscience</i> , 2015, 6, 778-789.	1.7	23
132	Impact of cancer on adherence to glucose-lowering drug treatment in individuals with diabetes. <i>Diabetologia</i> , 2015, 58, 951-960.	2.9	36
133	Socioeconomic factors associated with visual impairment and ophthalmic care utilization in patients with type II diabetes. <i>Canadian Journal of Ophthalmology</i> , 2015, 50, 119-126.	0.4	29
134	Characteristics and health behaviors of diabetic patients receiving influenza vaccination. <i>Vaccine</i> , 2015, 33, 3549-3555.	1.7	14
135	Long-Term Association Between Frailty and Health-Related Quality of Life Among Survivors of Critical Illness. <i>Critical Care Medicine</i> , 2015, 43, 973-982.	0.4	189
136	Associations Between Health Literacy and Health Outcomes in a Predominantly Low-Income African American Population with Type 2 Diabetes. <i>Journal of Health Communication</i> , 2015, 20, 581-588.	1.2	28
137	Association of Inadequate Health Literacy with Health Outcomes in Patients with Type 2 Diabetes and Depression: Secondary Analysis of a Controlled Trial. <i>Canadian Journal of Diabetes</i> , 2015, 39, 259-265.	0.4	33
138	Impact of cancer on use of glucose-lowering drug treatment in individuals with diabetes: potential mechanisms. Reply to Pouwer F [letter]. <i>Diabetologia</i> , 2015, 58, 1380-1381.	2.9	2
139	Challenges in Identifying Patients with Type 2 Diabetes for Quality-Improvement Interventions in Primary Care Settings and the Importance of Valid Disease Registries. <i>Canadian Journal of Diabetes</i> , 2015, 39, S77-S82.	0.4	9
140	Prompted awareness and use of <i>Eating Well with Canada's Food Guide</i> : a population-based study. <i>Journal of Human Nutrition and Dietetics</i> , 2015, 28, 64-71.	1.3	12
141	Impact of Organizational Stability on Adoption of Quality-Improvement Interventions for Diabetes in Primary Care Settings. <i>Canadian Journal of Diabetes</i> , 2015, 39, S100-S112.	0.4	6
142	Contextualizing the Effectiveness of a Collaborative Care Model for Primary Care Patients with Diabetes and Depression (Teamcare): A Qualitative Assessment Using RE-AIM. <i>Canadian Journal of Diabetes</i> , 2015, 39, S83-S91.	0.4	30
143	Nrf2 a therapeutic target for the treatment of neurodegenerative diseases. <i>Free Radical Biology and Medicine</i> , 2015, 88, 253-267.	1.3	262
144	Contextualizing the Proven Effectiveness of a Lifestyle Intervention for Type 2 Diabetes in Primary Care: A Qualitative Assessment Based on the RE-AIM Framework. <i>Canadian Journal of Diabetes</i> , 2015, 39, S92-S99.	0.4	9

#	ARTICLE	IF	CITATIONS
145	The Alberta's Caring for Diabetes (ABCD) Study: Rationale, Design and Baseline Characteristics of a Prospective Cohort of Adults with Type 2 Diabetes. <i>Canadian Journal of Diabetes</i> , 2015, 39, S113-S119.	0.4	26
146	Diabetic Foot Disease, Self-Care and Clinical Monitoring in Adults with Type 2 Diabetes: The Alberta's Caring for Diabetes (ABCD) Cohort Study. <i>Canadian Journal of Diabetes</i> , 2015, 39, S120-S126.	0.4	39
147	The safety of sulfonylurea therapy in type 2 diabetes: have we reached the practical limits of our evidence base?. <i>Diabetologia</i> , 2015, 58, 1-3.	2.9	29
148	Pioglitazone and bladder cancer risk: a multipopulation pooled, cumulative exposure analysis. <i>Diabetologia</i> , 2015, 58, 493-504.	2.9	140
149	Increased Alzheimer's disease-like pathology in the APP/PS1 ^{E9} mouse model lacking Nrf2 through modulation of autophagy. <i>Neurobiology of Aging</i> , 2015, 36, 664-679.	1.5	147
150	Comment on Bordeleau et al. The Association of Basal Insulin Glargine and/or n-3 Fatty Acids With Incident Cancers in Patients With Dysglycemia. <i>Diabetes Care</i> 2014;37:1360-1366. <i>Diabetes Care</i> , 2014, 37, e221-e222.	4.3	4
151	Collaborative Care Versus Screening and Follow-up for Patients With Diabetes and Depressive Symptoms: Results of a Primary Care-Based Comparative Effectiveness Trial. <i>Diabetes Care</i> , 2014, 37, 3220-3226.	4.3	63
152	Predictors of health-related quality of life in 500 severely obese patients. <i>Obesity</i> , 2014, 22, 1367-1372.	1.5	26
153	Sex-based disparities in cardioprotective medication use in adults with diabetes. <i>Diabetology and Metabolic Syndrome</i> , 2014, 6, 117.	1.2	12
154	Weight loss required by the severely obese to achieve clinically important differences in health-related quality of life: two-year prospective cohort study. <i>BMC Medicine</i> , 2014, 12, 175.	2.3	96
155	Health Literacy and Nurses' Communication With Type 2 Diabetes Patients in Primary Care Settings. <i>Nursing Research</i> , 2014, 63, 408-417.	0.8	38
156	Implementation and evaluation of the 5As framework of obesity management in primary care: design of the 5As Team (5AsT) randomized control trial. <i>Implementation Science</i> , 2014, 9, 78.	2.5	34
157	Profile of adults with type 2 diabetes and uptake of clinical care best practices: Results from the 2011 Survey on Living with Chronic Diseases in Canada - Diabetes component. <i>Diabetes Research and Clinical Practice</i> , 2014, 103, 11-19.	1.1	10
158	Association Between Diabetic Ketoacidosis Hospitalizations and Driving Distance to Outpatient Diabetes Centres in Adults with Type 1 Diabetes Mellitus. <i>Canadian Journal of Diabetes</i> , 2014, 38, 451-455.	0.4	10
159	Assessment of children's own health status using visual analogue scale and descriptive system of the EQ-5D-Y: linkage between two systems. <i>Quality of Life Research</i> , 2014, 23, 393-402.	1.5	21
160	Working-age adults with diabetes experience greater susceptibility to seasonal influenza: a population-based cohort study. <i>Diabetologia</i> , 2014, 57, 690-698.	2.9	29
161	The effect of weight loss on health-related quality of life: systematic review and meta-analysis of randomized trials. <i>Obesity Reviews</i> , 2014, 15, 169-182.	3.1	150
162	Risk of acute coronary events associated with glyburide compared with gliclazide use in patients with type 2 diabetes: a nested case-control study. <i>Diabetes, Obesity and Metabolism</i> , 2014, 16, 22-29.	2.2	18

#	ARTICLE	IF	CITATIONS
163	Oxidative damage and the Nrf2-ARE pathway in neurodegenerative diseases. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2014, 1842, 1208-1218.	1.8	231
164	Effect of Vitamin D ³ Supplementation on Improving Glucose Homeostasis and Preventing Diabetes: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 3551-3560.	1.8	221
165	Critical impact of patient knowledge and bone density testing on starting osteoporosis treatment after fragility fracture: secondary analyses from two controlled trials. <i>Osteoporosis International</i> , 2014, 25, 2173-2179.	1.3	20
166	Comparing the EQ-5D 3L and 5L: measurement properties and association with chronic conditions and multimorbidity in the general population. <i>Health and Quality of Life Outcomes</i> , 2014, 12, 74.	1.0	114
167	Measurement properties and comparative performance of health literacy screening questions in a predominantly low income African American population with diabetes. <i>Patient Education and Counseling</i> , 2014, 97, 88-95.	1.0	13
168	A primary care based healthy-eating and active living education session for weight reduction in the pre-diabetic population. <i>Primary Care Diabetes</i> , 2014, 8, 301-307.	0.9	4
169	Changes in Thiazolidinedione Use and Outcomes Following Removal of a Prior-authorization Policy. <i>Medical Care</i> , 2014, 52, 47-55.	1.1	3
170	Social support, self-efficacy and motivation: a qualitative study of the journey through HEALD (Healthy Eating and Active Living for Diabetes). <i>Practical Diabetes</i> , 2014, 31, 370-374.	0.1	5
171	Life Course Impact of School-Based Promotion of Healthy Eating and Active Living to Prevent Childhood Obesity. <i>PLoS ONE</i> , 2014, 9, e102242.	1.1	18
172	Mental health and the relationship between health promotion counseling and health outcomes in chronic conditions: cross-sectional population-based study. <i>Canadian Family Physician</i> , 2014, 60, e113-20.	0.1	2
173	Health-related quality of life and healthcare utilization in multimorbidity: results of a cross-sectional survey. <i>Quality of Life Research</i> , 2013, 22, 791-799.	1.5	144
174	Determinants of lifestyle behavior in type 2 diabetes: results of the 2011 cross-sectional survey on living with chronic diseases in Canada. <i>BMC Public Health</i> , 2013, 13, 451.	1.2	22
175	Health Literacy and Health Outcomes in Diabetes: A Systematic Review. <i>Journal of General Internal Medicine</i> , 2013, 28, 444-452.	1.3	283
176	Concordance Between Self-Report and a Survey-Based Algorithm for Classification of Type 1 and Type 2 Diabetes Using the 2011 Population-Based Survey on Living With Chronic Diseases in Canada (SLCDC)-Diabetes Component. <i>Canadian Journal of Diabetes</i> , 2013, 37, 249-253.	0.4	13
177	Multimorbidity prevalence in the general population: the role of obesity in chronic disease clustering. <i>BMC Public Health</i> , 2013, 13, 1161.	1.2	101
178	Health Behaviors for Hypertension Management in People With and Without Coexisting Diabetes. <i>Journal of Clinical Hypertension</i> , 2013, 15, 389-396.	1.0	7
179	Cost-Effectiveness of Osteoporosis Interventions for 'Incidental' Vertebral Fractures. <i>American Journal of Medicine</i> , 2013, 126, 169.e9-169.e17.	0.6	12
180	Health related quality of life measures in Arabic speaking populations: A systematic review on cross-cultural adaptation and measurement properties. <i>Quality of Life Research</i> , 2013, 22, 213-229.	1.5	58

#	ARTICLE	IF	CITATIONS
181	6-Month Follow Up Among Participants from the Healthy Eating and Active Living for Diabetes in Primary Care Networks Trial: A Qualitative Study. <i>Canadian Journal of Diabetes</i> , 2013, 37, S19.	0.4	1
182	Diabetes treatments and cancer risk: the importance of considering aspects of drug exposure. <i>Lancet Diabetes and Endocrinology</i> , 2013, 1, 132-139.	5.5	35
183	The Alberta Diabetes and Physical Activity Trial (ADAPT): A Randomized Trial Evaluating Theory-Based Interventions to Increase Physical Activity in Adults with Type 2 Diabetes. <i>Annals of Behavioral Medicine</i> , 2013, 45, 45-56.	1.7	43
184	Effectiveness of influenza vaccination in working-age adults with diabetes: a population-based cohort study. <i>Thorax</i> , 2013, 68, 658-663.	2.7	51
185	Detection Bias and Overestimation of Bladder Cancer Risk in Type 2 Diabetes: A matched cohort study. <i>Diabetes Care</i> , 2013, 36, 3070-3075.	4.3	26
186	Exenatide may improve maintenance of HbA1c targets, with less hypoglycaemia, but more early adverse effects when compared with low-dose glimepiride. <i>Evidence-Based Medicine</i> , 2013, 18, e42-e42.	0.6	1
187	Measuring Health Literacy in Individuals With Diabetes. <i>Health Education and Behavior</i> , 2013, 40, 42-55.	1.3	83
188	Adding Pharmacists to Primary Care Teams Increases Guideline-Concordant Antiplatelet Use in Patients with Type 2 Diabetes: Results from a Randomized Trial. <i>Annals of Pharmacotherapy</i> , 2013, 47, 43-48.	0.9	17
189	Comparative Safety and Effectiveness of Metformin in Patients With Diabetes Mellitus and Heart Failure. <i>Circulation: Heart Failure</i> , 2013, 6, 395-402.	1.6	282
190	Clinical and socio-demographic factors associated with diabetic ketoacidosis hospitalization in adults with Type 1 diabetes. <i>Diabetic Medicine</i> , 2013, 30, 567-573.	1.2	36
191	Evaluating the introduction of a computerized prior-authorization system on the completeness of drug exposure data. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 551-555.	0.9	5
192	Risks of Gestational Diabetes and Preeclampsia Over the Last Decade in a Cohort of Alberta Women. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2013, 35, 986-994.	0.3	40
193	A Systematic Review and Meta-Analysis to Assess Patient-Reported Outcomes after Lung Cancer Surgery. <i>Scientific World Journal</i> , 2013, 2013, 1-7.	0.8	26
194	Enrolment in primary care networks: impact on outcomes and processes of care for patients with diabetes. <i>Cmaj</i> , 2012, 184, E144-E152.	0.9	74
195	Interventions to Improve Influenza and Pneumococcal Vaccination Rates Among Community-Dwelling Adults: A Systematic Review and Meta-Analysis. <i>Annals of Family Medicine</i> , 2012, 10, 538-546.	0.9	117
196	Activation of Antioxidant Response Element in Mouse Primary Cortical Cultures with Sesquiterpene Lactones Isolated from <i>Tanacetum parthenium</i> . <i>Planta Medica</i> , 2012, 78, 1725-1730.	0.7	28
197	Utilization of General and Specialized Cardiac Care by People With Schizophrenia. <i>Psychiatric Services</i> , 2012, 63, 237-242.	1.1	13
198	Use of thiazolidinediones and the risk of bladder cancer among people with type 2 diabetes: a meta-analysis. <i>Cmaj</i> , 2012, 184, E675-E683.	0.9	140

#	ARTICLE	IF	CITATIONS
199	Mortality After Incident Cancer in People With and Without Type 2 Diabetes. <i>Diabetes Care</i> , 2012, 35, 299-304.	4.3	381
200	Applying the RE-AIM framework to the Alberta's Caring for Diabetes Project: a protocol for a comprehensive evaluation of primary care quality improvement interventions. <i>BMJ Open</i> , 2012, 2, e002099.	0.8	20
201	Increasing rates of diabetes amongst status Aboriginal youth in Alberta, Canada. <i>International Journal of Circumpolar Health</i> , 2012, 71, 18501.	0.5	14
202	Population-level response shift: novel implications for research. <i>Quality of Life Research</i> , 2012, 21, 1495-1498.	1.5	6
203	Trajectories of health-related quality of life differ by age among adults: Results from an eight-year longitudinal study. <i>Journal of Health Economics</i> , 2012, 31, 207-218.	1.3	14
204	Balancing the risks and benefits for pioglitazone in type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2012, 98, 1-2.	1.1	4
205	Multimorbidity prevalence and patterns across socioeconomic determinants: a cross-sectional survey. <i>BMC Public Health</i> , 2012, 12, 201.	1.2	196
206	Healthy eating and active living for diabetes in primary care networks (HEALD-PCN): rationale, design, and evaluation of a pragmatic controlled trial for adults with type 2 diabetes. <i>BMC Public Health</i> , 2012, 12, 455.	1.2	17
207	Controlled trial of a collaborative primary care team model for patients with diabetes and depression: Rationale and design for a comprehensive evaluation. <i>BMC Health Services Research</i> , 2012, 12, 258.	0.9	34
208	Adding pharmacists to primary care teams reduces predicted long-term risk of cardiovascular events in Type 2 diabetic patients without established cardiovascular disease: results from a randomized trial. <i>Diabetic Medicine</i> , 2012, 29, 1433-1439.	1.2	32
209	Interventions to Increase Osteoporosis Treatment in Patients with "Incidentally" Detected Vertebral Fractures. <i>American Journal of Medicine</i> , 2012, 125, 929-936.	0.6	33
210	Thiazolidinedione use and cancer incidence in type 2 diabetes: A systematic review and meta-analysis. <i>Diabetes and Metabolism</i> , 2012, 38, 475-484.	1.4	76
211	Insulin use and cancer risk in patients with type 2 diabetes: A systematic review and meta-analysis of observational studies. <i>Diabetes and Metabolism</i> , 2012, 38, 485-506.	1.4	66
212	PP157. Risk of preeclampsia in pregnant women with gestational diabetes in Alberta. <i>Pregnancy Hypertension</i> , 2012, 2, 323-324.	0.6	2
213	Quantifying the Impact of Drug Exposure Misclassification due to Restrictive Drug Coverage in Administrative Databases: A Simulation Cohort Study. <i>Value in Health</i> , 2012, 15, 191-197.	0.1	17
214	Healthcare Costs for Initial Management of Children with New-Onset Type 1 Diabetes Mellitus in Central and Northern Alberta. <i>Canadian Journal of Diabetes</i> , 2012, 36, 128-132.	0.4	0
215	Diabetes and cancer (1): evaluating the temporal relationship between type 2 diabetes and cancer incidence. <i>Diabetologia</i> , 2012, 55, 1607-1618.	2.9	191
216	Diabetes and cancer (2): evaluating the impact of diabetes on mortality in patients with cancer. <i>Diabetologia</i> , 2012, 55, 1619-1632.	2.9	109

#	ARTICLE	IF	CITATIONS
217	The safety profile of exogenous insulin in people with type 2 diabetes: justification for concern. <i>Diabetes, Obesity and Metabolism</i> , 2012, 14, 1-4.	2.2	47
218	Restrictive Drug Coverage Policies can Induce Substantial Drug Exposure Misclassification in Pharmacoepidemiologic Studies. <i>Clinical Therapeutics</i> , 2012, 34, 1379-1386.e3.	1.1	10
219	Validation of classification algorithms for childhood diabetes identified from administrative data. <i>Pediatric Diabetes</i> , 2012, 13, 229-234.	1.2	34
220	Predicting the Future Burden of Diabetes in Alberta from 2008 to 2035. <i>Canadian Journal of Diabetes</i> , 2011, 35, 274-281.	0.4	10
221	Clinical Pharmacogenetics Implementation Consortium Guidelines for CYP2C9 and VKORC1 Genotypes and Warfarin Dosing. <i>Clinical Pharmacology and Therapeutics</i> , 2011, 90, 625-629.	2.3	571
222	Levels of Evidence Needed for Changing Indications, Contraindications, and Food and Drug Administration Labeling: The Case of Metformin. <i>Archives of Internal Medicine</i> , 2011, 171, 1042.	4.3	4
223	Diabetes, cardiovascular disease, and health care use in people with and without schizophrenia. <i>European Psychiatry</i> , 2011, 26, 327-332.	0.1	17
224	Validation of diabetes case definitions using administrative claims data. <i>Diabetic Medicine</i> , 2011, 28, 424-427.	1.2	32
225	Determinants of quality of life in type 2 diabetes population: the inclusion of personality. <i>Quality of Life Research</i> , 2011, 20, 551-558.	1.5	24
226	Intensive glycaemic control and cancer risk in type 2 diabetes: a meta-analysis of major trials. <i>Diabetologia</i> , 2011, 54, 25-31.	2.9	128
227	Meta-analysis of trial data may support a causal role of hyperglycaemia in cancer. Reply to Yang XL, Ma RCW, Chan JCN [letter]. <i>Diabetologia</i> , 2011, 54, 711-712.	2.9	1
228	Time-varying incidence of cancer after the onset of type 2 diabetes: evidence of potential detection bias. <i>Diabetologia</i> , 2011, 54, 2263-2271.	2.9	135
229	Nurse case-manager vs multifaceted intervention to improve quality of osteoporosis care after wrist fracture: randomized controlled pilot study. <i>Osteoporosis International</i> , 2011, 22, 223-230.	1.3	48
230	Cost-effectiveness of a multifaceted intervention to improve quality of osteoporosis care after wrist fracture. <i>Osteoporosis International</i> , 2011, 22, 1799-1808.	1.3	38
231	Determinants of quality of life in adults with type 1 and type 2 diabetes. <i>Health and Quality of Life Outcomes</i> , 2011, 9, 115.	1.0	84
232	Effect of Adding Pharmacists to Primary Care Teams on Blood Pressure Control in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2011, 34, 20-26.	4.3	94
233	Analysis of drug coverage before and after the implementation of Canada's Common Drug Review. <i>Cmaj</i> , 2011, 183, E1259-E1266.	0.9	19
234	Recent epidemiologic trends of diabetes mellitus among status Aboriginal adults. <i>Cmaj</i> , 2011, 183, E803-E808.	0.9	44

#	ARTICLE	IF	CITATIONS
235	Risk of Breast Cancer After Onset of Type 2 Diabetes. <i>Diabetes Care</i> , 2011, 34, 2542-2544.	4.3	41
236	Changes in labelling for metformin use in patients with type 2 diabetes and heart failure: documented safety outweighs theoretical risks. <i>Open Medicine</i> , 2011, 5, e33-4.	1.5	3
237	Diabetes, Insulin Use, and Cancer Risk: Are Observational Studies Part of the Solution“or Part of the Problem?. <i>Diabetes</i> , 2010, 59, 1129-1131.	0.3	60
238	Using Instrument-Defined Health State Transitions to Estimate Minimally Important Differences for Four Preference-Based Health-Related Quality of Life Instruments. <i>Medical Care</i> , 2010, 48, 365-371.	1.1	150
239	Reflections on Self-Monitoring of Blood Glucose: Why Do We Recommend the Things We Do?. <i>Canadian Pharmacists Journal</i> , 2010, 143, 216-217.	0.4	0
240	Glucose-lowering agents and cancer mortality rates in type 2 diabetes: assessing effects of time-varying exposure. <i>Diabetologia</i> , 2010, 53, 1631-1637.	2.9	148
241	Glucose-lowering therapies and cancer risk: the trials and tribulations of trials and observations. <i>Diabetologia</i> , 2010, 53, 1823-1826.	2.9	9
242	Insulin, glucose and the increased risk of cancer in patients with type 2 diabetes. <i>Diabetologia</i> , 2010, 53, 2086-2088.	2.9	35
243	Assessing the use of health-related quality of life measures in the routine clinical care of lung-transplant patients. <i>Quality of Life Research</i> , 2010, 19, 371-379.	1.5	76
244	Alberta Diabetes and Physical Activity Trial (ADAPT): A randomized theory-based efficacy trial for adults with type 2 diabetes - rationale, design, recruitment, evaluation, and dissemination. <i>Trials</i> , 2010, 11, 4.	0.7	13
245	A Median Model for Predicting United States Population-Based EQ-5D Health State Preferences. <i>Value in Health</i> , 2010, 13, 278-288.	0.1	32
246	Insulin use and increased risk of mortality in type 2 diabetes: a cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2010, 12, 47-53.	2.2	110
247	Association Between Direct Measures of Body Composition and Prognostic Factors in Chronic Heart Failure. <i>Mayo Clinic Proceedings</i> , 2010, 85, 609-617.	1.4	135
248	Prevalence of cardiovascular risk factors and disease in people with schizophrenia: A population-based study. <i>Schizophrenia Research</i> , 2010, 117, 75-82.	1.1	162
249	Comparison of Direct Body Composition Assessment Methods in Patients With Chronic Heart Failure. <i>Journal of Cardiac Failure</i> , 2010, 16, 867-872.	0.7	26
250	Physical activity levels and differences in the prevalence of diabetes between the United States and Canada“†. <i>Preventive Medicine</i> , 2010, 50, 241-245.	1.6	18
251	Do researchers use pharmacists' communication as an outcome measure? A scoping review of pharmacist involvement in diabetes care. <i>International Journal of Pharmacy Practice</i> , 2010, 18, 183-193.	0.3	17
252	A comparison of drug coverage in alberta before and after the introduction of the national common drug review process. <i>Healthcare Policy</i> , 2010, 6, e117-44.	0.3	1

#	ARTICLE	IF	CITATIONS
253	Analyzing composite outcomes in cardiovascular studies: traditional Cox proportional hazards versus quality-of-life-adjusted survival approaches. <i>Open Medicine</i> , 2010, 4, e40-8.	1.5	3
254	Increasing Incidence and Prevalence of Diabetes among the Status Aboriginal Population in Urban and Rural Alberta, 1995â€“2006. <i>Canadian Journal of Public Health</i> , 2009, 100, 231-236.	1.1	18
255	The Impact of Selecting a High Hemoglobin Target Level on Health-Related Quality of Life for Patients With Chronic Kidney Disease. <i>Archives of Internal Medicine</i> , 2009, 169, 1104.	4.3	88
256	Do the determinants of health differ between people living in the community and in institutions?. <i>Social Science and Medicine</i> , 2009, 69, 345-353.	1.8	22
257	The association of survey language (Spanish vs. English) with Health Utilities Index and EQ-5D index scores in a United States population sample. <i>Quality of Life Research</i> , 2009, 18, 1377-1385.	1.5	5
258	Lay media reporting of rosiglitazone risk: extent, messaging and quality of reporting. <i>Cardiovascular Diabetology</i> , 2009, 8, 40.	2.7	4
259	Metformin treatment in diabetes and heart failure: when academic equipoise meets clinical reality. <i>Trials</i> , 2009, 10, 12.	0.7	45
260	Hydrochlorothiazide and Atenolol Combination Antihypertensive Therapy: Effects of Drug Initiation Order. <i>Clinical Pharmacology and Therapeutics</i> , 2009, 86, 533-539.	2.3	22
261	Increasing incidence and prevalence with limited survival gains among rural Albertans with diabetes: a retrospective cohort study, 1995â€“2006. <i>Diabetic Medicine</i> , 2009, 26, 989-995.	1.2	20
262	Risk of Heart Failure in Patients With Recent-Onset Type 2 Diabetes: Population-Based Cohort Study. <i>Journal of Cardiac Failure</i> , 2009, 15, 152-157.	0.7	35
263	Survey of Pharmacist Activities and Attitudes in Diabetes Management. <i>Canadian Pharmacists Journal</i> , 2009, 142, 128-134.e2.	0.4	16
264	Relative Efficiency of the EQ-5D, HUI2, and HUI3 Index Scores in Measuring Health Burden of Chronic Medical Conditions in a Population Health Survey in the United States. <i>Medical Care</i> , 2009, 47, 53-60.	1.1	54
265	The Effect of Increasing Dialysis Dose in Overweight Hemodialysis Patients on Quality of Life: A 6-Week Randomized Crossover Trial. <i>American Journal of Kidney Diseases</i> , 2008, 51, 796-803.	2.1	11
266	Utility values for symptomatic non-severe hypoglycaemia elicited from persons with and without diabetes in Canada and the United Kingdom. <i>Health and Quality of Life Outcomes</i> , 2008, 6, 73.	1.0	60
267	Health Utilities Index Mark 3 showed valid in Alzheimer Disease, arthritis, and cataracts. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 733-739.	2.4	24
268	Type of antidepressant therapy and risk of type 2 diabetes in people with depression. <i>Diabetes Research and Clinical Practice</i> , 2008, 79, 61-67.	1.1	75
269	The Darkening Cloud of Diabetes. <i>Diabetes Care</i> , 2008, 31, 2136-2142.	4.3	10
270	Multifaceted intervention to improve diagnosis and treatment of osteoporosis in patients with recent wrist fracture: a randomized controlled trial. <i>Cmaj</i> , 2008, 178, 569-575.	0.9	132

#	ARTICLE	IF	CITATIONS
271	The risk of heart failure in patients with type 2 diabetes treated with oral agent monotherapy. <i>European Journal of Heart Failure</i> , 2008, 10, 703-708.	2.9	90
272	Sex and Gender Discrepancies in Health-Related Quality of Life Outcomes Among Patients With Established Coronary Artery Disease. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2008, 1, 123-130.	0.9	77
273	Health-related Behaviours in Adults with Diabetes. <i>Canadian Journal of Public Health</i> , 2008, 99, 226-231.	1.1	18
274	Development of clinical indicators for type 2 diabetes. <i>Canadian Pharmacists Journal</i> , 2008, 141, 120-128.	0.4	6
275	Insulin versus an oral antidiabetic agent as add-on therapy in type 2 diabetes after failure of an oral antidiabetic regimen: a meta-analysis. <i>Open Medicine</i> , 2008, 2, e26-38.	1.5	1
276	The effect of specialist care within the first year on subsequent outcomes in 24 232 adults with new-onset diabetes mellitus: population-based cohort study. <i>Quality and Safety in Health Care</i> , 2007, 16, 6-11.	2.5	55
277	How Evidence-Based Are the Recommendations in Evidence-Based Guidelines?. <i>PLoS Medicine</i> , 2007, 4, e250.	3.9	199
278	Short-Term Risk for Stroke Is Doubled in Persons With Newly Treated Type 2 Diabetes Compared With Persons Without Diabetes. <i>Stroke</i> , 2007, 38, 1739-1743.	1.0	69
279	Benefits and harms of antidiabetic agents in patients with diabetes and heart failure: systematic review. <i>BMJ: British Medical Journal</i> , 2007, 335, 497.	2.4	293
280	Prospective Study of Hyperglycemia and Cancer Risk: Response to Stattin et al.. <i>Diabetes Care</i> , 2007, 30, e77-e77.	4.3	5
281	Quality of Life After Islet Transplant: Impact of the Number of Islet Infusions and Metabolic Outcome. <i>Transplantation</i> , 2007, 84, 664-666.	0.5	50
282	Use of the U.S. and U.K. Scoring Algorithm for the EuroQol-5D in an Economic Evaluation of Cardiac Care. <i>Medical Care</i> , 2007, 45, 269-273.	1.1	7
283	Atenolol as initial antihypertensive therapy: an observational study comparing first-line agents. <i>Journal of Hypertension</i> , 2007, 25, 1499-1505.	0.3	29
284	Health Care Costs and Mortality for Canadian Urban and Rural Patients with Diabetes: Population-Based Trends from 1993 to 2001. <i>Clinical Therapeutics</i> , 2007, 29, 1316-1324.	1.1	27
285	Do radiographic indices of distal radius fracture reduction predict outcomes in older adults receiving conservative treatment?. <i>Clinical Radiology</i> , 2007, 62, 65-72.	0.5	117
286	Racial/ethnic differences in preferences for the EQ-5D health states: results from the U.S. valuation study. <i>Journal of Clinical Epidemiology</i> , 2007, 60, 479-490.	2.4	43
287	Physical activity level and health-related quality of life in the general adult population: A systematic review. <i>Preventive Medicine</i> , 2007, 45, 401-415.	1.6	800
288	Prescription Drug Data and the National Diabetes Surveillance System Case Definition. <i>Canadian Journal of Diabetes</i> , 2007, 31, 47-53.	0.4	6

#	ARTICLE	IF	CITATIONS
289	A Comparison of EQ-5D Index Scores Derived from the US and UK Population-Based Scoring Functions. <i>Medical Decision Making</i> , 2007, 27, 321-326.	1.2	57
290	IHE Consensus Conference on Self-Monitoring in Diabetes: An Innovative Approach to Health Policy Development. <i>Canadian Journal of Diabetes</i> , 2007, 31, 18-19.	0.4	0
291	Itch Severity Scale: a self-report instrument for the measurement of pruritus severity. <i>British Journal of Dermatology</i> , 2007, 156, 667-673.	1.4	119
292	Health care utilization and costs in Saskatchewan's registered Indian population with diabetes. <i>BMC Health Services Research</i> , 2007, 7, 126.	0.9	22
293	Persistence, reproducibility, and cost-effectiveness of an intervention to improve the quality of osteoporosis care after a fracture of the wrist: results of a controlled trial. <i>Osteoporosis International</i> , 2007, 18, 261-270.	1.3	84
294	The usefulness of the EQ-5D in differentiating among persons with major depressive episode and anxiety. <i>Quality of Life Research</i> , 2007, 16, 749-754.	1.5	38
295	Evaluating pharmacists' experience using diabetes practice tools: A pilot study. <i>Canadian Pharmacists Journal</i> , 2007, 140, 312-319.	0.4	1
296	Medication Nonadherence and Subsequent Risk of Hospitalisation and Mortality among Older Adults. <i>Drugs and Aging</i> , 2006, 23, 345-356.	1.3	75
297	Increased Cancer-Related Mortality for Patients With Type 2 Diabetes Who Use Sulfonylureas or Insulin. <i>Diabetes Care</i> , 2006, 29, 254-258.	4.3	845
298	Misinterpretation with norm-based scoring of health status in adults with type 1 diabetes. <i>Health and Quality of Life Outcomes</i> , 2006, 4, 15.	1.0	10
299	A cross-sectional study of health-related quality of life deficits in individuals with comorbid diabetes and cancer. <i>Health and Quality of Life Outcomes</i> , 2006, 4, 17.	1.0	39
300	Assessing responsiveness of generic and specific health related quality of life measures in heart failure. <i>Health and Quality of Life Outcomes</i> , 2006, 4, 89.	1.0	98
301	Health Care Use and Costs in the Decade After Identification of Type 1 and Type 2 Diabetes: A population-based study. <i>Diabetes Care</i> , 2006, 29, 2403-2408.	4.3	50
302	Health Utilities Index mark 3 demonstrated construct validity in a population-based sample with type 2 diabetes. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 472-477.	2.4	31
303	Educational intervention to reduce falls and fear of falling in patients after fragility fracture: Results of a controlled pilot study. <i>Preventive Medicine</i> , 2006, 42, 316-319.	1.6	40
304	Understanding the Determinants of Health for People With Type 2 Diabetes. <i>American Journal of Public Health</i> , 2006, 96, 1649-1655.	1.5	96
305	Self-monitoring in Type 2 diabetes: a randomized trial of reimbursement policy. <i>Diabetic Medicine</i> , 2006, 23, 1247-1251.	1.2	27
306	Cross-sectional validity of a modified Edmonton symptom assessment system in dialysis patients: A simple assessment of symptom burden. <i>Kidney International</i> , 2006, 69, 1621-1625.	2.6	211

#	ARTICLE	IF	CITATIONS
307	Comment on: Evans JM, Ogston SA, Emslie-Smith A, Morris A (2006) Risk of mortality and adverse cardiovascular outcomes in type 2 diabetes: a comparison of patients treated with sulfonylureas and metformin. <i>Diabetologia</i> 49:930-936. <i>Diabetologia</i> , 2006, 49, 2805-2806.	2.9	4
308	Utilization of diabetes medication and cost of testing supplies in Saskatchewan, 2001. <i>BMC Health Services Research</i> , 2006, 6, 159.	0.9	17
309	Longitudinal validation of a modified Edmonton symptom assessment system (ESAS) in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 3189-3195.	0.4	155
310	Evidence and advocacy: Are all things considered?. <i>Cmaj</i> , 2006, 174, 1856-1856.	0.9	7
311	Dose-response relation between sulfonylurea drugs and mortality in type 2 diabetes mellitus: a population-based cohort study. <i>Cmaj</i> , 2006, 174, 169-174.	0.9	186
312	Diabetes, Fitness, and Body Mass Index. <i>Archives of Internal Medicine</i> , 2006, 166, 1326.	4.3	1
313	Improving Blood Pressure Management in Patients with Diabetes: The Design of the SCRIP-HTN Study. <i>Canadian Pharmacists Journal</i> , 2006, 139, 1-4.	0.4	5
314	Increased Cancer-Related Mortality for Patients With Type 2 Diabetes Who Use Sulfonylureas or Insulin: Response to Farooki and Schneider. <i>Diabetes Care</i> , 2006, 29, 1990-1991.	4.3	118
315	The Natural History of LDL Control in Type 2 Diabetes: A prospective study of adherence to lipid guidelines. <i>Diabetes Care</i> , 2006, 29, 2506-2508.	4.3	4
316	Type 2 diabetes does not increase risk of depression. <i>Cmaj</i> , 2006, 175, 42-46.	0.9	68
317	History of Depression Increases Risk of Type 2 Diabetes in Younger Adults. <i>Diabetes Care</i> , 2005, 28, 1063-1067.	4.3	109
318	Self-Reported Health Status of the General Adult U.S. Population as Assessed by the EQ-5D and Health Utilities Index. <i>Medical Care</i> , 2005, 43, 1078-1086.	1.1	343
319	US Valuation of the EQ-5D Health States. <i>Medical Care</i> , 2005, 43, 203-220.	1.1	1,145
320	Valuations of EQ-5D Health States. <i>Medical Care</i> , 2005, 43, 221-228.	1.1	202
321	Reduced cardiovascular morbidity and mortality associated with metformin use in subjects with Type 2 diabetes. <i>Diabetic Medicine</i> , 2005, 22, 497-502.	1.2	142
322	Secondary Failure Rates Associated with Metformin and Sulfonylurea Therapy for Type 2 Diabetes Mellitus. <i>Pharmacotherapy</i> , 2005, 25, 810-816.	1.2	42
323	Long-Term Impact of a Community Pharmacist Intervention on Cholesterol Levels in Patients at High Risk for Cardiovascular Events: Extended Follow-up of the Second Study of Cardiovascular Risk Intervention by Pharmacists (SCRIP-plus). <i>Pharmacotherapy</i> , 2005, 25, 110-115.	1.2	28
324	Responsiveness of generic health-related quality of life measures in stroke. <i>Quality of Life Research</i> , 2005, 14, 207-219.	1.5	139

#	ARTICLE	IF	CITATIONS
325	Health-related quality of life deficits associated with diabetes and comorbidities in a Canadian National Population Health Survey. <i>Quality of Life Research</i> , 2005, 14, 1311-1320.	1.5	167
326	Understanding the complex associations between patient-provider relationships, self-care behaviours, and health-related quality of life in type 2 diabetes: A structural equation modeling approach. <i>Quality of Life Research</i> , 2005, 14, 1489-1500.	1.5	70
327	Relationship between number, timing, and type of pharmacist interventions and patient outcomes. <i>American Journal of Health-System Pharmacy</i> , 2005, 62, 1798-1801.	0.5	8
328	Physician Perceptions of Enhanced Community Pharmacist Care in Cholesterol Management. <i>Canadian Pharmacists Journal</i> , 2005, 138, 33-39.	0.4	4
329	Improved Clinical Outcomes Associated With Metformin in Patients With Diabetes and Heart Failure. <i>Diabetes Care</i> , 2005, 28, 2345-2351.	4.3	363
330	A Systematic Review of Drug Therapy to Delay or Prevent Type 2 Diabetes. <i>Diabetes Care</i> , 2005, 28, 736-744.	4.3	150
331	Generalizability and Persistence of a Multifaceted Intervention for Improving Quality of Care for Rural Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2005, 28, 783-788.	4.3	19
332	The Effectiveness of β -Blockers After Myocardial Infarction in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2005, 28, 2113-2117.	4.3	11
333	A cohort study found the RAND-12 and Health Utilities Index Mark 3 demonstrated construct validity in high-risk primary care patients. <i>Journal of Clinical Epidemiology</i> , 2005, 58, 138-141.	2.4	40
334	A Controlled Trial To Increase Detection and Treatment of Osteoporosis in Older Patients with a Wrist Fracture. <i>Annals of Internal Medicine</i> , 2004, 141, 366.	2.0	148
335	Evidence of suboptimal management of cardiovascular risk in patients with type 2 diabetes mellitus and symptomatic atherosclerosis. <i>Cmaj</i> , 2004, 171, 1189-1192.	0.9	135
336	Lack of insurance coverage for testing supplies is associated with poorer glycemic control in patients with type 2 diabetes. <i>Cmaj</i> , 2004, 171, 39-43.	0.9	34
337	Reduced Fear of Hypoglycemia in Successful Islet Transplantation. <i>Diabetes Care</i> , 2004, 27, 624-625.	4.3	46
338	Reduced Mortality Associated With the Use of ACE Inhibitors in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2004, 27, 1330-1334.	4.3	58
339	Agreement Between Patient and Proxy Assessments of Health-Related Quality of Life After Stroke Using the EQ-5D and Health Utilities Index. <i>Stroke</i> , 2004, 35, 607-612.	1.0	165
340	Improvements in Patient-Reported Outcomes Associated With an Intervention to Enhance Quality of Care for Rural Patients With Type 2 Diabetes: Results of a controlled trial. <i>Diabetes Care</i> , 2004, 27, 1306-1312.	4.3	46
341	Statin use in Type 2 diabetes mellitus is associated with a delay in starting insulin. <i>Diabetic Medicine</i> , 2004, 21, 962-967.	1.2	26
342	Greater Effect of Enhanced Pharmacist Care on Cholesterol Management in Patients with Diabetes Mellitus: A Planned Subgroup Analysis of the Study of Cardiovascular Risk Intervention by Pharmacists (SCRIP). <i>Pharmacotherapy</i> , 2004, 24, 389-394.	1.2	26

#	ARTICLE	IF	CITATIONS
343	Performance of the RAND-12 and SF-12 summary scores in type 2 diabetes. <i>Quality of Life Research</i> , 2004, 13, 449-456.	1.5	55
344	Construct validity of the RAND-12 and Health Utilities Index Mark 2 and 3 in type 2 diabetes. <i>Quality of Life Research</i> , 2004, 13, 435-448.	1.5	44
345	Primary health care teams: team members' perceptions of the collaborative process. <i>Journal of Interprofessional Care</i> , 2004, 18, 75-78.	0.8	74
346	A multicenter disease management program for hospitalized patients with heart failure. <i>Journal of Cardiac Failure</i> , 2004, 10, 473-480.	0.7	127
347	Radiologic and patient-reported functional outcomes in an elderly cohort with conservatively treated distal radius fractures. <i>Journal of Hand Surgery</i> , 2004, 29, 1121-1127.	0.7	170
348	Letter to the editor. <i>American Heart Journal</i> , 2004, 148, e3.	1.2	0
349	Effect of community pharmacist intervention on cholesterol levels in patients at high risk of cardiovascular events: the second study of cardiovascular risk intervention by pharmacists (SCRIP-plus). <i>American Journal of Medicine</i> , 2004, 116, 130-133.	0.6	50
350	Underuse of aspirin in type 2 diabetes mellitus: Prevalence and correlates of therapy in rural Canada. <i>Clinical Therapeutics</i> , 2004, 26, 439-446.	1.1	23
351	Treatment gaps for hypertension management in rural Canadian patients with type 2 diabetes mellitus*1. <i>Clinical Therapeutics</i> , 2004, 26, 598-606.	1.1	29
352	Shifting from Inpatient to Outpatient Treatment of Deep Vein Thrombosis in a Tertiary Care Center: A Cost-Minimization Analysis. <i>Pharmacotherapy</i> , 2003, 23, 301-309.	1.2	15
353	Compliance with Clinical Practice Guidelines for Type 2 Diabetes in Rural Patients: Treatment Gaps and Opportunities for Improvement. <i>Pharmacotherapy</i> , 2003, 23, 659-665.	1.2	64
354	Health-related quality of life deficits associated with varying degrees of disease severity in type 2 diabetes. <i>Health and Quality of Life Outcomes</i> , 2003, 1, 78.	1.0	35
355	Controlled Trial of a Multifaceted Intervention for Improving Quality of Care for Rural Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2003, 26, 3061-3066.	4.3	85
356	A Comparison of the Health Utilities Indices Mark 2 and Mark 3 in Type 2 Diabetes. <i>Medical Decision Making</i> , 2003, 23, 489-501.	1.2	33
357	The cost of major comorbidity in people with diabetes mellitus. <i>Cmaj</i> , 2003, 168, 1661-7.	0.9	36
358	A Randomized Trial of the Effect of Community Pharmacist Intervention on Cholesterol Risk Management<subtitle>The Study of Cardiovascular Risk Intervention by Pharmacists (SCRIP)</subtitle>. <i>Archives of Internal Medicine</i> , 2002, 162, 1149.	4.3	251
359	Decreased Mortality Associated With the Use of Metformin Compared With Sulfonylurea Monotherapy in Type 2 Diabetes. <i>Diabetes Care</i> , 2002, 25, 2244-2248.	4.3	403
360	Dialysis Adequacy and Health Related Quality of Life in Hemodialysis Patients. <i>ASAIO Journal</i> , 2002, 48, 565-569.	0.9	55

#	ARTICLE	IF	CITATIONS
361	Underutilisation of ACE Inhibitors in Patients with Congestive Heart Failure. <i>Drugs</i> , 2001, 61, 2021-2033.	4.9	61
362	Economic Impact of Community Pharmacist Intervention in Cholesterol Risk Management: An Evaluation of the Study of Cardiovascular Risk Intervention by Pharmacists. <i>Pharmacotherapy</i> , 2001, 21, 627-635.	1.2	42
363	Practice-Based Research: Lessons from Community Pharmacist Participants. <i>Pharmacotherapy</i> , 2001, 21, 731-739.	1.2	50
364	Productivity Losses Associated With Diabetes in the U.S.. <i>Diabetes Care</i> , 2001, 24, 257-261.	4.3	106
365	Pharmacists' Attitudes Toward Diabetes. <i>Journal of the American Pharmacists Association</i> , 2000, 40, 371-377.	0.6	20
366	Health-Related Quality of Life for Adults with Cystic Fibrosis: A Regression Approach to Assessing the Impact of Recombinant Human DNase. <i>Pharmacotherapy</i> , 2000, 20, 1167-1174.	1.2	21
367	Gender Differences in Labetalol Kinetics: Importance of Determining Stereoisomer Kinetics for Racemic Drugs. <i>Pharmacotherapy</i> , 2000, 20, 622-628.	1.2	26
368	Using Focus Groups to Identify Barriers to Drug Use in Patients with Congestive Heart Failure. <i>Pharmacotherapy</i> , 2000, 20, 823-829.	1.2	37
369	Comparison of Finnish and U.S.-based Visual Analog Scale Valuations of the EQ-5D Measure. <i>Medical Decision Making</i> , 2000, 20, 281-289.	1.2	39
370	Comparison of the EQ-5D and SF-12 Health Surveys in a General Population Survey in Alberta, Canada. <i>Medical Care</i> , 2000, 38, 115-121.	1.1	240
371	Predictability of the effects of race or ethnicity on pharmacokinetics of drugs. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2000, 38, 53-60.	0.3	101
372	CYP1A2 and CYP2D6 4-hydroxylate propranolol and both reactions exhibit racial differences. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2000, 294, 1099-105.	1.3	43
373	Cost of Care for Individuals with Cystic Fibrosis: A Regression Approach to Determining the Impact of Recombinant Human DNase. <i>Pharmacotherapy</i> , 1999, 19, 1159-1166.	1.2	30
374	Study of Cardiovascular Risk Intervention by Pharmacists (SCRIP): A Randomized Trial Design of the Effect of a Community Pharmacist Intervention Program on Serum Cholesterol Risk. <i>Annals of Pharmacotherapy</i> , 1999, 33, 910-919.	0.9	50
375	Replicability of SF-36 Summary Scores by the SF-12 in Stroke Patients. <i>Stroke</i> , 1999, 30, 1213-1217.	1.0	107
376	The Impact of Pharmacist Interventions on Health-Related Quality of Life. <i>Annals of Pharmacotherapy</i> , 1999, 33, 1167-1172.	0.9	38
377	Comparison of the EQ-5D and SF-12 in an adult US sample. , 1998, 7, 155-166.		262
378	Valuation of EuroQOL (EQ-5D) Health States in an Adult US Sample. <i>Pharmacoeconomics</i> , 1998, 13, 421-433.	1.7	225

#	ARTICLE	IF	CITATIONS
379	Reassessing the Relevance of Pharmacoeconomic Analyses in Formulary Decisions. <i>Pharmacoeconomics</i> , 1998, 13, 479-485.	1.7	17
380	The Structure of Satisfaction with Pharmacy Services. <i>Medical Care</i> , 1998, 36, 244-250.	1.1	33
381	Construct Validities of the Quality of Well-Being Scale and the MOS-HIV-34 Health Survey for HIV-infected Patients. <i>Medical Decision Making</i> , 1997, 17, 439-446.	1.2	26
382	Drug-related morbidity and mortality and the economic impact of pharmaceutical care. <i>American Journal of Health-System Pharmacy</i> , 1997, 54, 554-558.	0.5	129
383	Influence of Race or Ethnicity on Pharmacokinetics of Drugs. <i>Journal of Pharmaceutical Sciences</i> , 1997, 86, 1328-1333.	1.6	117
384	Self-Efficacy Theory as a Framework for Community Pharmacy-Based Diabetes Education Programs. <i>The Diabetes Educator</i> , 1996, 22, 237-241.	2.6	41
385	Health-Related Quality of Life of Diabetic Pima Indians. <i>Medical Care</i> , 1996, 34, 97-102.	1.1	63
386	Humanistic Outcomes. , 1996, , 403-445.		2
387	Racial Differences in β_2 -Adrenoceptor-Mediated Responsiveness. <i>Journal of Cardiovascular Pharmacology</i> , 1995, 25, 90-96.	0.8	52
388	Evaluation of Published Pharmacoeconomic Studies. <i>Journal of Pharmacy Practice</i> , 1995, 8, 156-166.	0.5	2
389	Metoprolol minimizes nighttime blood pressure dip in hypertensive black males. <i>American Journal of Hypertension</i> , 1995, 8, 254-259.	1.0	9
390	Influence of metabolites on protein binding of verapamil enantiomers.. <i>British Journal of Clinical Pharmacology</i> , 1995, 39, 536-538.	1.1	6
391	Drug-Related Morbidity and Mortality. <i>Archives of Internal Medicine</i> , 1995, 155, 1949.	4.3	577
392	Effect of Pravastatin on Outcomes after Cardiac Transplantation. <i>New England Journal of Medicine</i> , 1995, 333, 621-627.	13.9	1,215
393	Drug-related morbidity and mortality. A cost-of-illness model. <i>Archives of Internal Medicine</i> , 1995, 155, 1949-56.	4.3	182
394	Pharmacoeconomic analysis in formulary decisions: An international perspective. <i>American Journal of Health-System Pharmacy</i> , 1994, 51, 2593-2598.	0.5	8
395	Pharmacoeconomic analysis in formulary decisions: an international perspective. <i>American Journal of Hospital Pharmacy</i> , 1994, 51, 2593-8.	0.2	8
396	Predictors of medication noncompliance in a sample of older adults. <i>Clinical Therapeutics</i> , 1994, 16, 110-7.	1.1	87

#	ARTICLE	IF	CITATIONS
397	Racial differences in lymphocyte beta-receptor sensitivity to propranolol. Life Sciences, 1993, 53, 297-304.	2.0	13
398	Racial differences in propranolol pharmacokinetics. Clinical Pharmacology and Therapeutics, 1992, 51, 495-500.	2.3	33
399	Health-related quality of life and its determinants in paediatric arterial ischaemic stroke survivors. , 0, .		1
400	Anti-Hyperglycemic Medication Adherence and Health Services Utilization in People with Diabetes: A Longitudinal Study of Alberta's Tomorrow Project. Patient Preference and Adherence, 0, Volume 16, 1457-1467.	0.8	2