Angela Cioffi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1576558/publications.pdf

Version: 2024-02-01

27 papers 2,101 citations

331670 21 h-index 25 g-index

28 all docs 28 docs citations

28 times ranked

2795 citing authors

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Discontinuation of imatinib in patients with advanced gastrointestinal stromal tumours after 3 years of treatment: an open-label multicentre randomised phase 3 trial. Lancet Oncology, The, 2010, 11, 942-949. | 10.7 | 260 |
| 2 | Malignant Peripheral Nerve Sheath Tumors. Oncologist, 2014, 19, 193-201. | 3.7 | 258 |
| 3 | Activity of eribulin mesylate in patients with soft-tissue sarcoma: a phase 2 study in four independent histological subtypes. Lancet Oncology, The, 2011, 12, 1045-1052. | 10.7 | 212 |
| 4 | Randomized Multicenter and Stratified Phase II Study of Gemcitabine Alone Versus Gemcitabine and Docetaxel in Patients with Metastatic or Relapsed Leiomyosarcomas: A Fédération Nationale des Centres de Lutte Contre le Cancer (FNCLCC) French Sarcoma Group Study (TAXOGEM study). Oncologist, 2012, 17, 1213-1220. | 3.7 | 182 |
| 5 | Docetaxel and gemcitabine combination in 133 advanced softâ€tissue sarcomas: A retrospective analysis. International Journal of Cancer, 2006, 119, 706-711. | 5.1 | 169 |
| 6 | Phase II study of oral masitinib mesilate in imatinib-na \tilde{A} -ve patients with locally advanced or metastatic gastro-intestinal stromal tumour (GIST). European Journal of Cancer, 2010, 46, 1344-1351. | 2.8 | 118 |
| 7 | Comparison of doxorubicin and weekly paclitaxel efficacy in metastatic angiosarcomas. Cancer, 2012, 118, 3330-3336. | 4.1 | 118 |
| 8 | Sorafenib in patients with progressive epithelioid hemangioendothelioma. Cancer, 2013, 119, 2639-2644. | 4.1 | 97 |
| 9 | Tenosynovial giant cell tumour/pigmented villonodular synovitis: Outcome of 294 patients before the era of kinase inhibitors. European Journal of Cancer, 2015, 51, 210-217. | 2.8 | 97 |
| 10 | Feasibility of metronomic oral cyclophosphamide plus prednisolone in elderly patients with inoperable or metastatic soft tissue sarcoma. European Journal of Cancer, 2011, 47, 515-519. | 2.8 | 72 |
| 11 | Age-Stratified Risk of Unexpected Uterine Sarcoma Following Surgery for Presumed Benign Leiomyoma. Oncologist, 2015, 20, 433-439. | 3.7 | 59 |
| 12 | Patterns of Care, Prognosis, and Survival in Patients with Metastatic Gastrointestinal Stromal Tumors (GIST) Refractory to First-Line Imatinib and Second-Line Sunitinib. Annals of Surgical Oncology, 2012, 19, 1551-1559. | 1.5 | 57 |
| 13 | Quantitative functional imaging by Dynamic Contrast Enhanced Ultrasonography (DCE-US) in GIST patients treated with masatinib. Investigational New Drugs, 2012, 30, 765-771. | 2.6 | 57 |
| 14 | Treating soft tissue sarcomas with adjuvant chemotherapy. Current Treatment Options in Oncology, 2011, 12, 21-31. | 3.0 | 53 |
| 15 | Clinical activity of sunitinib in patients with advanced desmoplastic round cell tumor: a case series. Targeted Oncology, 2013, 8, 211-213. | 3.6 | 47 |
| 16 | Genetic Profiling Identifies Two Classes of Soft-Tissue Leiomyosarcomas with Distinct Clinical Characteristics. Clinical Cancer Research, 2013, 19, 1190-1196. | 7.0 | 46 |
| 17 | GI Stromal Tumors: 15 Years of Lessons From a Rare Cancer. Journal of Clinical Oncology, 2015, 33, 1849-1854. | 1.6 | 41 |
| 18 | Doxorubicin and ifosfamide for high-grade sarcoma during pregnancy. Cancer Chemotherapy and Pharmacology, 2012, 69, 357-367. | 2.3 | 32 |

| # | Article | lF | CITATION |
|----|--|-----|----------|
| 19 | Angiosarcomas and Other Sarcomas of Endothelial Origin. Hematology/Oncology Clinics of North America, 2013, 27, 975-988. | 2.2 | 32 |
| 20 | Longâ€term outcome of dasatinib firstâ€line treatment in gastrointestinal stromal tumor: A multicenter, 2â€stage phase 2 trial (Swiss Group for Clinical Cancer Research 56/07). Cancer, 2018, 124, 1449-1454. | 4.1 | 32 |
| 21 | Development and validation of prognostic nomograms for metastatic gastrointestinal stromal tumour treated with imatinib. European Journal of Cancer, 2015, 51, 852-860. | 2.8 | 23 |
| 22 | Primary adrenal angiosarcoma and functioning adrenocortical adenoma: an exceptional combined tumor. European Journal of Endocrinology, 2012, 166, 131-135. | 3.7 | 19 |
| 23 | Consumptive Coagulopathy in Angiosarcoma: A Recurrent Phenomenon?. Sarcoma, 2014, 2014, 1-7. | 1.3 | 13 |
| 24 | Clinical and pharmacokinetic evaluation of trabectedin for the treatment of soft-tissue sarcoma. Expert Opinion on Drug Metabolism and Toxicology, 2012, 8, 113-122. | 3.3 | 4 |
| 25 | A phase II study of regorafenib in patients with thymic epithelial tumours previously treated with chemotherapy Journal of Clinical Oncology, 2018, 36, 8579-8579. | 1.6 | 3 |
| 26 | Strat \tilde{A} ©gie de prise en charge des tumeurs primitives. Revue Du Rhumatisme (Edition Francaise), 2008, 75, 362-368. | 0.0 | 0 |
| 27 | The mechanistic target of rapamycin pathway in sarcomas: from biology to therapy. Expert Opinion on Orphan Drugs, 2014, 2, 653-664. | 0.8 | 0 |