
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/157697/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Label-Free Protein Biosensor Based on Aptamer-Modified Carbon Nanotube Field-Effect Transistors. Analytical Chemistry, 2007, 79, 782-787.	6.5	644
2	Separation of Long DNA Molecules by Quartz Nanopillar Chips under a Direct Current Electric Field. Analytical Chemistry, 2004, 76, 15-22.	6.5	333
3	Label-Free Detection of Peptide Nucleic Acidâ	6.5	311
4	Label-free immunosensor for prostate-specific antigen based on single-walled carbon nanotube array-modified microelectrodes. Biosensors and Bioelectronics, 2007, 22, 2377-2381.	10.1	297
5	Development of automated paper-based devices for sequential multistep sandwich enzyme-linked immunosorbent assays using inkjet printing. Lab on A Chip, 2013, 13, 126-135.	6.0	204
6	Nanomaterial-based electrochemical biosensors for medical applications. TrAC - Trends in Analytical Chemistry, 2008, 27, 585-592.	11.4	200
7	A Rapid Label-Free Electrochemical Detection and Kinetic Study of Alzheimer's Amyloid Beta Aggregation. Journal of the American Chemical Society, 2005, 127, 11892-11893.	13.7	197
8	Low-voltage electroosmosis pump for stand-alone microfluidics devices. Electrophoresis, 2003, 24, 185-192.	2.4	147
9	A localized surface plasmon resonance based immunosensor for the detection of casein in milk. Science and Technology of Advanced Materials, 2007, 8, 331-338.	6.1	137
10	A novel enhancement assay for immunochromatographic test strips using gold nanoparticles. Analytical and Bioanalytical Chemistry, 2006, 385, 1414-1420.	3.7	134
11	Investigating neuronal activity with planar microelectrode arrays: achievements and new perspectives. Journal of Bioscience and Bioengineering, 2005, 100, 131-143.	2.2	132
12	Constraining the connectivity of neuronal networks cultured on microelectrode arrays with microfluidic techniques: A step towards neuron-based functional chips. Biosensors and Bioelectronics, 2006, 21, 1093-1100.	10.1	126
13	Aptamerâ€Based Labelâ€Free Immunosensors Using Carbon Nanotube Fieldâ€Effect Transistors. Electroanalysis, 2009, 21, 1285-1290.	2.9	120
14	Localized surface plasmon resonance based optical biosensor using surface modified nanoparticle layer for label-free monitoring of antigen–antibody reaction. Science and Technology of Advanced Materials, 2005, 6, 491-500.	6.1	118
15	Direct fabrication of catalytic metal nanoparticles onto the surface of a screen-printed carbon electrode. Electrochemistry Communications, 2006, 8, 1375-1380.	4.7	109
16	Quantum dot-based immunosensor for the detection of prostate-specific antigen using fluorescence microscopy. Talanta, 2007, 71, 1494-1499.	5.5	104
17	Electrochemical Coding of Single-Nucleotide Polymorphisms By Monobase-Modified Gold Nanoparticles. Analytical Chemistry, 2004, 76, 1877-1884.	6.5	101
18	Modification of Escherichia coli single-stranded DNA binding protein with gold nanoparticles for electrochemical detection of DNA hybridization. Analytica Chimica Acta, 2004, 510, 169-174.	5.4	90

#	Article	IF	CITATIONS
19	Circumventing air bubbles in microfluidic systems and quantitative continuous-flow PCR applications. Analytical and Bioanalytical Chemistry, 2006, 386, 1327-1333.	3.7	88
20	Label-Free Electrochemical Immunoassay for the Detection of Human Chorionic Gonadotropin Hormone. Analytical Chemistry, 2006, 78, 5612-5616.	6.5	87
21	Escherichia coli single-strand binding protein?DNA interactions on carbon nanotube-modified electrodes from a label-free electrochemical hybridization sensor. Analytical and Bioanalytical Chemistry, 2005, 381, 1114-1121.	3.7	84
22	Dendrite growth processes of silicon and germanium from highly undercooled melts. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 1999, 30, 1333-1339.	2.2	78
23	Gold nanoparticle-based novel enhancement method for the development of highly sensitive immunochromatographic test strips. Science and Technology of Advanced Materials, 2006, 7, 270-275.	6.1	74
24	Label-free electrochemical detection of DNA hybridization on gold electrode. Electrochemistry Communications, 2003, 5, 887-891.	4.7	73
25	Cell separation by an aqueous two-phase system in a microfluidic device. Analyst, The, 2009, 134, 1994.	3.5	73
26	Ultrasensitive Detection of DNA Hybridization Using Carbon Nanotube Field-Effect Transistors. Japanese Journal of Applied Physics, 2004, 43, L1558-L1560.	1.5	72
27	Electrochemical Genosensor Based on Peptide Nucleic Acid-Mediated PCR and Asymmetric PCR Techniques:Â Electrostatic Interactions with a Metal Cation. Analytical Chemistry, 2006, 78, 2182-2189.	6.5	72
28	Single-walled carbon nanotube-arrayed microelectrode chip for electrochemical analysis. Electrochemistry Communications, 2007, 9, 13-18.	4.7	72
29	Electrochemical genosensor for the rapid detection of GMO using loop-mediated isothermal amplification. Analyst, The, 2009, 134, 966.	3.5	71
30	Highly Sensitive Elemental Analysis for Cd and Pb by Liquid Electrode Plasma Atomic Emission Spectrometry with Quartz Glass Chip and Sample Flow. Analytical Chemistry, 2011, 83, 9424-9430.	6.5	70
31	On-chip micro-flow polystyrene bead-based immunoassay for quantitative detection of tacrolimus (FK506). Analytical Biochemistry, 2004, 334, 111-116.	2.4	69
32	Modified screen printed electrode for development of a highly sensitive label-free impedimetric immunosensor to detect amyloid beta peptides. Analytica Chimica Acta, 2015, 892, 69-76.	5.4	69
33	On-Chip Nanoliter-Volume Multiplex TaqMan Polymerase Chain Reaction from A Single Copy Based on Counting Fluorescence Released Microchambers. Analytical Chemistry, 2004, 76, 6434-6439.	6.5	67
34	Impact of New Quick Gold Nanoparticle-Based Cortisol Assay During Adrenal Vein Sampling for Primary Aldosteronism. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 2554-2561.	3.6	63
35	Label-free optical detection of aptamer–protein interactions using gold-capped oxide nanostructures. Analytical Biochemistry, 2008, 379, 1-7.	2.4	61
36	Polyphenols Modulate Alzheimer's Amyloid Beta Aggregation in a Structure-Dependent Manner. Nutrients, 2019, 11, 756.	4.1	61

#	Article	IF	CITATIONS
37	DNA-Directed Attachment of Carbon Nanotubes for Enhanced Label-Free Electrochemical Detection of DNA Hybridization. Electroanalysis, 2004, 16, 1667-1672.	2.9	59
38	Label-Free Detection of Melittin Binding to a Membrane Using Electrochemical-Localized Surface Plasmon Resonance. Analytical Chemistry, 2008, 80, 1859-1864.	6.5	59
39	Fluorescence-based assay with enzyme amplification on a micro-flow immunosensor chip for monitoring coplanar polychlorinated biphenyls. Analytica Chimica Acta, 2005, 531, 7-13.	5.4	54
40	Labelless impedance immunosensor based on polypyrrole–pyrolecarboxylic acid copolymer for hCG detection. Talanta, 2011, 85, 2576-2580.	5.5	51
41	Sensing Technique of Silver Nanoparticles as Labels for Immunoassay Using Liquid Electrode Plasma Atomic Emission Spectrometry. Analytical Chemistry, 2012, 84, 1210-1213.	6.5	51
42	Structural change at the carbon-nanotube tip by field emission. Applied Physics Letters, 2001, 78, 3699-3701.	3.3	48
43	Peptide nucleic acid modified magnetic beads for intercalator based electrochemical detection of DNA hybridization. Science and Technology of Advanced Materials, 2004, 5, 351-357.	6.1	47
44	Development of a compact high-density microbial hydrogen reactor for portable bio-fuel cell system. International Journal of Hydrogen Energy, 2006, 31, 1484-1489.	7.1	47
45	Healthcare Chip for Checking Health Condition from Analysis of Trace Blood Collected by Painless Needle. Japanese Journal of Applied Physics, 2003, 42, 3722-3727.	1.5	46
46	Gold-linked electrochemical immunoassay on single-walled carbon nanotube for highly sensitive detection of human chorionic gonadotropinhormone. Biosensors and Bioelectronics, 2013, 42, 592-597.	10.1	45
47	A Microfluidic Chip Based on Localized Surface Plasmon Resonance for Real-Time Monitoring of Antigen–Antibody Reactions. Japanese Journal of Applied Physics, 2008, 47, 1337.	1.5	44
48	An optimal design method for preventing air bubbles in high-temperature microfluidic devices. Analytical and Bioanalytical Chemistry, 2010, 396, 457-464.	3.7	43
49	Peptide aptamer-modified single-walled carbon nanotube-based transistors for high-performance biosensors. Scientific Reports, 2017, 7, 17881.	3.3	42
50	Determination of trace amounts of sodium and lithium in zirconium dioxide (ZrO2) using liquid electrode plasma optical emission spectrometry. Analytica Chimica Acta, 2009, 634, 153-157.	5.4	39
51	Microstructural control of NdBa2Cu3O7â^'δ superconducting oxide from highly undercooled melt by containerless processing. Journal of Crystal Growth, 1999, 200, 118-125.	1.5	38
52	Phase selection of peritectic phase in undercooled Nd-based superconducting oxides. Acta Materialia, 2000, 48, 3049-3057.	7.9	38
53	DNA Condensation Monitoring after Interaction with Hoechst 33258 by Atomic Force Microscopy and Fluorescence Spectroscopy. Journal of Biochemistry, 2004, 136, 813-823.	1.7	38
54	Electroosmosis injection of blood serum into biocompatible microcapillary chip fabricated on quartz plate. Electrophoresis, 2001, 22, 341-347.	2.4	37

4

#	Article	IF	CITATIONS
55	Rapid and sensitive visual detection of residual pesticides in food using acetylcholinesterase-based disposable membrane chips. Food Control, 2007, 18, 914-920.	5.5	37
56	Determination of Cadmium in Water Samples by Liquid Electrode Plasma Atomic Emission Spectrometry after Solid Phase Extraction Using a Mini Cartridge Packed with Chelate Resin Immobilizing Carboxymethylated Pentaethylenehexamine. Analytical Sciences, 2010, 26, 515-518.	1.6	34
57	Gold nanoparticle based immunochromatography using a resin modified micropipette tip for rapid and simple detection of human chorionic gonadotropin hormone and prostate-specific antigen. Science and Technology of Advanced Materials, 2006, 7, 276-281.	6.1	32
58	Development of highly sensitive electrochemical immunosensor based on single-walled carbon nanotube modified screen-printed carbon electrode. Materials Chemistry and Physics, 2019, 227, 123-129.	4.0	32
59	Quantitative and rapid detection of the trichloroethylene-degrading bacterium Methylocystis sp. M in groundwater by real-time PCR. Applied Microbiology and Biotechnology, 2002, 59, 731-736.	3.6	30
60	Characteristics of liquid electrode plasma for atomic emission spectrometry. Journal of Analytical Atomic Spectrometry, 2012, 27, 1457.	3.0	30
61	pH Change of buffer solution in a microcapillary chip and its suppression. Electrophoresis, 2002, 23, 2860-2864.	2.4	28
62	Peptide Nucleic Acid–Modified Carbon Nanotube Field-Effect Transistor for Ultra-Sensitive Real-Time Detection of DNA Hybridization. Nanobiotechnology, 2005, 1, 065-070.	1.2	28
63	Micro- and Nano-fabrication of Stimulus-responsive Polymer using Nanoimprint Lithography. Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi], 2011, 24, 63-70.	0.3	28
64	Multi-chamber PCR chip with simple liquid introduction utilizing the gas permeability of polydimethylsiloxane. Sensors and Actuators B: Chemical, 2010, 149, 284-290.	7.8	27
65	Compact disk (CD)-shaped device for single cell isolation and PCR of a specific gene in the isolated cell. Analytical and Bioanalytical Chemistry, 2010, 398, 2997-3004.	3.7	25
66	Carbon Nanotube Amperometric Chips with Pneumatic Micropumps. Japanese Journal of Applied Physics, 2008, 47, 2064-2067.	1.5	25
67	An electrochemical on-field sensor system for the detection of compost maturity. Analytica Chimica Acta, 2007, 581, 364-369.	5.4	24
68	Preparation of Glycopolymer-Modified Gold Nanoparticles and a New Approach for a Lateral Flow Assay. Bulletin of the Chemical Society of Japan, 2011, 84, 466-470.	3.2	24
69	Detection of expressed gene in isolated single cells in microchambers by a novel hot cell-direct RT-PCR method. Analyst, The, 2012, 137, 2951.	3.5	24
70	Competitive non-SELEX for the selective and rapid enrichment of DNA aptamers and its use in electrochemical aptasensor. Scientific Reports, 2019, 9, 6642.	3.3	24
71	Comprehensive single-cell transcriptome analysis reveals heterogeneity in endometrioid adenocarcinoma tissues. Scientific Reports, 2017, 7, 14225.	3.3	23
72	Development of a compact stacked flatbed reactor with immobilized high-density bacteria for hydrogen production. International Journal of Hydrogen Energy, 2008, 33, 1593-1597.	7.1	22

#	Article	IF	CITATIONS
73	DEP-On-Go for Simultaneous Sensing of Multiple Heavy Metals Pollutants in Environmental Samples. Sensors, 2017, 17, 45.	3.8	22
74	Containerless Solidification of Si-Ge Binary Alloy by Means of Laser Heating Electromagnetic Levitation. Japanese Journal of Applied Physics, 1998, 37, L687-L690.	1.5	21
75	Resin-based micropipette tip for immunochromatographic assays in urine samples. Journal of Immunological Methods, 2006, 312, 54-60.	1.4	21
76	Electrochemical assay for saccharide–protein interactions using glycopolymer-modified gold nanoparticles. Electrochemistry Communications, 2011, 13, 830-833.	4.7	21
77	Development of high sensitive liquid electrode plasma – Atomic emission spectrometry (LEP-AES) integrated with solid phase pre-concentration. Microelectronic Engineering, 2013, 111, 343-347.	2.4	21
78	Atomic emission spectrometry in liquid electrode plasma using an hourglass microchannel. Journal of Analytical Atomic Spectrometry, 2015, 30, 2125-2128.	3.0	21
79	Surface modification of Bi‣r a uâ€O films depositedinsituby radio frequency plasma flash evaporation with a scanning tunneling microscope. Applied Physics Letters, 1991, 59, 644-646.	3.3	20
80	Combustion synthesized indium-tin-oxide (ITO) thin film for source/drain electrodes in all solution-processed oxide thin-film transistors. Applied Physics A: Materials Science and Processing, 2016, 122, 1.	2.3	20
81	Cluster size measurement using microtrench in a thermal plasma flash evaporation process. Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena, 1997, 15, 558.	1.6	19
82	Influences of electroosmotic flows in nanopillar chips on DNA separation: Experimental results and numerical simulations. Israel Journal of Chemistry, 2007, 47, 161-169.	2.3	19
83	Black tea polyphenol theaflavin as promising antioxidant and potential copper chelator. Journal of the Science of Food and Agriculture, 2020, 100, 3126-3135.	3.5	19
84	Scanning tunneling microscopy of epitaxial YBa2Cu3O7â^'x films prepared by thermal plasma flash evaporation method. Journal of Applied Physics, 1997, 81, 1222-1226.	2.5	18
85	Liquid Electrode Plasma Atomic Emission Spectrometry Combined with Multi-Element Concentration Using Liquid Organic Ion Associate Extraction for Simultaneous Determination of Trace Metals in Water. Bunseki Kagaku, 2011, 60, 515-520.	0.2	18
86	PEP-on-DEP: A competitive peptide-based disposable electrochemical aptasensor for renin diagnostics. Biosensors and Bioelectronics, 2016, 84, 120-125.	10.1	18
87	Electrochemical Immunoassay Using Open Circuit Potential Detection Labeled by Platinum Nanoparticles. Sensors, 2018, 18, 444.	3.8	18
88	High-rate deposition of YBa2Cu3O7â^'x films by hot cluster epitaxy. Journal of Applied Physics, 1998, 84, 5084-5088.	2.5	17
89	Microfluidic and Label-Free Multi-Immunosensors Based on Carbon Nanotube Microelectrodes. Japanese Journal of Applied Physics, 2009, 48, 06FJ02.	1.5	17
90	Fabrication and Characterization of Planar Screen-Printed Ag/AgCl Reference Electrode for Disposable Sensor Strip. Japanese Journal of Applied Physics, 2010, 49, 097003.	1.5	17

#	Article	IF	CITATIONS
91	Fabrication of new single-walled carbon nanotubes microelectrode for electrochemical sensors application. Talanta, 2012, 91, 88-94.	5.5	17
92	The role of radicals and clusters in thermal plasma flash evaporation processing. Plasma Chemistry and Plasma Processing, 1995, 16, S141-S156.	2.4	16
93	Coupled growth in the peritectic Nd-Ba-Cu-O system from highly undercooled melt. Scripta Materialia, 1999, 41, 1161-1167.	5.2	16
94	Quantitative Determination of Lead in Soil by Solid-Phase Extraction/Liquid Electrode Plasma Atomic Emission Spectrometry. Bunseki Kagaku, 2009, 58, 561-567.	0.2	16
95	Water-clock-based autonomous flow sequencing in steadily rotating centrifugal microfluidic device. Sensors and Actuators B: Chemical, 2015, 220, 180-183.	7.8	16
96	A new stroboscopic technique for the observation of microscale fluorescent objects on a spinning platform in centrifugal microfluidics. Microfluidics and Nanofluidics, 2015, 18, 245-252.	2.2	16
97	Enzyme-Free Glucose Sensor Based on Micro-nano Dualporous Gold-Modified Screen-Printed Carbon Electrode. International Journal of Electrochemical Science, 2018, 13, 8633-8644.	1.3	16
98	Host Cell Prediction of Exosomes Using Morphological Features on Solid Surfaces Analyzed by Machine Learning. Journal of Physical Chemistry B, 2018, 122, 6224-6235.	2.6	16
99	Automated Paper-Based Femtogram Sensing Device for Competitive Enzyme-Linked Immunosorbent Assay of Aflatoxin B ₁ Using Submicroliter Samples. Analytical Chemistry, 2022, 94, 5099-5105.	6.5	16
100	Direct digital manufacturing of a mini-centrifuge-driven centrifugal microfluidic device and demonstration of a smartphone-based colorimetric enzyme-linked immunosorbent assay. Analytical Methods, 2016, 8, 256-262.	2.7	15
101	Novel electrochemical identification and semi quantification of bovine constituents in feedstuffs. Science and Technology of Advanced Materials, 2006, 7, 263-269.	6.1	14
102	Label-Free Optical Detection of Protein Antibody–Antigen Interaction on Au Capped Porous Anodic Alumina Layer Chip. Japanese Journal of Applied Physics, 2008, 47, 1351-1354.	1.5	14
103	A bulk sub-femtoliter in vitro compartmentalization system using super-fine electrosprays. Scientific Reports, 2016, 6, 26257.	3.3	14
104	Tapered microelectrode array system for dielectrophoretically filtration: fabrication, characterization, and simulation study. Journal of Micro/ Nanolithography, MEMS, and MOEMS, 2017, 16, 1.	0.9	14
105	Highly Sensitive Method for Electrochemical Detection of Silver Nanoparticle Labels in Metalloimmunoassay with Preoxidation/Reduction Signal Enhancement. Electrochemistry, 2010, 78, 748-753.	1.4	12
106	On-chip solid phase extraction–liquid electrode plasma atomic emission spectrometry for detection of trace lead. Japanese Journal of Applied Physics, 2014, 53, 05FS01.	1.5	12
107	Performance Enhancement of Inkjet Printed Multiâ€Walled Carbon Nanotubes Inks using Synthetic and Green Surfactants. Advanced Materials Technologies, 2021, 6, 2001026.	5.8	12
108	Low-Voltage Electroosmosis Pump and Its Application to on-Chip Linear Stepping Pneumatic Pressure Source. , 2001, , 230-232.		12

#	Article	IF	CITATIONS
109	Containerless Solidification of Peritectic and Eutectic Ceramics Using Aero-Acoustic Levitator. Materials Science Forum, 2000, 329-330, 173-178.	0.3	11
110	A sensitive immunochromatographic assay using gold nanoparticles for the semiquantitative detection of prostate-specific antigen in serum. Nanobiotechnology, 2006, 2, 79-86.	1.2	11
111	AFM picking-up manipulation of the metaphase chromosome fragment by using the tweezers-type probe. Ultramicroscopy, 2008, 108, 847-854.	1.9	11
112	Control of secondary flow in concentrically traveling flow on centrifugal microfluidics. Microfluidics and Nanofluidics, 2013, 15, 829-837.	2.2	11
113	Precise flow control with internal pneumatic micropump for highly sensitive solid-phase extraction liquid electrode plasma. Sensors and Actuators B: Chemical, 2015, 221, 1561-1569.	7.8	11
114	Determination of lateral and vertical dielectrophoresis forces using tapered microelectrode array. Micro and Nano Letters, 2018, 13, 143-148.	1.3	11
115	Scanning tunneling microscopy operating under a plasma environment. Thin Solid Films, 1999, 345, 146-150.	1.8	10
116	Investigation of the possibility of geometrical electrophoresis. Electrophoresis, 2002, 23, 2635-2641.	2.4	10
117	Quantitative determination of total cesium in highly active liquid waste by using liquid electrode plasma optical emission spectrometry. Talanta, 2018, 183, 283-289.	5.5	10
118	Palm-size and one-inch gel electrophoretic device for reliable and field-applicable analysis of recombinase polymerase amplification. Analytical Methods, 2019, 11, 4969-4976.	2.7	10
119	Developing Conductive Highly Ordered Zinc Oxide Nanorods by Acetylacetonate-Assisted Growth. Materials, 2020, 13, 1136.	2.9	10
120	Authors' reply: "Emissivity change and adiabatically solidified structure during rapid solidification in semiconductor― Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 1999, 30, 3013-3016.	2.2	9
121	Direct Crystallization of Y _{3} Fe _{5} O _{12} Garnet by Containerless Solidification Processing. Materials Transactions, 2001, 42, 233-237.	1.2	9
122	Nanoscale Time-Lapse AFM Imaging in Solution for DNA Aggregation. Nanobiotechnology, 2005, 1, 361-368.	1.2	9
123	A new design of knife-edged AFM probe for chromosome precision manipulating. Sensors and Actuators A: Physical, 2006, 130-131, 616-624.	4.1	9
124	Excitation Temperature Measurement in Liquid Electrode Plasma. Japanese Journal of Applied Physics, 2011, 50, 096001.	1.5	9
125	Pulse-Heating Ionization for Protein On-Chip Mass Spectrometry. Analytical Chemistry, 2014, 86, 7593-7597.	6.5	9
126	Implementing the concept of dielectrophoresis in glomerular filtration of human kidneys. , 2016, , .		9

8

#	Article	IF	CITATIONS
127	Synthesis of high-Tc superconductive oxide films by plasma flash evaporation. Physica C: Superconductivity and Its Applications, 1991, 190, 122-123.	1.2	8
128	High rate deposition of thick epitaxial films by thermal plasma flash evaporation. Pure and Applied Chemistry, 1998, 70, 1193-1197.	1.9	8
129	Curvature Entropy Trapping of Long DNA under Hydrodynamic Flows in Microfluidic Devices. Japanese Journal of Applied Physics, 2004, 43, 1649-1650.	1.5	8
130	Electrophoresis of long deoxyribonucleic acid in curved channels: The effect of channel width on migration dynamics. Journal of Applied Physics, 2004, 96, 2937-2944.	2.5	8
131	Accumulation of amplified target DNAs using thiol/biotin labeling, S1 nuclease, and ferrocene–streptavidin–magnetic system and a direct detection of specific DNA signals with screen printed gold electrode. Science and Technology of Advanced Materials, 2007, 8, 323-330.	6.1	8
132	Development of oligopeptide-based novel biosensor by solid-phase peptide synthesis on microchip. Sensors and Actuators B: Chemical, 2014, 192, 818-825.	7.8	8
133	DOCK11 and DENND2A play pivotal roles in the maintenance of hepatitis B virus in host cells. PLoS ONE, 2021, 16, e0246313.	2.5	8
134	Excitation Temperature Measurement in Liquid Electrode Plasma. Japanese Journal of Applied Physics, 2011, 50, 096001.	1.5	8
135	Molecular Detection in a Microfluidic Device by Streaming Current Measurements. Japanese Journal of Applied Physics, 2002, 41, L1275-L1277.	1.5	7
136	Development of on-chip vacuum generation by gas–liquid phase transition. Sensors and Actuators A: Physical, 2012, 176, 138-142.	4.1	7
137	Direct digital manufacturing of autonomous centrifugal microfluidic device. Japanese Journal of Applied Physics, 2016, 55, 06GN02.	1.5	7
138	Development of AC-driven liquid electrode plasma for sensitive detection of metals. Japanese Journal of Applied Physics, 2016, 55, 02BC23.	1.5	7
139	Density-gradient-assisted centrifugal microfluidics: an approach to continuous-mode particle separation. Biomedical Microdevices, 2017, 19, 24.	2.8	7
140	Speciation of inorganic selenium in wastewater using liquid electrode plasma-optical emission spectrometry combined with supramolecule-equipped solid-phase extraction system. Microchemical Journal, 2020, 159, 105490.	4.5	7
141	Wet Adhesion of Micro-patterned Interfaces for Stable Grasping of Deformable Objects. , 2020, , .		7
142	Fabrication and Characterizations of Axial View Liquid Electrode Plasma Atomic Emission Spectrometry for the Sensitive Determination of Trace Zinc, Cadmium, and Lead. Analytical Chemistry, 2022, 94, 8209-8216.	6.5	7
143	Solution-based process with thermal UV treatment for fabrication of piezoelectric PZT films for an actuator array at temperatures under 450 ŰC. Sensors and Actuators A: Physical, 2017, 267, 287-292.	4.1	6
144	A facile solution-combustion-synthetic approach enabling low-temperature PZT thin-films. APL Materials, 2020, 8, .	5.1	6

#	Article	IF	CITATIONS
145	Biochip Which Examines Hepatic Function by Employing Colorimetric Method. Japanese Journal of Applied Physics, 2003, 42, L342-L345.	1.5	5
146	Highly Sensitive Detection using Dual Working Electrode and Concentration Process in Electrochemical Metalloimmunoassay. Electrochimica Acta, 2015, 174, 799-805.	5.2	5
147	Gold Nanoparticle″abeled Electrochemical Immunoassay Using Open Circuit Potential for Human Chorionic Gonadotropin Detection. Electroanalysis, 2018, 30, 1774-1780.	2.9	5
148	A Simple and Efficient Microfluidic System for Reverse Chemical Synthesis (5′-3′) of a Short-Chain Oligonucleotide Without Inert Atmosphere. Applied Sciences (Switzerland), 2019, 9, 1357.	2.5	5
149	High-transconductance indium oxide transistors with a lanthanum-zirconium gate oxide characteristic of an electrolyte. Journal of Applied Physics, 2020, 127, .	2.5	5
150	Development of robust isothermal RNA amplification assay for lab-free testing of RNA viruses. Scientific Reports, 2021, 11, 15997.	3.3	5
151	Organic Ion-associate Phase Extraction/Back-microextraction for the Preconcentration and Determination of Lithium Using 2,2,6,6-Tetramethyl-3,5-heptanedione by Liquid Electrode Plasma Atomic Emission Spectrometry and GF-AAS in Environmental Water. Analytical Sciences, 2020, 36, 595-600.	1.6	5
152	Label-Free Amperometric Biosensors Based on Single-Walled Carbon Nanotube Modified Microelectrodes. , 2006, , .		4
153	Propitious Immobilization of Gold Nanoparticles on Poly(dimethylsiloxane) Substrate for Local Surface Plasmon Resonance Based Biosensor. Japanese Journal of Applied Physics, 2012, 51, 037001.	1.5	4
154	A single cell gene detection using micro-tweezers and the microchamber polymerase chain reaction for the fetal DNA analysis. Sensors and Actuators B: Chemical, 2013, 178, 678-682.	7.8	4
155	Fine-patterning of sol-gel derived PZT film by a novel lift-off process using solution-processed metal oxide as a sacrificial layer. Ceramics International, 2016, 42, 18431-18435.	4.8	4
156	Instant enumeration of total viable bacterial counts for food quality assurance using â€~DEP-On-Go' sensor. Analytical Methods, 2018, 10, 1585-1592.	2.7	4
157	Spectrochemistry of technetium by liquid electrode plasma optical emission spectrometry and its applicability of quantification for highly active liquid waste. Spectrochimica Acta, Part B: Atomic Spectroscopy, 2019, 155, 134-140.	2.9	4
158	Detection of DNA Hybridization Properties Using Thermodynamic Method. Japanese Journal of Applied Physics, 2006, 45, 509-512.	1.5	3
159	Polymer Size Effect on Shape and Position in DNA Trap by Electric and Hydrodynamic Force Fields. Japanese Journal of Applied Physics, 2007, 46, 5358.	1.5	3
160	Trapping probability analysis of a DNA trap using electric and hydrodrag force fields in tapered microchannels. Physical Review E, 2009, 79, 051902.	2.1	3
161	Development of programmable biosensor using solid phase peptide synthesis on microchip. Japanese Journal of Applied Physics, 2014, 53, 05FA09.	1.5	3
162	Development of the automated gold-linked electrochemical immunoassay system for blood monitoring. Microsystem Technologies, 2014, 20, 273-279.	2.0	3

#	Article	IF	CITATIONS
163	pH dependence of non-specific adsorption and detection solution in electrochemical metalloimmunoassay using antibody–silver nanoparticle conjugates. Sensing and Bio-Sensing Research, 2015, 5, 78-83.	4.2	3
164	Lift-off process for fine-patterned PZT film using metal oxide as a sacrificial layer. Journal of Micromechanics and Microengineering, 2017, 27, 014004.	2.6	3
165	High yield matrix-free ionization of biomolecules by pulse-heating ion source. Scientific Reports, 2017, 7, 15170.	3.3	3
166	Thermoelectric Properties and Carrier Localization in Ultrathin Layer of Nbâ€Doped MoS ₂ . Physica Status Solidi (B): Basic Research, 2018, 255, 1800125.	1.5	3
167	Propitious Immobilization of Gold Nanoparticles on Poly(dimethylsiloxane) Substrate for Local Surface Plasmon Resonance Based Biosensor. Japanese Journal of Applied Physics, 2012, 51, 037001.	1.5	3
168	Fluorescence modulation of long DNA molecules adsorbed onto a microelectrode surface. Applied Physics Letters, 2003, 83, 5086-5088.	3.3	2
169	Concentration and extraction chip of fetal nucleated red blood Cells (NRBCs) by micro gap with diaphragm for fetal DNA diagnosis from maternal blood. Microsystem Technologies, 2017, 23, 5351-5355.	2.0	2
170	Study on effect of introduced gas bubbles for the low channel damage in direct and alternating current liquid electrode plasma atomic emission spectrometry. Japanese Journal of Applied Physics, 2019, 58, 097001.	1.5	2
171	Effect of Microfluidic Channel on Sensitivity and Response in Gold-linked Electrochemical Immunoassay. IEEJ Transactions on Sensors and Micromachines, 2013, 133, 344-349.	0.1	2
172	Biochips aiming at advanced medical treatment. , 2003, , 335-371.		1
173	Fluorescence Emission Control of Long DNA Molecules Adsorbed on Microelectrode Surfaces by External Voltage. Japanese Journal of Applied Physics, 2003, 42, L788-L790.	1.5	1
174	Concentration and Injection of Long Deoxyribonucleic Acid Molecules at the Interface of Micro- and Nano-channels. Japanese Journal of Applied Physics, 2004, 43, 4417-4418.	1.5	1
175	Localized surface plasmon resonance based label-free optical biosensor for monitoring peptide nucleic acid-DNA hybridization. , 0, , .		1
176	Development of a High-Sensitive Immunosensor Based on Monitoring Redox Signal of Gold Nanoparticle. ECS Transactions, 2009, 16, 37-48.	0.5	1
177	Flow-based biochip for insecticides detection. Journal of Bioscience and Bioengineering, 2009, 108, S153.	2.2	1
178	Demonstration of Three-Dimensional DNA Trapping Using Electric Force and Hydrodrag Force. Japanese Journal of Applied Physics, 2011, 50, 06GL13.	1.5	1
179	â€~Head-to-Head' mRNA display for the translation of multi-copied proteins with a free C-terminus. Analytical Biochemistry, 2018, 557, 77-83.	2.4	1
180	DNA Trap-and-Release Element Employing Electric and Hydro Drag Force Fields for On-Chip Pre-Treatment. , 2002, , 317-319.		1

#	Article	IF	CITATIONS
181	Proposal of Minicentrifuge-Compatible Centrifugal Microfluidic Device. Sensors and Materials, 2015, ,	0.5	1
182	æ—¥ã€ã®å¥åºç®¡ç† ãf~ãf«ã,¹ã,±ã,¢ãf‡ãfẽ,ቘ,¹ã®å‰µè£½. Kobunshi, 2000, 49, 652-655.	0.0	0
183	Peritectic Coupled Growth in Nd-Based Superconducting Oxides from Highly Undercooled Melt. Materials Science Forum, 2000, 329-330, 197-202.	0.3	0
184	Development of elemental technologies for fabricating the health care chip. , 0, , .		0
185	An approach to tissue acoustic impedance imaging by utilizing adjacent near-field formed at an end of fused quartz fiber as an acoustic transmission line. , 0, , .		0
186	Integrated micro systems for DNA/protein and cell analysis. , 0, , .		0
187	Title is missing!. Hyomen Gijutsu/Journal of the Surface Finishing Society of Japan, 2004, 55, 385-390.	0.2	0
188	A new design of knife edged-AFM probe for chromosome precision manipulating. , 0, , .		0
189	Development of nano-dissection chip for analysis of chromosome nanostructure and its function. , 0, , .		0
190	An electrochemical localized surface plasmon resonance biochip based on core-shell structure nanoparticles substrate for sensing of pore forming toxins. , 2007, , .		0
191	Trap probability analysis of DNA trap using electric and hydrodrag force fields in taper shaped microchannel. , 2007, , .		0
192	4.ãfžã,Ħ,¯ãfæμè·¯ã,'用ã,ãŸç″èfžãf»ç"Ÿä½"å^†åã®å^¶å¾¡ãëææå‡º. Electrochemistry, 2012, 80, 440-444.	1.4	0
193	Solution processing of microcavity for BioMEMS application. Advances in Natural Sciences: Nanoscience and Nanotechnology, 2014, 5, 035003.	1.5	0
194	Design of dual working electrodes for concentration process in metalloimmunoassay. Biomedical Microdevices, 2016, 18, 86.	2.8	0
195	Effect of ultraviolet/ozone treatment on the structural and electrical properties of solution-processed piezoelectric thick-film lead-zirconium-titanate. International Journal of Nanotechnology, 2018, 15, 69.	0.2	Ο
196	Lead Zirconium Titanate Films and Devices Made by a Low- Temperature Solution-Based Process. , 2018, ,		0
197	Direct integration of piezoactuator array with active-matrix oxide thin-film transistors using a low-temperature solution process. Sensors and Actuators A: Physical, 2019, 295, 125-132.	4.1	0
198	Determination of alkali and alkaline earth elements in radioactive waste generated from reprocessing plant by liquid electrode plasma optical emission spectrometry. Journal of Radioanalytical and Nuclear Chemistry, 2021, 327, 433-444.	1.5	0

#	Article	IF	CITATIONS
199	Glucose Measurement in Blood Serum Injected by Electroosmosis into Phospholipid Polymer Coated Microcapillary. , 2000, , 403-406.		0
200	Conformational Study of a Long DNA in Micro- and Nanofabricated Devices. , 2001, , 652-654.		0
201	Electric Damage Free Separation Chip of Lymphocytes Sub-Unit Employing High Pressure Electroosmosis Pump. , 2002, , 955-957.		Ο
202	Demonstration of Three-Dimensional DNA Trapping Using Electric Force and Hydrodrag Force. Japanese Journal of Applied Physics, 2011, 50, 06GL13.	1.5	0
203	Electrochemical Biological Sensors Based on Directly Synthesized Carbon Nanotube Electrodes. , 2015, , 179-186.		Ο
204	Proposal of Minicentrifuge-Compatible Centrifugal Microfluidic Device. Sensors and Materials, 2015, , 1.	0.5	0
205	Alternative Analyte-Binding Compounds for Immunosensor-Like Point-of-Care Application. , 2021, , 111-124.		Ο