
Romke van Balen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1588084/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Coping strategies of older adults with a recent hip fracture within inpatient geriatric rehabilitation. Aging and Mental Health, 2022, 26, 1436-1443.	2.8	2
2	Management of post-acute COVID-19 patients in geriatric rehabilitation: EuGMS guidance. European Geriatric Medicine, 2022, 13, 291-304.	2.8	16
3	Referral to geriatric rehabilitation: a scoping review of triage factors in acutely hospitalised older patients. Age and Ageing, 2022, 51, .	1.6	6
4	Evaluation of Quality of Life After Nonoperative or Operative Management of Proximal Femoral Fractures in Frail Institutionalized Patients. JAMA Surgery, 2022, 157, 424.	4.3	35
5	Feasibility of a multicomponent cognitive behavioral intervention for fear of falling after hip fracture: process evaluation of the FIT-HIP intervention. BMC Geriatrics, 2021, 21, 224.	2.7	0
6	European consensus on core principles and future priorities for geriatric rehabilitation: consensus statement. European Geriatric Medicine, 2020, 11, 233-238.	2.8	68
7	The modified functional comorbidity index performed better than the Charlson index and original functional comorbidity index in predicting functional outcome in geriatric rehabilitation: a prospective observational study. BMC Geriatrics, 2020, 20, 114.	2.7	20
8	Effectiveness of Supervised Home-Based Exercise Therapy Compared to a Control Intervention on Functions, Activities, and Participation in Older Patients After Hip Fracture: A Systematic Review and Meta-analysis. Archives of Physical Medicine and Rehabilitation, 2019, 100, 101-114.e6.	0.9	23
9	What is geriatric rehabilitation and how should it be organized? A Delphi study aimed at reaching European consensus. European Geriatric Medicine, 2019, 10, 977-987.	2.8	37
10	The value of nonoperative versus operative treatment of frail institutionalized elderly patients with a proximal femoral fracture in the shade of life (FRAIL-HIP); protocol for a multicenter observational cohort study. BMC Geriatrics, 2019, 19, 301.	2.7	19
11	Effects of the FIT-HIP Intervention for Fear of Falling After Hip Fracture: A Cluster-Randomized Controlled Trial in Geriatric Rehabilitation. Journal of the American Medical Directors Association, 2019, 20, 857-865.e2.	2.5	14
12	<p>Reliability and usability of a weighted version of the Functional Comorbidity Index</p> . Clinical Interventions in Aging, 2019, Volume 14, 289-299.	2.9	15
13	Comorbidity and intercurrent diseases in geriatric stroke rehabilitation: a multicentre observational study in skilled nursing facilities. European Geriatric Medicine, 2018, 9, 347-353.	2.8	10
14	Successful Geriatric Rehabilitation: Effects on Patients' Outcome of a National Program to Improve Quality of Care, the SINGER Study. Journal of the American Medical Directors Association, 2017, 18, 383-387.	2.5	32
15	A multi-component cognitive behavioural intervention for the treatment of fear of falling after hip fracture (FIT-HIP): protocol of a randomised controlled trial. BMC Geriatrics, 2017, 17, 71.	2.7	32
16	Longitudinal follow-up study on fear of falling during and after rehabilitation in skilled nursing facilities. BMC Geriatrics, 2015, 15, 161.	2.7	34
17	Reliability and validity of the Falls Efficacy Scale-International after hip fracture in patients aged ≥65 years. Disability and Rehabilitation, 2015, 37, 2225-2232.	1.8	28
18	Changes in geriatric rehabilitation: a national programme to improve quality of care. The Synergy and Innovation in Geriatric Rehabilitation study. International Journal of Integrated Care, 2015, 15, e045.	0.2	8

#	Article	IF	CITATIONS
19	Relationship of Patient Volume and Service Concentration With Outcome in Geriatric Rehabilitation. Journal of the American Medical Directors Association, 2013, 14, 731-735.	2.5	15