## Chris Metcalfe

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1589937/publications.pdf

Version: 2024-02-01

187 papers 11,511 citations

57719 44 h-index 101 g-index

194 all docs

194 docs citations

times ranked

194

15989 citing authors

#	Article	IF	CITATIONS
1	10-Year Outcomes after Monitoring, Surgery, or Radiotherapy for Localized Prostate Cancer. New England Journal of Medicine, 2016, 375, 1415-1424.	13.9	2,101
2	Effect of antibiotic prescribing in primary care on antimicrobial resistance in individual patients: systematic review and meta-analysis. BMJ: British Medical Journal, 2010, 340, c2096-c2096.	2.4	1,468
3	Patient-Reported Outcomes after Monitoring, Surgery, or Radiotherapy for Prostate Cancer. New England Journal of Medicine, 2016, 375, 1425-1437.	13.9	962
4	Hospital Presenting Self-Harm and Risk of Fatal and Non-Fatal Repetition: Systematic Review and Meta-Analysis. PLoS ONE, 2014, 9, e89944.	1.1	405
5	Effect of a Low-Intensity PSA-Based Screening Intervention on Prostate Cancer Mortality. JAMA - Journal of the American Medical Association, 2018, 319, 883.	3.8	296
6	Informing efficient randomised controlled trials: exploration of challenges in developing progression criteria for internal pilot studies. BMJ Open, 2017, 7, e013537.	0.8	239
7	Prostate-cancer mortality in the USA and UK in 1975–2004: an ecological study. Lancet Oncology, The, 2008, 9, 445-452.	5.1	231
8	Psychological stress and cardiovascular disease: empirical demonstration of bias in a prospective observational study of Scottish men * Commentary: Psychosocial factors and healthstrengthening the evidence base. BMJ: British Medical Journal, 2002, 324, 1247-1251.	2.4	212
9	Short term outcomes of prostate biopsy in men tested for cancer by prostate specific antigen: prospective evaluation within ProtecT study. BMJ: British Medical Journal, 2012, 344, d7894-d7894.	2.4	211
10	Active monitoring, radical prostatectomy, or radiotherapy for localised prostate cancer: study design and diagnostic and baseline results of the ProtecT randomised phase 3 trial. Lancet Oncology, The, 2014, 15, 1109-1118.	5.1	205
11	Circulating Folate, Vitamin B12, Homocysteine, Vitamin B12 Transport Proteins, and Risk of Prostate Cancer: a Case-Control Study, Systematic Review, and Meta-analysis. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1632-1642.	1.1	142
12	Does exposure to opioid substitution treatment in prison reduce the risk of death after release? A national prospective observational study in England. Addiction, 2017, 112, 1408-1418.	1.7	130
13	Associations of circulating and dietary vitamin D with prostate cancer risk: a systematic review and dose–response meta-analysis. Cancer Causes and Control, 2011, 22, 319-340.	0.8	127
14	Suicide and the 2008 economic recession: Who is most at risk? Trends in suicide rates in England and Wales 2001–2011. Social Science and Medicine, 2014, 117, 76-85.	1.8	125
15	The Risk of Prostate Cancer amongst Black Men in the United Kingdom: The PROCESS Cohort Study. European Urology, 2008, 53, 99-105.	0.9	122
16	Characteristics of people dying by suicide after job loss, financial difficulties and other economic stressors during a period of recession (2010–2011): A review of coroners׳ records. Journal of Affective Disorders, 2015, 183, 98-105.	2.0	117
17	Investigating Blackâ€White differences in prostate cancer prognosis: A systematic review and metaâ€analysis. International Journal of Cancer, 2008, 123, 430-435.	2.3	116
18	Ten-year Mortality, Disease Progression, and Treatment-related Side Effects in Men with Localised Prostate Cancer from the ProtecT Randomised Controlled Trial According to Treatment Received. European Urology, 2020, 77, 320-330.	0.9	107

#	Article	IF	CITATIONS
19	Smoking cessation treatment and risk of depression, suicide, and self harm in the Clinical Practice Research Datalink: prospective cohort study. BMJ, The, 2013, 347, f5704-f5704.	3.0	104
20	Effects of progression to cigarette smoking on depressed mood in adolescents: evidence from the National Longitudinal Study of Adolescent Health. Addiction, 2008, 103, 162-171.	1.7	99
21	Systematic Review and Meta-analysis of Factors Determining Change to Radical Treatment in Active Surveillance for Localized Prostate Cancer. European Urology, 2015, 67, 993-1005.	0.9	96
22	Predictive accuracy of risk scales following self-harm: Multicentre, prospective cohort study. British Journal of Psychiatry, 2017, 210, 429-436.	1.7	95
23	Association of Folate-Pathway Gene Polymorphisms with the Risk of Prostate Cancer: a Population-Based Nested Case-Control Study, Systematic Review, and Meta-analysis. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 2528-2539.	1.1	89
24	Insulin-Like Growth Factor-I and Growth in Height, Leg Length, and Trunk Length between Ages 5 and 10 Years. Journal of Clinical Endocrinology and Metabolism, 2006, 91, 2514-2519.	1.8	85
25	The population impact on incidence of suicide and non-fatal self harm of regulatory action against the use of selective serotonin reuptake inhibitors in under 18s in the United Kingdom: ecological study. BMJ: British Medical Journal, 2008, 336, 542-545.	2.4	84
26	Psychological Impact of Prostate Biopsy: Physical Symptoms, Anxiety, and Depression. Journal of Clinical Oncology, 2013, 31, 4235-4241.	0.8	81
27	Prognostic Value of Changes in Health-Related Quality of Life Scores During Curative Treatment for Esophagogastric Cancer. Journal of Clinical Oncology, 2010, 28, 1666-1670.	0.8	79
28	Suicide prevention through means restriction: Impact of the 2008-2011 pesticide restrictions on suicide in Sri Lanka. PLoS ONE, 2017, 12, e0172893.	1.1	78
29	Effectiveness of household lockable pesticide storage to reduce pesticide self-poisoning in rural Asia: a community-based, cluster-randomised controlled trial. Lancet, The, 2017, 390, 1863-1872.	6.3	71
30	Suicide in Sri Lanka 1975–2012: age, period and cohort analysis of police and hospital data. BMC Public Health, 2014, 14, 839.	1.2	69
31	Clinical effectiveness and cost-effectiveness of cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care: the CoBalT randomised controlled trial. Health Technology Assessment, 2014, 18, 1-167, vii-viii.	1.3	69
32	Validation of suicide and selfâ€harm records in the <scp>C</scp> linical <scp>P</scp> ractice <scp>R</scp> esearch <scp>D</scp> atalink. British Journal of Clinical Pharmacology, 2013, 76, 145-157.	1.1	68
33	Prostateâ€specific antigen testing rates remain low in UK general practice: a crossâ€sectional study in six English cities. BJU International, 2011, 108, 1402-1408.	1.3	63
34	Associations of circulating 25â€hydroxyvitamin D with prostate cancer diagnosis, stage and grade. International Journal of Cancer, 2012, 131, 1187-1196.	2.3	63
35	The feasibility of a randomized controlled trial of esophagectomy for esophageal cancer - the ROMIO (Randomized Oesophagectomy: Minimally Invasive or Open) study: protocol for a randomized controlled trial. Trials, 2014, 15, 200.	0.7	61
36	Association of socio-economic position and suicide/attempted suicide in low and middle income countries in South and South-East Asia – a systematic review. BMC Public Health, 2015, 15, 1055.	1.2	57

3

#	Article	IF	CITATIONS
37	Association of diabetes mellitus with prostate cancer: Nested case–control study (Prostate testing) Tj ETQq1	1 0,784314 2.3	rgBT /Over
38	Satisfaction With Care: An Independent Outcome Measure in Surgical Oncology. Annals of Surgical Oncology, 2006, 13, 817-822.	0.7	54
39	Patientâ€reported outcomes in the ProtecT randomized trial of clinically localized prostate cancer treatments: study design, and baseline urinary, bowel and sexual function and quality of life. BJU International, 2016, 118, 869-879.	1.3	52
40	Physicians' prescribing preferences were a potential instrument for patients' actual prescriptions of antidepressants. Journal of Clinical Epidemiology, 2013, 66, 1386-1396.	2.4	50
41	Life course sun exposure and risk of prostate cancer: Populationâ€based nested caseâ€control study and metaâ€analysis. International Journal of Cancer, 2009, 125, 1414-1423.	2.3	49
42	The QuinteT Recruitment Intervention supported five randomized trials to recruit to target: a mixed-methods evaluation. Journal of Clinical Epidemiology, 2019, 106, 108-120.	2.4	49
43	A contemporary validation of the Reeder Stress Inventory. British Journal of Health Psychology, 2003, 8, 83-94.	1.9	48
44	The â€~One in a Million' study: creating a database of UK primary care consultations. British Journal of General Practice, 2017, 67, e345-e351.	0.7	48
45	Development of a framework to improve the process of recruitment to randomised controlled trials (RCTs): the SEAR (Screened, Eligible, Approached, Randomised) framework. Trials, 2018, 19, 50.	0.7	48
46	Interventions in randomised controlled trials in surgery: issues to consider during trial design. Trials, 2015, 16, 392.	0.7	46
47	The role of self-reported stress in the development of breast cancer and prostate cancer: A prospective cohort study of employed males and females with 30 years of follow-up. European Journal of Cancer, 2007, 43, 1060-1065.	1.3	45
48	Frequent job change and associated health. Social Science and Medicine, 2003, 56, 1-15.	1.8	43
49	Psychosocial Assessment of Self-Harm Patients and Risk of Repeat Presentation: An Instrumental Variable Analysis Using Time of Hospital Presentation. PLoS ONE, 2016, 11, e0149713.	1.1	43
50	Associations of lower urinary tract symptoms with prostateâ€specific antigen levels, and screenâ€detected localized and advanced prostate cancer: a caseâ€control study nested within the UK populationâ€based ProtecT (Prostate testing for cancer and Treatment) study. BJU International, 2008, 102, 1400-1406.	1.3	41
51	Does depression predict adverse outcomes for older medical inpatients? A prospective cohort study of individuals screened for a trial. Age and Ageing, 2008, 37, 690-695.	0.7	40
52	A systematic review of core outcome set development studies demonstrates difficulties in defining unique outcomes. Journal of Clinical Epidemiology, 2019, 115, 14-24.	2.4	40
53	Risk of suicide and repeat self-harm after hospital attendance for non-fatal self-harm in Sri Lanka: a cohort study. Lancet Psychiatry,the, 2019, 6, 659-666.	3.7	40
54	Pathways to diagnosis for Black men and White men found to have prostate cancer: the PROCESS cohort study. British Journal of Cancer, 2008, 99, 1040-1045.	2.9	38

#	Article	IF	CITATIONS
55	Contemporary accuracy of death certificates for coding prostate cancer as a cause of death: Is reliance on death certification good enough? A comparison with blinded review by an independent cause of death evaluation committee. British Journal of Cancer, 2016, 115, 90-94.	2.9	38
56	Development of a Core Outcome Set for Clinical Effectiveness Trials in Esophageal Cancer Resection Surgery. Annals of Surgery, 2018, 267, 700-710.	2.1	38
57	Assessment of bone marrow-derived Cellular Therapy in progressive Multiple Sclerosis (ACTiMuS): study protocol for a randomised controlled trial. Trials, 2015, 16, 463.	0.7	37
58	The importance of varying the event generation process in simulation studies of statistical methods for recurrent events. Statistics in Medicine, 2006, 25, 165-179.	0.8	36
59	Parental Suicide Attempt and Offspring Self-Harm and Suicidal Thoughts: Results From the Avon Longitudinal Study of Parents and Children (ALSPAC) Birth Cohort. Journal of the American Academy of Child and Adolescent Psychiatry, 2014, 53, 509-517.e2.	0.3	36
60	A systematic review to identify and assess the effectiveness of alternatives for people over the age of 65 who are at risk of potentially avoidable hospital admission. BMJ Open, 2017, 7, e016236.	0.8	35
61	Wei, Lin and Weissfeld's marginal analysis of multivariate failure time data. Statistical Methods in Medical Research, 2007, 16, 103-122.	0.7	33
62	Family characteristics and long-term effects of childhood sexual abuse. British Journal of Clinical Psychology, 2011, 50, 435-451.	1.7	33
63	A community-based cluster randomised trial of safe storage to reduce pesticide self-poisoning in rural Sri Lanka: study protocol. BMC Public Health, 2011, 11, 879.	1.2	33
64	Associations of vitamin D pathway genes with circulating 25-hydroxyvitamin-D, 1,25-dihydroxyvitamin-D, and prostate cancer: a nested case–control study. Cancer Causes and Control, 2015, 26, 205-218.	0.8	33
65	A cross-sectional analysis of the association between diet and insulin-like growth factor (IGF)-I, IGF-II, IGF-binding protein (IGFBP)-2, and IGFBP-3 in men in the United Kingdom. Cancer Causes and Control, 2012, 23, 907-917.	0.8	32
66	ProDiet: A Phase II Randomized Placebo-controlled Trial of Green Tea Catechins and Lycopene in Men at Increased Risk of Prostate Cancer. Cancer Prevention Research, 2018, 11, 687-696.	0.7	32
67	The ProtecT trial: analysis of the patient cohort, baseline risk stratification and disease progression. BJU International, 2020, 125, 506-514.	1.3	32
68	Regional variation in suicide rates in Sri Lanka between 1955 and 2011: a spatial and temporal analysis. BMC Public Health, 2017, 17, 193.	1.2	30
69	Evaluating the population impact of hepatitis C direct acting antiviral treatment as prevention for people who inject drugs (EPIToPe) – a natural experiment (protocol). BMJ Open, 2019, 9, e029538.	0.8	30
70	Hospital presentations for self-poisoning during COVID-19 in Sri Lanka: an interrupted time-series analysis. Lancet Psychiatry,the, 2021, 8, 892-900.	3.7	30
71	Once-only colonoscopy or two rounds of faecal immunochemical testing 2 years apart for colorectal cancer screening (SCREESCO): preliminary report of a randomised controlled trial. The Lancet Gastroenterology and Hepatology, 2022, 7, 513-521.	3.7	29
72	Prostate-specific antigen (PSA) testing of men in UK general practice: a 10-year longitudinal cohort study. BMJ Open, 2017, 7, e017729.	0.8	27

#	Article	IF	Citations
73	The effectiveness of personal construct psychotherapy in clinical practice: A systematic review and meta-analysis. Psychotherapy Research, 2007, 17, 431-442.	1.1	26
74	Low risk research using routinely collected identifiable health information without informed consent: encounters with the Patient Information Advisory Group. Journal of Medical Ethics, 2008, 34, 37-40.	1.0	26
75	Impact of national policy initiatives on fatal and non-fatal self-harm after psychiatric hospital discharge: time series analysis. British Journal of Psychiatry, 2012, 201, 233-238.	1.7	25
76	A Prospective Analysis of Implementation of Multi-Disciplinary Team Decisions in Breast Cancer. Breast Journal, 2012, 18, 459-463.	0.4	25
77	The risk of prostate cancer amongst South Asian men in southern England: the PROCESS cohort study. BJU International, 2008, 102, 1407-1412.	1.3	23
78	Associations of circulating retinol, vitamin E, and 1,25-dihydroxyvitamin D with prostate cancer diagnosis, stage, and grade. Cancer Causes and Control, 2012, 23, 1865-1873.	0.8	23
79	Depth of the patient–doctor relationship and content of general practice consultations: cross-sectional study. British Journal of General Practice, 2015, 65, e545-e551.	0.7	23
80	Misclassification of outcome in case–control studies: Methods for sensitivity analysis. Statistical Methods in Medical Research, 2016, 25, 2377-2393.	0.7	23
81	Functional and quality of life outcomes of localised prostate cancer treatments (Prostate Testing) Tj ETQq1 1 0.	784314 rg	:BT_/Qverlock
82	Cause-specific hospital admission and mortality among working men: association with socioeconomic circumstances in childhood and adult life, and the mediating role of daily stress. European Journal of Public Health, 2005, 15, 238-244.	0.1	22
83	Predictors of Attendance for Prostate-Specific Antigen Screening Tests and Prostate Biopsy. European Urology, 2012, 62, 649-655.	0.9	22
84	Thulium laser transurethral vaporesection of the prostate versus transurethral resection of the prostate for men with lower urinary tract symptoms or urinary retention (UNBLOCS): a randomised controlled trial. Lancet, The, 2020, 396, 50-61.	6.3	22
85	Active monitoring, radical prostatectomy and radical radiotherapy in PSA-detected clinically localised prostate cancer: the ProtecT three-arm RCT. Health Technology Assessment, 2020, 24, 1-176.	1.3	22
86	The analysis of crossâ€over trials with baseline measurements. Statistics in Medicine, 2010, 29, 3211-3218.	0.8	21
87	Cost–utility analysis conducted alongside randomized controlled trials: Are economic end points considered in sample size calculations and does it matter?. Clinical Trials, 2013, 10, 43-53.	0.7	21
88	Associations of Folate, Vitamin B12, Homocysteine, and Folate-Pathway Polymorphisms with Prostate-Specific Antigen Velocity in Men with Localized Prostate Cancer. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 2833-2838.	1.1	20
89	Predictors of 25-hydroxyvitamin D and its association with risk factors for prostate cancer: evidence from the Prostate testing for cancer and Treatment study. Cancer Causes and Control, 2012, 23, 575-588.	0.8	20
90	Choice of Moisturiser for Eczema Treatment (COMET): feasibility study of a randomised controlled parallel group trial in children recruited from primary care. BMJ Open, 2016, 6, e012021.	0.8	20

0.7

16

#	Article	IF	CITATIONS
91	Evaluation of â€~care bundles' for patients with chronic obstructive pulmonary disease (COPD): a multisite study in the UK. BMJ Open Respiratory Research, 2019, 6, e000425.	1.2	20
92	Contribution of a Single Repeat PSA Test to Prostate Cancer Risk Assessment: Experience from the ProtecT Study. European Urology, 2008, 53, 777-784.	0.9	19
93	Confabulation: What is associated with its rise and fall? A study in brain injury. Cortex, 2017, 87, 31-43.	1.1	19
94	A physical activity, nutrition and oral health intervention in nursery settings: process evaluation of the NAP SACC UK feasibility cluster RCT. BMC Public Health, 2019, 19, 865.	1.2	19
95	Do the risk factors of age, family history of prostate cancer or a higher prostate specific antigen level raise anxiety at prostate biopsy?. European Journal of Cancer, 2009, 45, 2569-2573.	1.3	18
96	The feasibility of low-intensity psychological therapy for depression co-occurring with autism in adults: The Autism Depression Trial (ADEPT) – a pilot randomised controlled trial. Autism, 2020, 24, 1360-1372.	2.4	18
97	Bronchial provocation testing with dry powder mannitol in children with cystic fibrosis. Pediatric Pulmonology, 2008, 43, 1078-1084.	1.0	17
98	Current strategies for monitoring men with localised prostate cancer lack a strong evidence base: observational longitudinal study. British Journal of Cancer, 2009, 101, 390-394.	2.9	17
99	Diurnal variation in probability of death following self-poisoning in Sri Lankaevidence for chronotoxicity in humans. International Journal of Epidemiology, 2012, 41, 1821-1828.	0.9	17
100	Choice of Moisturiser for Eczema Treatment (COMET): study protocol for a randomized controlled trial. Trials, 2015, 16, 304.	0.7	17
101	Feasibility and cost of obtaining informed consent for essential review of medical records in large-scale health services research. Journal of Health Services Research and Policy, 2009, 14, 77-81.	0.8	16
102	International impacts of regulatory action to limit antidepressant prescribing on rates of suicide in young people. Pharmacoepidemiology and Drug Safety, 2009, 18, 579-588.	0.9	16
103	Population impact of regulatory activity restricting prescribing of COXâ€2 inhibitors: ecological study. British Journal of Clinical Pharmacology, 2009, 68, 752-764.	1.1	16
104	Composite outcomes: weighting component events according to severity assisted interpretation but reduced statistical power. Journal of Clinical Epidemiology, 2010, 63, 1156-1158.	2.4	16
105	Role of information in preparing men for transrectal ultrasound guided prostate biopsy: a qualitative study embedded in the ProtecT trial. BMC Health Services Research, 2015, 15, 80.	0.9	16
106	Variation between hospitals in inpatient admission practices for self-harm patients and its impact on repeat presentation. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 1485-1493.	1.6	16
107	A prospective cohort and extended comprehensive-cohort design provided insights about the generalizability of a pragmatic trial: the ProtecT prostate cancer trial. Journal of Clinical Epidemiology, 2018, 96, 35-46.	2.4	16
108	Investigating the effectiveness and cost-effectiveness of FITNET-NHS (Fatigue In Teenagers on the) Tj ETQq0 0 0	rgBT /Over 0.7	lock 10 Tf 50

(CFS)/myalgic encephalomyelitis (ME): protocol for a randomised controlled trial. Trials, 2018, 19, 136.

7

#	Article	IF	CITATIONS
109	Expanding Agoraphobics' Horizons: An Investigation Of The Effectiveness Of A Personal Construct Psychotherapy Intervention. Journal of Constructivist Psychology, 2006, 19, 1-29.	0.7	15
110	Waiting times for cancer treatment: the impact of multi-disciplinary team meetings. Behaviour and Information Technology, 2011, 30, 467-471.	2.5	15
111	Men's knowledge and attitudes towards dietary prevention of a prostate cancer diagnosis: a qualitative study. BMC Cancer, 2014, 14, 812.	1.1	15
112	Managed Activity Graded Exercise iN Teenagers and pre-Adolescents (MAGENTA) feasibility randomised controlled trial: study protocol. BMJ Open, 2016, 6, e011255.	0.8	15
113	The Prognostic Value of Patient-Reported Outcome Data in Patients With Colorectal Hepatic Metastases Who Underwent Surgery. Clinical Colorectal Cancer, 2016, 15, 74-81.e1.	1.0	15
114	Developing new age-specific prostate-specific antigen thresholds for testing for prostate cancer. Cancer Causes and Control, 2018, 29, 383-388.	0.8	15
115	The ProtecT randomised trial cost-effectiveness analysis comparing active monitoring, surgery, or radiotherapy for prostate cancer. British Journal of Cancer, 2020, 123, 1063-1070.	2.9	15
116	The Effectiveness of Personal Construct Psychotherapy: A Meta-Analysis., 0,, 347-364.		14
117	Cost effectiveness of an intervention to increase uptake of hepatitis C virus testing and treatment (HepCATT): cluster randomised controlled trial in primary care. BMJ, The, 2020, 368, m322.	3.0	14
118	Associations of sexual dysfunction symptoms with PSA-detected localised and advanced prostate cancer: A case-control study nested within the UK population-based ProtecT (Prostate testing for) Tj ETQq0 0 0 r	gB <b>II.</b> \$Over	loal810 Tf 50
119	Study protocol: the effectiveness and cost effectiveness of an employer-led intervention to increase walking during the daily commute: the Travel to Work randomised controlled trial. BMC Public Health, 2015, 15, 154.	1.2	13
120	Hepatitis C – Assessment to Treatment Trial (HepCATT) in primary care: study protocol for a cluster randomised controlled trial. Trials, 2016, 17, 366.	0.7	13
121	Using conversation analytic methods to assess fidelity to a talk-based healthcare intervention for frequently attending patients. Social Science and Medicine, 2018, 206, 38-50.	1.8	13
122	Factors distinguishing general practitioners who more readily participated in a large randomized trial were identified. Journal of Clinical Epidemiology, 2009, 62, 67-73.	2.4	12
123	Development of a New Method for Monitoring Prostate-Specific Antigen Changes in Men with Localised Prostate Cancer: A Comparison of Observational Cohorts. European Urology, 2010, 57, 446-452.	0.9	12
124	Protocol for a feasibility study and randomised pilot trial of a low-intensity psychological intervention for depression in adults with autism: the Autism Depression Trial (ADEPT). BMJ Open, 2017, 7, e019545.	0.8	12
125	Guided self-help for depression in autistic adults: the ADEPT feasibility RCT. Health Technology Assessment, 2019, 23, 1-94.	1.3	12
126	Does consideration of either psychological or material disadvantage improve coronary risk prediction? Prospective observational study of Scottish men. Journal of Epidemiology and Community Health, 2007, 61, 833-837.	2.0	11

#	Article	IF	CITATIONS
127	Challenges and opportunities of a paperless baseline survey in Sri Lanka. BMC Research Notes, 2014, 7, 452.	0.6	11
128	Cross-sectional study evaluating data quality of the National Cancer Registration and Analysis Service (NCRAS) prostate cancer registry data using the Cluster randomised trial of PSA testing for Prostate cancer (CAP). BMJ Open, 2017, 7, e015994.	0.8	11
129	Derivative estimation for longitudinal data analysis: Examining features of blood pressure measured repeatedly during pregnancy. Statistics in Medicine, 2018, 37, 2836-2854.	0.8	11
130	Evaluation of an intervention to promote walking during the commute to work: a cluster randomised controlled trial. BMC Public Health, 2019, 19, 427.	1.2	11
131	Anaesthetic–analgesic ear drops to reduce antibiotic consumption in children with acute otitis media: the CEDAR RCT. Health Technology Assessment, 2019, 23, 1-48.	1.3	11
132	Prostate Surgery for Men with Lower Urinary Tract Symptoms: Do We Need Urodynamics to Find the Right Candidates? Exploratory Findings from the UPSTREAM Trial. European Urology Focus, 2022, 8, 1331-1339.	1.6	11
133	Prostateâ€specific antigen testing and prostate biopsy: are selfâ€reported lower urinary tract symptoms and healthâ€related quality of life associated with the decision to undergo these investigations?. BJU International, 2008, 102, 1629-1633.	1.3	10
134	Action 3:30R: Results of a Cluster Randomised Feasibility Study of a Revised Teaching Assistant-Led Extracurricular Physical Activity Intervention for 8 to 10 Year Olds. International Journal of Environmental Research and Public Health, 2019, 16, 131.	1.2	10
135	Child-care self-assessment to improve physical activity, oral health and nutrition for 2- to 4-year-olds: a feasibility cluster RCT. Public Health Research, 2019, 7, 1-164.	0.5	10
136	Are left-behind families of migrant workers at increased risk of attempted suicide? – a cohort study of 178,000+ individuals in Sri Lanka. BMC Psychiatry, 2019, 19, 25.	1.1	9
137	International development and implementation of a core measurement set for research and audit studies in implant-based breast reconstruction: a study protocol. BMJ Open, 2020, 10, e035505.	0.8	9
138	Childhood adversity and self-poisoning: A hospital case control study in Sri Lanka. PLoS ONE, 2020, 15, e0242437.	1.1	9
139	The causal roles of vitamin B(12) and transcobalamin in prostate cancer: can Mendelian randomization analysis provide definitive answers?. International Journal of Molecular Epidemiology and Genetics, 2011, 2, 316-27.	0.4	9
140	Intensive case management for severe psychotic illness: is there a general benefit for patients with complex needs?. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 718-724.	1.6	8
141	DIFFERENCES IN THE EPIDEMIOLOGY AND PRESENTATION OF PROSTATE CANCER IN BLACK AND WHITE MEN IN ENGLAND: LESSONS LEARNT FROM THE PROCESS STUDY. BJU International, 2009, 103, 723-724.	1.3	8
142	Insulin-like growth factors (IGFs) and IGF-binding proteins in active monitoring of localized prostate cancer: a population-based observational study. Cancer Causes and Control, 2013, 24, 39-45.	0.8	8
143	Standardisation of information submitted to an endpoint committee for cause of death assignment in a cancer screening trial – lessons learnt from CAP (Cluster randomised triAl of PSA testing for) Tj ETQq1 1 0.78	4 <b>31</b> 44 rgB	T /®verlock 1
144	Acceptability, internal consistency and test–retest reliability of scales to assess parental and nursery staff's self-efficacy, motivation and knowledge in relation to pre-school children's nutrition, oral health and physical activity. Public Health Nutrition, 2019, 22, 967-975.	1.1	8

#	Article	IF	Citations
145	IntEgrating Smoking Cessation treatment As part of usual Psychological care for dEpression and anxiety (ESCAPE): protocol for a randomised and controlled, multicentre, acceptability, feasibility and implementation trial. Pilot and Feasibility Studies, 2019, 5, 16.	0.5	8
146	Men's experiences of radiotherapy treatment for localized prostate cancer and its long-term treatment side effects: a longitudinal qualitative study. Cancer Causes and Control, 2021, 32, 261-269.	0.8	8
147	Care bundles to reduce re-admissions for patients with chronic obstructive pulmonary disease: a mixed-methods study. Health Services and Delivery Research, 2019, 7, 1-128.	1.4	8
148	Explorations of the effectiveness of a voluntary sector psychodynamic counselling service. Counselling and Psychotherapy Research, 2003, 3, 261-269.	1.7	7
149	Associations of circulating 25-hydroxyvitamin D, 1,25-dihydroxyvitamin D, and vitamin D pathway genes with prostate-specific antigen progression in men with localized prostate cancer undergoing active monitoring. European Journal of Cancer Prevention, 2013, 22, 121-125.	0.6	7
150	Radiotherapy for Prostate Cancer: is it †what you do' or †the way that you do it'? A UK Perspective on Technique and Quality Assurance. Clinical Oncology, 2016, 28, e92-e100.	0.6	7
151	Longitudinal prostate-specific antigen reference ranges: Choosing the underlying model of age-related changes. Statistical Methods in Medical Research, 2016, 25, 1875-1891.	0.7	7
152	Effect of green tea and lycopene on the insulin-like growth factor system: the ProDiet randomized controlled trial. European Journal of Cancer Prevention, 2019, 28, 569-575.	0.6	7
153	Strategies adopted by men to deal with uncertainty and anxiety when following an active surveillance/monitoring protocol for localised prostate cancer and implications for care: a longitudinal qualitative study embedded within the ProtecT trial. BMJ Open, 2020, 10, e036024.	0.8	7
154	INTERHEART. Lancet, The, 2005, 365, 118-119.	6.3	6
155	Subjective and objective status and health: A response to Adler's a€œWhen one's main effect is another's error: Material vs. psychosocial explanations of health disparities. A commentary on Macleod et al., "ls subjective social status a more important determinant of health than objective social status? Evidence from a prospective observational study of Scottish men―(61(9), 2005, 1916–1929)	1.8	6
156	Psychological distress and prostate specific antigen levels in men with and without prostate cancer. Brain, Behavior, and Immunity, 2009, 23, 1073-1078.	2.0	6
157	International regulatory activity restricting COX-2 inhibitor use and deaths due to gastrointestinal haemorrhage and myocardial infarction. Pharmacoepidemiology and Drug Safety, 2010, 19, 778-785.	0.9	6
158	Seasonal variation in prostate-specific antigen levels: a large cross-sectional study of men in the UK. BJU International, 2011, 108, 1409-1414.	1.3	6
159	Association of diet in nurseries and physical activity with zBMI in 2–4-year olds in England: a cross-sectional study. BMC Public Health, 2018, 18, 1262.	1.2	6
160	Action 3:30R: process evaluation of a cluster randomised feasibility study of a revised teaching assistant-led extracurricular physical activity intervention for 8 to 10 year olds. BMC Public Health, 2019, 19, 1111.	1.2	6
161	Factors associated with trial recruitment, preferences, and treatments received were elucidated in a comprehensive cohort study. Journal of Clinical Epidemiology, 2019, 113, 200-213.	2.4	6
162	Incorporating Known Genetic Variants Does Not Improve the Accuracy of PSA Testing to Identify High Risk Prostate Cancer on Biopsy. PLoS ONE, 2015, 10, e0136735.	1.1	6

#	Article	IF	CITATIONS
163	Recruiting Adolescents With Chronic Fatigue Syndrome/Myalgic Encephalomyelitis to Internet-Delivered Therapy: Internal Pilot Within a Randomized Controlled Trial. Journal of Medical Internet Research, 2020, 22, e17768.	2.1	6
164	A workplace-based intervention to increase levels of daily physical activity: the Travel to Work cluster RCT. Public Health Research, 2019, 7, 1-128.	0.5	6
165	A revised teaching assistant-led extracurricular physical activity programme for 8- to 10-year-olds: the Action 3:30R feasibility cluster RCT. Public Health Research, 2019, 7, 1-128.	0.5	6
166	The scope for biased recall of risk-factor exposure in case-control studies: Evidence from a cohort study of Scottish men. Scandinavian Journal of Public Health, 2008, 36, 442-445.	1.2	5
167	Incorporating prognostic factors into causal estimators: A comparison of methods for randomised controlled trials with a timeâ€toâ€event outcome. Statistics in Medicine, 2012, 31, 3073-3088.	0.8	5
168	Prostateâ€specific antigen patterns in <scp>US</scp> and European populations: comparison of six diverse cohorts. BJU International, 2016, 118, 911-918.	1.3	5
169	Action 3:30R: protocol for a cluster randomised feasibility study of a revised teaching assistant-led extracurricular physical activity intervention for 8- to 10-year-olds. Pilot and Feasibility Studies, 2017, 3, 69.	0.5	5
170	Cross-sectional analysis of physical activity in 2–4-year-olds in England with paediatric quality of life and family expenditure on physical activity. BMC Public Health, 2019, 19, 846.	1.2	5
171	A consultation-level intervention to improve care of frequently attending patients: a cluster randomised controlled feasibility trial. BJGP Open, 2019, 3, bjgpopen18X101623.	0.9	5
172	The Reporting of Treatment Nonadherence and Its Associated Impact on Economic Evaluations Conducted Alongside Randomized Trials: A Systematic Review. Value in Health, 2016, 19, 99-108.	0.1	4
173	Results of the feasibility phase of the managed activity graded exercise in teenagers and pre-adolescents (MAGENTA) randomised controlled trial of treatments for chronic fatigue syndrome/myalgic encephalomyelitis. Pilot and Feasibility Studies, 2019, 5, 151.	0.5	4
174	Investigating the effectiveness and cost-effectiveness of FITNET-NHS (Fatigue In Teenagers on the) Tj ETQq0 0 0 (CFS)/myalgic encephalomyelitis (ME): amendment to the published protocol. Trials, 2019, 20, 750.	rgBT /Ove 0.7	rlock 10 Tf 50 4
175	Development, validation and evaluation of an instrument for active monitoring of men with clinically localised prostate cancer: systematic review, cohort studies and qualitative study. Health Services and Delivery Research, 2015, 3, 1-138.	1.4	4
176	Does education influence the acceptability of faecal microbiota transplantation in colitis: A cross-sectional study. Cogent Medicine, 2016, 3, 1233685.	0.7	3
177	Analyzing the duration of recurrent events in clinical trials: A comparison of approaches using data from the UK700 trial of psychiatric case management. Contemporary Clinical Trials, 2005, 26, 443-458.	0.8	2
178	Best-BRA (Is subpectoral or prepectoral implant placement best in immediate breast reconstruction?): a protocol for a pilot randomised controlled trial of subpectoral versus prepectoral immediate implant-based breast reconstruction in women following mastectomy. BMJ Open, 2021, 11, e050886.	0.8	2
179	Gatekeeper training for vendors to reduce pesticide self-poisoning in rural South Asia: a study protocol for a stepped-wedge cluster randomised controlled trial. BMJ Open, 2022, 12, e054061.	0.8	2
180	Can the Results of the European Randomized Study of Screening for Prostate Cancer Be Decontaminated?. European Urology, 2014, 65, 337-338.	0.9	1

#	Article	IF	CITATIONS
181	Acceptability of the BATHE technique amongst GPs and frequently attending patients in primary care: a nested qualitative study. BMC Family Practice, 2019, 20, 121.	2.9	1
182	Letter to the Editor of Biometrics. Biometrics, 2006, 62, 301-301.	0.8	0
183	Letter to the Editor. American Journal of Men's Health, 2010, 4, 186-188.	0.7	O
184	ACTIMUSâ€"PHASE II CELL THERAPY TRIAL IN PROGRESSIVE MS. Journal of Neurology, Neurosurgery and Psychiatry, 2014, 85, e4.50-e4.	0.9	0
185	Validation of the National Cancer Registration and Analysis Service prostate cancer registry with data from the CAP study. Lancet, The, 2016, 388, S77.	6.3	O
186	A potpourri of biostatistical research: Special Issue for ISCB ASC 2018. Biometrical Journal, 2020, 62, 267-269.	0.6	0
187	Prostate-specific antigen testing and opportunistic prostate cancer screening — CAP intervention. British Journal of General Practice, 2021, 71, 157.2-157.	0.7	0