

Chris Metcalfe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1589937/publications.pdf>

Version: 2024-02-01

187
papers

11,511
citations

57719

44
h-index

31818

101
g-index

194
all docs

194
docs citations

194
times ranked

15989
citing authors

#	ARTICLE	IF	CITATIONS
1	Prostate Surgery for Men with Lower Urinary Tract Symptoms: Do We Need Urodynamics to Find the Right Candidates? Exploratory Findings from the UPSTREAM Trial. <i>European Urology Focus</i> , 2022, 8, 1331-1339.	1.6	11
2	Once-only colonoscopy or two rounds of faecal immunochemical testing 2 years apart for colorectal cancer screening (SCREESCO): preliminary report of a randomised controlled trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2022, 7, 513-521.	3.7	29
3	Gatekeeper training for vendors to reduce pesticide self-poisoning in rural South Asia: a study protocol for a stepped-wedge cluster randomised controlled trial. <i>BMJ Open</i> , 2022, 12, e054061.	0.8	2
4	Functional and quality of life outcomes of localised prostate cancer treatments (Prostate Testing) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.3	23
5	Prostate-specific antigen testing and opportunistic prostate cancer screening â€” CAP intervention. <i>British Journal of General Practice</i> , 2021, 71, 157.2-157.	0.7	0
6	Hospital presentations for self-poisoning during COVID-19 in Sri Lanka: an interrupted time-series analysis. <i>Lancet Psychiatry</i> , 2021, 8, 892-900.	3.7	30
7	Menâ€™s experiences of radiotherapy treatment for localized prostate cancer and its long-term treatment side effects: a longitudinal qualitative study. <i>Cancer Causes and Control</i> , 2021, 32, 261-269.	0.8	8
8	Best-BRA (Is subpectoral or prepectoral implant placement best in immediate breast reconstruction?): a protocol for a pilot randomised controlled trial of subpectoral versus prepectoral immediate implant-based breast reconstruction in women following mastectomy. <i>BMJ Open</i> , 2021, 11, e050886.	0.8	2
9	The ProtecT trial: analysis of the patient cohort, baseline risk stratification and disease progression. <i>BJU International</i> , 2020, 125, 506-514.	1.3	32
10	The feasibility of low-intensity psychological therapy for depression co-occurring with autism in adults: The Autism Depression Trial (ADEPT) â€” a pilot randomised controlled trial. <i>Autism</i> , 2020, 24, 1360-1372.	2.4	18
11	Ten-year Mortality, Disease Progression, and Treatment-related Side Effects in Men with Localised Prostate Cancer from the ProtecT Randomised Controlled Trial According to Treatment Received. <i>European Urology</i> , 2020, 77, 320-330.	0.9	107
12	The ProtecT randomised trial cost-effectiveness analysis comparing active monitoring, surgery, or radiotherapy for prostate cancer. <i>British Journal of Cancer</i> , 2020, 123, 1063-1070.	2.9	15
13	International development and implementation of a core measurement set for research and audit studies in implant-based breast reconstruction: a study protocol. <i>BMJ Open</i> , 2020, 10, e035505.	0.8	9
14	Strategies adopted by men to deal with uncertainty and anxiety when following an active surveillance/monitoring protocol for localised prostate cancer and implications for care: a longitudinal qualitative study embedded within the ProtecT trial. <i>BMJ Open</i> , 2020, 10, e036024.	0.8	7
15	Cost effectiveness of an intervention to increase uptake of hepatitis C virus testing and treatment (HepCATT): cluster randomised controlled trial in primary care. <i>BMJ</i> , 2020, 368, m322.	3.0	14
16	A potpourri of biostatistical research: Special Issue for ISCB ASC 2018. <i>Biometrical Journal</i> , 2020, 62, 267-269.	0.6	0
17	Thulium laser transurethral vaporesction of the prostate versus transurethral resection of the prostate for men with lower urinary tract symptoms or urinary retention (UNBLOCS): a randomised controlled trial. <i>Lancet</i> , 2020, 396, 50-61.	6.3	22
18	Childhood adversity and self-poisoning: A hospital case control study in Sri Lanka. <i>PLoS ONE</i> , 2020, 15, e0242437.	1.1	9

#	ARTICLE	IF	CITATIONS
19	Recruiting Adolescents With Chronic Fatigue Syndrome/Myalgic Encephalomyelitis to Internet-Delivered Therapy: Internal Pilot Within a Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2020, 22, e17768.	2.1	6
20	Active monitoring, radical prostatectomy and radical radiotherapy in PSA-detected clinically localised prostate cancer: the ProtecT three-arm RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-176.	1.3	22
21	A systematic review of core outcome set development studies demonstrates difficulties in defining unique outcomes. <i>Journal of Clinical Epidemiology</i> , 2019, 115, 14-24.	2.4	40
22	Action 3:3OR: process evaluation of a cluster randomised feasibility study of a revised teaching assistant-led extracurricular physical activity intervention for 8 to 10-year olds. <i>BMC Public Health</i> , 2019, 19, 1111.	1.2	6
23	A physical activity, nutrition and oral health intervention in nursery settings: process evaluation of the NAP SACC UK feasibility cluster RCT. <i>BMC Public Health</i> , 2019, 19, 865.	1.2	19
24	Cross-sectional analysis of physical activity in 2-4-year-olds in England with paediatric quality of life and family expenditure on physical activity. <i>BMC Public Health</i> , 2019, 19, 846.	1.2	5
25	Factors associated with trial recruitment, preferences, and treatments received were elucidated in a comprehensive cohort study. <i>Journal of Clinical Epidemiology</i> , 2019, 113, 200-213.	2.4	6
26	Risk of suicide and repeat self-harm after hospital attendance for non-fatal self-harm in Sri Lanka: a cohort study. <i>Lancet Psychiatry</i> , 2019, 6, 659-666.	3.7	40
27	Evaluating the population impact of hepatitis C direct acting antiviral treatment as prevention for people who inject drugs (EPIToPe) – a natural experiment (protocol). <i>BMJ Open</i> , 2019, 9, e029538.	0.8	30
28	Acceptability of the BATHE technique amongst GPs and frequently attending patients in primary care: a nested qualitative study. <i>BMC Family Practice</i> , 2019, 20, 121.	2.9	1
29	Evaluation of an intervention to promote walking during the commute to work: a cluster randomised controlled trial. <i>BMC Public Health</i> , 2019, 19, 427.	1.2	11
30	Acceptability, internal consistency and test-retest reliability of scales to assess parental and nursery staff's self-efficacy, motivation and knowledge in relation to pre-school children's nutrition, oral health and physical activity. <i>Public Health Nutrition</i> , 2019, 22, 967-975.	1.1	8
31	Integrating Smoking Cessation treatment As part of usual Psychological care for depression and anxiety (ESCAPE): protocol for a randomised and controlled, multicentre, acceptability, feasibility and implementation trial. <i>Pilot and Feasibility Studies</i> , 2019, 5, 16.	0.5	8
32	Evaluation of care bundles for patients with chronic obstructive pulmonary disease (COPD): a multisite study in the UK. <i>BMJ Open Respiratory Research</i> , 2019, 6, e000425.	1.2	20
33	Effect of green tea and lycopene on the insulin-like growth factor system: the ProDiet randomized controlled trial. <i>European Journal of Cancer Prevention</i> , 2019, 28, 569-575.	0.6	7
34	Results of the feasibility phase of the managed activity graded exercise in teenagers and pre-adolescents (MAGENTA) randomised controlled trial of treatments for chronic fatigue syndrome/myalgic encephalomyelitis. <i>Pilot and Feasibility Studies</i> , 2019, 5, 151.	0.5	4
35	Investigating the effectiveness and cost-effectiveness of FITNET-NHS (Fatigue In Teenagers on the Tj ETQq1 1 0.784314 rgBT /Overlook (CFS)/myalgic encephalomyelitis (ME): amendment to the published protocol. <i>Trials</i> , 2019, 20, 750.	0.7	4
36	The QuinteT Recruitment Intervention supported five randomized trials to recruit to target: a mixed-methods evaluation. <i>Journal of Clinical Epidemiology</i> , 2019, 106, 108-120.	2.4	49

#	ARTICLE	IF	CITATIONS
37	Are left-behind families of migrant workers at increased risk of attempted suicide? â€“ a cohort study of 178,000+ individuals in Sri Lanka. <i>BMC Psychiatry</i> , 2019, 19, 25.	1.1	9
38	Action 3:30R: Results of a Cluster Randomised Feasibility Study of a Revised Teaching Assistant-Led Extracurricular Physical Activity Intervention for 8 to 10 Year Olds. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 131.	1.2	10
39	Care bundles to reduce re-admissions for patients with chronic obstructive pulmonary disease: a mixed-methods study. <i>Health Services and Delivery Research</i> , 2019, 7, 1-128.	1.4	8
40	Anaestheticâ€“analgesic ear drops to reduce antibiotic consumption in children with acute otitis media: the CEDAR RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-48.	1.3	11
41	Guided self-help for depression in autistic adults: the ADEPT feasibility RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-94.	1.3	12
42	A workplace-based intervention to increase levels of daily physical activity: the Travel to Work cluster RCT. <i>Public Health Research</i> , 2019, 7, 1-128.	0.5	6
43	Child-care self-assessment to improve physical activity, oral health and nutrition for 2- to 4-year-olds: a feasibility cluster RCT. <i>Public Health Research</i> , 2019, 7, 1-164.	0.5	10
44	A revised teaching assistant-led extracurricular physical activity programme for 8- to 10-year-olds: the Action 3:30R feasibility cluster RCT. <i>Public Health Research</i> , 2019, 7, 1-128.	0.5	6
45	A consultation-level intervention to improve care of frequently attending patients: a cluster randomised controlled feasibility trial. <i>BJGP Open</i> , 2019, 3, bjgpopen18X101623.	0.9	5
46	Effect of a Low-Intensity PSA-Based Screening Intervention on Prostate Cancer Mortality. <i>JAMA - Journal of the American Medical Association</i> , 2018, 319, 883.	3.8	296
47	Developing new age-specific prostate-specific antigen thresholds for testing for prostate cancer. <i>Cancer Causes and Control</i> , 2018, 29, 383-388.	0.8	15
48	A prospective cohort and extended comprehensive-cohort design provided insights about the generalizability of a pragmatic trial: the ProtecT prostate cancer trial. <i>Journal of Clinical Epidemiology</i> , 2018, 96, 35-46.	2.4	16
49	Investigating the effectiveness and cost-effectiveness of FITNET-NHS (Fatigue In Teenagers on the) Tj ETQq1 1 0.784314 rgBT /Overlo (CFS)/myalgic encephalomyelitis (ME): protocol for a randomised controlled trial. <i>Trials</i> , 2018, 19, 136.	0.7	16
50	Development of a Core Outcome Set for Clinical Effectiveness Trials in Esophageal Cancer Resection Surgery. <i>Annals of Surgery</i> , 2018, 267, 700-710.	2.1	38
51	Association of diet in nurseries and physical activity with zBMI in 2â€“4-year olds in England: a cross-sectional study. <i>BMC Public Health</i> , 2018, 18, 1262.	1.2	6
52	ProDiet: A Phase II Randomized Placebo-controlled Trial of Green Tea Catechins and Lycopene in Men at Increased Risk of Prostate Cancer. <i>Cancer Prevention Research</i> , 2018, 11, 687-696.	0.7	32
53	Derivative estimation for longitudinal data analysis: Examining features of blood pressure measured repeatedly during pregnancy. <i>Statistics in Medicine</i> , 2018, 37, 2836-2854.	0.8	11
54	Using conversation analytic methods to assess fidelity to a talk-based healthcare intervention for frequently attending patients. <i>Social Science and Medicine</i> , 2018, 206, 38-50.	1.8	13

#	ARTICLE	IF	CITATIONS
55	Development of a framework to improve the process of recruitment to randomised controlled trials (RCTs): the SEAR (Screened, Eligible, Approached, Randomised) framework. <i>Trials</i> , 2018, 19, 50.	0.7	48
56	Confabulation: What is associated with its rise and fall? A study in brain injury. <i>Cortex</i> , 2017, 87, 31-43.	1.1	19
57	Regional variation in suicide rates in Sri Lanka between 1955 and 2011: a spatial and temporal analysis. <i>BMC Public Health</i> , 2017, 17, 193.	1.2	30
58	Does exposure to opioid substitution treatment in prison reduce the risk of death after release? A national prospective observational study in England. <i>Addiction</i> , 2017, 112, 1408-1418.	1.7	130
59	Predictive accuracy of risk scales following self-harm: Multicentre, prospective cohort study. <i>British Journal of Psychiatry</i> , 2017, 210, 429-436.	1.7	95
60	A systematic review to identify and assess the effectiveness of alternatives for people over the age of 65 who are at risk of potentially avoidable hospital admission. <i>BMJ Open</i> , 2017, 7, e016236.	0.8	35
61	Effectiveness of household lockable pesticide storage to reduce pesticide self-poisoning in rural Asia: a community-based, cluster-randomised controlled trial. <i>Lancet, The</i> , 2017, 390, 1863-1872.	6.3	71
62	The "One in a Million"™ study: creating a database of UK primary care consultations. <i>British Journal of General Practice</i> , 2017, 67, e345-e351.	0.7	48
63	Cross-sectional study evaluating data quality of the National Cancer Registration and Analysis Service (NCRAS) prostate cancer registry data using the Cluster randomised trial of PSA testing for Prostate cancer (CAP). <i>BMJ Open</i> , 2017, 7, e015994.	0.8	11
64	Informing efficient randomised controlled trials: exploration of challenges in developing progression criteria for internal pilot studies. <i>BMJ Open</i> , 2017, 7, e013537.	0.8	239
65	Action 3:30R: protocol for a cluster randomised feasibility study of a revised teaching assistant-led extracurricular physical activity intervention for 8- to 10-year-olds. <i>Pilot and Feasibility Studies</i> , 2017, 3, 69.	0.5	5
66	Protocol for a feasibility study and randomised pilot trial of a low-intensity psychological intervention for depression in adults with autism: the Autism Depression Trial (ADEPT). <i>BMJ Open</i> , 2017, 7, e019545.	0.8	12
67	Prostate-specific antigen (PSA) testing of men in UK general practice: a 10-year longitudinal cohort study. <i>BMJ Open</i> , 2017, 7, e017729.	0.8	27
68	Suicide prevention through means restriction: Impact of the 2008-2011 pesticide restrictions on suicide in Sri Lanka. <i>PLoS ONE</i> , 2017, 12, e0172893.	1.1	78
69	Hepatitis C "Assessment to Treatment Trial (HepCATT) in primary care: study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2016, 17, 366.	0.7	13
70	Psychosocial Assessment of Self-Harm Patients and Risk of Repeat Presentation: An Instrumental Variable Analysis Using Time of Hospital Presentation. <i>PLoS ONE</i> , 2016, 11, e0149713.	1.1	43
71	Prostate-specific antigen patterns in US and European populations: comparison of six diverse cohorts. <i>BJU International</i> , 2016, 118, 911-918.	1.3	5
72	Managed Activity Graded Exercise in Teenagers and pre-Adolescents (MAGENTA) feasibility randomised controlled trial: study protocol. <i>BMJ Open</i> , 2016, 6, e011255.	0.8	15

#	ARTICLE	IF	CITATIONS
73	Validation of the National Cancer Registration and Analysis Service prostate cancer registry with data from the CAP study. <i>Lancet, The</i> , 2016, 388, S77.	6.3	0
74	Radiotherapy for Prostate Cancer: is it "what you do" or "the way that you do it"? A UK Perspective on Technique and Quality Assurance. <i>Clinical Oncology</i> , 2016, 28, e92-e100.	0.6	7
75	Variation between hospitals in inpatient admission practices for self-harm patients and its impact on repeat presentation. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 1485-1493.	1.6	16
76	10-Year Outcomes after Monitoring, Surgery, or Radiotherapy for Localized Prostate Cancer. <i>New England Journal of Medicine</i> , 2016, 375, 1415-1424.	13.9	2,101
77	Patient-Reported Outcomes after Monitoring, Surgery, or Radiotherapy for Prostate Cancer. <i>New England Journal of Medicine</i> , 2016, 375, 1425-1437.	13.9	962
78	Patient-reported outcomes in the ProtecT randomized trial of clinically localized prostate cancer treatments: study design, and baseline urinary, bowel and sexual function and quality of life. <i>BJU International</i> , 2016, 118, 869-879.	1.3	52
79	Contemporary accuracy of death certificates for coding prostate cancer as a cause of death: Is reliance on death certification good enough? A comparison with blinded review by an independent cause of death evaluation committee. <i>British Journal of Cancer</i> , 2016, 115, 90-94.	2.9	38
80	Choice of Moisturiser for Eczema Treatment (COMET): feasibility study of a randomised controlled parallel group trial in children recruited from primary care. <i>BMJ Open</i> , 2016, 6, e012021.	0.8	20
81	Does education influence the acceptability of faecal microbiota transplantation in colitis: A cross-sectional study. <i>Cogent Medicine</i> , 2016, 3, 1233685.	0.7	3
82	The Reporting of Treatment Nonadherence and Its Associated Impact on Economic Evaluations Conducted Alongside Randomized Trials: A Systematic Review. <i>Value in Health</i> , 2016, 19, 99-108.	0.1	4
83	Longitudinal prostate-specific antigen reference ranges: Choosing the underlying model of age-related changes. <i>Statistical Methods in Medical Research</i> , 2016, 25, 1875-1891.	0.7	7
84	Misclassification of outcome in case-control studies: Methods for sensitivity analysis. <i>Statistical Methods in Medical Research</i> , 2016, 25, 2377-2393.	0.7	23
85	The Prognostic Value of Patient-Reported Outcome Data in Patients With Colorectal Hepatic Metastases Who Underwent Surgery. <i>Clinical Colorectal Cancer</i> , 2016, 15, 74-81.e1.	1.0	15
86	Choice of Moisturiser for Eczema Treatment (COMET): study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 304.	0.7	17
87	Interventions in randomised controlled trials in surgery: issues to consider during trial design. <i>Trials</i> , 2015, 16, 392.	0.7	46
88	Association of socio-economic position and suicide/attempted suicide in low and middle income countries in South and South-East Asia " a systematic review. <i>BMC Public Health</i> , 2015, 15, 1055.	1.2	57
89	Assessment of bone marrow-derived Cellular Therapy in progressive Multiple Sclerosis (ACTiMuS): study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 463.	0.7	37
90	Characteristics of people dying by suicide after job loss, financial difficulties and other economic stressors during a period of recession (2010-2011): A review of coroners' records. <i>Journal of Affective Disorders</i> , 2015, 183, 98-105.	2.0	117

#	ARTICLE	IF	CITATIONS
91	Associations of vitamin D pathway genes with circulating 25-hydroxyvitamin-D, 1,25-dihydroxyvitamin-D, and prostate cancer: a nested case-control study. <i>Cancer Causes and Control</i> , 2015, 26, 205-218.	0.8	33
92	Systematic Review and Meta-analysis of Factors Determining Change to Radical Treatment in Active Surveillance for Localized Prostate Cancer. <i>European Urology</i> , 2015, 67, 993-1005.	0.9	96
93	Standardisation of information submitted to an endpoint committee for cause of death assignment in a cancer screening trial - lessons learnt from CAP (Cluster randomised trial of PSA testing for) Tj ETQq1 1 0.784314 rgBT /@verlock		
94	Study protocol: the effectiveness and cost effectiveness of an employer-led intervention to increase walking during the daily commute: the Travel to Work randomised controlled trial. <i>BMC Public Health</i> , 2015, 15, 154.	1.2	13
95	Role of information in preparing men for transrectal ultrasound guided prostate biopsy: a qualitative study embedded in the ProtecT trial. <i>BMC Health Services Research</i> , 2015, 15, 80.	0.9	16
96	Depth of the patient-doctor relationship and content of general practice consultations: cross-sectional study. <i>British Journal of General Practice</i> , 2015, 65, e545-e551.	0.7	23
97	Incorporating Known Genetic Variants Does Not Improve the Accuracy of PSA Testing to Identify High Risk Prostate Cancer on Biopsy. <i>PLoS ONE</i> , 2015, 10, e0136735.	1.1	6
98	Development, validation and evaluation of an instrument for active monitoring of men with clinically localised prostate cancer: systematic review, cohort studies and qualitative study. <i>Health Services and Delivery Research</i> , 2015, 3, 1-138.	1.4	4
99	Active monitoring, radical prostatectomy, or radiotherapy for localised prostate cancer: study design and diagnostic and baseline results of the ProtecT randomised phase 3 trial. <i>Lancet Oncology</i> , The, 2014, 15, 1109-1118.	5.1	205
100	Men's knowledge and attitudes towards dietary prevention of a prostate cancer diagnosis: a qualitative study. <i>BMC Cancer</i> , 2014, 14, 812.	1.1	15
101	Suicide and the 2008 economic recession: Who is most at risk? Trends in suicide rates in England and Wales 2001-2011. <i>Social Science and Medicine</i> , 2014, 117, 76-85.	1.8	125
102	ACTIMUS - PHASE II CELL THERAPY TRIAL IN PROGRESSIVE MS. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014, 85, e4.50-e4.	0.9	0
103	Can the Results of the European Randomized Study of Screening for Prostate Cancer Be Decontaminated?. <i>European Urology</i> , 2014, 65, 337-338.	0.9	1
104	Suicide in Sri Lanka 1975-2012: age, period and cohort analysis of police and hospital data. <i>BMC Public Health</i> , 2014, 14, 839.	1.2	69
105	The feasibility of a randomized controlled trial of esophagectomy for esophageal cancer - the ROMIO (Randomized Oesophagectomy: Minimally Invasive or Open) study: protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 200.	0.7	61
106	Challenges and opportunities of a paperless baseline survey in Sri Lanka. <i>BMC Research Notes</i> , 2014, 7, 452.	0.6	11
107	Parental Suicide Attempt and Offspring Self-Harm and Suicidal Thoughts: Results From the Avon Longitudinal Study of Parents and Children (ALSPAC) Birth Cohort. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014, 53, 509-517.e2.	0.3	36
108	Hospital Presenting Self-Harm and Risk of Fatal and Non-Fatal Repetition: Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e89944.	1.1	405

#	ARTICLE	IF	CITATIONS
109	Clinical effectiveness and cost-effectiveness of cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care: the CoBaT randomised controlled trial. <i>Health Technology Assessment</i> , 2014, 18, 1-167, vii-viii.	1.3	69
110	Insulin-like growth factors (IGFs) and IGF-binding proteins in active monitoring of localized prostate cancer: a population-based observational study. <i>Cancer Causes and Control</i> , 2013, 24, 39-45.	0.8	8
111	Physicians' prescribing preferences were a potential instrument for patients' actual prescriptions of antidepressants. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 1386-1396.	2.4	50
112	Psychological Impact of Prostate Biopsy: Physical Symptoms, Anxiety, and Depression. <i>Journal of Clinical Oncology</i> , 2013, 31, 4235-4241.	0.8	81
113	Associations of circulating 25-hydroxyvitamin D, 1,25-dihydroxyvitamin D, and vitamin D pathway genes with prostate-specific antigen progression in men with localized prostate cancer undergoing active monitoring. <i>European Journal of Cancer Prevention</i> , 2013, 22, 121-125.	0.6	7
114	Validation of suicide and self-harm records in the Clinical Practice Research Datalink. <i>British Journal of Clinical Pharmacology</i> , 2013, 76, 145-157.	1.1	68
115	Cost-utility analysis conducted alongside randomized controlled trials: Are economic end points considered in sample size calculations and does it matter?. <i>Clinical Trials</i> , 2013, 10, 43-53.	0.7	21
116	Smoking cessation treatment and risk of depression, suicide, and self harm in the Clinical Practice Research Datalink: prospective cohort study. <i>BMJ</i> , 2013, 347, f5704-f5704.	3.0	104
117	Short term outcomes of prostate biopsy in men tested for cancer by prostate specific antigen: prospective evaluation within ProtecT study. <i>BMJ: British Medical Journal</i> , 2012, 344, d7894-d7894.	2.4	211
118	Diurnal variation in probability of death following self-poisoning in Sri Lanka--evidence for chronotoxicity in humans. <i>International Journal of Epidemiology</i> , 2012, 41, 1821-1828.	0.9	17
119	Impact of national policy initiatives on fatal and non-fatal self-harm after psychiatric hospital discharge: time series analysis. <i>British Journal of Psychiatry</i> , 2012, 201, 233-238.	1.7	25
120	Associations of circulating retinol, vitamin E, and 1,25-dihydroxyvitamin D with prostate cancer diagnosis, stage, and grade. <i>Cancer Causes and Control</i> , 2012, 23, 1865-1873.	0.8	23
121	Predictors of Attendance for Prostate-Specific Antigen Screening Tests and Prostate Biopsy. <i>European Urology</i> , 2012, 62, 649-655.	0.9	22
122	A Prospective Analysis of Implementation of Multi-Disciplinary Team Decisions in Breast Cancer. <i>Breast Journal</i> , 2012, 18, 459-463.	0.4	25
123	Incorporating prognostic factors into causal estimators: A comparison of methods for randomised controlled trials with a time-to-event outcome. <i>Statistics in Medicine</i> , 2012, 31, 3073-3088.	0.8	5
124	Associations of circulating 25-hydroxyvitamin D with prostate cancer diagnosis, stage and grade. <i>International Journal of Cancer</i> , 2012, 131, 1187-1196.	2.3	63
125	Predictors of 25-hydroxyvitamin D and its association with risk factors for prostate cancer: evidence from the Prostate testing for cancer and Treatment study. <i>Cancer Causes and Control</i> , 2012, 23, 575-588.	0.8	20
126	A cross-sectional analysis of the association between diet and insulin-like growth factor (IGF)-I, IGF-II, IGF-binding protein (IGFBP)-2, and IGFBP-3 in men in the United Kingdom. <i>Cancer Causes and Control</i> , 2012, 23, 907-917.	0.8	32

#	ARTICLE	IF	CITATIONS
127	Family characteristics and long-term effects of childhood sexual abuse. <i>British Journal of Clinical Psychology</i> , 2011, 50, 435-451.	1.7	33
128	Prostate-specific antigen testing rates remain low in UK general practice: a cross-sectional study in six English cities. <i>BJU International</i> , 2011, 108, 1402-1408.	1.3	63
129	Seasonal variation in prostate-specific antigen levels: a large cross-sectional study of men in the UK. <i>BJU International</i> , 2011, 108, 1409-1414.	1.3	6
130	A community-based cluster randomised trial of safe storage to reduce pesticide self-poisoning in rural Sri Lanka: study protocol. <i>BMC Public Health</i> , 2011, 11, 879.	1.2	33
131	Associations of circulating and dietary vitamin D with prostate cancer risk: a systematic review and dose-response meta-analysis. <i>Cancer Causes and Control</i> , 2011, 22, 319-340.	0.8	127
132	Association of diabetes mellitus with prostate cancer: Nested case-control study (Prostate testing) <i>Tj ETQq0 0 0,rgBT /Overlock 10 Tf</i>	2.8	56
133	Waiting times for cancer treatment: the impact of multi-disciplinary team meetings. <i>Behaviour and Information Technology</i> , 2011, 30, 467-471.	2.5	15
134	The causal roles of vitamin B(12) and transcobalamin in prostate cancer: can Mendelian randomization analysis provide definitive answers?. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2011, 2, 316-27.	0.4	9
135	Development of a New Method for Monitoring Prostate-Specific Antigen Changes in Men with Localised Prostate Cancer: A Comparison of Observational Cohorts. <i>European Urology</i> , 2010, 57, 446-452.	0.9	12
136	The analysis of crossover trials with baseline measurements. <i>Statistics in Medicine</i> , 2010, 29, 3211-3218.	0.8	21
137	International regulatory activity restricting COX-2 inhibitor use and deaths due to gastrointestinal haemorrhage and myocardial infarction. <i>Pharmacoepidemiology and Drug Safety</i> , 2010, 19, 778-785.	0.9	6
138	Associations of Folate, Vitamin B12, Homocysteine, and Folate-Pathway Polymorphisms with Prostate-Specific Antigen Velocity in Men with Localized Prostate Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2833-2838.	1.1	20
139	Prognostic Value of Changes in Health-Related Quality of Life Scores During Curative Treatment for Esophagogastric Cancer. <i>Journal of Clinical Oncology</i> , 2010, 28, 1666-1670.	0.8	79
140	Letter to the Editor. <i>American Journal of Men's Health</i> , 2010, 4, 186-188.	0.7	0
141	Circulating Folate, Vitamin B12, Homocysteine, Vitamin B12 Transport Proteins, and Risk of Prostate Cancer: a Case-Control Study, Systematic Review, and Meta-analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1632-1642.	1.1	142
142	Effect of antibiotic prescribing in primary care on antimicrobial resistance in individual patients: systematic review and meta-analysis. <i>BMJ: British Medical Journal</i> , 2010, 340, c2096-c2096.	2.4	1,468
143	Composite outcomes: weighting component events according to severity assisted interpretation but reduced statistical power. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 1156-1158.	2.4	16
144	Feasibility and cost of obtaining informed consent for essential review of medical records in large-scale health services research. <i>Journal of Health Services Research and Policy</i> , 2009, 14, 77-81.	0.8	16

#	ARTICLE	IF	CITATIONS
145	Association of Folate-Pathway Gene Polymorphisms with the Risk of Prostate Cancer: a Population-Based Nested Case-Control Study, Systematic Review, and Meta-analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2528-2539.	1.1	89
146	Life course sun exposure and risk of prostate cancer: Population-based nested case-control study and meta-analysis. <i>International Journal of Cancer</i> , 2009, 125, 1414-1423.	2.3	49
147	International impacts of regulatory action to limit antidepressant prescribing on rates of suicide in young people. <i>Pharmacoepidemiology and Drug Safety</i> , 2009, 18, 579-588.	0.9	16
148	Population impact of regulatory activity restricting prescribing of COX-2 inhibitors: ecological study. <i>British Journal of Clinical Pharmacology</i> , 2009, 68, 752-764.	1.1	16
149	Current strategies for monitoring men with localised prostate cancer lack a strong evidence base: observational longitudinal study. <i>British Journal of Cancer</i> , 2009, 101, 390-394.	2.9	17
150	DIFFERENCES IN THE EPIDEMIOLOGY AND PRESENTATION OF PROSTATE CANCER IN BLACK AND WHITE MEN IN ENGLAND: LESSONS LEARNT FROM THE PROCESS STUDY. <i>BJU International</i> , 2009, 103, 723-724.	1.3	8
151	Do the risk factors of age, family history of prostate cancer or a higher prostate specific antigen level raise anxiety at prostate biopsy?. <i>European Journal of Cancer</i> , 2009, 45, 2569-2573.	1.3	18
152	Associations of sexual dysfunction symptoms with PSA-detected localised and advanced prostate cancer: A case-control study nested within the UK population-based ProtecT (Prostate testing for cancer and Treatment) study. <i>BJU International</i> , 2009, 103, 1073-1078.	2.3	116
153	Psychological distress and prostate specific antigen levels in men with and without prostate cancer. <i>Brain, Behavior, and Immunity</i> , 2009, 23, 1073-1078.	2.0	6
154	Factors distinguishing general practitioners who more readily participated in a large randomized trial were identified. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 67-73.	2.4	12
155	Bronchial provocation testing with dry powder mannitol in children with cystic fibrosis. <i>Pediatric Pulmonology</i> , 2008, 43, 1078-1084.	1.0	17
156	Investigating Black-White differences in prostate cancer prognosis: A systematic review and meta-analysis. <i>International Journal of Cancer</i> , 2008, 123, 430-435.	2.3	116
157	Pathways to diagnosis for Black men and White men found to have prostate cancer: the PROCESS cohort study. <i>British Journal of Cancer</i> , 2008, 99, 1040-1045.	2.9	38
158	Associations of lower urinary tract symptoms with prostate-specific antigen levels, and screen-detected localized and advanced prostate cancer: a case-control study nested within the UK population-based ProtecT (Prostate testing for cancer and Treatment) study. <i>BJU International</i> , 2008, 102, 1400-1406.	1.3	41
159	The risk of prostate cancer amongst South Asian men in southern England: the PROCESS cohort study. <i>BJU International</i> , 2008, 102, 1407-1412.	1.3	23
160	Prostate-specific antigen testing and prostate biopsy: are self-reported lower urinary tract symptoms and health-related quality of life associated with the decision to undergo these investigations?. <i>BJU International</i> , 2008, 102, 1629-1633.	1.3	10
161	Effects of progression to cigarette smoking on depressed mood in adolescents: evidence from the National Longitudinal Study of Adolescent Health. <i>Addiction</i> , 2008, 103, 162-171.	1.7	99
162	The Risk of Prostate Cancer amongst Black Men in the United Kingdom: The PROCESS Cohort Study. <i>European Urology</i> , 2008, 53, 99-105.	0.9	122

#	ARTICLE	IF	CITATIONS
163	Contribution of a Single Repeat PSA Test to Prostate Cancer Risk Assessment: Experience from the ProtecT Study. <i>European Urology</i> , 2008, 53, 777-784.	0.9	19
164	Prostate-cancer mortality in the USA and UK in 1975-2004: an ecological study. <i>Lancet Oncology</i> , The, 2008, 9, 445-452.	5.1	231
165	Low risk research using routinely collected identifiable health information without informed consent: encounters with the Patient Information Advisory Group. <i>Journal of Medical Ethics</i> , 2008, 34, 37-40.	1.0	26
166	The population impact on incidence of suicide and non-fatal self harm of regulatory action against the use of selective serotonin reuptake inhibitors in under 18s in the United Kingdom: ecological study. <i>BMJ: British Medical Journal</i> , 2008, 336, 542-545.	2.4	84
167	Does depression predict adverse outcomes for older medical inpatients? A prospective cohort study of individuals screened for a trial. <i>Age and Ageing</i> , 2008, 37, 690-695.	0.7	40
168	The scope for biased recall of risk-factor exposure in case-control studies: Evidence from a cohort study of Scottish men. <i>Scandinavian Journal of Public Health</i> , 2008, 36, 442-445.	1.2	5
169	The effectiveness of personal construct psychotherapy in clinical practice: A systematic review and meta-analysis. <i>Psychotherapy Research</i> , 2007, 17, 431-442.	1.1	26
170	Wei, Lin and Weissfeld's marginal analysis of multivariate failure time data. <i>Statistical Methods in Medical Research</i> , 2007, 16, 103-122.	0.7	33
171	Does consideration of either psychological or material disadvantage improve coronary risk prediction? Prospective observational study of Scottish men. <i>Journal of Epidemiology and Community Health</i> , 2007, 61, 833-837.	2.0	11
172	The role of self-reported stress in the development of breast cancer and prostate cancer: A prospective cohort study of employed males and females with 30 years of follow-up. <i>European Journal of Cancer</i> , 2007, 43, 1060-1065.	1.3	45
173	The importance of varying the event generation process in simulation studies of statistical methods for recurrent events. <i>Statistics in Medicine</i> , 2006, 25, 165-179.	0.8	36
174	Letter to the Editor of <i>Biometrics</i> . <i>Biometrics</i> , 2006, 62, 301-301.	0.8	0
175	Satisfaction With Care: An Independent Outcome Measure in Surgical Oncology. <i>Annals of Surgical Oncology</i> , 2006, 13, 817-822.	0.7	54
176	Subjective and objective status and health: A response to Adler's "When one's main effect is another's error: Material vs. psychosocial explanations of health disparities. A commentary on Macleod et al., "Does subjective social status a more important determinant of health than objective social status? Evidence from a prospective observational study of Scottish men" (61(9), 2005, 1916-1929) (doi:10.1016/j.socscimed.2006.03.018). <i>Social Science and Medicine</i> , 2006, 63, 851-857.	1.8	6
177	Insulin-Like Growth Factor-I and Growth in Height, Leg Length, and Trunk Length between Ages 5 and 10 Years. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 2514-2519.	1.8	85
178	Expanding Agoraphobics' Horizons: An Investigation Of The Effectiveness Of A Personal Construct Psychotherapy Intervention. <i>Journal of Constructivist Psychology</i> , 2006, 19, 1-29.	0.7	15
179	Cause-specific hospital admission and mortality among working men: association with socioeconomic circumstances in childhood and adult life, and the mediating role of daily stress. <i>European Journal of Public Health</i> , 2005, 15, 238-244.	0.1	22
180	Intensive case management for severe psychotic illness: is there a general benefit for patients with complex needs?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 718-724.	1.6	8

#	ARTICLE	IF	CITATIONS
181	INTERHEART. Lancet, The, 2005, 365, 118-119.	6.3	6
182	Analyzing the duration of recurrent events in clinical trials: A comparison of approaches using data from the UK700 trial of psychiatric case management. Contemporary Clinical Trials, 2005, 26, 443-458.	0.8	2
183	A contemporary validation of the Reeder Stress Inventory. British Journal of Health Psychology, 2003, 8, 83-94.	1.9	48
184	Frequent job change and associated health. Social Science and Medicine, 2003, 56, 1-15.	1.8	43
185	Explorations of the effectiveness of a voluntary sector psychodynamic counselling service. Counselling and Psychotherapy Research, 2003, 3, 261-269.	1.7	7
186	Psychological stress and cardiovascular disease: empirical demonstration of bias in a prospective observational study of Scottish men * Commentary: Psychosocial factors and health---strengthening the evidence base. BMJ: British Medical Journal, 2002, 324, 1247-1251.	2.4	212
187	The Effectiveness of Personal Construct Psychotherapy: A Meta-Analysis. , 0, , 347-364.		14