
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1593768/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Immunomodulation via FGFR inhibition augments FGFR1 targeting T-cell based antitumor immunotherapy for head and neck squamous cell carcinoma. OncoImmunology, 2022, 11, 2021619. | 4.6 | 19 |
| 2 | <scp>IFN</scp> â€î±/βâ€mediated <scp>NK2R</scp> expression is related to the malignancy of colon cancer cells. Cancer Science, 2022, , . | 3.9 | 7 |
| 3 | A tumor metastasisâ€associated molecule <scp>TWIST1</scp> is a favorable target for cancer immunotherapy due to its immunogenicity. Cancer Science, 2022, 113, 2526-2535. | 3.9 | 4 |
| 4 | A critical role of STING-triggered tumor-migrating neutrophils for anti-tumor effect of intratumoral cGAMP treatment. Cancer Immunology, Immunotherapy, 2021, 70, 2301-2312. | 4.2 | 11 |
| 5 | The feasibility of circulating tumor DNA analysis as a marker of recurrence in triple-negative breast cancer. Oncology Letters, 2021, 21, 420. | 1.8 | 6 |
| 6 | Interruption of MDM2 signaling augments MDM2-targeted T cell-based antitumor immunotherapy through antigen-presenting machinery. Cancer Immunology, Immunotherapy, 2021, 70, 3421-3434. | 4.2 | 11 |
| 7 | A stealth antigen SPESP1, which is epigenetically silenced in tumors, is a suitable target for cancer immunotherapy. Cancer Science, 2021, 112, 2705-2713. | 3.9 | 6 |
| 8 | Extranodal NK/T-Cell Lymphoma, Nasal Type: Genetic, Biologic, and Clinical Aspects with a Central Focus on Epstein–Barr Virus Relation. Microorganisms, 2021, 9, 1381. | 3.6 | 11 |
| 9 | CD47 blockade enhances the efficacy of intratumoral STING-targeting therapy by activating phagocytes. Journal of Experimental Medicine, 2021, 218, . | 8.5 | 27 |
| 10 | Expression of placenta-specific 1 and its potential for eliciting anti-tumor helper T-cell responses in head and neck squamous cell carcinoma. Oncolmmunology, 2021, 10, 1856545. | 4.6 | 13 |
| 11 | Intratumoral STING activations overcome negative impact of cisplatin on antitumor immunity by inflaming tumor microenvironment in squamous cell carcinoma. Biochemical and Biophysical Research Communications, 2020, 522, 408-414. | 2.1 | 19 |
| 12 | Ulcerated Lesions of the Midline Gingiva and Soft Palate. American Journal of the Medical Sciences, 2020, 360, 77. | 1.1 | 1 |
| 13 | Phosphorylated vimentin as an immunotherapeutic target against metastatic colorectal cancer. Cancer Immunology, Immunotherapy, 2020, 69, 989-999. | 4.2 | 15 |
| 14 | A Case of Bilateral Tonsillar Hypertrophy as the First Manifestation of Acute Leukemia. Practica Otologica, 2020, 113, 251-255. | 0.0 | 0 |
| 15 | A Case of Secretory Carcinoma of the Submandibular Gland Harboring an <i>ETV6-X</i> Fusion Gene. Practica Otologica, 2020, 113, 787-792. | 0.0 | Ο |
| 16 | Cyclin-dependent kinase 1 and survivin as potential therapeutic targets against nasal natural killer/T-cell lymphoma. Laboratory Investigation, 2019, 99, 612-624. | 3.7 | 12 |
| 17 | PD-L1-specific helper T-cells exhibit effective antitumor responses: new strategy of cancer immunotherapy targeting PD-L1 in head and neck squamous cell carcinoma. Journal of Translational Medicine, 2019, 17, 207. | 4.4 | 13 |
| 18 | A proliferation-inducing ligand (APRIL) induced hyper-production of IgA from tonsillar mononuclear cells in patients with IgA nephropathy. Cellular Immunology, 2019, 341, 103925. | 3.0 | 28 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Subglottic Stenosis in Granulomatosis With Polyangiitis. American Journal of the Medical Sciences, 2019, 357, e13-e14. | 1.1 | 1 |
| 20 | Extranodal Natural Killer/T-Cell Lymphoma, Nasal Type: Basic Science and Clinical Progress. Frontiers in Pediatrics, 2019, 7, 141. | 1.9 | 73 |
| 21 | The route of administration dictates the immunogenicity of peptide-based cancer vaccines in mice. Cancer Immunology, Immunotherapy, 2019, 68, 455-466. | 4.2 | 31 |
| 22 | Fifth Report of Hands-on Seminar on Basic Research for Clinicians at the 57 th Annual Meeting of the Japanese Rhinologic Society. Nihon Bika Gakkai Kaishi (Japanese Journal of Rhinology), 2019, 58, 152-158. | 0.0 | 0 |
| 23 | Innovative immunotherapy for nasal NK/T-cell lymphoma. Journal of Japan Society of Immunology & Allergology in Otolaryngology, 2018, 36, 15-22. | 0.0 | 0 |
| 24 | Effects of STING stimulation on macrophages: STING agonists polarize into "classically―or "alternatively―activated macrophages?. Human Vaccines and Immunotherapeutics, 2018, 14, 285-287. | 3.3 | 29 |
| 25 | Treatment outcome and prognostic factors of tonsillectomy for palmoplantar pustulosis and pustulotic arthroâ€osteitis: A retrospective subjective and objective quantitative analysis of 138 patients. Journal of Dermatology, 2018, 45, 812-823. | 1.2 | 40 |
| 26 | Targeting phosphorylated p53 to elicit tumor-reactive T helper responses against head and neck squamous cell carcinoma. Oncolmmunology, 2018, 7, e1466771. | 4.6 | 14 |
| 27 | A Case of Adenomatoid Odontogenic Tumor of the Maxillary Sinus. Practica Otologica, 2018, 111, 483-490. | 0.0 | 0 |
| 28 | A Case of Vascular Malformation of the Hypopharynx Treated with Sclerotherapy. Practica Otologica, 2018, 111, 337-343. | 0.0 | 0 |
| 29 | Novel treatment for earlyâ€stage nasal natural killer/Tâ€cell lymphoma: intraâ€maxillary arterial infusion chemotherapy with concomitant radiotherapy. Hematological Oncology, 2017, 35, 158-162. | 1.7 | 15 |
| 30 | Up-regulation of CX3CR1 on tonsillar CD8-positive cells in patients with IgA nephropathy. Human Immunology, 2017, 78, 375-383. | 2.4 | 11 |
| 31 | Intratumoral administration of cGAMP transiently accumulates potent macrophages for anti-tumor immunity at a mouse tumor site. Cancer Immunology, Immunotherapy, 2017, 66, 705-716. | 4.2 | 128 |
| 32 | Intratumoral injection of IFN-β induces chemokine production in melanoma and augments the therapeutic efficacy of anti-PD-L1 mAb. Biochemical and Biophysical Research Communications, 2017, 490, 521-527. | 2.1 | 15 |
| 33 | Programmed death-ligand 1 and its soluble form are highly expressed in nasal natural killer/T-cell lymphoma: a potential rationale for immunotherapy. Cancer Immunology, Immunotherapy, 2017, 66, 877-890. | 4.2 | 126 |
| 34 | Circulating Epsteinâ€Barr virus–encoded microâ€RNAs as potential biomarkers for nasal natural killer/Tâ€cell lymphoma. Hematological Oncology, 2017, 35, 655-663. | 1.7 | 39 |
| 35 | Video-assisted thyroidectomy (VANS method) for benign thyroid nodule: summary of 182 cases in a single institution. Journal of Japan Society for Head and Neck Surgery, 2017, 27, 45-52. | 0.0 | 4 |
| 36 | Epigenetic modification augments the immunogenicity of human leukocyte antigen G serving as a tumor antigen for T cell-based immunotherapy. Oncolmmunology, 2016, 5, e1169356. | 4.6 | 34 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Video-assisted total thyroidectomy for Graves' disease. Journal of Japan Society for Head and Neck Surgery, 2016, 26, 83-89. | 0.0 | 1 |
| 38 | Two Cases of Optic Nerve Neuropathy from Graves' Ophthalmopathy Treated by Endoscopic Orbital Decompression. Nihon Bika Gakkai Kaishi (Japanese Journal of Rhinology), 2016, 55, 169-175. | 0.0 | 1 |
| 39 | Targeting HER-3 to elicit antitumor helper T cells against head and neck squamous cell carcinoma. Scientific Reports, 2015, 5, 16280. | 3.3 | 22 |
| 40 | CCL17 and CCL22/CCR4 signaling is a strong candidate for novel targeted therapy against nasal natural killer/T-cell lymphoma. Cancer Immunology, Immunotherapy, 2015, 64, 697-705. | 4.2 | 48 |
| 41 | A novel combinatorial cancer immunotherapy. Oncolmmunology, 2014, 3, e28440. | 4.6 | 17 |
| 42 | Combinatorial Immunotherapy of Polyinosinic–Polycytidylic Acid and Blockade of Programmed Death-Ligand 1 Induce Effective CD8 T-cell Responses against Established Tumors. Clinical Cancer Research, 2014, 20, 1223-1234. | 7.0 | 82 |
| 43 | Downregulation of miRâ€15a due to LMP1 promotes cell proliferation and predicts poor prognosis in nasal NK/Tâ€cell lymphoma. American Journal of Hematology, 2014, 89, 25-33. | 4.1 | 42 |
| 44 | Helper T-cell based immunotherapy combined with adjuvants in head and neck squamous cell carcinoma. Journal of Japan Society of Immunology & Allergology in Otolaryngology, 2014, 32, 185-190. | 0.0 | 0 |
| 45 | Soluble ICAM-1 secretion and its functional role as an autocrine growth factor in nasal NK/T cell lymphoma cells. Experimental Hematology, 2013, 41, 711-718. | 0.4 | 13 |
| 46 | Expression of <scp>CD</scp> 70 in nasal natural killer/ <scp>T</scp> cell lymphoma cell lines and patients; its role for cell proliferation through binding to soluble <scp>CD</scp> 27. British Journal of Haematology, 2013, 160, 331-342. | 2.5 | 29 |
| 47 | A Case of Papillary Carcinoma of the Thyroglossal Duct. Practica Otologica, Supplement, 2013, 137, 118-119. | 0.0 | 1 |
| 48 | A Case of PFAPA Syndrome. Practica Otologica, Supplement, 2013, 137, 86-87. | 0.0 | 0 |
| 49 | A Case of Nasal/Paranasal Metastatic Renal Cell Carcinoma with VEGF Targeted Therapy. Practica Otologica, Supplement, 2013, 137, 52-53. | 0.0 | 0 |
| 50 | A Case of Papillary Carcinoma of the Thyroglossal Duct. Practica Otologica, 2013, 106, 447-453. | 0.0 | 1 |
| 51 | A Case of Nasal/Paranasal Metastatic Renal Cell Carcinoma with VEGF Targeted Therapy. Practica Otologica, 2013, 106, 423-429. | 0.0 | 0 |
| 52 | A Case of PFAPA Syndrome. Practica Otologica, 2013, 106, 329-333. | 0.0 | 0 |
| 53 | Congenital cholesteatoma isolated to the mastoid presenting as stricture of the external auditory canal. International Journal of Pediatric Otorhinolaryngology, 2012, 76, 754-756. | 1.0 | 6 |
| 54 | Clinical images: Eagle's syndrome. Arthritis and Rheumatism, 2012, 64, 1561-1561. | 6.7 | 2 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Monocytes enhance cell proliferation and LMP1 expression of nasal natural killer/Tâ€cell lymphoma cells by cell contactâ€dependent interaction through membraneâ€bound ILâ€15. International Journal of Cancer, 2012, 130, 48-58. | 5.1 | 50 |
| 56 | A Case of Nasal Dermoplasty for Hereditary Hemorrhagic Telangiectasia. Practica Otologica, 2012, 105, 747-751. | 0.0 | 0 |
| 57 | Four Cases of Mumps with Laryngeal Edema. Practica Otologica, 2012, 105, 277-284. | 0.0 | 1 |
| 58 | Laryngeal plexiform schwannoma as first symptom in a patient with neurofibromatosis type 2. Clinical Neurology and Neurosurgery, 2010, 112, 505-508. | 1.4 | 19 |
| 59 | Production of Interferon-γ–Inducible Protein-10 and Its Role as an Autocrine Invasion Factor in Nasal Natural Killer/T-Cell Lymphoma Cells. Clinical Cancer Research, 2009, 15, 6771-6779. | 7.0 | 48 |
| 60 | Clinical images: Otitis media and nasal granulation in Wegener's granulomatosis. Arthritis and Rheumatism, 2009, 60, 379-379. | 6.7 | 4 |
| 61 | Nasal natural killer (NK)/T-cell lymphoma: clinical, histological, virological, and genetic features. International Journal of Clinical Oncology, 2009, 14, 181-190. | 2.2 | 66 |
| 62 | A Case of Facial Stab Wound with Scissors. Practica Otologica, 2009, 102, 433-436. | 0.0 | 1 |
| 63 | Thyroid Metastasis of Breast Carcinoma: A Case Report. Practica Otologica, 2009, 102, 291-295. | 0.0 | 1 |
| 64 | A Case of Epithelial-myoepithelial Carcinoma of Parotid Gland. Practica Otologica, 2009, 102, 1033-1037. | 0.0 | 2 |
| 65 | Induction of EBV–Latent Membrane Protein 1–Specific MHC Class II–Restricted T-Cell Responses against Natural Killer Lymphoma Cells. Cancer Research, 2008, 68, 901-908. | 0.9 | 41 |
| 66 | Functional Analysis of Birch Pollen Allergen Bet v 1-Specific Regulatory T Cells. Journal of Immunology, 2007, 178, 1189-1198. | 0.8 | 21 |
| 67 | Selected Amino Acid Change Encoding Epstein-Barr Virus-Specific T Cell Epitope of the LMP2A Gene in Japanese Nasal NK/T Cell Lymphoma Patients. Intervirology, 2007, 50, 319-322. | 2.8 | 11 |
| 68 | Clinical usefulness of serum EBV DNA levels of BamHI W and LMP1 for Nasal NK/T-cell lymphoma. Journal of Medical Virology, 2007, 79, 562-572. | 5.0 | 55 |
| 69 | Sequence variations of Epstein–Barr virus LMP1 gene in nasal NK/T-cell lymphoma. Virus Genes, 2007, 34, 47-54. | 1.6 | 41 |
| 70 | Defining MHC class II T helper epitopes for WT1 tumor antigen. Cancer Immunology, Immunotherapy, 2006, 55, 850-860. | 4.2 | 36 |
| 71 | Recognition of Prostate and Breast Tumor Cells by Helper T Lymphocytes Specific for a Prostate and Breast Tumor-Associated Antigen, TARP. Clinical Cancer Research, 2005, 11, 3869-3878. | 7.0 | 32 |
| 72 | Expression of Interleukin-9 in Nasal Natural Killer/T-Cell Lymphoma Cell Lines and Patients. Clinical Cancer Research, 2005, 11, 8250-8257. | 7.0 | 76 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Recognition of Adult T-Cell Leukemia/Lymphoma Cells by CD4+ Helper T Lymphocytes Specific for Human T-Cell Leukemia Virus Type I Envelope Protein. Clinical Cancer Research, 2004, 10, 7053-7062. | 7.0 | 15 |