
Hong Shang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/159677/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Syphilis and HIV Seroconversion Among a 12-Month Prospective Cohort of Men Who Have Sex With Men in Shenyang, China. Sexually Transmitted Diseases, 2010, 37, 432-439.	1.7	115
2	Bring safe sex to China. Nature, 2012, 485, 576-577.	27.8	88
3	The Prevalence of Transmitted Antiretroviral Drug Resistance in Treatment-Naive HIV-Infected Individuals in China. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 53, S10-S14.	2.1	85
4	Circumcision to prevent HIV and other sexually transmitted infections in men who have sex with men: a systematic review and meta-analysis of global data. The Lancet Global Health, 2019, 7, e436-e447.	6.3	75
5	Genome Sequences of a Novel HIV-1 Circulating Recombinant Form, CRF55_01B, Identified in China. Genome Announcements, 2013, 1, .	0.8	72
6	Identification of 3 Distinct HIV-1 Founding Strains Responsible for Expanding Epidemic Among Men Who Have Sex With Men in 9 Chinese Cities. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 64, 16-24.	2.1	72
7	Is the superbug fungus really so scary? A systematic review and meta-analysis of global epidemiology and mortality of Candida auris. BMC Infectious Diseases, 2020, 20, 827.	2.9	66
8	Discontinuation, suboptimal adherence, and reinitiation of oral HIV pre-exposure prophylaxis: a global systematic review and meta-analysis. Lancet HIV,the, 2022, 9, e254-e268.	4.7	66
9	IP-10 is highly involved in HIV infection. Cytokine, 2019, 115, 97-103.	3.2	65
10	Prevalence of bisexual behaviour among bridge population of men who have sex with men in China: a meta-analysis of observational studies. Sexually Transmitted Infections, 2011, 87, 563-570.	1.9	64
11	Reconstituting the Epidemic History of HIV Strain CRF01_AE among Men Who Have Sex with Men (MSM) in Liaoning, Northeastern China: Implications for the Expanding Epidemic among MSM in China. Journal of Virology, 2012, 86, 12402-12406.	3.4	64
12	HIV incidence and associated risk factors in men who have sex with men in Mainland China: an updated systematic review and meta-analysis. Sexual Health, 2016, 13, 373.	0.9	60
13	Recreational drug use and risks of HIV and sexually transmitted infections among Chinese men who have sex with men: Mediation through multiple sexual partnerships. BMC Infectious Diseases, 2014, 14, 642.	2.9	54
14	Recreational Drug Use among Chinese Men Who Have Sex with Men: A Risky Combination with Unprotected Sex for Acquiring HIV Infection. BioMed Research International, 2014, 2014, 1-9.	1.9	54
15	Genetic and Neutralization Sensitivity of Diverse HIV-1 env Clones from Chronically Infected Patients in China. Journal of Biological Chemistry, 2011, 286, 14531-14541.	3.4	51
16	NKG2C+NKG2Aâ^' Natural Killer Cells are Associated with a Lower Viral Set Point and may Predict Disease Progression in Individuals with Primary HIV Infection. Frontiers in Immunology, 2017, 8, 1176.	4.8	51
17	Interest in Long-Acting Injectable PrEP in a Cohort of Men Who have Sex with Men in China. AIDS and Behavior, 2018, 22, 1217-1227.	2.7	51
18	Efficacy and Safety of Oral TDF-Based Pre-exposure Prophylaxis for Men Who Have Sex With Men: A Systematic Review and Meta-Analysis. Frontiers in Pharmacology, 2018, 9, 799.	3.5	51

#	Article	IF	CITATIONS
19	New Trends of Primary Drug Resistance Among HIV Type 1-Infected Men Who Have Sex with Men in Liaoning Province, China. AIDS Research and Human Retroviruses, 2011, 27, 1047-1053.	1.1	49
20	Expression of the Inhibitory Receptor TIGIT Is Up-Regulated Specifically on NK Cells With CD226 Activating Receptor From HIV-Infected Individuals. Frontiers in Immunology, 2018, 9, 2341.	4.8	48
21	A Large-scale Survey of CRF55_01B from Men-Who-Have-Sex-with-Men in China: implying the Evolutionary History and Public Health Impact. Scientific Reports, 2015, 5, 18147.	3.3	44
22	Tandem bispecific neutralizing antibody eliminates HIV-1 infection in humanized mice. Journal of Clinical Investigation, 2018, 128, 2239-2251.	8.2	44
23	A cross-sectional study of HIV and syphilis infections among male students who have sex with men (MSM) in northeast China: implications for implementing HIV screening and intervention programs. BMC Public Health, 2011, 11, 287.	2.9	43
24	High HIV incidence epidemic among men who have sex with men in china: results from a multi-site cross-sectional study. Infectious Diseases of Poverty, 2016, 5, 82.	3.7	42
25	Learning about HIV the hard way: HIV among Chinese MSM attending university. Lancet Infectious Diseases, The, 2018, 18, 16-18.	9.1	41
26	CircPUM1 promotes the malignant behavior of lung adenocarcinoma by regulating miR-326. Biochemical and Biophysical Research Communications, 2019, 508, 844-849.	2.1	40
27	First cases and risk factors of super yeast <i>Candida auris</i> infection or colonization from Shenyang, China. Emerging Microbes and Infections, 2018, 7, 1-9.	6.5	38
28	PSGL-1 restricts HIV-1 infectivity by blocking virus particle attachment to target cells. Proceedings of the United States of America, 2020, 117, 9537-9545.	7.1	38
29	Prevalence of HIV and Syphilis Infection among High School and College Student MSM in China: A Systematic Review and Meta-Analysis. PLoS ONE, 2013, 8, e69137.	2.5	38
30	Genetic and Epidemiologic Characterization of HIV-1 Infection In Liaoning Province, China. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 53, S27-S33.	2.1	37
31	Low-Density Lipoprotein Cholesterol and Alzheimer's Disease: A Systematic Review and Meta-Analysis. Frontiers in Aging Neuroscience, 2020, 12, 5.	3.4	37
32	Factors Associated With HIV Testing History and HIV-Test Result Follow-up Among Female Sex Workers in Two Cities in Yunnan, China. Sexually Transmitted Diseases, 2011, 38, 89-95.	1.7	36
33	Female and younger subjects have lower adherence in PrEP trials: a meta-analysis with implications for the uptake of PrEP service to prevent HIV. Sexually Transmitted Infections, 2018, 94, 163-168.	1.9	36
34	The Function of CD3+CD56+NKT-Like Cells in HIV-Infected Individuals. BioMed Research International, 2014, 2014, 1-9.	1.9	34
35	HIV-1 Triggers WAVE2 Phosphorylation in Primary CD4 T Cells and Macrophages, Mediating Arp2/3-dependent Nuclear Migration. Journal of Biological Chemistry, 2014, 289, 6949-6959.	3.4	33
36	Willingness to Receive COVID-19 Vaccination Among People Living With HIV and AIDS in China: Nationwide Cross-sectional Online Survey. JMIR Public Health and Surveillance, 2021, 7, e31125.	2.6	33

#	Article	IF	CITATIONS
37	Prospective cohort study of HIV incidence and molecular characteristics of HIV among men who have sex with men(MSM) in Yunnan Province, China. BMC Infectious Diseases, 2013, 13, 3.	2.9	32
38	Internet-Based Sex-Seeking Behavior Promotes HIV Infection Risk: A 6-Year Serial Cross-Sectional Survey to MSM in Shenyang, China. BioMed Research International, 2016, 2016, 1-11.	1.9	32
39	Chemokines and Chemokine Receptors: Accomplices for Human Immunodeficiency Virus Infection and Latency. Frontiers in Immunology, 2017, 8, 1274.	4.8	32
40	The Effect of Using Geosocial Networking Apps on the HIV Incidence Rate Among Men Who Have Sex With Men: Eighteen-Month Prospective Cohort Study in Shenyang, China. Journal of Medical Internet Research, 2018, 20, e11303.	4.3	31
41	Comparing Immune Responses to Inactivated Vaccines against SARS-CoV-2 between People Living with HIV and HIV-Negative Individuals: A Cross-Sectional Study in China. Viruses, 2022, 14, 277.	3.3	31
42	Molecular network-based intervention brings us closer to ending the HIV pandemic. Frontiers of Medicine, 2020, 14, 136-148.	3.4	30
43	High Prevalence of HIV-1 Intersubtype B′/C Recombinants among Injecting Drug Users in Dehong, China. PLoS ONE, 2013, 8, e65337.	2.5	29
44	Identification and Characterization of a Novel HIV-1 Circulating Recombinant Form (CRF59_01B) Identified among Men-Who-Have-Sex-with-Men in China. PLoS ONE, 2014, 9, e99693.	2.5	28
45	Poppers use and Sexual Partner Concurrency Increase the HIV Incidence of MSM: a 24-month Prospective Cohort Survey in Shenyang, China. Scientific Reports, 2018, 8, 24.	3.3	28
46	IL-10+ NK and TGF-β+ NK cells play negative regulatory roles in HIV infection. BMC Infectious Diseases, 2018, 18, 80.	2.9	28
47	<scp>HIV</scp> incidence is rapidly increasing with age among young men who have sex with men in China: a multicentre crossâ€sectional survey. HIV Medicine, 2018, 19, 513-522.	2.2	28
48	New features of the HIV epidemic among men who have sex with men in China. Emerging Microbes and Infections, 2013, 2, 1-6.	6.5	27
49	COVID-19 Vaccine Hesitancy and Associated Factors among Diabetes Patients: A Cross-Sectional Survey in Changzhi, Shanxi, China. Vaccines, 2022, 10, 129.	4.4	27
50	Screening Acute HIV Infections among Chinese Men Who Have Sex with Men from Voluntary Counseling & Testing Centers. PLoS ONE, 2011, 6, e28792.	2.5	26
51	Protocol for a multicenter, real-world study of HIV pre-exposure prophylaxis among men who have sex with men in China (CROPrEP). BMC Infectious Diseases, 2019, 19, 721.	2.9	26
52	An Internet-Based Self-Testing Model (Easy Test): Cross-Sectional Survey Targeting Men Who Have Sex With Men Who Never Tested for HIV in 14 Provinces of China. Journal of Medical Internet Research, 2019, 21, e11854.	4.3	26
53	Sexual Risk Behaviors and HIV Infection among Men Who Have Sex with Men and Women in China: Evidence from a Systematic Review and Meta-Analysis. BioMed Research International, 2015, 2015, 1-12.	1.9	25
54	Increase of RT-Related Transmitted Drug Resistance in Non-CRF01_AE Among HIV Type 1–Infected Men Who Have Sex With Men in the 7 Cities of China. Journal of Acquired Immune Deficiency Syndromes (1999), 2015, 68, 250-255.	2.1	25

#	Article	IF	CITATIONS
55	The Early Antibody-Dependent Cell-Mediated Cytotoxicity Response Is Associated With Lower Viral Set Point in Individuals With Primary HIV Infection. Frontiers in Immunology, 2018, 9, 2322.	4.8	25
56	Immunogenicity and safety of heterologous versus homologous prime-boost schedules with an adenoviral vectored and mRNA COVID-19 vaccine: a systematic review. Infectious Diseases of Poverty, 2022, 11, 53.	3.7	25
57	Risk factors associated with prevalent and incident syphilis among an HIV-infected cohort in Northeast China. BMC Infectious Diseases, 2014, 14, 658.	2.9	24
58	HIV Incidence and Care Linkage among MSM First-Time-Testers in Shenyang, China 2012–2014. AIDS and Behavior, 2018, 22, 711-721.	2.7	24
59	Genome-Wide Association Studies of HIV-1 Host Control in Ethnically Diverse Chinese Populations. Scientific Reports, 2015, 5, 10879.	3.3	23
60	Elevated interferon-γ–induced protein 10 and its receptor CXCR3 impair NK cell function during HIV infection. Journal of Leukocyte Biology, 2017, 102, 163-170.	3.3	23
61	Dual Infection Contributes to Rapid Disease Progression in Men Who Have Sex With Men in China. Journal of Acquired Immune Deficiency Syndromes (1999), 2017, 75, 480-487.	2.1	23
62	HIV-1 Exploits the Host Factor RuvB-like 2 to Balance Viral Protein Expression. Cell Host and Microbe, 2015, 18, 233-242.	11.0	22
63	HIV-1 and STIs Prevalence and Risk Factors of Miners in Mining Districts of Yunnan, China. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 53, S54-S60.	2.1	21
64	HIV Incidence and Associated Risk Factors Among Female Sex Workers in a High HIV-Prevalence Area of China. Sexually Transmitted Diseases, 2012, 39, 835-841.	1.7	21
65	High prevalence of HIV infection and unprotected anal intercourse among older men who have sex with men in China: a systematic review and meta-analysis. BMC Infectious Diseases, 2014, 14, 531.	2.9	21
66	Elevation of Tim-3 and PD-1 Expression on T Cells Appears Early in HIV Infection, and Differential Tim-3 and PD-1 Expression Patterns Can Be Induced by CommonÎ ³ -Chain Cytokines. BioMed Research International, 2015, 2015, 1-11.	1.9	20
67	PrEP in China: choices are ahead. Lancet HIV,the, 2020, 7, e155-e157.	4.7	20
68	Preference for daily versus onâ€demand preâ€exposure prophylaxis for HIV and correlates among men who have sex with men: the China Realâ€world Oral PrEP Demonstration study. Journal of the International AIDS Society, 2021, 24, e25667.	3.0	20
69	Vpr counteracts the restriction of LAPTM5 to promote HIV-1 infection in macrophages. Nature Communications, 2021, 12, 3691.	12.8	20
70	Drug Use and Sex Work: Competing Risk Factors for Newly Acquired HIV in Yunnan, China. PLoS ONE, 2013, 8, e59050.	2.5	20
71	Application of the BED capture enzyme immunoassay for HIV incidence estimation among female sex workers in Kaiyuan City, China, 2006–2007. International Journal of Infectious Diseases, 2010, 14, e608-e612.	3.3	19
72	A novel strategy to analyze l -tryptophan through allosteric Trp repressor based on rolling circle amplification. Biosensors and Bioelectronics, 2015, 71, 103-107.	10.1	18

Hong Shang

#	Article	IF	CITATIONS
73	Mycoplasma Genitalium and Mycoplasma Hominis are prevalent and correlated with HIV risk in MSM: a cross-sectional study in Shenyang, China. BMC Infectious Diseases, 2019, 19, 494.	2.9	18
74	Rapid CD4+ T-cell decline is associated with coreceptor switch among MSM primarily infected with HIV-1 CRF01_AE in Northeast China. Aids, 2019, 33, 13-22.	2.2	18
75	Urine alpha1-microglobulin is a better marker for early tubular dysfunction than beta2-microglobulin among tenofovir-exposed human immunodeficiency virus-infected men who have sex with men. Brazilian Journal of Infectious Diseases, 2015, 19, 410-416.	0.6	17
76	Awareness and acceptance of human papillomavirus (HPV) vaccination among males attending a major sexual health clinic in Wuxi, China: A cross-sectional study. Human Vaccines and Immunotherapeutics, 2016, 12, 1551-1559.	3.3	17
77	Membrane metalloprotease TRABD2A restricts HIV-1 progeny production in resting CD4+ T cells by degrading viral Gag polyprotein. Nature Immunology, 2019, 20, 711-723.	14.5	17
78	ICAM-1 in HIV infection and underlying mechanisms. Cytokine, 2020, 125, 154830.	3.2	17
79	HIV Self-Testing Programs to Men Who Have Sex With Men Delivered by Social Media Key Opinion Leaders and Community-Based Organizations are Both Effective and Complementary: A National Pragmatic Study in China. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 84, 453-462.	2.1	17
80	Optimization and proficiency testing of a pseudovirus-based assay for detection of HIV-1 neutralizing antibody in China. Journal of Virological Methods, 2012, 185, 267-275.	2.1	16
81	Decreasing age at first anal intercourse among men who have sex with men in China: a multicentre crossâ€sectional survey. Journal of the International AIDS Society, 2016, 19, 20792.	3.0	16
82	Deregulated MicroRNA-21 Expression in Monocytes from HIV-Infected Patients Contributes to Elevated IP-10 Secretion in HIV Infection. Frontiers in Immunology, 2017, 8, 1122.	4.8	16
83	Transcriptomic meta-analysis identifies gene expression characteristics in various samples of HIV-infected patients with nonprogressive disease. Journal of Translational Medicine, 2017, 15, 191.	4.4	16
84	Intimate Partner Violence Correlates With A Higher HIV Incidence Among MSM: A 12-Month Prospective Cohort Study in Shenyang, China. Scientific Reports, 2018, 8, 2879.	3.3	16
85	Post-exposure prophylaxis: an underutilized biomedical HIV prevention method among gay, bisexual and other men who have sex with men in China. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2020, 32, 1573-1580.	1.2	16
86	Commercial sex and risk of HIV, syphilis, and herpes simplex virus-2 among men who have sex with men in six Chinese cities. BMC Infectious Diseases, 2016, 16, 765.	2.9	15
87	Prevalence and correlates of <i>Trichomonas vaginalis</i> infection among female sex workers in a city in Yunnan Province, China. International Journal of STD and AIDS, 2016, 27, 469-475.	1.1	14
88	Plasma D-Dimer Concentrations and Risk of Intracerebral Hemorrhage: A Systematic Review and Meta-Analysis. Frontiers in Neurology, 2018, 9, 1114.	2.4	14
89	Cofilin hyperactivation in HIV infection and targeting the cofilin pathway using an anti-α ₄ β ₇ integrin antibody. Science Advances, 2019, 5, eaat7911.	10.3	14
90	Prevalence and Predictors of HIV among Chinese Tuberculosis Patients by Provider-Initiated HIV Testing and Counselling (PITC): A Multisite Study in South Central of China. PLoS ONE, 2014, 9, e89723.	2.5	14

#	Article	IF	CITATIONS
91	Risk-Taking Behaviors and Adherence to HIV Pre-Exposure Prophylaxis in Users of Geosocial Networking Apps: Real-World, Multicenter Study. Journal of Medical Internet Research, 2020, 22, e22388.	4.3	14
92	Neuropilin-1, a myeloid cell-specific protein, is an inhibitor of HIV-1 infectivity. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, .	7.1	14
93	Uptake and adverse reactions of COVID-19 vaccination among people living with HIV in China: a case–control study. Human Vaccines and Immunotherapeutics, 2024, 17, 4964-4970.	3.3	14
94	Vaginal douching and association with sexually transmitted infections among female sex workers in a prefecture of Yunnan Province, China. International Journal of STD and AIDS, 2016, 27, 560-567.	1,1	13
95	Mobile Phone Intervention Based on an HIV Risk Prediction Tool for HIV Prevention Among Men Who Have Sex With Men in China: Randomized Controlled Trial. JMIR MHealth and UHealth, 2021, 9, e19511.	3.7	13
96	Development and Validation of a Personalized Social Media Platform–Based HIV Incidence Risk Assessment Tool for Men Who Have Sex With Men in China. Journal of Medical Internet Research, 2019, 21, e13475.	4.3	13
97	Monetary incentives and peer referral in promoting secondary distribution of HIV self-testing among men who have sex with men in China: A randomized controlled trial. PLoS Medicine, 2022, 19, e1003928.	8.4	13
98	HIV Related High Risk Behaviors and Willingness to Participate in HIV Vaccine Trials among China MSM by Computer Assisted Self-Interviewing Survey. BioMed Research International, 2013, 2013, 1-6.	1.9	12
99	Treatment-seeking behaviour and barriers to service access for sexually transmitted diseases among men who have sex with men in China: a multicentre cross-sectional survey. Infectious Diseases of Poverty, 2017, 6, 15.	3.7	12
100	Feasibility of Indirect Secondary Distribution of HIV Self-test Kits via WeChat Among Men Who Have Sex With Men: National Cross-sectional Study in China. Journal of Medical Internet Research, 2021, 23, e28508.	4.3	12
101	Reasons for COVID-19 Vaccine Hesitancy Among Chinese People Living With HIV/AIDS: Structural Equation Modeling Analysis. JMIR Public Health and Surveillance, 2022, 8, e33995.	2.6	12
102	The proportion and trend of human immunodeficiency virus infections associated with men who have sex with men from <scp>C</scp> hinese voluntary blood donors: a systematic review and metaâ€analysis. Transfusion, 2015, 55, 576-585.	1.6	11
103	High-risk behaviour and HIV infection risk among non-local men who have sex with men with less than a single year's residence in urban centres: a multicentre cross-sectional study from China. Sexually Transmitted Infections, 2018, 94, 51-54.	1.9	11
104	Association of HIV Preexposure Prophylaxis Use With HIV Incidence Among Men Who Have Sex With Men in China. JAMA Network Open, 2022, 5, e2148782.	5.9	11
105	Lipids profile among ART-naÃ ⁻ ve HIV infected patients and men who have sex with men in China: a case control study. Lipids in Health and Disease, 2016, 15, 149.	3.0	10
106	Efficacy and cost-effectiveness of early antiretroviral therapy and partners' pre-exposure prophylaxis among men who have sex with men in Shenyang, China: a prospective cohort and costing study. BMC Infectious Diseases, 2019, 19, 663.	2.9	10
107	Determination of highâ€sensitivity cardiac troponin T upper reference limits under the improved selection criteria in a Chinese population. Journal of Clinical Laboratory Analysis, 2020, 34, e23007.	2.1	10
108	Cross-Continental Dispersal of Major HIV-1 CRF01_AE Clusters in China. Frontiers in Microbiology, 2020, 11, 61.	3.5	10

#	Article	IF	CITATIONS
109	Fibrinogen and risk of dementia: A systematic review and meta-analysis. Neuroscience and Biobehavioral Reviews, 2020, 112, 353-360.	6.1	9
110	First complete-genome documentation of HIV-1 intersubtype superinfection with transmissions of diverse recombinants over time to five recipients. PLoS Pathogens, 2021, 17, e1009258.	4.7	9
111	Use of multiple recreational drugs is associated with new HIV infections among men who have sex with men in China: a multicenter cross-sectional survey. BMC Public Health, 2021, 21, 354.	2.9	9
112	Priority Intervention Targets Identified Using an In-Depth Sampling HIV Molecular Network in a Non-Subtype B Epidemics Area. Frontiers in Cellular and Infection Microbiology, 2021, 11, 642903.	3.9	9
113	Prevalence and Determinants of Herpes Simplex Virus Type 2 (HSV-2)/Syphilis Co-Infection and HSV-2 Mono-Infection among Human Immunodeficiency Virus Positive Men Who Have Sex with Men: a Cross-Sectional Study in Northeast China. Japanese Journal of Infectious Diseases, 2017, 70, 284-289.	1.2	8
114	Plasma metabolic changes in Chinese HIV-infected patients receiving lopinavir/ritonavir based treatment: Implications for HIV precision therapy. Cytokine, 2018, 110, 204-212.	3.2	8
115	Serum uric acid concentrations and risk of intracerebral hemorrhage: A systematic review and meta-analysis. Atherosclerosis, 2018, 275, 352-358.	0.8	8
116	Real-time monitoring and just-in-time intervention for adherence to pre-exposure prophylaxis among men who have sex with men in China: a multicentre RCT study protocol. BMC Public Health, 2020, 20, 1160.	2.9	8
117	Internet-Based HIV Self-Testing Among Men Who Have Sex With Men Through Pre-exposure Prophylaxis: 3-Month Prospective Cohort Analysis From China. Journal of Medical Internet Research, 2021, 23, e23978.	4.3	8
118	The COVID-19 Vaccination Behavior and Correlates in Diabetic Patients: A Health Belief Model Theory-Based Cross-Sectional Study in China, 2021. Vaccines, 2022, 10, 659.	4.4	8
119	Association Between Testing for Human Immunodeficiency Virus and Changes in Risk Behaviors Among Injecting Drug Users in Southern China. Sexually Transmitted Diseases, 2009, 36, 473-477.	1.7	7
120	Spatiotemporal hierarchy in antibody recognition against transmitted HIV-1 envelope glycoprotein during natural infection. Retrovirology, 2016, 13, 12.	2.0	7
121	Treatment Effect and Drug-Resistant Mutations in Chinese AIDS Patients Switching to Second-Line Antiretroviral Therapy. PLoS ONE, 2014, 9, e110259.	2.5	7
122	A Novel HIV-1 Second-Generation Recombinant Form (CRF01_AE/07_BC) Among Heterosexuals in Nei Monggoi Autonomous Region in China. AIDS Research and Human Retroviruses, 2016, 32, 818-821.	1.1	6
123	Association of nitrite inhalants use and unprotected anal intercourse and HIV/syphilis infection among MSM in China: a systematic review and meta-analysis. BMC Public Health, 2020, 20, 1378.	2.9	6
124	Factors Influencing Clinicians' Willingness to Prescribe Pre-exposure Prophylaxis for Persons at High Risk of HIV in China: Cross-sectional Online Survey Study. JMIR Public Health and Surveillance, 2021, 7, e24235.	2.6	6
125	Remnant Lipoprotein Cholesterol as a Factor Related to Adult Fatty Liver Disease. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e1598-e1609.	3.6	6
126	Expansion of PrEP and PEP services in China. Lancet HIV,the, 2022, 9, e455-e457.	4.7	6

#	Article	IF	CITATIONS
127	A pediatric case report and literature review of thelaziosis in China. International Journal of Infectious Diseases, 2014, 29, 249-250.	3.3	5
128	Biological variation in serum bone turnover markers. Annals of Clinical Biochemistry, 2020, 57, 144-150.	1.6	5
129	Correction: Risk-Taking Behaviors and Adherence to HIV Pre-Exposure Prophylaxis in Users of Geosocial Networking Apps: Real-World, Multicenter Study. Journal of Medical Internet Research, 2020, 22, e25565.	4.3	5
130	COVID-19 Vaccination Uptake Among a Nationwide Sample of People Living With HIV During the Early Phase of Vaccine Rollout in China. Frontiers in Medicine, 0, 9, .	2.6	5
131	Membrane Protein OTOF Is a Type I Interferon-Induced Entry Inhibitor of HIV-1 in Macrophages. MBio, 0, , ·	4.1	5
132	Activation and Coreceptor Expression of T Lymphocytes in HIV/AIDS Patients of China. Journal of Clinical Immunology, 2005, 25, 68-72.	3.8	4
133	Barriers to Acceptance of Provider-Initiated Testing and Counseling among Men Who Have Sex with Men in Shenyang, China: A Cross-Sectional Study. BioMed Research International, 2013, 2013, 1-7.	1.9	4
134	Reduced bone mineral density among ART-naive male patients with HIV in China. Future Virology, 2015, 10, 827-833.	1.8	4
135	CD4+IL-21+T cells are correlated with regulatory T cells and IL-21 promotes regulatory T cells survival during HIV infection. Cytokine, 2017, 91, 110-117.	3.2	4
136	Biological variation of serum neuronâ€specific enolase and carbohydrate antigen 724 tumor markers. Journal of Clinical Laboratory Analysis, 2018, 32, e22327.	2.1	4
137	Increasing Condomless Anal Intercourse and HIV Prevalence Among Men Who Have Sex with Men Who Have Never Been Tested for HIV Before: A Serial Cross-Sectional Study in Shenyang, China from 2012 to 2016. AIDS and Behavior, 2020, 24, 2918-2926.	2.7	4
138	LAPTM5 Restricts HIV-1 Infection in Dendritic Cells and Is Counteracted by Vpr. Microbiology Spectrum, 2022, 10, e0138221.	3.0	4
139	Multi-layered Gag-specific immunodominant responses contribute to improved viral control in the CRF01_AE subtype of HIV-1-infected MSM subjects. BMC Immunology, 2016, 17, 28.	2.2	3
140	FOXO3, IRF4, and xIAP Are Correlated with Immune Activation in HIV-1-Infected Men Who Have Sex with Men During Early HIV Infection. AIDS Research and Human Retroviruses, 2017, 33, 172-180.	1.1	3
141	Metalloprotease TRABD2A Restriction of HIV-1 Production in Monocyte-Derived Dendritic Cells. AIDS Research and Human Retroviruses, 2019, 35, 887-889.	1.1	3
142	Disparity of human immunodeficiency virus incidence and drug resistance in college student, non-student youth and older men who have sex with men: a cross-sectional study from seven major cities of China. Chinese Medical Journal, 2020, 133, 2778-2786.	2.3	3
143	HIV-1–Specific Immunodominant T-Cell Responses Drive the Dynamics of HIV-1 Recombination Following Superinfection. Frontiers in Immunology, 2021, 12, 820628.	4.8	3
144	Medication Non-adherence and Condomless Anal Intercourse Increased Substantially During the COVID-19 Pandemic Among MSM PrEP Users: A Retrospective Cohort Study in Four Chinese Metropolises. Frontiers in Medicine, 2022, 9, 738541.	2.6	3

#	Article	IF	CITATIONS
145	Changes in B-Cell Counts and Percentages during Primary HIV Infection Associated with Disease Progression in HIV-Infected Men Who Have Sex with Men: A Preliminary Study. BioMed Research International, 2015, 2015, 1-15.	1.9	2
146	Low CD1c + myeloid dendritic cell counts correlated with a high risk of rapid disease progression during early HIV-1 infection. BMC Infectious Diseases, 2015, 15, 342.	2.9	2
147	Near Full-Length Genome Sequence of a Novel HIV-1 Second-Generation Recombinant Form (CRF01_AE/CRF07_BC) Detected Among Blood Donors in North China. AIDS Research and Human Retroviruses, 2017, 33, 1265-1269.	1.1	2
148	Decreased CD4+CD8low T cells in early HIV infection are associated with rapid disease progression. Cytokine, 2020, 125, 154801.	3.2	2
149	HIV and other STIs self-testing to reduce risk compensation among men who have sex with men who use oral pre-exposure prophylaxis in China: protocol for a randomised waitlist-controlled trial. BMJ Open, 2020, 10, e036231.	1.9	2
150	HIV Self-Testing to Promote Serostatus Disclosure Among Men Who Have Sex With Men in China: Protocol for a Stepped Wedge Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e17788.	1.0	2
151	Independent Epidemic Patterns of HIV-1 CRF01_AE Lineages Driven by Mobile Population in Shenzhen, an Immigrant city of China. Virus Evolution, 2021, 7, veab094.	4.9	2
152	Impact of the COVID-19 Pandemic on the UNAIDS Six 95% HIV Control Targets. Frontiers in Medicine, 2022, 9, 818054.	2.6	2
153	Study on Immunological Status of Chinese HIVâ€Infected Individuals. Microbiology and Immunology, 2004, 48, 883-888.	1.4	1
154	Alteration of CCR6 + CD95 + CD4 + naÃ ⁻ ve T cells in HIV-1 infected patients: Implication for clinical practice. Cellular Immunology, 2018, 327, 47-53.	3.0	1
155	V4 region of the HIV-1 envelope gene mediates immune escape and may not promote the development of broadly neutralizing antibodies. Vaccine, 2018, 36, 7700-7707.	3.8	1
156	Prevalence of HIV infection among Chinese voluntary blood donors during 2010â€2017: an updated systematic review and metaâ€analysis. Transfusion, 2019, 59, 3431-3441.	1.6	1
157	Association between rectal douching and HIV acquisition: the mediating role of condom use and rectal bleeding in a national online sample of Chinese men who have sex with men. Sexually Transmitted Infections, 2021, 97, 69-74.	1.9	1
158	Herpes Virus Entry Mediator, which Decreases in HIV Infection, Can Enhance the Suppressive Activity of Regulatory T Cell and Predict Recovery of CD4+T-cells During HAART. Current HIV Research, 2015, 13, 151-159.	0.5	1
159	PSGL-1 Restricts HIV-1 Infectivity by Blocking Virus Particle Attachment to Target Cells. Proceedings (mdpi), 2020, 50, 77.	0.2	0
160	Context and Barriers to the Prescription of Nonoccupational Postexposure Prophylaxis Among HIV Medical Care Providers: National Internet-Based Observational Study in China. JMIR Public Health and Surveillance, 2021, 7, e24234.	2.6	0
161	The Establishment and Spatiotemporal History of A Novel HIV-1 CRF01_AE Lineage in Shenyang City, Northeastern China in 2002–2019. Virologica Sinica, 2021, 36, 1668-1672.	3.0	0
162	The use of inappropriate anal douching tool associates with increased HIV infection among men who have sex with men: a cross-sectional study in Shenyang, China. BMC Public Health, 2021, 21, 235.	2.9	0

Hong Shang

#	Article	IF	CITATIONS
163	Inhibition of Metalloprotease TRABD2A Facilitates the Study of HIV-1 Replication in Resting CD4 + T Cells. Journal of Virology, 2020, 94, .	3.4	0
164	A brief smartphone-based intervention significantly improved pre-exposure prophylaxis adherence among Chinese men sex with men: Findings of a randomized controlled trial. Journal of Infection, 2022, 84, 248-288.	3.3	0
165	CTNNBL1 restricts HIV-1 replication by suppressing viral DNA integration into the cell genome. Cell Reports, 2022, 38, 110533.	6.4	0
166	Multiple CRF01_AE/CRF07_BC Recombinants Enhanced the HIV-1 Epidemic Complexity Among MSM in Shenyang City, Northeast China. Frontiers in Microbiology, 2022, 13, .	3.5	0