

Hong Shang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/159677/publications.pdf>

Version: 2024-02-01

166
papers

3,552
citations

136950

32
h-index

233421

45
g-index

199
all docs

199
docs citations

199
times ranked

3698
citing authors

#	ARTICLE	IF	CITATIONS
1	Uptake and adverse reactions of COVID-19 vaccination among people living with HIV in China: a caseâ€“control study. <i>Human Vaccines and Immunotherapeutics</i> , 2024, 17, 4964-4970.	3.3	14
2	Comparing Immune Responses to Inactivated Vaccines against SARS-CoV-2 between People Living with HIV and HIV-Negative Individuals: A Cross-Sectional Study in China. <i>Viruses</i> , 2022, 14, 277.	3.3	31
3	Neuropilin-1, a myeloid cell-specific protein, is an inhibitor of HIV-1 infectivity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	7.1	14
4	A brief smartphone-based intervention significantly improved pre-exposure prophylaxis adherence among Chinese men sex with men: Findings of a randomized controlled trial. <i>Journal of Infection</i> , 2022, 84, 248-288.	3.3	0
5	COVID-19 Vaccine Hesitancy and Associated Factors among Diabetes Patients: A Cross-Sectional Survey in Changzhi, Shanxi, China. <i>Vaccines</i> , 2022, 10, 129.	4.4	27
6	Impact of the COVID-19 Pandemic on the UNAIDS Six 95% HIV Control Targets. <i>Frontiers in Medicine</i> , 2022, 9, 818054.	2.6	2
7	Association of HIV Preexposure Prophylaxis Use With HIV Incidence Among Men Who Have Sex With Men in China. <i>JAMA Network Open</i> , 2022, 5, e2148782.	5.9	11
8	Monetary incentives and peer referral in promoting secondary distribution of HIV self-testing among men who have sex with men in China: A randomized controlled trial. <i>PLoS Medicine</i> , 2022, 19, e1003928.	8.4	13
9	LAPTM5 Restricts HIV-1 Infection in Dendritic Cells and Is Counteracted by Vpr. <i>Microbiology Spectrum</i> , 2022, 10, e0138221.	3.0	4
10	CTNBL1 restricts HIV-1 replication by suppressing viral DNA integration into the cell genome. <i>Cell Reports</i> , 2022, 38, 110533.	6.4	0
11	Discontinuation, suboptimal adherence, and reinitiation of oral HIV pre-exposure prophylaxis: a global systematic review and meta-analysis. <i>Lancet HIV,the</i> , 2022, 9, e254-e268.	4.7	66
12	Remnant Lipoprotein Cholesterol as a Factor Related to Adult Fatty Liver Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e1598-e1609.	3.6	6
13	The COVID-19 Vaccination Behavior and Correlates in Diabetic Patients: A Health Belief Model Theory-Based Cross-Sectional Study in China, 2021. <i>Vaccines</i> , 2022, 10, 659.	4.4	8
14	Multiple CRF01_AE/CRF07_BC Recombinants Enhanced the HIV-1 Epidemic Complexity Among MSM in Shenyang City, Northeast China. <i>Frontiers in Microbiology</i> , 2022, 13, .	3.5	0
15	Reasons for COVID-19 Vaccine Hesitancy Among Chinese People Living With HIV/AIDS: Structural Equation Modeling Analysis. <i>JMIR Public Health and Surveillance</i> , 2022, 8, e33995.	2.6	12
16	Immunogenicity and safety of heterologous versus homologous prime-boost schedules with an adenoviral vectored and mRNA COVID-19 vaccine: a systematic review. <i>Infectious Diseases of Poverty</i> , 2022, 11, 53.	3.7	25
17	Medication Non-adherence and Condomless Anal Intercourse Increased Substantially During the COVID-19 Pandemic Among MSM PrEP Users: A Retrospective Cohort Study in Four Chinese Metropolises. <i>Frontiers in Medicine</i> , 2022, 9, 738541.	2.6	3
18	Expansion of PrEP and PEP services in China. <i>Lancet HIV,the</i> , 2022, 9, e455-e457.	4.7	6

#	ARTICLE	IF	CITATIONS
19	Association between rectal douching and HIV acquisition: the mediating role of condom use and rectal bleeding in a national online sample of Chinese men who have sex with men. <i>Sexually Transmitted Infections</i> , 2021, 97, 69-74.	1.9	1
20	First complete-genome documentation of HIV-1 intersubtype superinfection with transmissions of diverse recombinants over time to five recipients. <i>PLoS Pathogens</i> , 2021, 17, e1009258.	4.7	9
21	Preference for daily versus on-demand pre-exposure prophylaxis for HIV and correlates among men who have sex with men: the China Real-world Oral PrEP Demonstration study. <i>Journal of the International AIDS Society</i> , 2021, 24, e25667.	3.0	20
22	Use of multiple recreational drugs is associated with new HIV infections among men who have sex with men in China: a multicenter cross-sectional survey. <i>BMC Public Health</i> , 2021, 21, 354.	2.9	9
23	Priority Intervention Targets Identified Using an In-Depth Sampling HIV Molecular Network in a Non-Subtype B Epidemics Area. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 642903.	3.9	9
24	Feasibility of Indirect Secondary Distribution of HIV Self-test Kits via WeChat Among Men Who Have Sex With Men: National Cross-sectional Study in China. <i>Journal of Medical Internet Research</i> , 2021, 23, e28508.	4.3	12
25	Context and Barriers to the Prescription of Nonoccupational Postexposure Prophylaxis Among HIV Medical Care Providers: National Internet-Based Observational Study in China. <i>JMIR Public Health and Surveillance</i> , 2021, 7, e24234.	2.6	0
26	Mobile Phone Intervention Based on an HIV Risk Prediction Tool for HIV Prevention Among Men Who Have Sex With Men in China: Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2021, 9, e19511.	3.7	13
27	Factors Influencing Clinicians' Willingness to Prescribe Pre-exposure Prophylaxis for Persons at High Risk of HIV in China: Cross-sectional Online Survey Study. <i>JMIR Public Health and Surveillance</i> , 2021, 7, e24235.	2.6	6
28	Vpr counteracts the restriction of LAPT5 to promote HIV-1 infection in macrophages. <i>Nature Communications</i> , 2021, 12, 3691.	12.8	20
29	Willingness to Receive COVID-19 Vaccination Among People Living With HIV and AIDS in China: Nationwide Cross-sectional Online Survey. <i>JMIR Public Health and Surveillance</i> , 2021, 7, e31125.	2.6	33
30	Internet-Based HIV Self-Testing Among Men Who Have Sex With Men Through Pre-exposure Prophylaxis: 3-Month Prospective Cohort Analysis From China. <i>Journal of Medical Internet Research</i> , 2021, 23, e23978.	4.3	8
31	The Establishment and Spatiotemporal History of A Novel HIV-1 CRF01_AE Lineage in Shenyang City, Northeastern China in 2002-2019. <i>Virologica Sinica</i> , 2021, 36, 1668-1672.	3.0	0
32	The use of inappropriate anal douching tool associates with increased HIV infection among men who have sex with men: a cross-sectional study in Shenyang, China. <i>BMC Public Health</i> , 2021, 21, 235.	2.9	0
33	Independent Epidemic Patterns of HIV-1 CRF01_AE Lineages Driven by Mobile Population in Shenzhen, an Immigrant city of China. <i>Virus Evolution</i> , 2021, 7, veab094.	4.9	2
34	HIV-1-Specific Immunodominant T-Cell Responses Drive the Dynamics of HIV-1 Recombination Following Superinfection. <i>Frontiers in Immunology</i> , 2021, 12, 820628.	4.8	3
35	Decreased CD4+CD8low T cells in early HIV infection are associated with rapid disease progression. <i>Cytokine</i> , 2020, 125, 154801.	3.2	2
36	ICAM-1 in HIV infection and underlying mechanisms. <i>Cytokine</i> , 2020, 125, 154830.	3.2	17

#	ARTICLE	IF	CITATIONS
37	Determination of high-sensitivity cardiac troponin T upper reference limits under the improved selection criteria in a Chinese population. <i>Journal of Clinical Laboratory Analysis</i> , 2020, 34, e23007.	2.1	10
38	PrEP in China: choices are ahead. <i>Lancet HIV</i> , 2020, 7, e155-e157.	4.7	20
39	Biological variation in serum bone turnover markers. <i>Annals of Clinical Biochemistry</i> , 2020, 57, 144-150.	1.6	5
40	HIV and other STIs self-testing to reduce risk compensation among men who have sex with men who use oral pre-exposure prophylaxis in China: protocol for a randomised waitlist-controlled trial. <i>BMJ Open</i> , 2020, 10, e036231.	1.9	2
41	Disparity of human immunodeficiency virus incidence and drug resistance in college student, non-student youth and older men who have sex with men: a cross-sectional study from seven major cities of China. <i>Chinese Medical Journal</i> , 2020, 133, 2778-2786.	2.3	3
42	Is the superbug fungus really so scary? A systematic review and meta-analysis of global epidemiology and mortality of <i>Candida auris</i> . <i>BMC Infectious Diseases</i> , 2020, 20, 827.	2.9	66
43	HIV Self-Testing Programs to Men Who Have Sex With Men Delivered by Social Media Key Opinion Leaders and Community-Based Organizations are Both Effective and Complementary: A National Pragmatic Study in China. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020, 84, 453-462.	2.1	17
44	Real-time monitoring and just-in-time intervention for adherence to pre-exposure prophylaxis among men who have sex with men in China: a multicentre RCT study protocol. <i>BMC Public Health</i> , 2020, 20, 1160.	2.9	8
45	Association of nitrite inhalants use and unprotected anal intercourse and HIV/syphilis infection among MSM in China: a systematic review and meta-analysis. <i>BMC Public Health</i> , 2020, 20, 1378.	2.9	6
46	Post-exposure prophylaxis: an underutilized biomedical HIV prevention method among gay, bisexual and other men who have sex with men in China. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2020, 32, 1573-1580.	1.2	16
47	Molecular network-based intervention brings us closer to ending the HIV pandemic. <i>Frontiers of Medicine</i> , 2020, 14, 136-148.	3.4	30
48	PSGL-1 Restricts HIV-1 Infectivity by Blocking Virus Particle Attachment to Target Cells. <i>Proceedings (mdpi)</i> , 2020, 50, 77.	0.2	0
49	Low-Density Lipoprotein Cholesterol and Alzheimer's Disease: A Systematic Review and Meta-Analysis. <i>Frontiers in Aging Neuroscience</i> , 2020, 12, 5.	3.4	37
50	Fibrinogen and risk of dementia: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2020, 112, 353-360.	6.1	9
51	Cross-Continental Dispersal of Major HIV-1 CRF01_AE Clusters in China. <i>Frontiers in Microbiology</i> , 2020, 11, 61.	3.5	10
52	PSGL-1 restricts HIV-1 infectivity by blocking virus particle attachment to target cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 9537-9545.	7.1	38
53	Increasing Condomless Anal Intercourse and HIV Prevalence Among Men Who Have Sex with Men Who Have Never Been Tested for HIV Before: A Serial Cross-Sectional Study in Shenyang, China from 2012 to 2016. <i>AIDS and Behavior</i> , 2020, 24, 2918-2926.	2.7	4
54	HIV Self-Testing to Promote Serostatus Disclosure Among Men Who Have Sex With Men in China: Protocol for a Stepped Wedge Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2020, 9, e17788.	1.0	2

#	ARTICLE	IF	CITATIONS
55	Risk-Taking Behaviors and Adherence to HIV Pre-Exposure Prophylaxis in Users of Geosocial Networking Apps: Real-World, Multicenter Study. <i>Journal of Medical Internet Research</i> , 2020, 22, e22388.	4.3	14
56	Inhibition of Metalloprotease TRABD2A Facilitates the Study of HIV-1 Replication in Resting CD4 + T Cells. <i>Journal of Virology</i> , 2020, 94, .	3.4	0
57	Correction: Risk-Taking Behaviors and Adherence to HIV Pre-Exposure Prophylaxis in Users of Geosocial Networking Apps: Real-World, Multicenter Study. <i>Journal of Medical Internet Research</i> , 2020, 22, e25565.	4.3	5
58	Protocol for a multicenter, real-world study of HIV pre-exposure prophylaxis among men who have sex with men in China (CROPrEP). <i>BMC Infectious Diseases</i> , 2019, 19, 721.	2.9	26
59	Efficacy and cost-effectiveness of early antiretroviral therapy and partnersâ€™ pre-exposure prophylaxis among men who have sex with men in Shenyang, China: a prospective cohort and costing study. <i>BMC Infectious Diseases</i> , 2019, 19, 663.	2.9	10
60	Prevalence of HIV infection among Chinese voluntary blood donors during 2010â€“2017: an updated systematic review and meta-analysis. <i>Transfusion</i> , 2019, 59, 3431-3441.	1.6	1
61	Metalloprotease TRABD2A Restriction of HIV-1 Production in Monocyte-Derived Dendritic Cells. <i>AIDS Research and Human Retroviruses</i> , 2019, 35, 887-889.	1.1	3
62	Mycoplasma Genitalium and Mycoplasma Hominis are prevalent and correlated with HIV risk in MSM: a cross-sectional study in Shenyang, China. <i>BMC Infectious Diseases</i> , 2019, 19, 494.	2.9	18
63	Membrane metalloprotease TRABD2A restricts HIV-1 progeny production in resting CD4+ T cells by degrading viral Gag polyprotein. <i>Nature Immunology</i> , 2019, 20, 711-723.	14.5	17
64	Circumcision to prevent HIV and other sexually transmitted infections in men who have sex with men: a systematic review and meta-analysis of global data. <i>The Lancet Global Health</i> , 2019, 7, e436-e447.	6.3	75
65	CircPUM1 promotes the malignant behavior of lung adenocarcinoma by regulating miR-326. <i>Biochemical and Biophysical Research Communications</i> , 2019, 508, 844-849.	2.1	40
66	Rapid CD4+ T-cell decline is associated with coreceptor switch among MSM primarily infected with HIV-1 CRF01_AE in Northeast China. <i>Aids</i> , 2019, 33, 13-22.	2.2	18
67	IP-10 is highly involved in HIV infection. <i>Cytokine</i> , 2019, 115, 97-103.	3.2	65
68	Cofilin hyperactivation in HIV infection and targeting the cofilin pathway using an anti- β 7 integrin antibody. <i>Science Advances</i> , 2019, 5, eaat7911.	10.3	14
69	An Internet-Based Self-Testing Model (Easy Test): Cross-Sectional Survey Targeting Men Who Have Sex With Men Who Never Tested for HIV in 14 Provinces of China. <i>Journal of Medical Internet Research</i> , 2019, 21, e11854.	4.3	26
70	Development and Validation of a Personalized Social Media Platformâ€“Based HIV Incidence Risk Assessment Tool for Men Who Have Sex With Men in China. <i>Journal of Medical Internet Research</i> , 2019, 21, e13475.	4.3	13
71	Alteration of CCR6 + CD95 + CD4 + naïve T cells in HIV-1 infected patients: Implication for clinical practice. <i>Cellular Immunology</i> , 2018, 327, 47-53.	3.0	1
72	Intimate Partner Violence Correlates With A Higher HIV Incidence Among MSM: A 12-Month Prospective Cohort Study in Shenyang, China. <i>Scientific Reports</i> , 2018, 8, 2879.	3.3	16

#	ARTICLE	IF	CITATIONS
73	Learning about HIV the hard way: HIV among Chinese MSM attending university. <i>Lancet Infectious Diseases</i> , 2018, 18, 16-18.	9.1	41
74	Poppers use and Sexual Partner Concurrency Increase the HIV Incidence of MSM: a 24-month Prospective Cohort Survey in Shenyang, China. <i>Scientific Reports</i> , 2018, 8, 24.	3.3	28
75	IL-10+ NK and TGF- β 2+ NK cells play negative regulatory roles in HIV infection. <i>BMC Infectious Diseases</i> , 2018, 18, 80.	2.9	28
76	High-risk behaviour and HIV infection risk among non-local men who have sex with men with less than a single year's residence in urban centres: a multicentre cross-sectional study from China. <i>Sexually Transmitted Infections</i> , 2018, 94, 51-54.	1.9	11
77	HIV Incidence and Care Linkage among MSM First-Time-Testers in Shenyang, China 2012-2014. <i>AIDS and Behavior</i> , 2018, 22, 711-721.	2.7	24
78	Interest in Long-Acting Injectable PrEP in a Cohort of Men Who have Sex with Men in China. <i>AIDS and Behavior</i> , 2018, 22, 1217-1227.	2.7	51
79	Biological variation of serum neuron-specific enolase and carbohydrate antigen 724 tumor markers. <i>Journal of Clinical Laboratory Analysis</i> , 2018, 32, e22327.	2.1	4
80	Female and younger subjects have lower adherence in PrEP trials: a meta-analysis with implications for the uptake of PrEP service to prevent HIV. <i>Sexually Transmitted Infections</i> , 2018, 94, 163-168.	1.9	36
81	V4 region of the HIV-1 envelope gene mediates immune escape and may not promote the development of broadly neutralizing antibodies. <i>Vaccine</i> , 2018, 36, 7700-7707.	3.8	1
82	Plasma D-Dimer Concentrations and Risk of Intracerebral Hemorrhage: A Systematic Review and Meta-Analysis. <i>Frontiers in Neurology</i> , 2018, 9, 1114.	2.4	14
83	The Early Antibody-Dependent Cell-Mediated Cytotoxicity Response Is Associated With Lower Viral Set Point in Individuals With Primary HIV Infection. <i>Frontiers in Immunology</i> , 2018, 9, 2322.	4.8	25
84	Expression of the Inhibitory Receptor TIGIT Is Up-Regulated Specifically on NK Cells With CD226 Activating Receptor From HIV-Infected Individuals. <i>Frontiers in Immunology</i> , 2018, 9, 2341.	4.8	48
85	Efficacy and Safety of Oral TDF-Based Pre-exposure Prophylaxis for Men Who Have Sex With Men: A Systematic Review and Meta-Analysis. <i>Frontiers in Pharmacology</i> , 2018, 9, 799.	3.5	51
86	Plasma metabolic changes in Chinese HIV-infected patients receiving lopinavir/ritonavir based treatment: Implications for HIV precision therapy. <i>Cytokine</i> , 2018, 110, 204-212.	3.2	8
87	Serum uric acid concentrations and risk of intracerebral hemorrhage: A systematic review and meta-analysis. <i>Atherosclerosis</i> , 2018, 275, 352-358.	0.8	8
88	First cases and risk factors of super yeast <i>Candida auris</i> infection or colonization from Shenyang, China. <i>Emerging Microbes and Infections</i> , 2018, 7, 1-9.	6.5	38
89	HIV incidence is rapidly increasing with age among young men who have sex with men in China: a multicentre cross-sectional survey. <i>HIV Medicine</i> , 2018, 19, 513-522.	2.2	28
90	Tandem bispecific neutralizing antibody eliminates HIV-1 infection in humanized mice. <i>Journal of Clinical Investigation</i> , 2018, 128, 2239-2251.	8.2	44

#	ARTICLE	IF	CITATIONS
91	The Effect of Using Geosocial Networking Apps on the HIV Incidence Rate Among Men Who Have Sex With Men: Eighteen-Month Prospective Cohort Study in Shenyang, China. <i>Journal of Medical Internet Research</i> , 2018, 20, e11303.	4.3	31
92	Treatment-seeking behaviour and barriers to service access for sexually transmitted diseases among men who have sex with men in China: a multicentre cross-sectional survey. <i>Infectious Diseases of Poverty</i> , 2017, 6, 15.	3.7	12
93	Elevated interferon- β -induced protein 10 and its receptor CXCR3 impair NK cell function during HIV infection. <i>Journal of Leukocyte Biology</i> , 2017, 102, 163-170.	3.3	23
94	Dual Infection Contributes to Rapid Disease Progression in Men Who Have Sex With Men in China. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017, 75, 480-487.	2.1	23
95	CD4+IL-21+T cells are correlated with regulatory T cells and IL-21 promotes regulatory T cells survival during HIV infection. <i>Cytokine</i> , 2017, 91, 110-117.	3.2	4
96	Near Full-Length Genome Sequence of a Novel HIV-1 Second-Generation Recombinant Form (CRF01_AE/CRF07_BC) Detected Among Blood Donors in North China. <i>AIDS Research and Human Retroviruses</i> , 2017, 33, 1265-1269.	1.1	2
97	FOXO3, IRF4, and χ AP Are Correlated with Immune Activation in HIV-1-Infected Men Who Have Sex with Men During Early HIV Infection. <i>AIDS Research and Human Retroviruses</i> , 2017, 33, 172-180.	1.1	3
98	Prevalence and Determinants of Herpes Simplex Virus Type 2 (HSV-2)/Syphilis Co-Infection and HSV-2 Mono-Infection among Human Immunodeficiency Virus Positive Men Who Have Sex with Men: a Cross-Sectional Study in Northeast China. <i>Japanese Journal of Infectious Diseases</i> , 2017, 70, 284-289.	1.2	8
99	Deregulated MicroRNA-21 Expression in Monocytes from HIV-Infected Patients Contributes to Elevated IP-10 Secretion in HIV Infection. <i>Frontiers in Immunology</i> , 2017, 8, 1122.	4.8	16
100	NKG2C+NKG2A χ Natural Killer Cells are Associated with a Lower Viral Set Point and may Predict Disease Progression in Individuals with Primary HIV Infection. <i>Frontiers in Immunology</i> , 2017, 8, 1176.	4.8	51
101	Chemokines and Chemokine Receptors: Accomplices for Human Immunodeficiency Virus Infection and Latency. <i>Frontiers in Immunology</i> , 2017, 8, 1274.	4.8	32
102	Transcriptomic meta-analysis identifies gene expression characteristics in various samples of HIV-infected patients with nonprogressive disease. <i>Journal of Translational Medicine</i> , 2017, 15, 191.	4.4	16
103	Internet-Based Sex-Seeking Behavior Promotes HIV Infection Risk: A 6-Year Serial Cross-Sectional Survey to MSM in Shenyang, China. <i>BioMed Research International</i> , 2016, 2016, 1-11.	1.9	32
104	Lipids profile among ART-na χ ve HIV infected patients and men who have sex with men in China: a case control study. <i>Lipids in Health and Disease</i> , 2016, 15, 149.	3.0	10
105	HIV incidence and associated risk factors in men who have sex with men in Mainland China: an updated systematic review and meta-analysis. <i>Sexual Health</i> , 2016, 13, 373.	0.9	60
106	Commercial sex and risk of HIV, syphilis, and herpes simplex virus-2 among men who have sex with men in six Chinese cities. <i>BMC Infectious Diseases</i> , 2016, 16, 765.	2.9	15
107	A Novel HIV-1 Second-Generation Recombinant Form (CRF01_AE/07_BC) Among Heterosexuals in Nei Monggoi Autonomous Region in China. <i>AIDS Research and Human Retroviruses</i> , 2016, 32, 818-821.	1.1	6
108	Decreasing age at first anal intercourse among men who have sex with men in China: a multicentre cross-sectional survey. <i>Journal of the International AIDS Society</i> , 2016, 19, 20792.	3.0	16

#	ARTICLE	IF	CITATIONS
109	High HIV incidence epidemic among men who have sex with men in china: results from a multi-site cross-sectional study. <i>Infectious Diseases of Poverty</i> , 2016, 5, 82.	3.7	42
110	Multi-layered Gag-specific immunodominant responses contribute to improved viral control in the CRF01_AE subtype of HIV-1-infected MSM subjects. <i>BMC Immunology</i> , 2016, 17, 28.	2.2	3
111	Spatiotemporal hierarchy in antibody recognition against transmitted HIV-1 envelope glycoprotein during natural infection. <i>Retrovirology</i> , 2016, 13, 12.	2.0	7
112	Awareness and acceptance of human papillomavirus (HPV) vaccination among males attending a major sexual health clinic in Wuxi, China: A cross-sectional study. <i>Human Vaccines and Immunotherapeutics</i> , 2016, 12, 1551-1559.	3.3	17
113	Prevalence and correlates of <i>Trichomonas vaginalis</i> infection among female sex workers in a city in Yunnan Province, China. <i>International Journal of STD and AIDS</i> , 2016, 27, 469-475.	1.1	14
114	Vaginal douching and association with sexually transmitted infections among female sex workers in a prefecture of Yunnan Province, China. <i>International Journal of STD and AIDS</i> , 2016, 27, 560-567.	1.1	13
115	Genome-Wide Association Studies of HIV-1 Host Control in Ethnically Diverse Chinese Populations. <i>Scientific Reports</i> , 2015, 5, 10879.	3.3	23
116	A Large-scale Survey of CRF55_01B from Men-Who-Have-Sex-with-Men in China: implying the Evolutionary History and Public Health Impact. <i>Scientific Reports</i> , 2015, 5, 18147.	3.3	44
117	Elevation of Tim-3 and PD-1 Expression on T Cells Appears Early in HIV Infection, and Differential Tim-3 and PD-1 Expression Patterns Can Be Induced by Common β -Chain Cytokines. <i>BioMed Research International</i> , 2015, 2015, 1-11.	1.9	20
118	Sexual Risk Behaviors and HIV Infection among Men Who Have Sex with Men and Women in China: Evidence from a Systematic Review and Meta-Analysis. <i>BioMed Research International</i> , 2015, 2015, 1-12.	1.9	25
119	Changes in B-Cell Counts and Percentages during Primary HIV Infection Associated with Disease Progression in HIV-Infected Men Who Have Sex with Men: A Preliminary Study. <i>BioMed Research International</i> , 2015, 2015, 1-15.	1.9	2
120	HIV-1 Exploits the Host Factor RuvB-like 2 to Balance Viral Protein Expression. <i>Cell Host and Microbe</i> , 2015, 18, 233-242.	11.0	22
121	A novel strategy to analyze l-tryptophan through allosteric Trp repressor based on rolling circle amplification. <i>Biosensors and Bioelectronics</i> , 2015, 71, 103-107.	10.1	18
122	Increase of RT-Related Transmitted Drug Resistance in Non-CRF01_AE Among HIV Type 1-Infected Men Who Have Sex With Men in the 7 Cities of China. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2015, 68, 250-255.	2.1	25
123	Reduced bone mineral density among ART-naive male patients with HIV in China. <i>Future Virology</i> , 2015, 10, 827-833.	1.8	4
124	Urine alpha1-microglobulin is a better marker for early tubular dysfunction than beta2-microglobulin among tenofovir-exposed human immunodeficiency virus-infected men who have sex with men. <i>Brazilian Journal of Infectious Diseases</i> , 2015, 19, 410-416.	0.6	17
125	Low CD1c ⁺ myeloid dendritic cell counts correlated with a high risk of rapid disease progression during early HIV-1 infection. <i>BMC Infectious Diseases</i> , 2015, 15, 342.	2.9	2
126	The proportion and trend of human immunodeficiency virus infections associated with men who have sex with men from Chinese voluntary blood donors: a systematic review and meta-analysis. <i>Transfusion</i> , 2015, 55, 576-585.	1.6	11

#	ARTICLE	IF	CITATIONS
127	Herpes Virus Entry Mediator, which Decreases in HIV Infection, Can Enhance the Suppressive Activity of Regulatory T Cell and Predict Recovery of CD4+T-cells During HAART. <i>Current HIV Research</i> , 2015, 13, 151-159.	0.5	1
128	Recreational drug use and risks of HIV and sexually transmitted infections among Chinese men who have sex with men: Mediation through multiple sexual partnerships. <i>BMC Infectious Diseases</i> , 2014, 14, 642.	2.9	54
129	High prevalence of HIV infection and unprotected anal intercourse among older men who have sex with men in China: a systematic review and meta-analysis. <i>BMC Infectious Diseases</i> , 2014, 14, 531.	2.9	21
130	Risk factors associated with prevalent and incident syphilis among an HIV-infected cohort in Northeast China. <i>BMC Infectious Diseases</i> , 2014, 14, 658.	2.9	24
131	A pediatric case report and literature review of thelaziosis in China. <i>International Journal of Infectious Diseases</i> , 2014, 29, 249-250.	3.3	5
132	The Function of CD3+CD56+NKT-Like Cells in HIV-Infected Individuals. <i>BioMed Research International</i> , 2014, 2014, 1-9.	1.9	34
133	Identification and Characterization of a Novel HIV-1 Circulating Recombinant Form (CRF59_01B) Identified among Men-Who-Have-Sex-with-Men in China. <i>PLoS ONE</i> , 2014, 9, e99693.	2.5	28
134	Recreational Drug Use among Chinese Men Who Have Sex with Men: A Risky Combination with Unprotected Sex for Acquiring HIV Infection. <i>BioMed Research International</i> , 2014, 2014, 1-9.	1.9	54
135	HIV-1 Triggers WAVE2 Phosphorylation in Primary CD4 T Cells and Macrophages, Mediating Arp2/3-dependent Nuclear Migration. <i>Journal of Biological Chemistry</i> , 2014, 289, 6949-6959.	3.4	33
136	Prevalence and Predictors of HIV among Chinese Tuberculosis Patients by Provider-Initiated HIV Testing and Counselling (PITC): A Multisite Study in South Central of China. <i>PLoS ONE</i> , 2014, 9, e89723.	2.5	14
137	Treatment Effect and Drug-Resistant Mutations in Chinese AIDS Patients Switching to Second-Line Antiretroviral Therapy. <i>PLoS ONE</i> , 2014, 9, e110259.	2.5	7
138	Prospective cohort study of HIV incidence and molecular characteristics of HIV among men who have sex with men(MSM) in Yunnan Province, China. <i>BMC Infectious Diseases</i> , 2013, 13, 3.	2.9	32
139	Genome Sequences of a Novel HIV-1 Circulating Recombinant Form, CRF55_01B, Identified in China. <i>Genome Announcements</i> , 2013, 1, .	0.8	72
140	Barriers to Acceptance of Provider-Initiated Testing and Counseling among Men Who Have Sex with Men in Shenyang, China: A Cross-Sectional Study. <i>BioMed Research International</i> , 2013, 2013, 1-7.	1.9	4
141	HIV Related High Risk Behaviors and Willingness to Participate in HIV Vaccine Trials among China MSM by Computer Assisted Self-Interviewing Survey. <i>BioMed Research International</i> , 2013, 2013, 1-6.	1.9	12
142	New features of the HIV epidemic among men who have sex with men in China. <i>Emerging Microbes and Infections</i> , 2013, 2, 1-6.	6.5	27
143	Identification of 3 Distinct HIV-1 Founding Strains Responsible for Expanding Epidemic Among Men Who Have Sex With Men in 9 Chinese Cities. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013, 64, 16-24.	2.1	72
144	Drug Use and Sex Work: Competing Risk Factors for Newly Acquired HIV in Yunnan, China. <i>PLoS ONE</i> , 2013, 8, e59050.	2.5	20

#	ARTICLE	IF	CITATIONS
145	High Prevalence of HIV-1 Intersubtype B&e2/C Recombinants among Injecting Drug Users in Dehong, China. PLoS ONE, 2013, 8, e65337.	2.5	29
146	Prevalence of HIV and Syphilis Infection among High School and College Student MSM in China: A Systematic Review and Meta-Analysis. PLoS ONE, 2013, 8, e69137.	2.5	38
147	Reconstituting the Epidemic History of HIV Strain CRF01_AE among Men Who Have Sex with Men (MSM) in Liaoning, Northeastern China: Implications for the Expanding Epidemic among MSM in China. Journal of Virology, 2012, 86, 12402-12406.	3.4	64
148	HIV Incidence and Associated Risk Factors Among Female Sex Workers in a High HIV-Prevalence Area of China. Sexually Transmitted Diseases, 2012, 39, 835-841.	1.7	21
149	Bring safe sex to China. Nature, 2012, 485, 576-577.	27.8	88
150	Optimization and proficiency testing of a pseudovirus-based assay for detection of HIV-1 neutralizing antibody in China. Journal of Virological Methods, 2012, 185, 267-275.	2.1	16
151	Screening Acute HIV Infections among Chinese Men Who Have Sex with Men from Voluntary Counseling & Testing Centers. PLoS ONE, 2011, 6, e28792.	2.5	26
152	A cross-sectional study of HIV and syphilis infections among male students who have sex with men (MSM) in northeast China: implications for implementing HIV screening and intervention programs. BMC Public Health, 2011, 11, 287.	2.9	43
153	New Trends of Primary Drug Resistance Among HIV Type 1-Infected Men Who Have Sex with Men in Liaoning Province, China. AIDS Research and Human Retroviruses, 2011, 27, 1047-1053.	1.1	49
154	Prevalence of bisexual behaviour among bridge population of men who have sex with men in China: a meta-analysis of observational studies. Sexually Transmitted Infections, 2011, 87, 563-570.	1.9	64
155	Genetic and Neutralization Sensitivity of Diverse HIV-1 env Clones from Chronically Infected Patients in China. Journal of Biological Chemistry, 2011, 286, 14531-14541.	3.4	51
156	Factors Associated With HIV Testing History and HIV-Test Result Follow-up Among Female Sex Workers in Two Cities in Yunnan, China. Sexually Transmitted Diseases, 2011, 38, 89-95.	1.7	36
157	The Prevalence of Transmitted Antiretroviral Drug Resistance in Treatment-Naive HIV-Infected Individuals in China. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 53, S10-S14.	2.1	85
158	HIV-1 and STIs Prevalence and Risk Factors of Miners in Mining Districts of Yunnan, China. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 53, S54-S60.	2.1	21
159	Genetic and Epidemiologic Characterization of HIV-1 Infection In Liaoning Province, China. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 53, S27-S33.	2.1	37
160	Syphilis and HIV Seroconversion Among a 12-Month Prospective Cohort of Men Who Have Sex With Men in Shenyang, China. Sexually Transmitted Diseases, 2010, 37, 432-439.	1.7	115
161	Application of the BED capture enzyme immunoassay for HIV incidence estimation among female sex workers in Kaiyuan City, China, 2006&e2007. International Journal of Infectious Diseases, 2010, 14, e608-e612.	3.3	19
162	Association Between Testing for Human Immunodeficiency Virus and Changes in Risk Behaviors Among Injecting Drug Users in Southern China. Sexually Transmitted Diseases, 2009, 36, 473-477.	1.7	7

#	ARTICLE	IF	CITATIONS
163	Activation and Coreceptor Expression of T Lymphocytes in HIV/AIDS Patients of China. Journal of Clinical Immunology, 2005, 25, 68-72.	3.8	4
164	Study on Immunological Status of Chinese HIV-Infected Individuals. Microbiology and Immunology, 2004, 48, 883-888.	1.4	1
165	COVID-19 Vaccination Uptake Among a Nationwide Sample of People Living With HIV During the Early Phase of Vaccine Rollout in China. Frontiers in Medicine, 0, 9, .	2.6	5
166	Membrane Protein OTOF Is a Type I Interferon-Induced Entry Inhibitor of HIV-1 in Macrophages. MBio, 0, , .	4.1	5