

Ulrike Gruneberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1602091/publications.pdf>

Version: 2024-02-01

35
papers

3,231
citations

279487

23
h-index

360668

35
g-index

43
all docs

43
docs citations

43
times ranked

3835
citing authors

#	ARTICLE	IF	CITATIONS
1	The C-terminal helix of BubR1 is essential for CENP-E-dependent chromosome alignment. <i>Journal of Cell Science</i> , 2020, 133, .	1.2	24
2	PP1 promotes cyclin B destruction and the metaphase→anaphase transition by dephosphorylating CDC20. <i>Molecular Biology of the Cell</i> , 2020, 31, 2315-2330.	0.9	20
3	The association of Plk1 with the Astrin-Kinastrin complex promotes formation and maintenance of a metaphase plate. <i>Journal of Cell Science</i> , 2020, 134, .	1.2	6
4	Orchestration of the spindle assembly checkpoint by CDK1→cyclin B1. <i>FEBS Letters</i> , 2019, 593, 2889-2907.	1.3	52
5	Checkpoint signaling and error correction require regulation of the MPS1 T-loop by PP2A-B56. <i>Journal of Cell Biology</i> , 2019, 218, 3188-3199.	2.3	36
6	MAD1-dependent recruitment of CDK1-CCNB1 to kinetochores promotes spindle checkpoint signaling. <i>Journal of Cell Biology</i> , 2019, 218, 1108-1117.	2.3	67
7	CDK1-CCNB1 creates a spindle checkpoint→permissive state by enabling MPS1 kinetochore localization. <i>Journal of Cell Biology</i> , 2019, 218, 1182-1199.	2.3	45
8	Aurora A promotes chromosome congression by activating the condensin-dependent pool of KIF4A. <i>Journal of Cell Biology</i> , 2019, 219, .	2.3	16
9	Organelle inheritance→what players have skin in the game?. <i>Science</i> , 2017, 355, 459-460.	6.0	2
10	PP2A-B56 opposes Mps1 phosphorylation of Knl1 and thereby promotes spindle assembly checkpoint silencing. <i>Journal of Cell Biology</i> , 2014, 206, 833-842.	2.3	128
11	The BEG (PP2A-B55/ENSA/Greatwall) Pathway Ensures Cytokinesis follows Chromosome Separation. <i>Molecular Cell</i> , 2013, 52, 393-405.	4.5	136
12	Aurora B suppresses microtubule dynamics and limits central spindle size by locally activating KIF4A. <i>Journal of Cell Biology</i> , 2013, 202, 605-621.	2.3	117
13	Melanoma-associated mutations in protein phosphatase 6 cause chromosome instability and DNA damage due to dysregulated Aurora-A. <i>Journal of Cell Science</i> , 2013, 126, 3429-40.	1.2	76
14	Dynein light chain 1 and a spindle-associated adaptor promote dynein asymmetry and spindle orientation. <i>Journal of Cell Biology</i> , 2012, 198, 1039-1054.	2.3	76
15	The astrin→kinastrin/SKAP complex localizes to microtubule plus ends and facilitates chromosome alignment. <i>Journal of Cell Biology</i> , 2011, 192, 959-968.	2.3	112
16	Protein phosphatases and the regulation of mitosis. <i>Journal of Cell Science</i> , 2011, 124, 2323-2334.	1.2	79
17	Protein phosphatase 6 regulates mitotic spindle formation by controlling the T-loop phosphorylation state of Aurora A bound to its activator TPX2. <i>Journal of Cell Biology</i> , 2010, 191, 1315-1332.	2.3	171
18	Astrin is required for the maintenance of sister chromatid cohesion and centrosome integrity. <i>Journal of Cell Biology</i> , 2007, 178, 345-354.	2.3	154

#	ARTICLE	IF	CITATIONS
19	Cytokinesis: Placing and Making the Final Cut. <i>Cell</i> , 2007, 131, 847-860.	13.5	418
20	Choice of Plk1 docking partners during mitosis and cytokinesis is controlled by the activation state of Cdk1. <i>Nature Cell Biology</i> , 2007, 9, 436-444.	4.6	225
21	KIF14 and citron kinase act together to promote efficient cytokinesis. <i>Journal of Cell Biology</i> , 2006, 172, 363-372.	2.3	253
22	Centromere Targeting of the Chromosomal Passenger Complex Requires a Ternary Subcomplex of Borealin, Survivin, and the N-Terminal Domain of INCENP. <i>Molecular Biology of the Cell</i> , 2006, 17, 2547-2558.	0.9	145
23	Assay and Functional Properties of Rabkinesinâ€6/Rab6â€KIFL/MKlp2 in Cytokinesis. <i>Methods in Enzymology</i> , 2005, 403, 618-628.	0.4	19
24	Relocation of Aurora B from centromeres to the central spindle at the metaphase to anaphase transition requires MKlp2. <i>Journal of Cell Biology</i> , 2004, 166, 167-172.	2.3	276
25	Cell cycle regulation of central spindle assembly. <i>Nature</i> , 2004, 430, 908-913.	13.7	244
26	Regulation of cell division: stop the SIN!. <i>Trends in Cell Biology</i> , 2003, 13, 159-162.	3.6	14
27	The CeCDC-14 phosphatase is required for cytokinesis in the <i>Caenorhabditis elegans</i> embryo. <i>Journal of Cell Biology</i> , 2002, 158, 901-914.	2.3	88
28	Modulation of the Major Histocompatibility Complex Class IIâ€Associated Peptide Repertoire by Human Histocompatibility Leukocyte Antigen (Hla)-Do. <i>Journal of Experimental Medicine</i> , 2000, 191, 1127-1136.	4.2	85
29	Heat shock proteins, HLA-DR and rheumatoid arthritis. <i>Nature Medicine</i> , 1998, 4, 1210-1210.	15.2	15
30	The structure and function of the novel MHC class II molecule, HLA-DM. <i>Biochemical Society Transactions</i> , 1997, 25, 208S-208S.	1.6	2
31	Mutations to the alpha-2 domain of human class II molecules alters the efficiency of peptide loading and antigen presentation. <i>Biochemical Society Transactions</i> , 1997, 25, 357S-357S.	1.6	1
32	Two widely used anti-DRÎ± monoclonal antibodies bind to an intracellular C-terminal epitope. <i>Human Immunology</i> , 1997, 53, 34-38.	1.2	18
33	Interaction between HLA-DM and HLA-DR involves regions that undergo conformational changes at lysosomal pH. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 13163-13168.	3.3	50
34	Organisation and Functions of Class II Genes and Molecules. <i>DNA Sequence</i> , 1996, 7, 21-23.	0.7	3
35	Natural ligand motifs of H-2E molecules are allele specific and illustrate homology to HLA-DR molecules. <i>International Immunology</i> , 1995, 7, 1957-1965.	1.8	42