

Volker Daniel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1602578/publications.pdf>

Version: 2024-02-01

136
papers

2,822
citations

186265

28
h-index

233421

45
g-index

138
all docs

138
docs citations

138
times ranked

3181
citing authors

#	ARTICLE	IF	CITATIONS
1	Oncolytic H-1 Parvovirus Shows Safety and Signs of Immunogenic Activity in a First Phase I/IIa Glioblastoma Trial. <i>Molecular Therapy</i> , 2017, 25, 2620-2634.	8.2	199
2	Immunomodulatory Effects of Acupuncture in the Treatment of Allergic Asthma: A Randomized Controlled Study. <i>Journal of Alternative and Complementary Medicine</i> , 2000, 6, 519-525.	2.1	114
3	Evaluation of posttransplantation soluble CD30 for diagnosis of acute renal allograft rejection1. <i>Transplantation</i> , 2003, 75, 421-423.	1.0	81
4	Associations of blood levels of PCB, HCHS, and HCB with numbers of lymphocyte subpopulations, in vitro lymphocyte response, plasma cytokine levels, and immunoglobulin autoantibodies.. <i>Environmental Health Perspectives</i> , 2001, 109, 173-178.	6.0	80
5	Post-Transplant sCD30 and Neopterin as Predictors of Chronic Allograft Nephropathy: Impact of Different Immunosuppressive Regimens. <i>American Journal of Transplantation</i> , 2006, 6, 1865-1874.	4.7	74
6	ASSESSMENT OF PLASMA NEOPTERIN IN CLINICAL KIDNEY TRANSPLANTATION. <i>Transplantation</i> , 1986, 41, 454-458.	1.0	70
7	T-lymphocyte populations, cytokines and other growth factors in serum and urine of children with idiopathic nephrotic syndrome. <i>Clinical Nephrology</i> , 1997, 47, 289-97.	0.7	69
8	Autoantibodies against CD4 cells are associated with CD4 helper defects in human immunodeficiency virus-infected patients. <i>Blood</i> , 1991, 77, 133-140.	1.4	62
9	Associations of Dichlorodiphenyltrichloroethane (DDT) 4.4 and Dichlorodiphenyldichloroethylene (DDE) 4.4 Blood Levels with Plasma IL-4. <i>Archives of Environmental Health</i> , 2002, 57, 541-547.	0.4	59
10	Cytokine expression during early and late phase of acute Puumala hantavirus infection. <i>BMC Immunology</i> , 2011, 12, 65.	2.2	59
11	Impaired In-Vitro Lymphocyte Responses in Patients with Elevated Pentachlorophenol (PCP) Blood Levels. <i>Archives of Environmental Health</i> , 1995, 50, 287-292.	0.4	57
12	The "killer cell story" in recurrent miscarriage: Association between activated peripheral lymphocytes and uterine natural killer cells. <i>Journal of Reproductive Immunology</i> , 2017, 119, 9-14.	1.9	57
13	Observational support for an immunoregulatory role of CD3 ⁺ CD4 ⁺ CD25 ⁺ IFN- γ ⁺ blood lymphocytes in kidney transplant recipients with good long-term graft outcome. <i>Transplant International</i> , 2008, 21, 646-660.	1.6	56
14	Molecular Mimicry between HIV-1 and Antigen Receptor Molecules: A Clue to the Pathogenesis of AIDS. <i>Vox Sanguinis</i> , 1993, 65, 10-17.	1.5	54
15	Posttraumatic Inflammation as a Key to Neuroregeneration after Traumatic Spinal Cord Injury. <i>International Journal of Molecular Sciences</i> , 2015, 16, 7900-7916.	4.1	52
16	Serum levels of chemokines CCL4 and CCL5 in cirrhotic patients indicate the presence of hepatocellular carcinoma. <i>British Journal of Cancer</i> , 2015, 113, 756-762.	6.4	49
17	Lymphocyte autoantibodies and alloantibodies in HIV-positive haemophilia patients. <i>Clinical and Experimental Immunology</i> , 1989, 75, 178-83.	2.6	48
18	Complement activation by recombinant HIV-1 glycoprotein gp120. <i>Journal of Immunology</i> , 1994, 152, 6028-34.	0.8	42

#	ARTICLE	IF	CITATIONS
19	Interferon-Gamma Producing Regulatory T Cells as a Diagnostic and Therapeutic Tool in Organ Transplantation. <i>International Reviews of Immunology</i> , 2014, 33, 195-211.	3.3	41
20	Autoantibodies against CD4 ⁺ and CD8 ⁺ Positive T Lymphocytes in HIV-Infected Hemophilia Patients. <i>Vox Sanguinis</i> , 1989, 57, 172-176.	1.5	38
21	A non-controlled, single arm, open label, phase II study of intravenous and intratumoral administration of ParvOryx in patients with metastatic, inoperable pancreatic cancer: ParvOryx02 protocol. <i>BMC Cancer</i> , 2017, 17, 576.	2.6	36
22	Striking inverse association of IgG-anti-Fab gamma antibodies and CD4 cell counts in patients with acquired immunodeficiency syndrome (AIDS)/AIDS-related complex. <i>Blood</i> , 1992, 79, 954-957.	1.4	36
23	Association of Elevated Blood Levels of Pentachlorophenol (PCP) with Cellular and Humoral Immunodeficiencies. <i>Archives of Environmental Health</i> , 2001, 56, 77-83.	0.4	34
24	Striking inverse association of IgG-anti-Fab gamma antibodies and CD4 cell counts in patients with acquired immunodeficiency syndrome (AIDS)/AIDS-related complex. <i>Blood</i> , 1992, 79, 954-957.	1.4	33
25	Anti-IgG Autoantibodies in HIV-Infected Hemophilia Patients. <i>Vox Sanguinis</i> , 1992, 62, 224-229.	1.5	31
26	CD4 ⁺ CD25 ⁺ Foxp3 ⁺ IFN- γ ⁺ human induced T regulatory cells are induced by interferon- γ and suppress alloresponses nonspecifically. <i>Human Immunology</i> , 2011, 72, 699-707.	2.4	31
27	Improving antibody-based therapies by chemical engineering of antibodies with multimeric cell-penetrating peptides for elevated intracellular delivery. <i>Journal of Controlled Release</i> , 2020, 322, 200-208.	9.9	30
28	Identification of complement activation sites in human immunodeficiency virus type-1 glycoprotein gp120. <i>Blood</i> , 1996, 87, 2329-2336.	1.4	29
29	Soluble IL-2 receptor and tumour necrosis factor- α in plasma of haemophilia patients infected with HIV. <i>Clinical and Experimental Immunology</i> , 2008, 87, 287-292.	2.6	29
30	Normal or Even Increased Dendritic Cell and Peripheral Blood Lymphocyte Subsets With Regulatory Phenotype in Clinically Stable Long-Term HIV-Infected Patients With Hemophilia on Highly Active Antiretroviral Therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2008, 47, 1-15.	2.1	29
31	Phase I trial of donor-derived modified immune cell infusion in kidney transplantation. <i>Journal of Clinical Investigation</i> , 2020, 130, 2364-2376.	8.2	29
32	Correlation of Immune Defects in Hemophilia with HTLV-III Antibody Titers. <i>Vox Sanguinis</i> , 1986, 51, 35-39.	1.5	28
33	Association of Circulating Interleukin (IL)-12 ⁺ and IL-10 ⁺ Producing Dendritic Cells with Time Posttransplant, Dose of Immunosuppression, and Plasma Cytokines in Renal-Transplant Recipients. <i>Transplantation</i> , 2005, 79, 1498-1506.	1.0	27
34	Association of T cell and macrophage dysfunction with surface gp120-immunoglobulin-complement complexes in HIV-infected patients. <i>Clinical and Experimental Immunology</i> , 2008, 93, 152-156.	2.6	27
35	Dysregulated Cytokine Responses During Cytomegalovirus Infection in Renal Transplant Recipients. <i>Transplantation</i> , 2008, 86, 275-285.	1.0	27
36	Effectivity of a T-Cell-Adapted Induction Therapy With Anti-Thymocyte Globulin (Sangstat). <i>Journal of Heart and Lung Transplantation</i> , 2005, 24, 708-713.	0.6	26

#	ARTICLE	IF	CITATIONS
37	Immune profiling in patients with recurrent miscarriage. <i>Journal of Reproductive Immunology</i> , 2015, 108, 136-141.	1.9	23
38	CD4+ Lymphocyte Depletion in HIV-Infected Patients is Associated with gp120-Immunoglobulin-Complement Attachment to CD4+ Cells. <i>Vox Sanguinis</i> , 1993, 64, 31-36.	1.5	22
39	Short Communication: Decreasing Soluble CD30 and Increasing IFN- γ Plasma Levels Are Indicators of Effective Highly Active Antiretroviral Therapy. <i>AIDS Research and Human Retroviruses</i> , 2007, 23, 886-890.	1.1	22
40	Phase 2 Trial of Oncolytic H-1 Parvovirus Therapy Shows Safety and Signs of Immune System Activation in Patients With Metastatic Pancreatic Ductal Adenocarcinoma. <i>Clinical Cancer Research</i> , 2021, 27, 5546-5556.	7.0	22
41	CD4+ Lymphocyte Depletion in HIV-Infected Patients is Associated with gp120-Immunoglobulin-Complement Attachment to CD4+ Cells. <i>Vox Sanguinis</i> , 1993, 64, 31-36.	1.5	21
42	Association of T cell dysfunction with the presence of IgG autoantibodies on CD4+ lymphocytes in haemophilia patients; results of a 10-year study. <i>Clinical and Experimental Immunology</i> , 1996, 104, 4-10.	2.6	21
43	Strong association of phenylalanine and tryptophan metabolites with activated cytomegalovirus infection in kidney transplant recipients. <i>Human Immunology</i> , 2012, 73, 186-192.	2.4	21
44	IFN γ + Treg in-vivo and in-vitro represent both activated nTreg and peripherally induced aTreg and remain phenotypically stable in-vitro after removal of the stimulus. <i>BMC Immunology</i> , 2015, 16, 45.	2.2	21
45	Exploratory study to suggest the possibility of MMP-8 and MMP-9 serum levels as early markers for remission after traumatic spinal cord injury. <i>Spinal Cord</i> , 2017, 55, 8-15.	1.9	21
46	Sequential occurrence of IgM, IgM/IgG, and gp120-IgM/IgG complement complexes on CD4+ lymphocytes in relation to CD4+ blood lymphocyte depletion in HIV+ hemophilia patients: results of a 10-year study. <i>Immunology Letters</i> , 1995, 47, 97-102.	2.5	20
47	Role of Human Corneal Endothelial Cells in T-Cell-Mediated Alloimmune Attack In Vitro. , 2014, 55, 1213.		20
48	CCL-2 as a possible early marker for remission after traumatic spinal cord injury. <i>Spinal Cord</i> , 2017, 55, 1002-1009.	1.9	20
49	Evidence for IFN- γ up- and IL-4 downregulation late post-transplant in patients with good kidney graft outcome. <i>Clinical Transplantation</i> , 2007, 21, 449-459.	1.6	19
50	Reduction of viral load and immune complex load on CD4+ lymphocytes as a consequence of highly active antiretroviral treatment (HAART) in HIV-infected hemophilia patients. <i>Immunology Letters</i> , 1999, 69, 283-289.	2.5	18
51	CD4+CD25+Foxp3+IFN γ + Treg are immunosuppressive in vitro and increase with intensity of the alloresponse in pretransplant MLC. <i>Transplant Immunology</i> , 2012, 27, 114-121.	1.2	18
52	The treatment of nonunions with application of BMP-7 increases the expression pattern for angiogenic and inflammable cytokines: a matched pair analysis. <i>Journal of Inflammation Research</i> , 2016, Volume 9, 155-165.	3.5	18
53	Early post-operative acute phase response in patients with early graft dysfunction is predictive of 6-month and 12-month mortality in liver transplant recipients. <i>Human Immunology</i> , 2016, 77, 952-960.	2.4	18
54	Autoantibodies against CD4 cells are associated with CD4 helper defects in human immunodeficiency virus-infected patients. <i>Blood</i> , 1991, 77, 133-40.	1.4	18

#	ARTICLE	IF	CITATIONS
55	Cytokine monitoring of infection and rejection in renal transplant recipients. <i>Transplantation Proceedings</i> , 1995, 27, 884-6.	0.6	18
56	Isotypes and IgG Subclasses of Anti-HIV Antibodies in Human Immunodeficiency Virus-Infected Hemophilia Patients. <i>Vox Sanguinis</i> , 1994, 66, 37-45.	1.5	17
57	Patients with idiopathic recurrent miscarriage show higher levels of DR+ activated T-cells that are less responsive to mitogens. <i>Journal of Reproductive Immunology</i> , 2015, 112, 82-87.	1.9	17
58	Evaluation of matrix metalloproteases as early biomarkers for bone regeneration during the applied Masquelet therapy for non-unions. <i>Injury</i> , 2018, 49, 1732-1738.	1.7	17
59	Increased natural killer cell subsets with inhibitory cytokines and inhibitory surface receptors in patients with recurrent miscarriage and decreased or normal subsets in kidney transplant recipients late post-transplant. <i>Clinical and Experimental Immunology</i> , 2018, 193, 241-254.	2.6	17
60	Patients with idiopathic recurrent miscarriage have abnormally high TGF- β blood NK, NKT and T cells in the presence of abnormally low TGF- β plasma levels. <i>BMC Immunology</i> , 2019, 20, 10.	2.2	17
61	HIV-induced IL-6/IL-10 dysregulation of CD4 cells is associated with defective B cell help and autoantibody formation against CD4 cells. <i>Clinical and Experimental Immunology</i> , 1998, 111, 20-29.	2.6	16
62	CD4+CD25+Foxp3+IFN- γ +CD178+ human induced Treg (iTreg) contribute to suppression of alloresponses by apoptosis of responder cells. <i>Human Immunology</i> , 2013, 74, 151-162.	2.4	16
63	Association of peripheral NK cell counts with Helios+IFN- γ Tregs in patients with good long-term renal allograft function. <i>Clinical and Experimental Immunology</i> , 2017, 188, 467-479.	2.6	16
64	Pre-Pregnancy Levels of Peripheral Natural Killer Cells as Markers for Immunomodulatory Treatment in Patients with Recurrent Miscarriage. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2017, 65, 339-346.	2.3	16
65	Two of a kind? Immunological and clinical risk factors differ between recurrent implantation failure and recurrent miscarriage. <i>Journal of Reproductive Immunology</i> , 2020, 141, 103166.	1.9	16
66	Increased pretransplantation plasma kynurenine levels do not protect from but predict acute kidney allograft rejection. <i>Human Immunology</i> , 2010, 71, 1067-1072.	2.4	15
67	Differences in the Induction of Induced Human CD4+ CD25+ FoxP3+ T-Regulatory Cells and CD3+ CD8+ CD28 ^{hi} T-Suppressor Cells Subset Phenotypes In Vitro: Comparison of Phorbol 12-Myristate 13-Acetate/Ionomycin and Phytohemagglutinin Stimulation. <i>Transplantation Proceedings</i> , 2013, 45, 1822-1831.	0.6	15
68	Increased serum levels of quinolinic acid indicate enhanced severity of hepatic dysfunction in patients with liver cirrhosis. <i>Human Immunology</i> , 2013, 74, 60-66.	2.4	14
69	Early post-transplant neopterin associated with one year survival and bacteremia in liver transplant recipients. <i>Human Immunology</i> , 2016, 77, 115-120.	2.4	14
70	Decreased NK cell immunity in kidney transplant recipients late post-transplant and increased NK-cell immunity in patients with recurrent miscarriage. <i>PLoS ONE</i> , 2017, 12, e0186349.	2.5	14
71	Correlation of in vitro Immune Defects with Impaired Gamma Interferon Response in Human Immunodeficiency Virus-Infected Individuals. <i>Vox Sanguinis</i> , 1988, 54, 92-95.	1.5	13
72	Evidence for autoantibody-induced CD4 depletion mediated by apoptotic and non-apoptotic mechanisms in HIV-positive long-term surviving haemophilia patients. <i>Clinical and Experimental Immunology</i> , 2004, 135, 94-104.	2.6	13

#	ARTICLE	IF	CITATIONS
73	Immunosuppressive drugs affect induction of IFN γ + Treg in vitro. <i>Human Immunology</i> , 2016, 77, 146-152.	2.4	13
74	Cytokines in relation to hCG are significantly altered in asymptomatic women with miscarriage – a pilot study. <i>Reproductive Biology and Endocrinology</i> , 2018, 16, 93.	3.3	13
75	Assessment of CAR T Cell Frequencies in Axicabtagene Ciloleucel and Tisagenlecleucel Patients Using Duplex Quantitative PCR. <i>Cancers</i> , 2020, 12, 2820.	3.7	13
76	P-glycoprotein expression is not a useful predictor of acute or chronic kidney graft rejection. <i>Transplant International</i> , 1999, 12, 10-17.	1.6	11
77	IL-23 plasma level is strongly associated with CMV status and reactivation of CMV in renal transplant recipients. <i>BMC Immunology</i> , 2016, 17, 35.	2.2	11
78	Helios expression and Foxp3 TSDR methylation of IFN γ + and IFN γ - Treg from kidney transplant recipients with good long-term graft function. <i>PLoS ONE</i> , 2017, 12, e0173773.	2.5	11
79	Impact of Apolipoprotein(a) Phenotypes on Long-Term Renal Transplant Survival. <i>Journal of the American Society of Nephrology: JASN</i> , 2001, 12, 1052-1058.	6.1	11
80	Immunonutrition - the influence of early postoperative glutamine supplementation in enteral/parenteral nutrition on immune response, wound healing and length of hospital stay in multiple trauma patients and patients after extensive surgery. <i>GMS Interdisciplinary Plastic and Reconstructive Surgery DGPW</i> , 2015, 4, Doc15.	0.1	11
81	Correlation of in vitro Immune Defects with Impaired Gamma Interferon Response in Human-Immunodeficiency-Virus-Infected Individuals. <i>Vox Sanguinis</i> , 1988, 54, 92-95.	1.5	10
82	Autoantibodies in HIV-infected Hemophilia Patients against Different Epitopes on CD4+Lymphocytes and Recombinant CD4. <i>Vox Sanguinis</i> , 1992, 62, 39-44.	1.5	10
83	CD8+ Lymphocyte Decrease in HIV Disease: Association with Anti-CD4+ but Not with Anti-CD8+ Lymphocyte Autoantibodies. <i>Vox Sanguinis</i> , 1996, 70, 86-91.	1.5	10
84	Fatal late-onset CAR T-cell-mediated encephalitis after axicabtagene-ciloleucel in a patient with large B-cell lymphoma. <i>Blood Advances</i> , 2021, 5, 3789-3793.	5.2	10
85	Suppression of donor-reactive T cells by pretransplant sera of renal transplant recipients. <i>Transplantation Proceedings</i> , 1988, 20, 291-2.	0.6	10
86	Superior 3-year kidney graft function in patients with impaired pretransplant Th2 responses. <i>Transplant International</i> , 1998, 11, S350-S356.	1.6	9
87	Predicting neurological recovery after traumatic spinal cord injury by time-resolved analysis of monocyte subsets. <i>Brain</i> , 2021, 144, 3159-3174.	7.6	9
88	CD4 depletion in HIV-infected haemophilia patients is associated with rapid clearance of immune complex-coated CD4+lymphocytes. <i>Clinical and Experimental Immunology</i> , 1999, 115, 477-484.	2.6	8
89	Predictive indicators of rejection or infection in renal transplant patients. <i>Transplantation Proceedings</i> , 1999, 31, 1364-1365.	0.6	8
90	In-vitro inhibition of IFN γ + iTreg mediated by monoclonal antibodies against cell surface determinants essential for iTreg function. <i>BMC Immunology</i> , 2012, 13, 47.	2.2	8

#	ARTICLE	IF	CITATIONS
91	Plasticity and Overlap of In Vitro-Induced Regulatory T-Cell Markers in Healthy Humans. Transplantation Proceedings, 2013, 45, 1816-1821.	0.6	8
92	Clinical relevance of preformed IgG and IgM antibodies against donor endothelial progenitor cells in recipients of living donor kidney grafts. Clinical Transplantation, 2016, 30, 124-130.	1.6	8
93	A Preliminary Study of Contrast-Enhanced Ultrasound (CEUS) and Cytokine Expression Analysis (CEA) as Early Predictors for the Outcome of Tibial Non-Union Therapy. Diagnostics, 2018, 8, 55.	2.6	8
94	Association of viral load in plasma samples of HIV-infected hemophilia patients with autoantibodies and gp120-containing immune complexes on CD4+ lymphocytes. Immunology Letters, 1998, 60, 179-187.	2.5	7
95	Association of immune complexes and plasma viral load with CD4+ cell depletion, CD8+DR+ and CD16+ cell counts in HIV+ hemophilia patients. Implications for the immunopathogenesis of HIV-induced CD4+ lymphocyte depletion. Immunology Letters, 2001, 76, 69-78.	2.5	7
96	Changes of NK cell subsets with time post-transplant in peripheral blood of renal transplant recipients. Transplant Immunology, 2018, 49, 59-71.	1.2	7
97	P-glycoprotein expression is not a useful predictor of acute or chronic kidney graft rejection. Transplant International, 1999, 12, 10-17.	1.6	7
98	Increased Soluble Fas in HIV-Infected Hemophilia Patients with CD4+and CD8+Cell Count Increases and Viral Load and Immune Complex Decreases. AIDS Research and Human Retroviruses, 2001, 17, 329-335.	1.1	6
99	Selenium-Binding Protein 1 (SELENBP1) as Biomarker for Adverse Clinical Outcome After Traumatic Spinal Cord Injury. Frontiers in Neuroscience, 2021, 15, 680240.	2.8	6
100	Non-complement-fixing antibodies as indicators for impending renal allograft rejection. Transplantation Proceedings, 1989, 21, 702-3.	0.6	6
101	Association of IL-12+ DC with High CD3+CD4-DR+ Lymphocyte Counts in Long-term HIV-infected Hemophilia Patients With Clinically Stable Disease. Journal of Clinical Immunology, 2008, 28, 58-72.	3.8	5
102	Association of high IFN- γ plasma levels with low B-cell counts in renal transplant recipients with stable long-term graft function. Clinical Transplantation, 2010, 24, 281-289.	1.6	5
103	IFN γ + and IFN γ - Treg subsets with stable and unstable Foxp3 expression in kidney transplant recipients with good long-term graft function. Transplant Immunology, 2016, 39, 1-9.	1.2	5
104	NK cell subsets in idiopathic recurrent miscarriage and renal transplant patients. Journal of Reproductive Immunology, 2020, 138, 103098.	1.9	5
105	Higher CD19+CD25+ Bregs are independently associated with better graft function in renal transplant recipients. BMC Nephrology, 2021, 22, 180.	1.8	5
106	CD4+CD25+CD127-Foxp3+ and CD8+CD28- Tregs in Renal Transplant Recipients: Phenotypic Patterns, Association With Immunosuppressive Drugs, and Interaction With Effector CD8+ T Cells and CD19+IL-10+ Bregs. Frontiers in Immunology, 2021, 12, 716559.	4.8	5
107	Clinical Relevance of Immune Monitoring in Solid Organ Transplantation. International Reviews of Immunology, 2009, 28, 155-184.	3.3	4
108	Association of low serum TGF- β 2 level in hantavirus infected patients with severe disease. BMC Immunology, 2015, 16, 19.	2.2	4

#	ARTICLE	IF	CITATIONS
109	Low-dose oral cholecalciferol is associated with higher numbers of Helios+ and total Tregs than oral calcitriol in renal allograft recipients: an observational study. <i>BMC Pharmacology & Toxicology</i> , 2016, 17, 24.	2.4	4
110	In vitro Cytokine Treatment of B Cell Defects in HIV-Infected Hemophilia Patients. <i>Vox Sanguinis</i> , 1995, 69, 27-37.	1.5	3
111	Circulating interleukin-1 receptor antagonist (IL-1RA) serum levels in patients undergoing orthotopic heart transplantation. <i>Transplant International</i> , 1998, 11, 443-448.	1.6	3
112	Dissociation of CD4+ cell counts from viral load and association with immune complexes in HIV+ hemophilia patients. <i>Immunology Letters</i> , 2004, 91, 23-32.	2.5	3
113	Dendritische Zellen und Immunsuppression nach Organtransplantation / Dendritic cells and immunosuppression after organ transplantation. <i>Laboratoriums Medizin</i> , 2008, 32, 131-139.	0.6	3
114	Time-course of plasma inflammatory mediators in a rat model of brain death. <i>Transplant Immunology</i> , 2017, 43-44, 21-26.	1.2	3
115	Low utility of serum 25-hydroxyvitamin D 3 and 1, 25-dihydroxyvitamin D 3 in predicting peripheral Treg and Th17 cell counts in ESRD and renal transplant patients. <i>Transplant Immunology</i> , 2017, 43-44, 3-10.	1.2	3
116	Relationship of transitional regulatory B and regulatory T cells and immunosuppressive drug doses in stable renal transplant recipients. <i>Immunity, Inflammation and Disease</i> , 2021, 9, 1252-1271.	2.7	3
117	Association of pre- and early post-transplant serum amino acids and metabolites of amino acids and liver transplant outcome. <i>Transplant Immunology</i> , 2018, 46, 42-48.	1.2	2
118	Chemokine analysis as a novel diagnostic modality in the early prediction of the outcome of non-union therapy: a matched pair analysis. <i>Journal of Orthopaedic Surgery and Research</i> , 2018, 13, 249.	2.3	2
119	Severe underquantification of HIV-1 group O isolates by major commercial PCR-based assays. <i>Clinical Microbiology and Infection</i> , 2020, 26, 1688.e1-1688.e7.	6.0	2
120	Preliminary evidence that monitoring of plasma granulocyte-macrophage colony-stimulating factor may be helpful to differentiate between infection and rejection in renal transplant patients. <i>Transplantation Proceedings</i> , 1992, 24, 2770-2.	0.6	2
121	Plasma GM-CSF, IL-6, and IL-3 monitoring allows differentiation between infection and rejection in some renal transplant recipients: preliminary results of a retrospective study. <i>Transplantation Proceedings</i> , 1993, 25, 893-6.	0.6	2
122	Dendritic cells and immunosuppression after organ transplantation 1. <i>Laboratoriums Medizin</i> , 2008, 32, -.	0.6	1
123	Increased Peripheral Blood Leukocyte Subsets with Regulatory Phenotype in Clinically Stable Long-Term HIV-Infected Hemophilia Patients on HAART May Be Beneficial and Contribute to a Decrease in Autoimmunity. <i>Viral Immunology</i> , 2010, 23, 87-97.	1.3	1
124	Endothelial precursor cell cross-match using Tie2-enriched spleen cells. <i>Clinical Transplantation</i> , 2017, 31, e13118.	1.6	1
125	Circulating NKG2A-NKG2D+ CD56dimCD16+ Natural Killer (NK) Cells as Mediators of Functional Immunosurveillance in Kidney Transplant Recipients. <i>Annals of Transplantation</i> , 2020, 25, e925162.	0.9	1
126	Association of Graft Effluent Parameters with Donor Body Mass Index, Graft Quality, and Post-Transplant Events. <i>Annals of Transplantation</i> , 2018, 23, 136-143.	0.9	1

#	ARTICLE	IF	CITATIONS
127	Suppression and stimulation of T cell clones of renal transplant recipients by autologous post-transplant sera: a role for regulatory antibodies. <i>Transplantation Proceedings</i> , 1987, 19, 4210-3.	0.6	1
128	HIV-Specific CD8+T Lymphocytes in Blood of Long-Term HIV-Infected Hemophilia Patients. <i>BioResearch Open Access</i> , 2013, 2, 399-411.	2.6	0
129	SaO011A PHASE-I CLINICAL TRIAL OF DONOR-DERIVED MIC CELL INFUSION FOR THE INDUCTION OF DONOR-SPECIFIC HYPORESPONSIVENESS AFTER LIVING DONOR KIDNEY TRANSPLANTATION (TOL-1 STUDY). <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i320-i320.	0.7	0
130	LIPUS vs. reaming in non-union treatment: Cytokine expression course as a tool for evaluation and differentiation of non-union therapy. <i>Journal of Orthopaedics</i> , 2020, 17, 208-214.	1.3	0
131	Immunological effects of acupuncture on allergic asthma. <i>Focus on Alternative and Complementary Therapies</i> , 1998, 3, 187-187.	0.1	0
132	Whole-Exome Sequencing Links CARD11 Inactivation with SCID. <i>Blood</i> , 2012, 120, 258-258.	1.4	0
133	Autoantibodies against CD4 cells are associated with CD4 helper defects in human immunodeficiency virus-infected patients. <i>Blood</i> , 1991, 77, 133-140.	1.4	0
134	Induction of Donor-Specific Immune Tolerance with Clinical MIC Cell Infusion – a Phase I Study (TOL-1). <i>Blood</i> , 2018, 132, 4539-4539.	1.4	0
135	CXCR5+IFN- γ +CD8+ T Lymphocytes as a Potential Inhibitor of DSA Formation in Renal Transplant Recipients. <i>Transplantation</i> , 2020, 104, 2264-2265.	1.0	0
136	Autoantibodies against CD4+ lymphocytes in HIV-infected hemophilia patients. <i>Acta Microbiologica Et Immunologica Hungarica</i> , 1994, 41 Suppl, 11-5.	0.8	0