

Jeffrey M Spielberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1604305/publications.pdf>

Version: 2024-02-01

66
papers

3,067
citations

147786

31
h-index

168376

53
g-index

66
all docs

66
docs citations

66
times ranked

5037
citing authors

#	ARTICLE	IF	CITATIONS
1	Childhood trauma moderates morphometric associations between orbitofrontal cortex and amygdala: implications for pathological personality traits. <i>Psychological Medicine</i> , 2022, 52, 2578-2587.	4.5	7
2	Differences in network properties of the structural connectome in bipolar and unipolar depression. <i>Psychiatry Research - Neuroimaging</i> , 2022, 321, 111442.	1.8	4
3	Resting-state functional connectivity graph-properties correlate with bipolar disorder-risk in young medication-free depressed subjects. <i>Journal of Affective Disorders</i> , 2022, 301, 52-59.	4.1	1
4	Cortical thickness in parietal regions link perseverative thinking with suicidal ideation. <i>Journal of Affective Disorders</i> , 2022, 306, 131-137.	4.1	2
5	The structural brain network topology of episodic memory. <i>PLoS ONE</i> , 2022, 17, e0270592.	2.5	5
6	Clarifying the synergistic effects of emotion dysregulation and inhibitory control on physical aggression. <i>Human Brain Mapping</i> , 2022, 43, 5358-5369.	3.6	2
7	Neuroimaging correlates of emotional response-inhibition discriminate between young depressed adults with and without sub-threshold bipolar symptoms (Emotional Response-inhibition in Young) <i>Tj ETQq1 1 0.784314 rgBZ /Overlock</i>		
8	Differential spatial patterns of structural connectivity of amygdala nuclei with orbitofrontal cortex. <i>Human Brain Mapping</i> , 2021, 42, 1391-1405.	3.6	10
9	A multilevel examination of lifetime aggression: integrating cortical thickness, personality pathology and trauma exposure. <i>Social Cognitive and Affective Neuroscience</i> , 2021, 16, 716-725.	3.0	4
10	Development of a cortical delay discounting assay: a potential biomarker of externalizing disorders. <i>Psychological Medicine</i> , 2021, , 1-8.	4.5	0
11	Identifying brain regions supporting amygdalar functionality: Application of a novel graph theory technique. <i>NeuroImage</i> , 2021, 244, 118614.	4.2	3
12	Affect-Regulation Related Emergent Brain Network Properties Differentiate Depressed Bipolar Disorder from Major Depression and Track Risk for Bipolar. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, , .	1.5	0
13	Trauma and posttraumatic stress disorder modulate polygenic predictors of hippocampal and amygdala volume. <i>Translational Psychiatry</i> , 2021, 11, 637.	4.8	4
14	Intrinsic functional connectivity during continuous maintenance and suppression of emotion in bipolar disorder. <i>Brain Imaging and Behavior</i> , 2020, 14, 1747-1757.	2.1	7
15	Effective Connectivity Between Broca's Area and Amygdala as a Mechanism of Top-Down Control in Worry. <i>Clinical Psychological Science</i> , 2020, 8, 84-98.	4.0	9
16	Childhood assaultive trauma and physical aggression: Links with cortical thickness in prefrontal and occipital cortices. <i>NeuroImage: Clinical</i> , 2020, 27, 102321.	2.7	13
17	A transdiagnostic examination of affective motivations for drug use. <i>Addictive Behaviors Reports</i> , 2020, 12, 100279.	1.9	3
18	Integrative analysis of lithium treatment associated effects on brain structure and peripheral gene expression reveals novel molecular insights into mechanism of action. <i>Translational Psychiatry</i> , 2020, 10, 103.	4.8	17

#	ARTICLE	IF	CITATIONS
19	Viscoelasticity of reward and control systems in adolescent risk taking. <i>NeuroImage</i> , 2020, 215, 116850.	4.2	12
20	Anxiety in transition: Neuroendocrine mechanisms supporting the development of anxiety pathology in adolescence and young adulthood. <i>Frontiers in Neuroendocrinology</i> , 2019, 55, 100791.	5.2	18
21	Reward anticipation and punishment anticipation are instantiated in the brain via opponent mechanisms. <i>Psychophysiology</i> , 2019, 56, e13381.	2.4	13
22	Cortical Thickness Links Impulsive Personality Traits and Risky Behavior. <i>Brain Sciences</i> , 2019, 9, 373.	2.3	21
23	Linking genes, circuits, and behavior: network connectivity as a novel endophenotype of externalizing. <i>Psychological Medicine</i> , 2019, 49, 1905-1913.	4.5	7
24	Lithium monotherapy associated longitudinal effects on resting state brain networks in clinical treatment of bipolar disorder. <i>Bipolar Disorders</i> , 2019, 21, 361-371.	1.9	39
25	Reconfiguration of brain networks supporting inhibition of emotional challenge. <i>NeuroImage</i> , 2019, 186, 350-357.	4.2	16
26	Time Course of Brain Network Reconfiguration Supporting Inhibitory Control. <i>Journal of Neuroscience</i> , 2018, 38, 4348-4356.	3.6	22
27	Smaller Hippocampal Volume in Posttraumatic Stress Disorder: A Multisite ENIGMA-PGC Study: Subcortical Volumetry Results From Posttraumatic Stress Disorder Consortia. <i>Biological Psychiatry</i> , 2018, 83, 244-253.	1.3	335
28	Impulsive responding in threat and reward contexts as a function of PTSD symptoms and trait disinhibition. <i>Journal of Anxiety Disorders</i> , 2018, 53, 76-84.	3.2	10
29	Default Mode Network Subsystems Are Differentially Disrupted in Posttraumatic Stress Disorder. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2017, 2, 363-371.	1.5	68
30	Mild traumatic brain injury is associated with reduced cortical thickness in those at risk for Alzheimer's disease. <i>Brain</i> , 2017, 140, aww344.	7.6	65
31	Higher serum cholesterol is associated with intensified age-related neural network decoupling and cognitive decline in early-to mid-life. <i>Human Brain Mapping</i> , 2017, 38, 3249-3261.	3.6	15
32	COMT Val158Met polymorphism moderates the association between PTSD symptom severity and hippocampal volume. <i>Journal of Psychiatry and Neuroscience</i> , 2017, 42, 95-102.	2.4	21
33	Resting State Brain Network Disturbances Related to Hypomania and Depression in Medication-Free Bipolar Disorder. <i>Neuropsychopharmacology</i> , 2016, 41, 3016-3024.	5.4	75
34	Resting-state functional connectivity differentiates anxious apprehension and anxious arousal. <i>Psychophysiology</i> , 2016, 53, 1451-1459.	2.4	21
35	SKA2 methylation is associated with decreased prefrontal cortical thickness and greater PTSD severity among trauma-exposed veterans. <i>Molecular Psychiatry</i> , 2016, 21, 357-363.	7.9	86
36	Neurobiological indicators of disinhibition in posttraumatic stress disorder. <i>Human Brain Mapping</i> , 2015, 36, 3076-3086.	3.6	43

#	ARTICLE	IF	CITATIONS
37	Adolescent development of inhibition as a function of SES and gender: Converging evidence from behavior and fMRI. <i>Human Brain Mapping</i> , 2015, 36, 3194-3203.	3.6	57
38	A Longitudinal Study: Changes in Cortical Thickness and Surface Area during Pubertal Maturation. <i>PLoS ONE</i> , 2015, 10, e0119774.	2.5	113
39	Interactive effects of trait and state affect on top-down control of attention. <i>Social Cognitive and Affective Neuroscience</i> , 2015, 10, 1128-1136.	3.0	22
40	Flexible brain network reconfiguration supporting inhibitory control. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 10020-10025.	7.1	93
41	Pubertal testosterone influences threat-related amygdala-orbitofrontal cortex coupling. <i>Social Cognitive and Affective Neuroscience</i> , 2015, 10, 408-415.	3.0	78
42	Brain Network Disturbance Related to Posttraumatic Stress and Traumatic Brain Injury in Veterans. <i>Biological Psychiatry</i> , 2015, 78, 210-216.	1.3	106
43	Anticipation of peer evaluation in anxious adolescents: divergence in neural activation and maturation. <i>Social Cognitive and Affective Neuroscience</i> , 2015, 10, 1084-1091.	3.0	47
44	A novel locus in the oxidative stress-related gene ALOX12 moderates the association between PTSD and thickness of the prefrontal cortex. <i>Psychoneuroendocrinology</i> , 2015, 62, 359-365.	2.7	38
45	Distracted and down: neural mechanisms of affective interference in subclinical depression. <i>Social Cognitive and Affective Neuroscience</i> , 2015, 10, 654-663.	3.0	122
46	The role of testosterone and estradiol in brain volume changes across adolescence: A longitudinal structural MRI study. <i>Human Brain Mapping</i> , 2014, 35, 5633-5645.	3.6	192
47	Aberrant Neural Connectivity During Emotional Processing Associated With Posttraumatic Stress. <i>Clinical Psychological Science</i> , 2014, 2, 748-755.	4.0	39
48	Exciting fear in adolescence: Does pubertal development alter threat processing?. <i>Developmental Cognitive Neuroscience</i> , 2014, 8, 86-95.	4.0	100
49	TRANSDIAGNOSTIC DIMENSIONS OF ANXIETY AND DEPRESSION MODERATE MOTIVATION-RELATED BRAIN NETWORKS DURING GOAL MAINTENANCE. <i>Depression and Anxiety</i> , 2014, 31, 805-813.	4.1	33
50	Response to Helfinstein & Casey. <i>Developmental Cognitive Neuroscience</i> , 2014, 8, 98-99.	4.0	1
51	Emotion disrupts neural activity during selective attention in psychopathy. <i>Social Cognitive and Affective Neuroscience</i> , 2013, 8, 235-246.	3.0	42
52	Anxiety type modulates immediate versus delayed engagement of attention-related brain regions. <i>Brain and Behavior</i> , 2013, 3, 532-551.	2.2	18
53	Hierarchical Brain Networks Active in Approach and Avoidance Goal Pursuit. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 284.	2.0	43
54	Issues in localization of brain function: The case of lateralized frontal cortex in cognition, emotion, and psychopathology. <i>Frontiers in Integrative Neuroscience</i> , 2013, 7, 2.	2.1	83

#	ARTICLE	IF	CITATIONS
55	A brain network instantiating approach and avoidance motivation. <i>Psychophysiology</i> , 2012, 49, 1200-1214.	2.4	66
56	Worry and perceived threat of proximal and distal undesirable outcomes. <i>Journal of Anxiety Disorders</i> , 2012, 26, 425-429.	3.2	9
57	Neural Mechanisms of Attentional Control Differentiate Trait and State Negative Affect. <i>Frontiers in Psychology</i> , 2012, 3, 298.	2.1	29
58	Trait motivation moderates neural activation associated with goal pursuit. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2012, 12, 308-322.	2.0	23
59	Trait approach and avoidance motivation: Lateralized neural activity associated with executive function. <i>NeuroImage</i> , 2011, 54, 661-670.	4.2	151
60	Approach and Avoidance Profiles Distinguish Dimensions of Anxiety and Depression. <i>Cognitive Therapy and Research</i> , 2011, 35, 359-371.	1.9	37
61	Depression and anxious apprehension distinguish frontocingulate cortical activity during top-down attentional control.. <i>Journal of Abnormal Psychology</i> , 2011, 120, 272-285.	1.9	61
62	Screening for depressive disorders using the Mood and Anxiety Symptoms Questionnaire Anhedonic Depression Scale: A receiver-operating characteristic analysis.. <i>Psychological Assessment</i> , 2010, 22, 702-710.	1.5	79
63	Co-occurring anxiety influences patterns of brain activity in depression. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2010, 10, 141-156.	2.0	101
64	Effects of Adult Attachment and Emotional Distractors on Brain Mechanisms of Cognitive Control. <i>Psychological Science</i> , 2010, 21, 1818-1826.	3.3	43
65	The time course of activity in dorsolateral prefrontal cortex and anterior cingulate cortex during top-down attentional control. <i>NeuroImage</i> , 2010, 50, 1292-1302.	4.2	174
66	Prefrontal Cortex, Emotion, and Approach/Withdrawal Motivation. <i>Social and Personality Psychology Compass</i> , 2008, 2, 135-153.	3.7	87