

John D Meeker

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1608497/publications.pdf>

Version: 2024-02-01

322
papers

21,311
citations

5896

81
h-index

12597

132
g-index

349
all docs

349
docs citations

349
times ranked

14753
citing authors

#	ARTICLE	IF	CITATIONS
1	Detection of Organophosphate Flame Retardants in Furniture Foam and U.S. House Dust. <i>Environmental Science & Technology</i> , 2009, 43, 7490-7495.	10.0	662
2	Phthalates and other additives in plastics: human exposure and associated health outcomes. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2009, 364, 2097-2113.	4.0	597
3	House Dust Concentrations of Organophosphate Flame Retardants in Relation to Hormone Levels and Semen Quality Parameters. <i>Environmental Health Perspectives</i> , 2010, 118, 318-323.	6.0	580
4	Body mass index in relation to semen quality, sperm DNA integrity, and serum reproductive hormone levels among men attending an infertility clinic. <i>Fertility and Sterility</i> , 2010, 93, 2222-2231.	1.0	437
5	Temporal Variability of Urinary Phthalate Metabolite Levels in Men of Reproductive Age. <i>Environmental Health Perspectives</i> , 2004, 112, 1734-1740.	6.0	405
6	Altered Semen Quality in Relation to Urinary Concentrations of Phthalate Monoester and Oxidative Metabolites. <i>Epidemiology</i> , 2006, 17, 682-691.	2.7	377
7	DNA damage in human sperm is related to urinary levels of phthalate monoester and oxidative metabolites. <i>Human Reproduction</i> , 2007, 22, 688-695.	0.9	359
8	Semen quality and sperm DNA damage in relation to urinary bisphenol A among men from an infertility clinic. <i>Reproductive Toxicology</i> , 2010, 30, 532-539.	2.9	341
9	Distribution, Variability, and Predictors of Urinary Concentrations of Phenols and Parabens among Pregnant Women in Puerto Rico. <i>Environmental Science & Technology</i> , 2013, 47, 3439-3447.	10.0	323
10	Urinary Concentrations of Parabens and Serum Hormone Levels, Semen Quality Parameters, and Sperm DNA Damage. <i>Environmental Health Perspectives</i> , 2011, 119, 252-257.	6.0	296
11	Phthalate exposure and male reproductive outcomes: A systematic review of the human epidemiological evidence. <i>Environment International</i> , 2018, 121, 764-793.	10.0	289
12	Environmental Phthalate Exposure and Preterm Birth. <i>JAMA Pediatrics</i> , 2014, 168, 61.	6.2	286
13	Urinary Metabolites of Organophosphate Flame Retardants: Temporal Variability and Correlations with House Dust Concentrations. <i>Environmental Health Perspectives</i> , 2013, 121, 580-585.	6.0	272
14	Exposure assessment issues in epidemiology studies of phthalates. <i>Environment International</i> , 2015, 85, 27-39.	10.0	268
15	Relationship between Urinary Phthalate and Bisphenol A Concentrations and Serum Thyroid Measures in U.S. Adults and Adolescents from the National Health and Nutrition Examination Survey (NHANES) 2007-2008. <i>Environmental Health Perspectives</i> , 2011, 119, 1396-1402.	6.0	265
16	Di(2-ethylhexyl) Phthalate Metabolites May Alter Thyroid Hormone Levels in Men. <i>Environmental Health Perspectives</i> , 2007, 115, 1029-1034.	6.0	260
17	Temporal Variability and Predictors of Urinary Bisphenol A Concentrations in Men and Women. <i>Environmental Health Perspectives</i> , 2008, 116, 173-178.	6.0	257
18	Exposure to Environmental Endocrine Disruptors and Child Development. <i>JAMA Pediatrics</i> , 2012, 166, E1-7.	3.0	228

#	ARTICLE	IF	CITATIONS
19	Cadmium, Lead, and Other Metals in Relation to Semen Quality: Human Evidence for Molybdenum as a Male Reproductive Toxicant. <i>Environmental Health Perspectives</i> , 2008, 116, 1473-1479.	6.0	222
20	Polybrominated diphenyl ether (PBDE) concentrations in house dust are related to hormone levels in men. <i>Science of the Total Environment</i> , 2009, 407, 3425-3429.	8.0	220
21	Urinary Phthalate Metabolites in Relation to Preterm Birth in Mexico City. <i>Environmental Health Perspectives</i> , 2009, 117, 1587-1592.	6.0	219
22	Urinary Bisphenol A Concentrations in Relation to Serum Thyroid and Reproductive Hormone Levels in Men from an Infertility Clinic. <i>Environmental Science & Technology</i> , 2010, 44, 1458-1463.	10.0	211
23	Urinary Metabolites of Di(2-ethylhexyl) Phthalate Are Associated With Decreased Steroid Hormone Levels in Adult Men. <i>Journal of Andrology</i> , 2009, 30, 287-297.	2.0	206
24	Relationships Between Serum Hormone Levels and Semen Quality Among Men From an Infertility Clinic. <i>Journal of Andrology</i> , 2006, 28, 397-406.	2.0	194
25	Variability in urinary phthalate metabolite levels across pregnancy and sensitive windows of exposure for the risk of preterm birth. <i>Environment International</i> , 2014, 70, 118-124.	10.0	193
26	Urinary Phthalate Metabolites and Biomarkers of Oxidative Stress in Pregnant Women: A Repeated Measures Analysis. <i>Environmental Health Perspectives</i> , 2015, 123, 210-216.	6.0	182
27	Relationships between Polybrominated Diphenyl Ether Concentrations in House Dust and Serum. <i>Environmental Science & Technology</i> , 2010, 44, 5627-5632.	10.0	181
28	Urinary Phthalate Metabolite Concentrations and Diabetes among Women in the National Health and Nutrition Examination Survey (NHANES) 2001-2008. <i>Environmental Health Perspectives</i> , 2012, 120, 1307-1313.	6.0	181
29	Associations between urinary phenol and paraben concentrations and markers of oxidative stress and inflammation among pregnant women in Puerto Rico. <i>International Journal of Hygiene and Environmental Health</i> , 2015, 218, 212-219.	4.3	181
30	Predictors and Variability of Urinary Paraben Concentrations in Men and Women, Including before and during Pregnancy. <i>Environmental Health Perspectives</i> , 2012, 120, 1538-1543.	6.0	180
31	Urinary phthalate metabolite concentrations among pregnant women in Northern Puerto Rico: Distribution, temporal variability, and predictors. <i>Environment International</i> , 2014, 62, 1-11.	10.0	177
32	Urinary phthalate metabolites in relation to biomarkers of inflammation and oxidative stress: NHANES 1999-2006. <i>Environmental Research</i> , 2011, 111, 718-726.	7.5	176
33	An Unrecognized Source of PCB Contamination in Schools and Other Buildings. <i>Environmental Health Perspectives</i> , 2004, 112, 1051-1053.	6.0	173
34	Urinary Phthalate Metabolite Concentrations and Reproductive Outcomes among Women Undergoing <i>in Vitro</i> Fertilization: Results from the EARTH Study. <i>Environmental Health Perspectives</i> , 2016, 124, 831-839.	6.0	172
35	Relationship between urinary triclosan and paraben concentrations and serum thyroid measures in NHANES 2007-2008. <i>Science of the Total Environment</i> , 2013, 445-446, 299-305.	8.0	166
36	Urinary Phthalate Metabolites Are Associated With Decreased Serum Testosterone in Men, Women, and Children From NHANES 2011-2012. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 4346-4352.	3.6	162

#	ARTICLE	IF	CITATIONS
37	Urinary Phthalate Metabolite Associations with Biomarkers of Inflammation and Oxidative Stress Across Pregnancy in Puerto Rico. <i>Environmental Science & Technology</i> , 2014, 48, 7018-7025.	10.0	157
38	Bisphenol a exposure in Mexico City and risk of prematurity: a pilot nested case control study. <i>Environmental Health</i> , 2010, 9, 62.	4.0	149
39	Associations between brominated flame retardants in house dust and hormone levels in men. <i>Science of the Total Environment</i> , 2013, 445-446, 177-184.	8.0	146
40	Phenols and parabens in relation to reproductive and thyroid hormones in pregnant women. <i>Environmental Research</i> , 2016, 151, 30-37.	7.5	144
41	Pyrethroid insecticide metabolites are associated with serum hormone levels in adult men. <i>Reproductive Toxicology</i> , 2009, 27, 155-160.	2.9	143
42	Temporal Trends in Exposure to Organophosphate Flame Retardants in the United States. <i>Environmental Science and Technology Letters</i> , 2017, 4, 112-118.	8.7	142
43	Environmental Contaminant Exposures and Preterm Birth: A Comprehensive Review. <i>Journal of Toxicology and Environmental Health - Part B: Critical Reviews</i> , 2013, 16, 69-113.	6.5	139
44	Serum Biomarkers of Exposure to Perfluoroalkyl Substances in Relation to Serum Testosterone and Measures of Thyroid Function among Adults and Adolescents from NHANES 2011-2012. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 6098-6114.	2.6	139
45	Prenatal urinary phthalate metabolites levels and neurodevelopment in children at two and three years of age. <i>Science of the Total Environment</i> , 2013, 461-462, 386-390.	8.0	138
46	Human semen quality and sperm DNA damage in relation to urinary metabolites of pyrethroid insecticides. <i>Human Reproduction</i> , 2008, 23, 1932-1940.	0.9	136
47	The Relationship of Urinary Metabolites of Carbaryl/Naphthalene and Chlorpyrifos with Human Semen Quality. <i>Environmental Health Perspectives</i> , 2004, 112, 1665-1670.	6.0	130
48	Serum PCBs,  xml:ns:xocs="http://www.elsevier.com/xml/xocs/dtd" xml:ns:xs="http://www.w3.org/2001/XMLSchema" xml:ns:xsi="http://www.w3.org/2001/XMLSchema-instance" xml:ns="http://www.elsevier.com/xml/ja/dtd" xml:ns:ja="http://www.elsevier.com/xml/ja/dtd" xml:ns:mml="http://www.w3.org/1998/Math/MathML" xml:ns:tb="http://www.elsevier.com/xml/common/table/dtd" xml:ns:sb="http://www.elsevier.com/xml/common/struct-bib/dtd" xml:ns:ce="http://www.elsevier.com/x	7.5	125
49	Urinary phthalate metabolites in relation to maternal serum thyroid and sex hormone levels during pregnancy: a longitudinal analysis. <i>Reproductive Biology and Endocrinology</i> , 2015, 13, 4.	3.3	125
50	Mono-2-ethylhexyl phthalate induces oxidative stress responses in human placental cells in vitro. <i>Toxicology and Applied Pharmacology</i> , 2013, 268, 47-54.	2.8	124
51	Longitudinal Profiling of Inflammatory Cytokines and C-reactive Protein during Uncomplicated and Preterm Pregnancy. <i>American Journal of Reproductive Immunology</i> , 2014, 72, 326-336.	1.2	124
52	Exposure to Nonpersistent Insecticides and Male Reproductive Hormones. <i>Epidemiology</i> , 2006, 17, 61-68.	2.7	121
53	Exposure to Polychlorinated Biphenyls (PCBs) and Male Reproduction. <i>Systems Biology in Reproductive Medicine</i> , 2010, 56, 122-131.	2.1	120
54	Exposure to environmental endocrine disrupting compounds and men's health. <i>Maturitas</i> , 2010, 66, 236-241.	2.4	119

#	ARTICLE	IF	CITATIONS
55	Environmental exposure to metals and male reproductive hormones: circulating testosterone is inversely associated with blood molybdenum. <i>Fertility and Sterility</i> , 2010, 93, 130-140.	1.0	119
56	Predictors of urinary bisphenol A and phthalate metabolite concentrations in Mexican children. <i>Chemosphere</i> , 2013, 93, 2390-2398.	8.2	118
57	Statistical strategies for constructing health risk models with multiple pollutants and their interactions: possible choices and comparisons. <i>Environmental Health</i> , 2013, 12, 85.	4.0	116
58	Prenatal and peripubertal phthalates and bisphenol A in relation to sex hormones and puberty in boys. <i>Reproductive Toxicology</i> , 2014, 47, 70-76.	2.9	113
59	Women, weight, and fertility: The effect of body mass index on the outcome of superovulation/intrauterine insemination cycles. <i>Fertility and Sterility</i> , 2011, 95, 1042-1047.	1.0	112
60	Validity of Self-Assessed Sexual Maturation Against Physician Assessments and Hormone Levels. <i>Journal of Pediatrics</i> , 2017, 186, 172-178.e3.	1.8	111
61	Exploration of Oxidative Stress and Inflammatory Markers in Relation to Urinary Phthalate Metabolites: NHANES 1999-2006. <i>Environmental Science & Technology</i> , 2012, 46, 477-485.	10.0	106
62	Repeated measures of inflammation and oxidative stress biomarkers in preeclamptic and normotensive pregnancies. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, 527.e1-527.e9.	1.3	101
63	Urinary Concentrations of Organophosphate Flame Retardant Metabolites and Pregnancy Outcomes among Women Undergoing <i>in Vitro</i> Fertilization. <i>Environmental Health Perspectives</i> , 2017, 125, 087018.	6.0	101
64	Phthalate and bisphenol A exposure during in utero windows of susceptibility in relation to reproductive hormones and pubertal development in girls. <i>Environmental Research</i> , 2017, 159, 143-151.	7.5	100
65	Mediation of the Relationship between Maternal Phthalate Exposure and Preterm Birth by Oxidative Stress with Repeated Measurements across Pregnancy. <i>Environmental Health Perspectives</i> , 2017, 125, 488-494.	6.0	99
66	Temporal variability of urinary levels of nonpersistent insecticides in adult men. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2005, 15, 271-281.	3.9	98
67	Urinary Concentrations of Bisphenol A and Phthalate Metabolites Measured during Pregnancy and Risk of Preeclampsia. <i>Environmental Health Perspectives</i> , 2016, 124, 1651-1655.	6.0	97
68	Urinary levels of insecticide metabolites and DNA damage in human sperm. <i>Human Reproduction</i> , 2004, 19, 2573-2580.	0.9	95
69	Associations between maternal phenol and paraben urinary biomarkers and maternal hormones during pregnancy: A repeated measures study. <i>Environment International</i> , 2018, 113, 341-349.	10.0	95
70	Bisphenol A and Chronic Disease Risk Factors in US Children. <i>Pediatrics</i> , 2013, 132, e637-e645.	2.1	92
71	Elevated concentrations of urinary triclocarban, phenol and paraben among pregnant women in Northern Puerto Rico: Predictors and trends. <i>Environment International</i> , 2018, 121, 990-1002.	10.0	92
72	In utero and peripubertal exposure to phthalates and BPA in relation to female sexual maturation. <i>Environmental Research</i> , 2014, 134, 233-241.	7.5	90

#	ARTICLE	IF	CITATIONS
73	Repeated measures of urinary oxidative stress biomarkers during pregnancy and preterm birth. American Journal of Obstetrics and Gynecology, 2015, 212, 208.e1-208.e8.	1.3	90
74	The Environment and Reproductive Health (EARTH) Study: a prospective preconception cohort. Human Reproduction Open, 2018, 2018, .	5.4	90
75	Environmental phenol associations with ultrasound and delivery measures of fetal growth. Environment International, 2018, 112, 243-250.	10.0	90
76	Reduced birth weight in relation to pesticide mixtures detected in cord blood of full-term infants. Environment International, 2012, 47, 80-85.	10.0	89
77	Exploratory analysis of urinary metabolites of phosphorus-containing flame retardants in relation to markers of male reproductive health. Endocrine Disruptors (Austin, Tex), 2013, 1, e26306.	1.1	89
78	Urinary 3,5,6-trichloro-2-pyridinol (TCPY) in pregnant women from Mexico City: Distribution, temporal variability, and relationship with child attention and hyperactivity. International Journal of Hygiene and Environmental Health, 2014, 217, 405-412.	4.3	89
79	Utility of urinary 1-naphthol and 2-naphthol levels to assess environmental carbaryl and naphthalene exposure in an epidemiology study. Journal of Exposure Science and Environmental Epidemiology, 2007, 17, 314-320.	3.9	87
80	Environmental phthalate exposure and preterm birth in the PROTECT birth cohort. Environment International, 2019, 132, 105099.	10.0	87
81	Urinary Polycyclic Aromatic Hydrocarbon Metabolite Associations with Biomarkers of Inflammation, Angiogenesis, and Oxidative Stress in Pregnant Women. Environmental Science & Technology, 2017, 51, 4652-4660.	10.0	86
82	Paternal urinary concentrations of organophosphate flame retardant metabolites, fertility measures, and pregnancy outcomes among couples undergoing in vitro fertilization. Environment International, 2018, 111, 232-238.	10.0	86
83	Urinary trace metals individually and in mixtures in association with preterm birth. Environment International, 2018, 121, 582-590.	10.0	85
84	Associations between Repeated Measures of Maternal Urinary Phthalate Metabolites and Thyroid Hormone Parameters during Pregnancy. Environmental Health Perspectives, 2016, 124, 1808-1815.	6.0	84
85	The associations between prenatal exposure to triclocarban, phenols and parabens with gestational age and birth weight in northern Puerto Rico. Environmental Research, 2019, 169, 41-51.	7.5	83
86	Pregnancy urinary phthalate metabolite concentrations and gestational diabetes risk factors. Environment International, 2016, 96, 118-126.	10.0	81
87	Urinary phthalate metabolites and their biotransformation products: predictors and temporal variability among men and women. Journal of Exposure Science and Environmental Epidemiology, 2012, 22, 376-385.	3.9	78
88	Potential Sources of Bisphenol A in the Neonatal Intensive Care Unit. Pediatrics, 2013, 131, 483-489.	2.1	78
89	Urinary Bisphenol A Levels during Pregnancy and Risk of Preterm Birth. Environmental Health Perspectives, 2015, 123, 895-901.	6.0	77
90	Personal care product use among adults in NHANES: associations between urinary phthalate metabolites and phenols and use of mouthwash and sunscreen. Journal of Exposure Science and Environmental Epidemiology, 2017, 27, 326-332.	3.9	76

#	ARTICLE	IF	CITATIONS
91	Early Life Exposure in Mexico to ENvironmental Toxicants (ELEMENT) Project. <i>BMJ Open</i> , 2019, 9, e030427.	1.9	76
92	Statistical methods for modeling repeated measures of maternal environmental exposure biomarkers during pregnancy in association with preterm birth. <i>Environmental Health</i> , 2015, 14, 9.	4.0	74
93	A repeated measures study of phenol, paraben and Triclocarban urinary biomarkers and circulating maternal hormones during gestation in the Puerto Rico PROTECT cohort. <i>Environmental Health</i> , 2019, 18, 28.	4.0	71
94	Multiple metals predict prolactin and thyrotropin (TSH) levels in men. <i>Environmental Research</i> , 2009, 109, 869-873.	7.5	70
95	Urinary Concentrations of Di(2-ethylhexyl) Phthalate Metabolites and Serum Reproductive Hormones: Pooled Analysis of Fertile and Infertile Men. <i>Journal of Andrology</i> , 2012, 33, 488-498.	2.0	70
96	Bisphenol A and phthalates in utero and in childhood: association with child BMI z-score and adiposity. <i>Environmental Research</i> , 2017, 156, 326-333.	7.5	70
97	Maternal levels of endocrine disrupting chemicals in the first trimester of pregnancy are associated with infant cord blood DNA methylation. <i>Epigenetics</i> , 2018, 13, 301-309.	2.7	70
98	Prenatal naled and chlorpyrifos exposure is associated with deficits in infant motor function in a cohort of Chinese infants. <i>Environment International</i> , 2017, 106, 248-256.	10.0	68
99	Maternal blood metal and metalloid concentrations in association with birth outcomes in Northern Puerto Rico. <i>Environment International</i> , 2020, 138, 105606.	10.0	68
100	Thyroid hormones in relation to urinary metabolites of non-persistent insecticides in men of reproductive age. <i>Reproductive Toxicology</i> , 2006, 22, 437-442.	2.9	65
101	Repeated measures analysis of associations between urinary bisphenol-A concentrations and biomarkers of inflammation and oxidative stress in pregnancy. <i>Reproductive Toxicology</i> , 2016, 66, 93-98.	2.9	65
102	Urinary phthalate metabolite and bisphenol A associations with ultrasound and delivery indices of fetal growth. <i>Environment International</i> , 2016, 94, 531-537.	10.0	65
103	Maternal phthalate exposure during early pregnancy and at delivery in relation to gestational age and size at birth: A preliminary analysis. <i>Reproductive Toxicology</i> , 2016, 65, 59-66.	2.9	63
104	Relationships Between Urinary Phthalate Metabolite and Bisphenol A Concentrations and Vitamin D Levels in U.S. Adults: National Health and Nutrition Examination Survey (NHANES), 2005-2010. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 4062-4069.	3.6	63
105	Serum Concentrations of Polychlorinated Biphenyls in Relation to <i>in Vitro</i> Fertilization Outcomes. <i>Environmental Health Perspectives</i> , 2011, 119, 1010-1016.	6.0	61
106	Phthalate metabolites and bisphenol-A in association with circulating angiogenic biomarkers across pregnancy. <i>Placenta</i> , 2015, 36, 699-703.	1.5	61
107	Relating Phthalate and BPA Exposure to Metabolism in Peripubescence: The Role of Exposure Timing, Sex, and Puberty. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 79-88.	3.6	61
108	Urinary 3-phenoxybenzoic acid (3-PBA) levels among pregnant women in Mexico City: Distribution and relationships with child neurodevelopment. <i>Environmental Research</i> , 2016, 147, 307-313.	7.5	60

#	ARTICLE	IF	CITATIONS
109	Impact of phthalate and BPA exposure during in utero windows of susceptibility on reproductive hormones and sexual maturation in peripubertal males. <i>Environmental Health</i> , 2017, 16, 69.	4.0	59
110	Troubleshooting the dichlorofluorescein assay to avoid artifacts in measurement of toxicant-stimulated cellular production of reactive oxidant species. <i>Journal of Pharmacological and Toxicological Methods</i> , 2013, 67, 56-60.	0.7	58
111	Environmental Risk Score as a New Tool to Examine Multi-Pollutants in Epidemiologic Research: An Example from the NHANES Study Using Serum Lipid Levels. <i>PLoS ONE</i> , 2014, 9, e98632.	2.5	58
112	Preterm birth in relation to the bisphenol A replacement, bisphenol S, and other phenols and parabens. <i>Environmental Research</i> , 2019, 169, 131-138.	7.5	58
113	Biomarkers of exposure to molybdenum and other metals in relation to testosterone among men from the United States National Health and Nutrition Examination Survey 2011-2012. <i>Fertility and Sterility</i> , 2015, 103, 172-178.	1.0	56
114	Serum and follicular fluid concentrations of polybrominated diphenyl ethers and in-vitro fertilization outcome. <i>Environment International</i> , 2012, 45, 9-14.	10.0	55
115	Thyroid hormone parameters during pregnancy in relation to urinary bisphenol A concentrations: A repeated measures study. <i>Environment International</i> , 2017, 104, 33-40.	10.0	52
116	Prediction and associations of preterm birth and its subtypes with eicosanoid enzymatic pathways and inflammatory markers. <i>Scientific Reports</i> , 2019, 9, 17049.	3.3	52
117	First trimester maternal exposures to endocrine disrupting chemicals and metals and fetal size in the Michigan Mother-Infant Pairs study. <i>Journal of Developmental Origins of Health and Disease</i> , 2019, 10, 447-458.	1.4	51
118	Secondhand tobacco smoke exposure is associated with increased risk of failed implantation and reduced IVF success. <i>Human Reproduction</i> , 2011, 26, 2525-2531.	0.9	50
119	Predictors of urinary and blood Metal(loid) concentrations among pregnant women in Northern Puerto Rico. <i>Environmental Research</i> , 2020, 183, 109178.	7.5	50
120	Racial and ethnic variations in phthalate metabolite concentration changes across full-term pregnancies. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2017, 27, 160-166.	3.9	49
121	Exposure to environmental endocrine disruptors and child development. <i>JAMA Pediatrics</i> , 2012, 166, 952-8.	3.0	49
122	Serum and follicular fluid organochlorine concentrations among women undergoing assisted reproduction technologies. <i>Environmental Health</i> , 2009, 8, 32.	4.0	48
123	Association of Hexachlorobenzene (HCB), Dichlorodiphenyltrichloroethane (DDT), and Dichlorodiphenyldichloroethylene (DDE) with <i>in Vitro</i> Fertilization (IVF) Outcomes. <i>Environmental Health Perspectives</i> , 2012, 120, 316-320.	6.0	48
124	Urinary concentrations of phenols in association with biomarkers of oxidative stress in pregnancy: Assessment of effects independent of phthalates. <i>Environment International</i> , 2019, 131, 104903.	10.0	48
125	In utero and peripubertal metals exposure in relation to reproductive hormones and sexual maturation and progression among girls in Mexico City. <i>Environmental Research</i> , 2019, 177, 108630.	7.5	48
126	Urinary arsenic species, toenail arsenic, and arsenic intake estimates in a Michigan population with low levels of arsenic in drinking water. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2012, 22, 182-190.	3.9	47

#	ARTICLE	IF	CITATIONS
127	Determinants and characterization of exposure to phthalates, DEHP and DINCH among pregnant women in the PROTECT birth cohort in Puerto Rico. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2020, 30, 56-69.	3.9	47
128	Circulating estradiol in men is inversely related to urinary metabolites of nonpersistent insecticides. <i>Reproductive Toxicology</i> , 2008, 25, 184-191.	2.9	46
129	Serum PCB levels and congener profiles among teachers in PCB-containing schools: a pilot study. <i>Environmental Health</i> , 2011, 10, 56.	4.0	46
130	Prenatal Metal Mixtures and Birth Weight for Gestational Age in a Predominately Lower-Income Hispanic Pregnancy Cohort in Los Angeles. <i>Environmental Health Perspectives</i> , 2020, 128, 117001.	6.0	46
131	Blood cadmium is elevated in iron deficient U.S. children: a cross-sectional study. <i>Environmental Health</i> , 2013, 12, 117.	4.0	45
132	Exposure to phthalates is associated with lipid profile in peripubertal Mexican youth. <i>Environmental Research</i> , 2017, 154, 311-317.	7.5	45
133	Risk of Spontaneous Abortion in Women with Childhood Exposure to Parental Cigarette Smoke. <i>American Journal of Epidemiology</i> , 2007, 166, 571-575.	3.4	44
134	Adolescent epigenetic profiles and environmental exposures from early life through peri-adolescence. <i>Environmental Epigenetics</i> , 2016, 2, dvw018.	1.8	44
135	Associations between Maternal Biomarkers of Phthalate Exposure and Inflammation Using Repeated Measurements across Pregnancy. <i>PLoS ONE</i> , 2015, 10, e0135601.	2.5	44
136	Distribution and determinants of urinary biomarkers of exposure to organophosphate insecticides in Puerto Rican pregnant women. <i>Science of the Total Environment</i> , 2015, 512-513, 337-344.	8.0	43
137	Current pesticide profiles in blood serum of adults in Jiangsu Province of China and a comparison with other countries. <i>Environment International</i> , 2017, 102, 213-222.	10.0	43
138	Maternal exposure to second-hand tobacco smoke and pregnancy outcome among couples undergoing assisted reproduction. <i>Human Reproduction</i> , 2007, 22, 337-345.	0.9	42
139	Urinary BPA and Phthalate Metabolite Concentrations and Plasma Vitamin D Levels in Pregnant Women: A Repeated Measures Analysis. <i>Environmental Health Perspectives</i> , 2017, 125, 087026.	6.0	42
140	Urinary metal concentrations among mothers and children in a Mexico City birth cohort study. <i>International Journal of Hygiene and Environmental Health</i> , 2018, 221, 609-615.	4.3	42
141	Exposure to 17 trace metals in pregnancy and associations with urinary oxidative stress biomarkers. <i>Environmental Research</i> , 2019, 179, 108854.	7.5	42
142	Bisphenol A and human reproductive health. <i>Expert Review of Obstetrics and Gynecology</i> , 2013, 8, 329-335.	0.4	41
143	An exploratory analysis of urinary organophosphate ester metabolites and oxidative stress among pregnant women in Puerto Rico. <i>Science of the Total Environment</i> , 2020, 703, 134798.	8.0	41
144	Exposure to Contemporary and Emerging Chemicals in Commerce among Pregnant Women in the United States: The Environmental influences on Child Health Outcome (ECHO) Program. <i>Environmental Science & Technology</i> , 2022, 56, 6560-6573.	10.0	41

#	ARTICLE	IF	CITATIONS
145	Manganese and Welding Fume Exposure and Control in Construction. <i>Journal of Occupational and Environmental Hygiene</i> , 2007, 4, 943-951.	1.0	40
146	Dietary predictors of urinary cadmium among pregnant women and children. <i>Science of the Total Environment</i> , 2017, 575, 1255-1262.	8.0	39
147	Associations of Phthalates and Phthalate Replacements With CRH and Other Hormones Among Pregnant Women in Puerto Rico. <i>Journal of the Endocrine Society</i> , 2019, 3, 1127-1149.	0.2	39
148	Urinary biomarkers of exposure to insecticides, herbicides, and one insect repellent among pregnant women in Puerto Rico. <i>Environmental Health</i> , 2014, 13, 97.	4.0	38
149	Associations between repeated ultrasound measures of fetal growth and biomarkers of maternal oxidative stress and inflammation in pregnancy. <i>American Journal of Reproductive Immunology</i> , 2018, 80, e13017.	1.2	38
150	Empirical Likelihood-Based Inferences for Generalized Partially Linear Models. <i>Scandinavian Journal of Statistics</i> , 2009, 36, 433-443.	1.4	37
151	Occupational injuries among Boston bicycle messengers. <i>American Journal of Industrial Medicine</i> , 2002, 42, 519-525.	2.1	36
152	Analysis of Multiple-cycle Data From Couples Undergoing In Vitro Fertilization. <i>Epidemiology</i> , 2011, 22, 497-504.	2.7	36
153	Distribution and predictors of urinary polycyclic aromatic hydrocarbon metabolites in two pregnancy cohort studies. <i>Environmental Pollution</i> , 2018, 232, 556-562.	7.5	35
154	Associations between maternal plasma measurements of inflammatory markers and urinary levels of phenols and parabens during pregnancy: A repeated measures study. <i>Science of the Total Environment</i> , 2019, 650, 1131-1140.	8.0	35
155	Application of an analytical framework for multivariate mediation analysis of environmental data. <i>Nature Communications</i> , 2020, 11, 5624.	12.8	35
156	Association between urinary 3, 5, 6-trichloro-2-pyridinol, a metabolite of chlorpyrifos and chlorpyrifos-methyl, and serum T4 and TSH in NHANES 1999-2002. <i>Science of the Total Environment</i> , 2012, 424, 351-355.	8.0	34
157	Low-level prenatal lead exposure and infant sensory function. <i>Environmental Health</i> , 2016, 15, 65.	4.0	34
158	The association between urinary concentrations of phosphorous-containing flame retardant metabolites and semen parameters among men from a fertility clinic. <i>International Journal of Hygiene and Environmental Health</i> , 2018, 221, 809-815.	4.3	34
159	Individual and joint effects of phthalate metabolites on biomarkers of oxidative stress among pregnant women in Puerto Rico. <i>Environment International</i> , 2021, 154, 106565.	10.0	34
160	Engineering Control Technologies to Reduce Occupational Silica Exposures in Masonry Cutting and Tuckpointing. <i>Public Health Reports</i> , 2009, 124, 101-111.	2.5	33
161	Phthalate exposure during pregnancy and long-term weight gain in women. <i>Environmental Research</i> , 2019, 169, 26-32.	7.5	33
162	Prenatal Exposure to Glyphosate and Its Environmental Degradate, Aminomethylphosphonic Acid (AMPA), and Preterm Birth: A Nested Case-Control Study in the PROTECT Cohort (Puerto Rico). <i>Environmental Health Perspectives</i> , 2021, 129, 57011.	6.0	33

#	ARTICLE	IF	CITATIONS
163	Urinary phthalate metabolite concentrations and maternal weight during early pregnancy. <i>International Journal of Hygiene and Environmental Health</i> , 2017, 220, 1347-1355.	4.3	32
164	Environmental exposure to pyrethroids and sperm sex chromosome disomy: a cross-sectional study. <i>Environmental Health</i> , 2013, 12, 111.	4.0	31
165	Hurricanes and the Environmental Justice Island: Irma and Maria in Puerto Rico. <i>Environmental Justice</i> , 2018, 11, 148-153.	1.5	31
166	Phthalate Exposures, DNA Methylation and Adiposity in Mexican Children Through Adolescence. <i>Frontiers in Public Health</i> , 2019, 7, 162.	2.7	31
167	Demographic risk factors for adverse birth outcomes in Puerto Rico in the PROTECT cohort. <i>PLoS ONE</i> , 2019, 14, e0217770.	2.5	31
168	Associations Between Prenatal Urinary Biomarkers of Phthalate Exposure and Preterm Birth. <i>JAMA Pediatrics</i> , 2022, 176, 895.	6.2	31
169	Subclinical Changes in Maternal Thyroid Function Parameters in Pregnancy and Fetal Growth. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 1349-1358.	3.6	30
170	Pregnancy urinary bisphenol-A concentrations and glucose levels across BMI categories. <i>Environment International</i> , 2018, 113, 35-41.	10.0	30
171	Associations between mixtures of urinary phthalate metabolites with gestational age at delivery: a time to event analysis using summative phthalate risk scores. <i>Environmental Health</i> , 2018, 17, 56.	4.0	30
172	Serum Concentrations of Estradiol and Free T4 Are Inversely Correlated With Sperm DNA Damage in Men From an Infertility Clinic. <i>Journal of Andrology</i> , 2008, 29, 379-388.	2.0	29
173	Association between urinary biomarkers of exposure to organophosphate insecticides and serum reproductive hormones in men from NHANES 1999-2002. <i>Reproductive Toxicology</i> , 2015, 53, 99-104.	2.9	29
174	Maternal Levels of Perfluoroalkyl Substances (PFAS) during Early Pregnancy in Relation to Preeclampsia Subtypes and Biomarkers of Preeclampsia Risk. <i>Environmental Health Perspectives</i> , 2021, 129, 107004.	6.0	29
175	Infertility, Pregnancy Loss and Adverse Birth Outcomes in Relation to Maternal Secondhand Tobacco Smoke Exposure. <i>Current Women's Health Reviews</i> , 2013, 9, 41-49.	0.2	28
176	Organophosphate flame-retardant metabolite concentrations and pregnancy loss among women conceiving with assisted reproductive technology. <i>Fertility and Sterility</i> , 2018, 110, 1137-1144.e1.	1.0	28
177	Early lead exposure and pubertal development in a Mexico City population. <i>Environment International</i> , 2019, 125, 445-451.	10.0	28
178	Estimating Outcome-Exposure Associations when Exposure Biomarker Detection Limits vary Across Batches. <i>Epidemiology</i> , 2019, 30, 746-755.	2.7	28
179	Utilizing Longitudinal Measures of Fetal Growth to Create a Standard Method to Assess the Impacts of Maternal Disease and Environmental Exposure. <i>PLoS ONE</i> , 2016, 11, e0146532.	2.5	27
180	Polycyclic aromatic hydrocarbon exposure results in altered CRH, reproductive, and thyroid hormone concentrations during human pregnancy. <i>Science of the Total Environment</i> , 2020, 749, 141581.	8.0	27

#	ARTICLE	IF	CITATIONS
181	Prenatal exposure to multiple pesticides is associated with auditory brainstem response at 9months in a cohort study of Chinese infants. <i>Environment International</i> , 2016, 92-93, 478-485.	10.0	26
182	The association of urinary organophosphate ester metabolites and self-reported personal care and household product use among pregnant women in Puerto Rico. <i>Environmental Research</i> , 2019, 179, 108756.	7.5	26
183	Urinary Concentrations of Phthalate Metabolite Mixtures in Relation to Serum Biomarkers of Thyroid Function and Autoimmunity among Women from a Fertility Center. <i>Environmental Health Perspectives</i> , 2020, 128, 67007.	6.0	26
184	Serum concentrations of p, p'-DDE, HCB, PCBs and reproductive hormones among men of reproductive age. <i>Reproductive Toxicology</i> , 2012, 34, 429-435.	2.9	25
185	Identification of environmental chemicals targeting miscarriage genes and pathways using the comparative toxicogenomics database. <i>Environmental Research</i> , 2020, 184, 109259.	7.5	25
186	Distribution and Predictors of Pesticides in the Umbilical Cord Blood of Chinese Newborns. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 94.	2.6	24
187	Distribution and predictors of 20 toxic and essential metals in the umbilical cord blood of Chinese newborns. <i>Chemosphere</i> , 2018, 210, 1167-1175.	8.2	24
188	Maternal Exposure to Environmental Disruptors and Sexually Dimorphic Changes in Maternal and Neonatal Oxidative Stress. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 492-505.	3.6	24
189	Exposure to Phenols, Phthalates, and Parabens and Development of Metabolic Syndrome Among Mexican Women in Midlife. <i>Frontiers in Public Health</i> , 2021, 9, 620769.	2.7	24
190	Physical and Chemical Characterization of Asphalt (Bitumen) Paving Exposures. <i>Journal of Occupational and Environmental Hygiene</i> , 2007, 4, 209-216.	1.0	23
191	Exposure to Power-Frequency Magnetic Fields and the Risk of Infertility and Adverse Pregnancy Outcomes: Update on the Human Evidence and Recommendations for Future Study Designs. <i>Journal of Toxicology and Environmental Health - Part B: Critical Reviews</i> , 2016, 19, 29-45.	6.5	23
192	Prenatal organophosphate insecticide exposure and infant sensory function. <i>International Journal of Hygiene and Environmental Health</i> , 2018, 221, 469-478.	4.3	23
193	Prenatal metal(loid) mixtures and birth weight for gestational age: A pooled analysis of three cohorts participating in the ECHO program. <i>Environment International</i> , 2022, 161, 107102.	10.0	23
194	Serum polybrominated diphenyl ether (PBDE) concentrations in relation to biomarkers of oxidative stress and inflammation: The National Health and Nutrition Examination Survey 2003-2004. <i>Science of the Total Environment</i> , 2017, 575, 400-405.	8.0	22
195	The influence of hydrogeological and anthropogenic variables on phthalate contamination in eogenetic karst groundwater systems. <i>Environmental Pollution</i> , 2018, 237, 298-307.	7.5	22
196	Investigation of associations between exposures to pesticides and testosterone levels in Thai farmers. <i>Archives of Environmental and Occupational Health</i> , 2018, 73, 205-218.	1.4	22
197	Serum PCB levels and congener profiles among US construction workers. <i>Environmental Health</i> , 2007, 6, 25.	4.0	21
198	Hexavalent Chromium Exposure and Control in Welding Tasks. <i>Journal of Occupational and Environmental Hygiene</i> , 2010, 7, 607-615.	1.0	21

#	ARTICLE	IF	CITATIONS
199	National Study of Exposure to Pesticides among Professional Applicators: An Investigation Based on Urinary Biomarkers. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 10253-10261.	5.2	21
200	Self-reported mobile phone use and semen parameters among men from a fertility clinic. <i>Reproductive Toxicology</i> , 2017, 67, 42-47.	2.9	21
201	Prenatal exposure to the herbicide 2,4-D is associated with deficits in auditory processing during infancy. <i>Environmental Research</i> , 2019, 172, 486-494.	7.5	21
202	Association of biomarkers of exposure to metals and metalloids with maternal hormones in pregnant women from Puerto Rico. <i>Environment International</i> , 2021, 147, 106310.	10.0	21
203	Biomarkers of Exposure to Phthalate Mixtures and Adverse Birth Outcomes in a Puerto Rico Birth Cohort. <i>Environmental Health Perspectives</i> , 2022, 130, 37009.	6.0	21
204	Potential influence of temperature and precipitation on preterm birth rate in Puerto Rico. <i>Scientific Reports</i> , 2018, 8, 16106.	3.3	20
205	Repeated measures of urinary oxidative stress biomarkers and preterm birth in Puerto Rico. <i>Free Radical Biology and Medicine</i> , 2020, 146, 299-305.	2.9	20
206	Onset and tempo of sexual maturation is differentially associated with gestational phthalate exposure between boys and girls in a Mexico City birth cohort. <i>Environment International</i> , 2020, 136, 105469.	10.0	20
207	Prenatal metal mixtures and fetal size in mid-pregnancy in the MADRES study. <i>Environmental Research</i> , 2021, 196, 110388.	7.5	20
208	Cross-Sectional Estimation of Endogenous Biomarker Associations with Prenatal Phenols, Phthalates, Metals, and Polycyclic Aromatic Hydrocarbons in Single-Pollutant and Mixtures Analysis Approaches. <i>Environmental Health Perspectives</i> , 2021, 129, 37007.	6.0	20
209	Estimating Preferential Flow in Karstic Aquifers Using Statistical Mixed Models. <i>Ground Water</i> , 2014, 52, 584-596.	1.3	19
210	Inflammatory and oxidative stress markers associated with decreased cervical length in pregnancy. <i>American Journal of Reproductive Immunology</i> , 2016, 76, 376-382.	1.2	19
211	Pesticide interactions and risks of sperm chromosomal abnormalities. <i>International Journal of Hygiene and Environmental Health</i> , 2019, 222, 1021-1029.	4.3	19
212	The association of urinary phosphorous-containing flame retardant metabolites and self-reported personal care and household product use among couples seeking fertility treatment. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2020, 30, 107-116.	3.9	19
213	Psychosocial status modifies the effect of maternal blood metal and metalloid concentrations on birth outcomes. <i>Environment International</i> , 2021, 149, 106418.	10.0	19
214	Exploratory analysis of the potential relationship between urinary molybdenum and bone mineral density among adult men and women from NHANES 2007-2010. <i>Chemosphere</i> , 2016, 164, 677-682.	8.2	18
215	Urinary trace metals, maternal circulating angiogenic biomarkers, and preeclampsia: a single-contaminant and mixture-based approach. <i>Environmental Health</i> , 2019, 18, 63.	4.0	18
216	Pregnancy phthalate metabolite concentrations and infant birth weight by gradations of maternal glucose tolerance. <i>International Journal of Hygiene and Environmental Health</i> , 2019, 222, 395-401.	4.3	18

#	ARTICLE	IF	CITATIONS
217	Urinary trace metals in association with fetal ultrasound measures during pregnancy. <i>Environmental Epidemiology</i> , 2020, 4, e075.	3.0	18
218	Longitudinal Profiles of Thyroid Hormone Parameters in Pregnancy and Associations with Preterm Birth. <i>PLoS ONE</i> , 2017, 12, e0169542.	2.5	17
219	Associations between school lunch consumption and urinary phthalate metabolite concentrations in US children and adolescents: Results from NHANES 2003-2014. <i>Environment International</i> , 2018, 121, 287-295.	10.0	17
220	Secondhand tobacco smoke exposure is associated with prolactin but not thyroid stimulating hormone among nonsmoking women seeking in vitro fertilization. <i>Environmental Toxicology and Pharmacology</i> , 2012, 34, 761-767.	4.0	16
221	Relationships between psychosocial factors during pregnancy and preterm birth in Puerto Rico. <i>PLoS ONE</i> , 2020, 15, e0227976.	2.5	16
222	Investigating the impact of Hurricane Maria on an ongoing birth cohort in Puerto Rico. <i>Population and Environment</i> , 2020, 42, 95-111.	3.0	16
223	Web-Enhanced Tobacco Tactics With Telephone Support Versus 1-800-QUIT-NOW Telephone Line Intervention for Operating Engineers: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2014, 16, e255.	4.3	16
224	Dialkyl phosphate urinary metabolites and chromosomal abnormalities in human sperm. <i>Environmental Research</i> , 2015, 143, 256-265.	7.5	15
225	Exploring reproductive associations of serum polybrominated diphenyl ether and hydroxylated brominated diphenyl ether concentrations among women undergoing <i>in vitro</i> fertilization. <i>Human Reproduction</i> , 2020, 35, 1199-1210.	0.9	15
226	Interactions between Urinary 4-tert-Octylphenol Levels and Metabolism Enzyme Gene Variants on Idiopathic Male Infertility. <i>PLoS ONE</i> , 2013, 8, e59398.	2.5	15
227	The association between urinary glyphosate and aminomethyl phosphonic acid with biomarkers of oxidative stress among pregnant women in the PROTECT birth cohort study. <i>Ecotoxicology and Environmental Safety</i> , 2022, 233, 113300.	6.0	15
228	Protocol of a randomized controlled trial of the Tobacco Tactics website for operating engineers. <i>BMC Public Health</i> , 2012, 12, 335.	2.9	14
229	Low-Level Prenatal Lead Exposure Alters Auditory Recognition Memory in 2-Month-Old Infants: An Event-Related Potentials (ERPs) Study. <i>Developmental Neuropsychology</i> , 2014, 39, 516-528.	1.4	14
230	Association of Bisphenol A Exposure with Breastfeeding and Perceived Insufficient Milk Supply in Mexican Women. <i>Maternal and Child Health Journal</i> , 2016, 20, 1713-1719.	1.5	14
231	A critical review of the analysis of dried blood spots for characterizing human exposure to inorganic targets using methods based on analytical atomic spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2020, 35, 2092-2112.	3.0	14
232	The use of dried blood spots for characterizing children's exposure to organic environmental chemicals. <i>Environmental Research</i> , 2021, 195, 110796.	7.5	14
233	Influence of storage vial material on measurement of organophosphate flame retardant metabolites in urine. <i>Chemosphere</i> , 2017, 181, 440-446.	8.2	13
234	Associations between socioeconomic status, psychosocial stress, and urinary levels of 8-iso-prostaglandin-F2 α during pregnancy in Puerto Rico. <i>Free Radical Biology and Medicine</i> , 2019, 143, 95-100.	2.9	13

#	ARTICLE	IF	CITATIONS
235	Exposure to obesogenic endocrine disrupting chemicals and obesity among youth of Latino or Hispanic origin in the United States and Latin America: A lifecourse perspective. <i>Obesity Reviews</i> , 2021, 22, e13245.	6.5	13
236	Bayesian Sparse Mediation Analysis with Targeted Penalization of Natural Indirect Effects. <i>Journal of the Royal Statistical Society Series C: Applied Statistics</i> , 2021, 70, 1391-1412.	1.0	13
237	Empirical likelihood based inference for additive partial linear measurement error models. <i>Statistics and Its Interface</i> , 2009, 2, 83-90.	0.3	13
238	Sociodemographic patterns of household water-use costs in Puerto Rico. <i>Science of the Total Environment</i> , 2015, 524-525, 300-309.	8.0	12
239	Interactions between chemicals and non-chemical stressors: The modifying effect of life events on the association between triclocarban, phenols and parabens with gestational length in a Puerto Rican cohort. <i>Science of the Total Environment</i> , 2020, 708, 134719.	8.0	12
240	In utero and peripubertal metals exposure in relation to reproductive hormones and sexual maturation and progression among boys in Mexico City. <i>Environmental Health</i> , 2020, 19, 124.	4.0	12
241	Maternal blood metal concentrations and whole blood DNA methylation during pregnancy in the Early Autism Risk Longitudinal Investigation (EARLI). <i>Epigenetics</i> , 2022, 17, 253-268.	2.7	12
242	Urinary metals and maternal circulating extracellular vesicle microRNA in the MADRES pregnancy cohort. <i>Epigenetics</i> , 2022, 17, 1128-1142.	2.7	12
243	Phthalate biomarkers and associations with respiratory symptoms and healthcare utilization among low-income urban children with asthma. <i>Environmental Research</i> , 2022, 212, 113239.	7.5	12
244	Cotinine concentrations in follicular fluid as a measure of secondhand tobacco smoke exposure in women undergoing in vitro fertilization: Inter-matrix comparisons with urine and temporal variability. <i>Chemosphere</i> , 2011, 84, 110-116.	8.2	11
245	Preliminary assessment of exposure to persistent organic pollutants among pregnant women in Puerto Rico. <i>International Journal of Hygiene and Environmental Health</i> , 2019, 222, 327-331.	4.3	11
246	Latent classes for chemical mixtures analyses in epidemiology: an example using phthalate and phenol exposure biomarkers in pregnant women. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2020, 30, 149-159.	3.9	11
247	Impact of Hurricanes Irma and Maria on Puerto Rico Maternal and Child Health Research Programs. <i>Maternal and Child Health Journal</i> , 2020, 24, 22-29.	1.5	11
248	Maternal Urinary Metal and Metalloid Concentrations in Association with Oxidative Stress Biomarkers. <i>Antioxidants</i> , 2021, 10, 114.	5.1	11
249	Performance of urine, blood, and integrated metal biomarkers in relation to birth outcomes in a mixture setting. <i>Environmental Research</i> , 2021, 200, 111435.	7.5	11
250	Associations between social, biologic, and behavioral factors and biomarkers of oxidative stress during pregnancy: Findings from four ECHO cohorts. <i>Science of the Total Environment</i> , 2022, 835, 155596.	8.0	11
251	Association of antenatal depression with oxidative stress and impact on spontaneous preterm birth. <i>Journal of Perinatology</i> , 2019, 39, 554-562.	2.0	10
252	Manganese is associated with increased plasma interleukin-1 β during pregnancy, within a mixtures analysis framework of urinary trace metals. <i>Reproductive Toxicology</i> , 2020, 93, 43-53.	2.9	10

#	ARTICLE	IF	CITATIONS
253	Cohort profile: Center for Research on Early Childhood Exposure and Development in Puerto Rico. <i>BMJ Open</i> , 2020, 10, e036389.	1.9	10
254	Early Gestational Exposure to High-Molecular-Weight Phthalates and Its Association with 48-Month-Old Children's Motor and Cognitive Scores. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8150.	2.6	10
255	Maternal lipidomic signatures in relation to spontaneous preterm birth and large-for-gestational age neonates. <i>Scientific Reports</i> , 2021, 11, 8115.	3.3	10
256	Gestational Hormone Concentrations Are Associated With Timing of Delivery in a Fetal Sex-Dependent Manner. <i>Frontiers in Endocrinology</i> , 2021, 12, 742145.	3.5	10
257	Exposure to Endocrine-Disrupting Chemicals During Pregnancy Is Associated with Weight Change Through 1 Year Postpartum Among Women in the Early-Life Exposure in Mexico to Environmental Toxicants Project. <i>Journal of Women's Health</i> , 2020, 29, 1419-1426.	3.3	9
258	Comparison of Occupational Exposures Among Painters Using Three Alternative Blasting Abrasives. <i>Journal of Occupational and Environmental Hygiene</i> , 2006, 3, D80-D84.	1.0	8
259	Urinary oxidative stress biomarker levels and reproductive outcomes among couples undergoing fertility treatments. <i>Human Reproduction</i> , 2019, 34, 2399-2409.	0.9	8
260	Bayesian hierarchical models for high-dimensional mediation analysis with coordinated selection of correlated mediators. <i>Statistics in Medicine</i> , 2021, 40, 6038-6056.	1.6	8
261	Personal care products: Demographic characteristics and maternal hormones in pregnant women from Puerto Rico. <i>Environmental Research</i> , 2022, 206, 112376.	7.5	8
262	Maternal plasma lipids are involved in the pathogenesis of preterm birth. <i>GigaScience</i> , 2022, 11, .	6.4	8
263	Phthalates: Human Exposure and Related Health Effects. , 2012, , 415-443.		7
264	Elevated day 3 follicle-stimulating hormone in younger women: is gonadotropin stimulation/intrauterine insemination a good option?. <i>American Journal of Obstetrics and Gynecology</i> , 2014, 211, 62.e1-62.e8.	1.3	7
265	Temporal variability of daily personal magnetic field exposure metrics in pregnant women. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2015, 25, 58-64.	3.9	7
266	Associations of gestational phthalate exposure and non-nutritive suck among infants from the Puerto Rico Testsite for Exploring Contamination Threats (PROTECT) birth cohort study. <i>Environment International</i> , 2021, 152, 106480.	10.0	7
267	Prenatal maternal pesticide exposure in relation to sleep health of offspring during adolescence. <i>Environmental Research</i> , 2022, 204, 111977.	7.5	7
268	Personal power-frequency magnetic field exposure in women recruited at an infertility clinic: association with physical activity and temporal variability. <i>Radiation Protection Dosimetry</i> , 2016, 168, 478-488.	0.8	6
269	Mediation Formula for a Binary Outcome and a Time-Varying Exposure and Mediator, Accounting for Possible Exposure-Mediator Interaction. <i>American Journal of Epidemiology</i> , 2016, 184, 157-159.	3.4	6
270	A prospective study of maternal 25-hydroxyvitamin D (25OHD) in the first trimester of pregnancy and second trimester heavy metal levels. <i>Environmental Research</i> , 2021, 199, 111351.	7.5	6

#	ARTICLE	IF	CITATIONS
271	Urinary phthalate metabolite concentrations in relation to levels of circulating matrix metalloproteinases in pregnant women. <i>Science of the Total Environment</i> , 2018, 613-614, 1349-1352.	8.0	5
272	Sex Differences in Telomere Length Are Not Mediated by Sex Steroid Hormones or Body Size in Early Adolescence. , 2018, 2, 68-75.	0.8	5
273	A Hybrid Approach to Identifying Key Factors in Environmental Health Studies. , 2018, , .		5
274	Foetal ultrasound measurement imputations based on growth curves versus multiple imputation chained equation (<scp>MICE</scp>). <i>Paediatric and Perinatal Epidemiology</i> , 2018, 32, 469-473.	1.7	5
275	Selection of nonlinear interactions by a forward stepwise algorithm: Application to identifying environmental chemical mixtures affecting health outcomes. <i>Statistics in Medicine</i> , 2019, 38, 1582-1600.	1.6	5
276	Variability and predictors of urinary organophosphate ester concentrations among school-aged children. <i>Environmental Research</i> , 2022, 212, 113192.	7.5	5
277	Reproductive outcomes associated with flame retardants among couples seeking fertility treatment: A paternal perspective. <i>Environmental Research</i> , 2021, 192, 110226.	7.5	4
278	Gestational and peripubertal phthalate exposure in relation to attention performance in childhood and adolescence. <i>Environmental Research</i> , 2021, 196, 110911.	7.5	4
279	Preterm birth and PM2.5 in Puerto Rico: evidence from the PROTECT birth cohort. <i>Environmental Health</i> , 2021, 20, 69.	4.0	4
280	Epidemiologic Evidence on the Relationship Between Environmental Endocrine Disruptors and Male Reproductive and Developmental Health. , 2007, , 225-251.		4
281	Maternal blood metal concentrations are associated with matrix metalloproteinases (MMPs) among pregnant women in Puerto Rico. <i>Environmental Research</i> , 2022, 209, 112874.	7.5	4
282	Examining the association between prenatal maternal stress and infant non-nutritive suck. <i>Pediatric Research</i> , 2023, 93, 1285-1293.	2.3	4
283	Associations between mixtures of urinary phthalate metabolite concentrations and oxidative stress biomarkers among couples undergoing fertility treatment. <i>Environmental Research</i> , 2022, 212, 113342.	7.5	4
284	Case Study. <i>Journal of Occupational and Environmental Hygiene</i> , 2005, 2, D60-D64.	1.0	3
285	Average and time-specific maternal prenatal inflammatory biomarkers and the risk of labor epidural associated fever. <i>PLoS ONE</i> , 2019, 14, e0222958.	2.5	3
286	Maternal Metals/Metalloid Blood Levels Are Associated With Lipidomic Profiles Among Pregnant Women in Puerto Rico. <i>Frontiers in Public Health</i> , 2021, 9, 754706.	2.7	3
287	Endocrine Disruption of Developmental Pathways and Children's Health. , 2015, , 237-255.		2
288	PERSONAL MEASURES OF POWER-FREQUENCY MAGNETIC FIELD EXPOSURE AMONG MEN FROM AN INFERTILITY CLINIC: DISTRIBUTION, TEMPORAL VARIABILITY AND CORRELATION WITH THEIR FEMALE PARTNERS' EXPOSURE. <i>Radiation Protection Dosimetry</i> , 2016, 172, 401-408.	0.8	2

#	ARTICLE	IF	CITATIONS
289	An Efficient Data Management Framework for Puerto Rico Testsite for Exploring Contamination Threats (PROTECT). , 2018, , .		2
290	Association of personal exposure to power-frequency magnetic fields with pregnancy outcomes among women seeking fertility treatment in a longitudinal cohort study. Fertility and Sterility, 2020, 114, 1058-1066.	1.0	2
291	Prenatal Pesticide Exposure and Child Health. , 2020, , 51-66.		2
292	Molybdenum Exposure and Semen Quality: Meeker et al. Respond. Environmental Health Perspectives, 2009, 117, .	6.0	1
293	Environmental contaminants and related systems that have implications for reproduction. , 0, , 173-193.		1
294	Case Studyâ€œPuerto Rico Test Site for Exploring Contamination Threats. , 2012, , .		1
295	Evaluation of the release of dioxins and PCBs during kiln-firing of ball clay. Chemosphere, 2014, 94, 70-75.	8.2	1
296	Team Science Applied to Environmental Health Research: Karst Hydrogeology and Preterm Birth in Puerto Rico. Advances in Karst Science, 2018, , 17-25.	0.3	1
297	A hierarchical integrative group least absolute shrinkage and selection operator for analyzing environmental mixtures. Environmetrics, 2021, 32, e2698.	1.4	1
298	The Role of Environmental Exposures in Preterm Birth. Molecular and Integrative Toxicology, 2016, , 269-293.	0.5	1
299	Maternal urinary phthalate metabolites are associated with lipidomic signatures among pregnant women in Puerto Rico. Journal of Exposure Science and Environmental Epidemiology, 2022, 32, 384-391.	3.9	1
300	Mediation by hormone concentrations on the associations between repeated measures of phthalate mixture exposure and timing of delivery. Journal of Exposure Science and Environmental Epidemiology, 2022, , .	3.9	1
301	Environmental contaminants and the reproductive and fertility effects in the male. , 0, , 145-160.		0
302	Serum concentrations of polychlorinated dibenzo-p-dioxins among ceramicists. Chemosphere, 2015, 118, 350-356.	8.2	0
303	Response to correspondence by Mortazavi et al. re: â€œSelf-reported mobile phone use and semen parameters among men from a fertility clinicâ€• Reproductive Toxicology, 2017, 71, 165.	2.9	0
304	Social Determinants of Contaminant Exposure and Pregnancy in the Northern Karst of Puerto Rico. Advances in Karst Science, 2018, , 169-175.	0.3	0
305	Widespread Exposure to Emerging and Previously Unmeasured Chemicals in Commerce in Pregnant women Across the US. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
306	Targeting the contribution of cosmetics brands to phthalate gestational exposure among Puerto Rican women in the PROTECT cohort. ISEE Conference Abstracts, 2021, 2021, .	0.0	0

#	ARTICLE	IF	CITATIONS
307	Phthalate metabolite exposure during pregnancy and risk of preeclampsia in an ethnically diverse nulliparous pregnancy cohort in the United States. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
308	Hormone concentrations mediate the associations between exposure to phthalate mixtures and preterm birth. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
309	Maternal levels of perfluoroalkyl substances (PFAS) during early pregnancy in relation to preeclampsia subtypes. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
310	Phthalate Exposure Across Pregnancy: Can We Use a Single Measure to Stand in for Exposure?. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
311	Performance of Urine, Blood, and Integrated Metal Biomarkers in Relation to Birth Outcomes in a Mixture Setting. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
312	Exposure to phthalates in relation to sleep duration and social jetlag among adolescent boys and girls in Mexico City. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
313	Endocrine Disruption of Developmental Pathways and Children's Health. , 2022, , 291-320.		0
314	Teachers Working in PCB-Contaminated Schools. , 2013, , 23-43.		0
315	Flame-Retardants' Effect on Hormone Levels and Semen Quality. , 2013, , 45-61.		0
316	Occupational and Environmental Hygiene. , 2017, , .		0
317	Exposición a químicos disruptores endocrinos obesogénicos y obesidad en niños y jóvenes de origen latino o hispano en Estados Unidos y Latinoamérica: una perspectiva del curso de la vida. Obesity Reviews, 2021, 22, e13352.	6.5	0
318	Health Risks of Transplacental Exposure to Endocrine Disruptors. Issues in Toxicology, 2020, , 155-196.	0.1	0
319	Relationships between psychosocial factors during pregnancy and preterm birth in Puerto Rico. , 2020, 15, e0227976.		0
320	Relationships between psychosocial factors during pregnancy and preterm birth in Puerto Rico. , 2020, 15, e0227976.		0
321	Relationships between psychosocial factors during pregnancy and preterm birth in Puerto Rico. , 2020, 15, e0227976.		0
322	Relationships between psychosocial factors during pregnancy and preterm birth in Puerto Rico. , 2020, 15, e0227976.		0