

# John D Meeker

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1608497/publications.pdf>

Version: 2024-02-01

322  
papers

21,311  
citations

5896

81  
h-index

12597

132  
g-index

349  
all docs

349  
docs citations

349  
times ranked

14753  
citing authors

#	ARTICLE	IF	CITATIONS
1	Examining the association between prenatal maternal stress and infant non-nutritive suck. <i>Pediatric Research</i> , 2023, 93, 1285-1293.	2.3	4
2	Maternal blood metal concentrations and whole blood DNA methylation during pregnancy in the Early Autism Risk Longitudinal Investigation (EARLI). <i>Epigenetics</i> , 2022, 17, 253-268.	2.7	12
3	Prenatal maternal pesticide exposure in relation to sleep health of offspring during adolescence. <i>Environmental Research</i> , 2022, 204, 111977.	7.5	7
4	Endocrine Disruption of Developmental Pathways and Children's Health. , 2022, , 291-320.		0
5	Urinary metals and maternal circulating extracellular vesicle microRNA in the MADRES pregnancy cohort. <i>Epigenetics</i> , 2022, 17, 1128-1142.	2.7	12
6	Personal care products: Demographic characteristics and maternal hormones in pregnant women from Puerto Rico. <i>Environmental Research</i> , 2022, 206, 112376.	7.5	8
7	Maternal urinary phthalate metabolites are associated with lipidomic signatures among pregnant women in Puerto Rico. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2022, 32, 384-391.	3.9	1
8	Mediation by hormone concentrations on the associations between repeated measures of phthalate mixture exposure and timing of delivery. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2022, , .	3.9	1
9	Prenatal metal(loid) mixtures and birth weight for gestational age: A pooled analysis of three cohorts participating in the ECHO program. <i>Environment International</i> , 2022, 161, 107102.	10.0	23
10	The association between urinary glyphosate and aminomethyl phosphonic acid with biomarkers of oxidative stress among pregnant women in the PROTECT birth cohort study. <i>Ecotoxicology and Environmental Safety</i> , 2022, 233, 113300.	6.0	15
11	Maternal blood metal concentrations are associated with matrix metalloproteinases (MMPs) among pregnant women in Puerto Rico. <i>Environmental Research</i> , 2022, 209, 112874.	7.5	4
12	Maternal plasma lipids are involved in the pathogenesis of preterm birth. <i>GigaScience</i> , 2022, 11, .	6.4	8
13	Biomarkers of Exposure to Phthalate Mixtures and Adverse Birth Outcomes in a Puerto Rico Birth Cohort. <i>Environmental Health Perspectives</i> , 2022, 130, 37009.	6.0	21
14	Phthalate biomarkers and associations with respiratory symptoms and healthcare utilization among low-income urban children with asthma. <i>Environmental Research</i> , 2022, 212, 113239.	7.5	12
15	Variability and predictors of urinary organophosphate ester concentrations among school-aged children. <i>Environmental Research</i> , 2022, 212, 113192.	7.5	5
16	Associations between mixtures of urinary phthalate metabolite concentrations and oxidative stress biomarkers among couples undergoing fertility treatment. <i>Environmental Research</i> , 2022, 212, 113342.	7.5	4
17	Exposure to Contemporary and Emerging Chemicals in Commerce among Pregnant Women in the United States: The Environmental influences on Child Health Outcome (ECHO) Program. <i>Environmental Science &amp; Technology</i> , 2022, 56, 6560-6573.	10.0	41
18	Associations between social, biologic, and behavioral factors and biomarkers of oxidative stress during pregnancy: Findings from four ECHO cohorts. <i>Science of the Total Environment</i> , 2022, 835, 155596.	8.0	11

#	ARTICLE	IF	CITATIONS
19	Associations Between Prenatal Urinary Biomarkers of Phthalate Exposure and Preterm Birth. <i>JAMA Pediatrics</i> , 2022, 176, 895.	6.2	31
20	Reproductive outcomes associated with flame retardants among couples seeking fertility treatment: A paternal perspective. <i>Environmental Research</i> , 2021, 192, 110226.	7.5	4
21	Prenatal metal mixtures and fetal size in mid-pregnancy in the MADRES study. <i>Environmental Research</i> , 2021, 196, 110388.	7.5	20
22	Association of biomarkers of exposure to metals and metalloids with maternal hormones in pregnant women from Puerto Rico. <i>Environment International</i> , 2021, 147, 106310.	10.0	21
23	Maternal Urinary Metal and Metalloid Concentrations in Association with Oxidative Stress Biomarkers. <i>Antioxidants</i> , 2021, 10, 114.	5.1	11
24	Exposure to Phenols, Phthalates, and Parabens and Development of Metabolic Syndrome Among Mexican Women in Midlife. <i>Frontiers in Public Health</i> , 2021, 9, 620769.	2.7	24
25	Cross-Sectional Estimation of Endogenous Biomarker Associations with Prenatal Phenols, Phthalates, Metals, and Polycyclic Aromatic Hydrocarbons in Single-Pollutant and Mixtures Analysis Approaches. <i>Environmental Health Perspectives</i> , 2021, 129, 37007.	6.0	20
26	Maternal lipidomic signatures in relation to spontaneous preterm birth and large-for-gestational age neonates. <i>Scientific Reports</i> , 2021, 11, 8115.	3.3	10
27	The use of dried blood spots for characterizing children's exposure to organic environmental chemicals. <i>Environmental Research</i> , 2021, 195, 110796.	7.5	14
28	Psychosocial status modifies the effect of maternal blood metal and metalloid concentrations on birth outcomes. <i>Environment International</i> , 2021, 149, 106418.	10.0	19
29	Exposure to obesogenic endocrine disrupting chemicals and obesity among youth of Latino or Hispanic origin in the United States and Latin America: A lifecourse perspective. <i>Obesity Reviews</i> , 2021, 22, e13245.	6.5	13
30	Gestational and peripubertal phthalate exposure in relation to attention performance in childhood and adolescence. <i>Environmental Research</i> , 2021, 196, 110911.	7.5	4
31	Prenatal Exposure to Glyphosate and Its Environmental Degradate, Aminomethylphosphonic Acid (AMPA), and Preterm Birth: A Nested Case-Control Study in the PROTECT Cohort (Puerto Rico). <i>Environmental Health Perspectives</i> , 2021, 129, 57011.	6.0	33
32	Preterm birth and PM2.5 in Puerto Rico: evidence from the PROTECT birth cohort. <i>Environmental Health</i> , 2021, 20, 69.	4.0	4
33	Associations of gestational phthalate exposure and non-nutritive suck among infants from the Puerto Rico Testsite for Exploring Contamination Threats (PROTECT) birth cohort study. <i>Environment International</i> , 2021, 152, 106480.	10.0	7
34	A hierarchical integrative group least absolute shrinkage and selection operator for analyzing environmental mixtures. <i>Environmetrics</i> , 2021, 32, e2698.	1.4	1
35	Bayesian hierarchical models for high-dimensional mediation analysis with coordinated selection of correlated mediators. <i>Statistics in Medicine</i> , 2021, 40, 6038-6056.	1.6	8
36	Widespread Exposure to Emerging and Previously Unmeasured Chemicals in Commerce in Pregnant women Across the US. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0

#	ARTICLE	IF	CITATIONS
37	Targeting the contribution of cosmetics brands to phthalate gestational exposure among Puerto Rican women in the PROTECT cohort. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
38	Phthalate metabolite exposure during pregnancy and risk of preeclampsia in an ethnically diverse nulliparous pregnancy cohort in the United States. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
39	Hormone concentrations mediate the associations between exposure to phthalate mixtures and preterm birth. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
40	Maternal levels of perfluoroalkyl substances (PFAS) during early pregnancy in relation to preeclampsia subtypes. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
41	Phthalate Exposure Across Pregnancy: Can We Use a Single Measure to Stand in for Exposure?. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
42	Performance of Urine, Blood, and Integrated Metal Biomarkers in Relation to Birth Outcomes in a Mixture Setting. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
43	Exposure to phthalates in relation to sleep duration and social jetlag among adolescent boys and girls in Mexico City. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
44	A prospective study of maternal 25-hydroxyvitamin D (25OHD) in the first trimester of pregnancy and second trimester heavy metal levels. Environmental Research, 2021, 199, 111351.	7.5	6
45	Individual and joint effects of phthalate metabolites on biomarkers of oxidative stress among pregnant women in Puerto Rico. Environment International, 2021, 154, 106565.	10.0	34
46	Performance of urine, blood, and integrated metal biomarkers in relation to birth outcomes in a mixture setting. Environmental Research, 2021, 200, 111435.	7.5	11
47	Gestational Hormone Concentrations Are Associated With Timing of Delivery in a Fetal Sex-Dependent Manner. Frontiers in Endocrinology, 2021, 12, 742145.	3.5	10
48	Bayesian Sparse Mediation Analysis with Targeted Penalization of Natural Indirect Effects. Journal of the Royal Statistical Society Series C: Applied Statistics, 2021, 70, 1391-1412.	1.0	13
49	Maternal Levels of Perfluoroalkyl Substances (PFAS) during Early Pregnancy in Relation to Preeclampsia Subtypes and Biomarkers of Preeclampsia Risk. Environmental Health Perspectives, 2021, 129, 107004.	6.0	29
50	Exposición a químicos disruptores endocrinos, obesidad y obesidad en niños y jóvenes de origen latino o hispano en Estados Unidos y Latinoamérica: una perspectiva del curso de la vida. Obesity Reviews, 2021, 22, e13352.	6.5	0
51	Maternal Metals/Metalloid Blood Levels Are Associated With Lipidomic Profiles Among Pregnant Women in Puerto Rico. Frontiers in Public Health, 2021, 9, 754706.	2.7	3
52	The association of urinary phosphorous-containing flame retardant metabolites and self-reported personal care and household product use among couples seeking fertility treatment. Journal of Exposure Science and Environmental Epidemiology, 2020, 30, 107-116.	3.9	19
53	Maternal Exposure to Environmental Disruptors and Sexually Dimorphic Changes in Maternal and Neonatal Oxidative Stress. Journal of Clinical Endocrinology and Metabolism, 2020, 105, 492-505.	3.6	24
54	Determinants and characterization of exposure to phthalates, DEHTP and DINCH among pregnant women in the PROTECT birth cohort in Puerto Rico. Journal of Exposure Science and Environmental Epidemiology, 2020, 30, 56-69.	3.9	47

#	ARTICLE	IF	CITATIONS
55	Latent classes for chemical mixtures analyses in epidemiology: an example using phthalate and phenol exposure biomarkers in pregnant women. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2020, 30, 149-159.	3.9	11
56	An exploratory analysis of urinary organophosphate ester metabolites and oxidative stress among pregnant women in Puerto Rico. <i>Science of the Total Environment</i> , 2020, 703, 134798.	8.0	41
57	Manganese is associated with increased plasma interleukin-1 $\beta$ during pregnancy, within a mixtures analysis framework of urinary trace metals. <i>Reproductive Toxicology</i> , 2020, 93, 43-53.	2.9	10
58	Repeated measures of urinary oxidative stress biomarkers and preterm birth in Puerto Rico. <i>Free Radical Biology and Medicine</i> , 2020, 146, 299-305.	2.9	20
59	Interactions between chemicals and non-chemical stressors: The modifying effect of life events on the association between triclocarban, phenols and parabens with gestational length in a Puerto Rican cohort. <i>Science of the Total Environment</i> , 2020, 708, 134719.	8.0	12
60	Impact of Hurricanes Irma and Maria on Puerto Rico Maternal and Child Health Research Programs. <i>Maternal and Child Health Journal</i> , 2020, 24, 22-29.	1.5	11
61	A critical review of the analysis of dried blood spots for characterizing human exposure to inorganic targets using methods based on analytical atomic spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2020, 35, 2092-2112.	3.0	14
62	Polycyclic aromatic hydrocarbon exposure results in altered CRH, reproductive, and thyroid hormone concentrations during human pregnancy. <i>Science of the Total Environment</i> , 2020, 749, 141581.	8.0	27
63	Cohort profile: Center for Research on Early Childhood Exposure and Development in Puerto Rico. <i>BMJ Open</i> , 2020, 10, e036389.	1.9	10
64	In utero and peripubertal metals exposure in relation to reproductive hormones and sexual maturation and progression among boys in Mexico City. <i>Environmental Health</i> , 2020, 19, 124.	4.0	12
65	Application of an analytical framework for multivariate mediation analysis of environmental data. <i>Nature Communications</i> , 2020, 11, 5624.	12.8	35
66	Prenatal Metal Mixtures and Birth Weight for Gestational Age in a Predominately Lower-Income Hispanic Pregnancy Cohort in Los Angeles. <i>Environmental Health Perspectives</i> , 2020, 128, 117001.	6.0	46
67	Association of personal exposure to power-frequency magnetic fields with pregnancy outcomes among women seeking fertility treatment in a longitudinal cohort study. <i>Fertility and Sterility</i> , 2020, 114, 1058-1066.	1.0	2
68	Early Gestational Exposure to High-Molecular-Weight Phthalates and Its Association with 48-Month-Old Children's Motor and Cognitive Scores. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8150.	2.6	10
69	Exploring reproductive associations of serum polybrominated diphenyl ether and hydroxylated brominated diphenyl ether concentrations among women undergoing <i>in vitro</i> fertilization. <i>Human Reproduction</i> , 2020, 35, 1199-1210.	0.9	15
70	Urinary Concentrations of Phthalate Metabolite Mixtures in Relation to Serum Biomarkers of Thyroid Function and Autoimmunity among Women from a Fertility Center. <i>Environmental Health Perspectives</i> , 2020, 128, 67007.	6.0	26
71	Maternal blood metal and metalloid concentrations in association with birth outcomes in Northern Puerto Rico. <i>Environment International</i> , 2020, 138, 105606.	10.0	68
72	Urinary trace metals in association with fetal ultrasound measures during pregnancy. <i>Environmental Epidemiology</i> , 2020, 4, e075.	3.0	18

#	ARTICLE	IF	CITATIONS
73	Identification of environmental chemicals targeting miscarriage genes and pathways using the comparative toxicogenomics database. <i>Environmental Research</i> , 2020, 184, 109259.	7.5	25
74	Onset and tempo of sexual maturation is differentially associated with gestational phthalate exposure between boys and girls in a Mexico City birth cohort. <i>Environment International</i> , 2020, 136, 105469.	10.0	20
75	Relationships between psychosocial factors during pregnancy and preterm birth in Puerto Rico. <i>PLoS ONE</i> , 2020, 15, e0227976.	2.5	16
76	Predictors of urinary and blood Metal(loid) concentrations among pregnant women in Northern Puerto Rico. <i>Environmental Research</i> , 2020, 183, 109178.	7.5	50
77	Investigating the impact of Hurricane Maria on an ongoing birth cohort in Puerto Rico. <i>Population and Environment</i> , 2020, 42, 95-111.	3.0	16
78	Exposure to Endocrine-Disrupting Chemicals During Pregnancy Is Associated with Weight Change Through 1 Year Postpartum Among Women in the Early-Life Exposure in Mexico to Environmental Toxicants Project. <i>Journal of Women's Health</i> , 2020, 29, 1419-1426.	3.3	9
79	Prenatal Pesticide Exposure and Child Health. , 2020, , 51-66.		2
80	Health Risks of Transplacental Exposure to Endocrine Disruptors. <i>Issues in Toxicology</i> , 2020, , 155-196.	0.1	0
81	Relationships between psychosocial factors during pregnancy and preterm birth in Puerto Rico. , 2020, 15, e0227976.		0
82	Relationships between psychosocial factors during pregnancy and preterm birth in Puerto Rico. , 2020, 15, e0227976.		0
83	Relationships between psychosocial factors during pregnancy and preterm birth in Puerto Rico. , 2020, 15, e0227976.		0
84	Relationships between psychosocial factors during pregnancy and preterm birth in Puerto Rico. , 2020, 15, e0227976.		0
85	Associations between socioeconomic status, psychosocial stress, and urinary levels of 8-iso-prostaglandin-F2 $\alpha$ during pregnancy in Puerto Rico. <i>Free Radical Biology and Medicine</i> , 2019, 143, 95-100.	2.9	13
86	Environmental phthalate exposure and preterm birth in the PROTECT birth cohort. <i>Environment International</i> , 2019, 132, 105099.	10.0	87
87	Pesticide interactions and risks of sperm chromosomal abnormalities. <i>International Journal of Hygiene and Environmental Health</i> , 2019, 222, 1021-1029.	4.3	19
88	Urinary trace metals, maternal circulating angiogenic biomarkers, and preeclampsia: a single-contaminant and mixture-based approach. <i>Environmental Health</i> , 2019, 18, 63.	4.0	18
89	Urinary concentrations of phenols in association with biomarkers of oxidative stress in pregnancy: Assessment of effects independent of phthalates. <i>Environment International</i> , 2019, 131, 104903.	10.0	48
90	The association of urinary organophosphate ester metabolites and self-reported personal care and household product use among pregnant women in Puerto Rico. <i>Environmental Research</i> , 2019, 179, 108756.	7.5	26

#	ARTICLE	IF	CITATIONS
91	Exposure to 17 trace metals in pregnancy and associations with urinary oxidative stress biomarkers. <i>Environmental Research</i> , 2019, 179, 108854.	7.5	42
92	Average and time-specific maternal prenatal inflammatory biomarkers and the risk of labor epidural associated fever. <i>PLoS ONE</i> , 2019, 14, e0222958.	2.5	3
93	In utero and peripubertal metals exposure in relation to reproductive hormones and sexual maturation and progression among girls in Mexico City. <i>Environmental Research</i> , 2019, 177, 108630.	7.5	48
94	Pregnancy phthalate metabolite concentrations and infant birth weight by gradations of maternal glucose tolerance. <i>International Journal of Hygiene and Environmental Health</i> , 2019, 222, 395-401.	4.3	18
95	First trimester maternal exposures to endocrine disrupting chemicals and metals and fetal size in the Michigan Motherâ€™Infant Pairs study. <i>Journal of Developmental Origins of Health and Disease</i> , 2019, 10, 447-458.	1.4	51
96	Phthalate Exposures, DNA Methylation and Adiposity in Mexican Children Through Adolescence. <i>Frontiers in Public Health</i> , 2019, 7, 162.	2.7	31
97	Demographic risk factors for adverse birth outcomes in Puerto Rico in the PROTECT cohort. <i>PLoS ONE</i> , 2019, 14, e0217770.	2.5	31
98	Associations of Phthalates and Phthalate Replacements With CRH and Other Hormones Among Pregnant Women in Puerto Rico. <i>Journal of the Endocrine Society</i> , 2019, 3, 1127-1149.	0.2	39
99	Prenatal exposure to the herbicide 2,4-D is associated with deficits in auditory processing during infancy. <i>Environmental Research</i> , 2019, 172, 486-494.	7.5	21
100	A repeated measures study of phenol, paraben and Triclocarban urinary biomarkers and circulating maternal hormones during gestation in the Puerto Rico PROTECT cohort. <i>Environmental Health</i> , 2019, 18, 28.	4.0	71
101	Association of antenatal depression with oxidative stress and impact on spontaneous preterm birth. <i>Journal of Perinatology</i> , 2019, 39, 554-562.	2.0	10
102	Preliminary assessment of exposure to persistent organic pollutants among pregnant women in Puerto Rico. <i>International Journal of Hygiene and Environmental Health</i> , 2019, 222, 327-331.	4.3	11
103	Early lead exposure and pubertal development in a Mexico City population. <i>Environment International</i> , 2019, 125, 445-451.	10.0	28
104	Early Life Exposure in Mexico to ENvironmental Toxicants (ELEMENT) Project. <i>BMJ Open</i> , 2019, 9, e030427.	1.9	76
105	Prediction and associations of preterm birth and its subtypes with eicosanoid enzymatic pathways and inflammatory markers. <i>Scientific Reports</i> , 2019, 9, 17049.	3.3	52
106	Urinary oxidative stress biomarker levels and reproductive outcomes among couples undergoing fertility treatments. <i>Human Reproduction</i> , 2019, 34, 2399-2409.	0.9	8
107	Estimating Outcome-Exposure Associations when Exposure Biomarker Detection Limits vary Across Batches. <i>Epidemiology</i> , 2019, 30, 746-755.	2.7	28
108	Selection of nonlinear interactions by a forward stepwise algorithm: Application to identifying environmental chemical mixtures affecting health outcomes. <i>Statistics in Medicine</i> , 2019, 38, 1582-1600.	1.6	5

#	ARTICLE	IF	CITATIONS
109	The associations between prenatal exposure to triclocarban, phenols and parabens with gestational age and birth weight in northern Puerto Rico. <i>Environmental Research</i> , 2019, 169, 41-51.	7.5	83
110	Preterm birth in relation to the bisphenol A replacement, bisphenol S, and other phenols and parabens. <i>Environmental Research</i> , 2019, 169, 131-138.	7.5	58
111	Phthalate exposure during pregnancy and long-term weight gain in women. <i>Environmental Research</i> , 2019, 169, 26-32.	7.5	33
112	Associations between maternal plasma measurements of inflammatory markers and urinary levels of phenols and parabens during pregnancy: A repeated measures study. <i>Science of the Total Environment</i> , 2019, 650, 1131-1140.	8.0	35
113	Maternal levels of endocrine disrupting chemicals in the first trimester of pregnancy are associated with infant cord blood DNA methylation. <i>Epigenetics</i> , 2018, 13, 301-309.	2.7	70
114	The influence of hydrogeological and anthropogenic variables on phthalate contamination in eogenetic karst groundwater systems. <i>Environmental Pollution</i> , 2018, 237, 298-307.	7.5	22
115	The Environment and Reproductive Health (EARTH) Study: a prospective preconception cohort. <i>Human Reproduction Open</i> , 2018, 2018, .	5.4	90
116	Prenatal organophosphate insecticide exposure and infant sensory function. <i>International Journal of Hygiene and Environmental Health</i> , 2018, 221, 469-478.	4.3	23
117	Subclinical Changes in Maternal Thyroid Function Parameters in Pregnancy and Fetal Growth. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 1349-1358.	3.6	30
118	Associations between maternal phenol and paraben urinary biomarkers and maternal hormones during pregnancy: A repeated measures study. <i>Environment International</i> , 2018, 113, 341-349.	10.0	95
119	Pregnancy urinary bisphenol-A concentrations and glucose levels across BMI categories. <i>Environment International</i> , 2018, 113, 35-41.	10.0	30
120	Paternal urinary concentrations of organophosphate flame retardant metabolites, fertility measures, and pregnancy outcomes among couples undergoing in vitro fertilization. <i>Environment International</i> , 2018, 111, 232-238.	10.0	86
121	Environmental phenol associations with ultrasound and delivery measures of fetal growth. <i>Environment International</i> , 2018, 112, 243-250.	10.0	90
122	Urinary metal concentrations among mothers and children in a Mexico City birth cohort study. <i>International Journal of Hygiene and Environmental Health</i> , 2018, 221, 609-615.	4.3	42
123	Urinary phthalate metabolite concentrations in relation to levels of circulating matrix metalloproteinases in pregnant women. <i>Science of the Total Environment</i> , 2018, 613-614, 1349-1352.	8.0	5
124	Distribution and predictors of urinary polycyclic aromatic hydrocarbon metabolites in two pregnancy cohort studies. <i>Environmental Pollution</i> , 2018, 232, 556-562.	7.5	35
125	Team Science Applied to Environmental Health Research: Karst Hydrogeology and Preterm Birth in Puerto Rico. <i>Advances in Karst Science</i> , 2018, , 17-25.	0.3	1
126	Social Determinants of Contaminant Exposure and Pregnancy in the Northern Karst of Puerto Rico. <i>Advances in Karst Science</i> , 2018, , 169-175.	0.3	0



#	ARTICLE	IF	CITATIONS
127	Investigation of associations between exposures to pesticides and testosterone levels in Thai farmers. Archives of Environmental and Occupational Health, 2018, 73, 205-218.	1.4	22
128	Sex Differences in Telomere Length Are Not Mediated by Sex Steroid Hormones or Body Size in Early Adolescence. , 2018, 2, 68-75.	0.8	5
129	A Hybrid Approach to Identifying Key Factors in Environmental Health Studies. , 2018, , .		5
130	An Efficient Data Management Framework for Puerto Rico Testsite for Exploring Contamination Threats (PROTECT). , 2018, , .		2
131	Potential influence of temperature and precipitation on preterm birth rate in Puerto Rico. Scientific Reports, 2018, 8, 16106.	3.3	20
132	Urinary trace metals individually and in mixtures in association with preterm birth. Environment International, 2018, 121, 582-590.	10.0	85
133	Hurricanes and the Environmental Justice Island: Irma and Maria in Puerto Rico. Environmental Justice, 2018, 11, 148-153.	1.5	31
134	Organophosphate flame-retardant metabolite concentrations and pregnancy loss among women conceiving with assisted reproductive technology. Fertility and Sterility, 2018, 110, 1137-1144.e1.	1.0	28
135	Phthalate exposure and male reproductive outcomes: A systematic review of the human epidemiological evidence. Environment International, 2018, 121, 764-793.	10.0	289
136	Elevated concentrations of urinary triclocarban, phenol and paraben among pregnant women in Northern Puerto Rico: Predictors and trends. Environment International, 2018, 121, 990-1002.	10.0	92
137	Associations between school lunch consumption and urinary phthalate metabolite concentrations in US children and adolescents: Results from NHANES 2003â€”2014. Environment International, 2018, 121, 287-295.	10.0	17
138	Associations between mixtures of urinary phthalate metabolites with gestational age at delivery: a time to event analysis using summative phthalate risk scores. Environmental Health, 2018, 17, 56.	4.0	30
139	Associations between repeated ultrasound measures of fetal growth and biomarkers of maternal oxidative stress and inflammation in pregnancy. American Journal of Reproductive Immunology, 2018, 80, e13017.	1.2	38
140	Foetal ultrasound measurement imputations based on growth curves versus multiple imputation chained equation (<sc>MICE</sc>). Paediatric and Perinatal Epidemiology, 2018, 32, 469-473.	1.7	5
141	The association between urinary concentrations of phosphorous-containing flame retardant metabolites and semen parameters among men from a fertility clinic. International Journal of Hygiene and Environmental Health, 2018, 221, 809-815.	4.3	34
142	Distribution and predictors of 20 toxic and essential metals in the umbilical cord blood of Chinese newborns. Chemosphere, 2018, 210, 1167-1175.	8.2	24
143	Racial and ethnic variations in phthalate metabolite concentration changes across full-term pregnancies. Journal of Exposure Science and Environmental Epidemiology, 2017, 27, 160-166.	3.9	49
144	Personal care product use among adults in NHANES: associations between urinary phthalate metabolites and phenols and use of mouthwash and sunscreen. Journal of Exposure Science and Environmental Epidemiology, 2017, 27, 326-332.	3.9	76

#	ARTICLE	IF	CITATIONS
145	Exposure to phthalates is associated with lipid profile in peripubertal Mexican youth. <i>Environmental Research</i> , 2017, 154, 311-317.	7.5	45
146	Current pesticide profiles in blood serum of adults in Jiangsu Province of China and a comparison with other countries. <i>Environment International</i> , 2017, 102, 213-222.	10.0	43
147	Temporal Trends in Exposure to Organophosphate Flame Retardants in the United States. <i>Environmental Science and Technology Letters</i> , 2017, 4, 112-118.	8.7	142
148	Response to correspondence by Mortazavi et al. re: "Self-reported mobile phone use and semen parameters among men from a fertility clinic". <i>Reproductive Toxicology</i> , 2017, 71, 165.	2.9	0
149	Bisphenol A and phthalates in utero and in childhood: association with child BMI z-score and adiposity. <i>Environmental Research</i> , 2017, 156, 326-333.	7.5	70
150	Influence of storage vial material on measurement of organophosphate flame retardant metabolites in urine. <i>Chemosphere</i> , 2017, 181, 440-446.	8.2	13
151	Thyroid hormone parameters during pregnancy in relation to urinary bisphenol A concentrations: A repeated measures study. <i>Environment International</i> , 2017, 104, 33-40.	10.0	52
152	Validity of Self-Assessed Sexual Maturation Against Physician Assessments and Hormone Levels. <i>Journal of Pediatrics</i> , 2017, 186, 172-178.e3.	1.8	111
153	Prenatal naled and chlorpyrifos exposure is associated with deficits in infant motor function in a cohort of Chinese infants. <i>Environment International</i> , 2017, 106, 248-256.	10.0	68
154	Urinary Polycyclic Aromatic Hydrocarbon Metabolite Associations with Biomarkers of Inflammation, Angiogenesis, and Oxidative Stress in Pregnant Women. <i>Environmental Science &amp; Technology</i> , 2017, 51, 4652-4660.	10.0	86
155	Repeated measures of inflammation and oxidative stress biomarkers in preeclamptic and normotensive pregnancies. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, 527.e1-527.e9.	1.3	101
156	Urinary phthalate metabolite concentrations and maternal weight during early pregnancy. <i>International Journal of Hygiene and Environmental Health</i> , 2017, 220, 1347-1355.	4.3	32
157	Phthalate and bisphenol A exposure during in utero windows of susceptibility in relation to reproductive hormones and pubertal development in girls. <i>Environmental Research</i> , 2017, 159, 143-151.	7.5	100
158	Impact of phthalate and BPA exposure during in utero windows of susceptibility on reproductive hormones and sexual maturation in peripubertal males. <i>Environmental Health</i> , 2017, 16, 69.	4.0	59
159	Self-reported mobile phone use and semen parameters among men from a fertility clinic. <i>Reproductive Toxicology</i> , 2017, 67, 42-47.	2.9	21
160	Serum polybrominated diphenyl ether (PBDE) concentrations in relation to biomarkers of oxidative stress and inflammation: The National Health and Nutrition Examination Survey 2003-2004. <i>Science of the Total Environment</i> , 2017, 575, 400-405.	8.0	22
161	Dietary predictors of urinary cadmium among pregnant women and children. <i>Science of the Total Environment</i> , 2017, 575, 1255-1262.	8.0	39
162	Longitudinal Profiles of Thyroid Hormone Parameters in Pregnancy and Associations with Preterm Birth. <i>PLoS ONE</i> , 2017, 12, e0169542.	2.5	17

#	ARTICLE	IF	CITATIONS
163	Urinary BPA and Phthalate Metabolite Concentrations and Plasma Vitamin D Levels in Pregnant Women: A Repeated Measures Analysis. <i>Environmental Health Perspectives</i> , 2017, 125, 087026.	6.0	42
164	Urinary Concentrations of Organophosphate Flame Retardant Metabolites and Pregnancy Outcomes among Women Undergoing <i>in Vitro</i> Fertilization. <i>Environmental Health Perspectives</i> , 2017, 125, 087018.	6.0	101
165	Mediation of the Relationship between Maternal Phthalate Exposure and Preterm Birth by Oxidative Stress with Repeated Measurements across Pregnancy. <i>Environmental Health Perspectives</i> , 2017, 125, 488-494.	6.0	99
166	Occupational and Environmental Hygiene. , 2017, , .		0
167	Associations between Repeated Measures of Maternal Urinary Phthalate Metabolites and Thyroid Hormone Parameters during Pregnancy. <i>Environmental Health Perspectives</i> , 2016, 124, 1808-1815.	6.0	84
168	Urinary Concentrations of Bisphenol A and Phthalate Metabolites Measured during Pregnancy and Risk of Preeclampsia. <i>Environmental Health Perspectives</i> , 2016, 124, 1651-1655.	6.0	97
169	Urinary Phthalate Metabolite Concentrations and Reproductive Outcomes among Women Undergoing <i>in Vitro</i> Fertilization: Results from the EARTH Study. <i>Environmental Health Perspectives</i> , 2016, 124, 831-839.	6.0	172
170	Adolescent epigenetic profiles and environmental exposures from early life through peri-adolescence. <i>Environmental Epigenetics</i> , 2016, 2, dvw018.	1.8	44
171	Distribution and Predictors of Pesticides in the Umbilical Cord Blood of Chinese Newborns. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 94.	2.6	24
172	Utilizing Longitudinal Measures of Fetal Growth to Create a Standard Method to Assess the Impacts of Maternal Disease and Environmental Exposure. <i>PLoS ONE</i> , 2016, 11, e0146532.	2.5	27
173	Prenatal exposure to multiple pesticides is associated with auditory brainstem response at 9 months in a cohort study of Chinese infants. <i>Environment International</i> , 2016, 92-93, 478-485.	10.0	26
174	Exposure to Power-Frequency Magnetic Fields and the Risk of Infertility and Adverse Pregnancy Outcomes: Update on the Human Evidence and Recommendations for Future Study Designs. <i>Journal of Toxicology and Environmental Health - Part B: Critical Reviews</i> , 2016, 19, 29-45.	6.5	23
175	Association of Bisphenol A Exposure with Breastfeeding and Perceived Insufficient Milk Supply in Mexican Women. <i>Maternal and Child Health Journal</i> , 2016, 20, 1713-1719.	1.5	14
176	Maternal phthalate exposure during early pregnancy and at delivery in relation to gestational age and size at birth: A preliminary analysis. <i>Reproductive Toxicology</i> , 2016, 65, 59-66.	2.9	63
177	Phenols and parabens in relation to reproductive and thyroid hormones in pregnant women. <i>Environmental Research</i> , 2016, 151, 30-37.	7.5	144
178	Pregnancy urinary phthalate metabolite concentrations and gestational diabetes risk factors. <i>Environment International</i> , 2016, 96, 118-126.	10.0	81
179	Relationships Between Urinary Phthalate Metabolite and Bisphenol A Concentrations and Vitamin D Levels in U.S. Adults: National Health and Nutrition Examination Survey (NHANES), 2005-2010. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 4062-4069.	3.6	63
180	Exploratory analysis of the potential relationship between urinary molybdenum and bone mineral density among adult men and women from NHANES 2007-2010. <i>Chemosphere</i> , 2016, 164, 677-682.	8.2	18

#	ARTICLE	IF	CITATIONS
181	Repeated measures analysis of associations between urinary bisphenol-A concentrations and biomarkers of inflammation and oxidative stress in pregnancy. <i>Reproductive Toxicology</i> , 2016, 66, 93-98.	2.9	65
182	Inflammatory and oxidative stress markers associated with decreased cervical length in pregnancy. <i>American Journal of Reproductive Immunology</i> , 2016, 76, 376-382.	1.2	19
183	Low-level prenatal lead exposure and infant sensory function. <i>Environmental Health</i> , 2016, 15, 65.	4.0	34
184	Personal power-frequency magnetic field exposure in women recruited at an infertility clinic: association with physical activity and temporal variability. <i>Radiation Protection Dosimetry</i> , 2016, 168, 478-488.	0.8	6
185	Urinary phthalate metabolite and bisphenol A associations with ultrasound and delivery indices of fetal growth. <i>Environment International</i> , 2016, 94, 531-537.	10.0	65
186	Mediation Formula for a Binary Outcome and a Time-Varying Exposure and Mediator, Accounting for Possible Exposure-Mediator Interaction. <i>American Journal of Epidemiology</i> , 2016, 184, 157-159.	3.4	6
187	Relating Phthalate and BPA Exposure to Metabolism in Peripubescence: The Role of Exposure Timing, Sex, and Puberty. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 79-88.	3.6	61
188	Urinary 3-phenoxybenzoic acid (3-PBA) levels among pregnant women in Mexico City: Distribution and relationships with child neurodevelopment. <i>Environmental Research</i> , 2016, 147, 307-313.	7.5	60
189	PERSONAL MEASURES OF POWER-FREQUENCY MAGNETIC FIELD EXPOSURE AMONG MEN FROM AN INFERTILITY CLINIC: DISTRIBUTION, TEMPORAL VARIABILITY AND CORRELATION WITH THEIR FEMALE PARTNERS' EXPOSURE. <i>Radiation Protection Dosimetry</i> , 2016, 172, 401-408.	0.8	2
190	The Role of Environmental Exposures in Preterm Birth. <i>Molecular and Integrative Toxicology</i> , 2016, , 269-293.	0.5	1
191	Urinary Bisphenol A Levels during Pregnancy and Risk of Preterm Birth. <i>Environmental Health Perspectives</i> , 2015, 123, 895-901.	6.0	77
192	Endocrine Disruption of Developmental Pathways and Children's Health. , 2015, , 237-255.		2
193	Phthalate metabolites and bisphenol-A in association with circulating angiogenic biomarkers across pregnancy. <i>Placenta</i> , 2015, 36, 699-703.	1.5	61
194	Serum Biomarkers of Exposure to Perfluoroalkyl Substances in Relation to Serum Testosterone and Measures of Thyroid Function among Adults and Adolescents from NHANES 2011-2012. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 6098-6114.	2.6	139
195	Associations between urinary phenol and paraben concentrations and markers of oxidative stress and inflammation among pregnant women in Puerto Rico. <i>International Journal of Hygiene and Environmental Health</i> , 2015, 218, 212-219.	4.3	181
196	Distribution and determinants of urinary biomarkers of exposure to organophosphate insecticides in Puerto Rican pregnant women. <i>Science of the Total Environment</i> , 2015, 512-513, 337-344.	8.0	43
197	Biomarkers of exposure to molybdenum and other metals in relation to testosterone among men from the United States National Health and Nutrition Examination Survey 2011-2012. <i>Fertility and Sterility</i> , 2015, 103, 172-178.	1.0	56
198	Sociodemographic patterns of household water-use costs in Puerto Rico. <i>Science of the Total Environment</i> , 2015, 524-525, 300-309.	8.0	12

#	ARTICLE	IF	CITATIONS
199	Urinary Phthalate Metabolites and Biomarkers of Oxidative Stress in Pregnant Women: A Repeated Measures Analysis. <i>Environmental Health Perspectives</i> , 2015, 123, 210-216.	6.0	182
200	Temporal variability of daily personal magnetic field exposure metrics in pregnant women. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2015, 25, 58-64.	3.9	7
201	Urinary phthalate metabolites in relation to maternal serum thyroid and sex hormone levels during pregnancy: a longitudinal analysis. <i>Reproductive Biology and Endocrinology</i> , 2015, 13, 4.	3.3	125
202	Statistical methods for modeling repeated measures of maternal environmental exposure biomarkers during pregnancy in association with preterm birth. <i>Environmental Health</i> , 2015, 14, 9.	4.0	74
203	Association between urinary biomarkers of exposure to organophosphate insecticides and serum reproductive hormones in men from NHANES 1999-2002. <i>Reproductive Toxicology</i> , 2015, 53, 99-104.	2.9	29
204	Serum concentrations of polychlorinated dibenzo-p-dioxins among ceramicists. <i>Chemosphere</i> , 2015, 118, 350-356.	8.2	0
205	Exposure assessment issues in epidemiology studies of phthalates. <i>Environment International</i> , 2015, 85, 27-39.	10.0	268
206	Dialkyl phosphate urinary metabolites and chromosomal abnormalities in human sperm. <i>Environmental Research</i> , 2015, 143, 256-265.	7.5	15
207	Repeated measures of urinary oxidative stress biomarkers during pregnancy and preterm birth. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 212, 208.e1-208.e8.	1.3	90
208	Associations between Maternal Biomarkers of Phthalate Exposure and Inflammation Using Repeated Measurements across Pregnancy. <i>PLoS ONE</i> , 2015, 10, e0135601.	2.5	44
209	Environmental Risk Score as a New Tool to Examine Multi-Pollutants in Epidemiologic Research: An Example from the NHANES Study Using Serum Lipid Levels. <i>PLoS ONE</i> , 2014, 9, e98632.	2.5	58
210	Low-Level Prenatal Lead Exposure Alters Auditory Recognition Memory in 2-Month-Old Infants: An Event-Related Potentials (ERPs) Study. <i>Developmental Neuropsychology</i> , 2014, 39, 516-528.	1.4	14
211	Environmental Phthalate Exposure and Preterm Birth. <i>JAMA Pediatrics</i> , 2014, 168, 61.	6.2	286
212	Urinary biomarkers of exposure to insecticides, herbicides, and one insect repellent among pregnant women in Puerto Rico. <i>Environmental Health</i> , 2014, 13, 97.	4.0	38
213	Elevated day 3 follicle-stimulating hormone in younger women: is gonadotropin stimulation/intrauterine insemination a good option?. <i>American Journal of Obstetrics and Gynecology</i> , 2014, 211, 62.e1-62.e8.	1.3	7
214	Estimating Preferential Flow in Karstic Aquifers Using Statistical Mixed Models. <i>Ground Water</i> , 2014, 52, 584-596.	1.3	19
215	Urinary Phthalate Metabolites Are Associated With Decreased Serum Testosterone in Men, Women, and Children From NHANES 2011-2012. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 4346-4352.	3.6	162
216	Prenatal and peripubertal phthalates and bisphenol A in relation to sex hormones and puberty in boys. <i>Reproductive Toxicology</i> , 2014, 47, 70-76.	2.9	113

#	ARTICLE	IF	CITATIONS
217	Urinary Phthalate Metabolite Associations with Biomarkers of Inflammation and Oxidative Stress Across Pregnancy in Puerto Rico. <i>Environmental Science &amp; Technology</i> , 2014, 48, 7018-7025.	10.0	157
218	In utero and peripubertal exposure to phthalates and BPA in relation to female sexual maturation. <i>Environmental Research</i> , 2014, 134, 233-241.	7.5	90
219	Evaluation of the release of dioxins and PCBs during kiln-firing of ball clay. <i>Chemosphere</i> , 2014, 94, 70-75.	8.2	1
220	Urinary phthalate metabolite concentrations among pregnant women in Northern Puerto Rico: Distribution, temporal variability, and predictors. <i>Environment International</i> , 2014, 62, 1-11.	10.0	177
221	Urinary 3,5,6-trichloro-2-pyridinol (TCPY) in pregnant women from Mexico City: Distribution, temporal variability, and relationship with child attention and hyperactivity. <i>International Journal of Hygiene and Environmental Health</i> , 2014, 217, 405-412.	4.3	89
222	Longitudinal Profiling of Inflammatory Cytokines and C-reactive Protein during Uncomplicated and Preterm Pregnancy. <i>American Journal of Reproductive Immunology</i> , 2014, 72, 326-336.	1.2	124
223	Variability in urinary phthalate metabolite levels across pregnancy and sensitive windows of exposure for the risk of preterm birth. <i>Environment International</i> , 2014, 70, 118-124.	10.0	193
224	Web-Enhanced Tobacco Tactics With Telephone Support Versus 1-800-QUIT-NOW Telephone Line Intervention for Operating Engineers: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2014, 16, e255.	4.3	16
225	Distribution, Variability, and Predictors of Urinary Concentrations of Phenols and Parabens among Pregnant Women in Puerto Rico. <i>Environmental Science &amp; Technology</i> , 2013, 47, 3439-3447.	10.0	323
226	Prenatal urinary phthalate metabolites levels and neurodevelopment in children at two and three years of age. <i>Science of the Total Environment</i> , 2013, 461-462, 386-390.	8.0	138
227	Associations between brominated flame retardants in house dust and hormone levels in men. <i>Science of the Total Environment</i> , 2013, 445-446, 177-184.	8.0	146
228	Predictors of urinary bisphenol A and phthalate metabolite concentrations in Mexican children. <i>Chemosphere</i> , 2013, 93, 2390-2398.	8.2	118
229	Statistical strategies for constructing health risk models with multiple pollutants and their interactions: possible choices and comparisons. <i>Environmental Health</i> , 2013, 12, 85.	4.0	116
230	Blood cadmium is elevated in iron deficient U.S. children: a cross-sectional study. <i>Environmental Health</i> , 2013, 12, 117.	4.0	45
231	Relationship between urinary triclosan and paraben concentrations and serum thyroid measures in NHANES 2007-2008. <i>Science of the Total Environment</i> , 2013, 445-446, 299-305.	8.0	166
232	Mono-2-ethylhexyl phthalate induces oxidative stress responses in human placental cells in vitro. <i>Toxicology and Applied Pharmacology</i> , 2013, 268, 47-54.	2.8	124
233	Troubleshooting the dichlorofluorescein assay to avoid artifacts in measurement of toxicant-stimulated cellular production of reactive oxidant species. <i>Journal of Pharmacological and Toxicological Methods</i> , 2013, 67, 56-60.	0.7	58
234	Environmental Contaminant Exposures and Preterm Birth: A Comprehensive Review. <i>Journal of Toxicology and Environmental Health - Part B: Critical Reviews</i> , 2013, 16, 69-113.	6.5	139

#	ARTICLE	IF	CITATIONS
235	Urinary Metabolites of Organophosphate Flame Retardants: Temporal Variability and Correlations with House Dust Concentrations. <i>Environmental Health Perspectives</i> , 2013, 121, 580-585.	6.0	272
236	Environmental exposure to pyrethroids and sperm sex chromosome disomy: a cross-sectional study. <i>Environmental Health</i> , 2013, 12, 111.	4.0	31
237	Bisphenol A and Chronic Disease Risk Factors in US Children. <i>Pediatrics</i> , 2013, 132, e637-e645.	2.1	92
238	Potential Sources of Bisphenol A in the Neonatal Intensive Care Unit. <i>Pediatrics</i> , 2013, 131, 483-489.	2.1	78
239	Exploratory analysis of urinary metabolites of phosphorus-containing flame retardants in relation to markers of male reproductive health. <i>Endocrine Disruptors (Austin, Tex)</i> , 2013, 1, e26306.	1.1	89
240	Bisphenol A and human reproductive health. <i>Expert Review of Obstetrics and Gynecology</i> , 2013, 8, 329-335.	0.4	41
241	Infertility, Pregnancy Loss and Adverse Birth Outcomes in Relation to Maternal Secondhand Tobacco Smoke Exposure. <i>Current Women's Health Reviews</i> , 2013, 9, 41-49.	0.2	28
242	Interactions between Urinary 4-tert-Octylphenol Levels and Metabolism Enzyme Gene Variants on Idiopathic Male Infertility. <i>PLoS ONE</i> , 2013, 8, e59398.	2.5	15
243	Teachers Working in PCB-Contaminated Schools. , 2013, , 23-43.		0
244	Flame-Retardants' Effect on Hormone Levels and Semen Quality. , 2013, , 45-61.		0
245	Association of Hexachlorobenzene (HCB), Dichlorodiphenyltrichloroethane (DDT), and Dichlorodiphenyldichloroethylene (DDE) with <i>in Vitro</i> Fertilization (IVF) Outcomes. <i>Environmental Health Perspectives</i> , 2012, 120, 316-320.	6.0	48
246	Predictors and Variability of Urinary Paraben Concentrations in Men and Women, Including before and during Pregnancy. <i>Environmental Health Perspectives</i> , 2012, 120, 1538-1543.	6.0	180
247	Urinary Phthalate Metabolite Concentrations and Diabetes among Women in the National Health and Nutrition Examination Survey (NHANES) 2001-2008. <i>Environmental Health Perspectives</i> , 2012, 120, 1307-1313.	6.0	181
248	Urinary arsenic species, toenail arsenic, and arsenic intake estimates in a Michigan population with low levels of arsenic in drinking water. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2012, 22, 182-190.	3.9	47
249	Urinary phthalate metabolites and their biotransformation products: predictors and temporal variability among men and women. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2012, 22, 376-385.	3.9	78
250	Serum concentrations of p,p'-DDE, HCB, PCBs and reproductive hormones among men of reproductive age. <i>Reproductive Toxicology</i> , 2012, 34, 429-435.	2.9	25
251	Exploration of Oxidative Stress and Inflammatory Markers in Relation to Urinary Phthalate Metabolites: NHANES 1999-2006. <i>Environmental Science &amp; Technology</i> , 2012, 46, 477-485.	10.0	106
252	Serum and follicular fluid concentrations of polybrominated diphenyl ethers and in-vitro fertilization outcome. <i>Environment International</i> , 2012, 45, 9-14.	10.0	55

#	ARTICLE	IF	CITATIONS
253	Reduced birth weight in relation to pesticide mixtures detected in cord blood of full-term infants. <i>Environment International</i> , 2012, 47, 80-85.	10.0	89
254	Protocol of a randomized controlled trial of the Tobacco Tactics website for operating engineers. <i>BMC Public Health</i> , 2012, 12, 335.	2.9	14
255	Exposure to Environmental Endocrine Disruptors and Child Development. <i>JAMA Pediatrics</i> , 2012, 166, E1-7.	3.0	228
256	Urinary Concentrations of Di(2-ethylhexyl) Phthalate Metabolites and Serum Reproductive Hormones: Pooled Analysis of Fertile and Infertile Men. <i>Journal of Andrology</i> , 2012, 33, 488-498.	2.0	70
257	Secondhand tobacco smoke exposure is associated with prolactin but not thyroid stimulating hormone among nonsmoking women seeking in vitro fertilization. <i>Environmental Toxicology and Pharmacology</i> , 2012, 34, 761-767.	4.0	16
258	Phthalates: Human Exposure and Related Health Effects. , 2012, , 415-443.		7
259	Case Studyâ€“Puerto Rico Test Site for Exploring Contamination Threats. , 2012, , .		1
260	Association between urinary 3, 5, 6-trichloro-2-pyridinol, a metabolite of chlorpyrifos and chlorpyrifos-methyl, and serum T4 and TSH in NHANES 1999â€“2002. <i>Science of the Total Environment</i> , 2012, 424, 351-355.	8.0	34
261	Exposure to environmental endocrine disruptors and child development. <i>JAMA Pediatrics</i> , 2012, 166, 952-8.	3.0	49
262	Urinary phthalate metabolites in relation to biomarkers of inflammation and oxidative stress: NHANES 1999â€“2006. <i>Environmental Research</i> , 2011, 111, 718-726.	7.5	176
263	Women, weight, and fertility: The effect of body mass index on the outcome of superovulation/intrauterine insemination cycles. <i>Fertility and Sterility</i> , 2011, 95, 1042-1047.	1.0	112
264	Analysis of Multiple-cycle Data From Couples Undergoing In Vitro Fertilization. <i>Epidemiology</i> , 2011, 22, 497-504.	2.7	36
265	Cotinine concentrations in follicular fluid as a measure of secondhand tobacco smoke exposure in women undergoing in vitro fertilization: Inter-matrix comparisons with urine and temporal variability. <i>Chemosphere</i> , 2011, 84, 110-116.	8.2	11
266	Serum PCB levels and congener profiles among teachers in PCB-containing schools: a pilot study. <i>Environmental Health</i> , 2011, 10, 56.	4.0	46
267	Relationship between Urinary Phthalate and Bisphenol A Concentrations and Serum Thyroid Measures in U.S. Adults and Adolescents from the National Health and Nutrition Examination Survey (NHANES) 2007â€“2008. <i>Environmental Health Perspectives</i> , 2011, 119, 1396-1402.	6.0	265
268	Secondhand tobacco smoke exposure is associated with increased risk of failed implantation and reduced IVF success. <i>Human Reproduction</i> , 2011, 26, 2525-2531.	0.9	50
269	Urinary Concentrations of Parabens and Serum Hormone Levels, Semen Quality Parameters, and Sperm DNA Damage. <i>Environmental Health Perspectives</i> , 2011, 119, 252-257.	6.0	296
270	Serum Concentrations of Polychlorinated Biphenyls in Relation to <i>in Vitro</i> Fertilization Outcomes. <i>Environmental Health Perspectives</i> , 2011, 119, 1010-1016.	6.0	61



#	ARTICLE	IF	CITATIONS
271	Semen quality and sperm DNA damage in relation to urinary bisphenol A among men from an infertility clinic. <i>Reproductive Toxicology</i> , 2010, 30, 532-539.	2.9	341
272	Hexavalent Chromium Exposure and Control in Welding Tasks. <i>Journal of Occupational and Environmental Hygiene</i> , 2010, 7, 607-615.	1.0	21
273	Urinary Bisphenol A Concentrations in Relation to Serum Thyroid and Reproductive Hormone Levels in Men from an Infertility Clinic. <i>Environmental Science &amp; Technology</i> , 2010, 44, 1458-1463.	10.0	211
274	House Dust Concentrations of Organophosphate Flame Retardants in Relation to Hormone Levels and Semen Quality Parameters. <i>Environmental Health Perspectives</i> , 2010, 118, 318-323.	6.0	580
275	Bisphenol a exposure in Mexico City and risk of prematurity: a pilot nested case control study. <i>Environmental Health</i> , 2010, 9, 62.	4.0	149
276	Relationships between Polybrominated Diphenyl Ether Concentrations in House Dust and Serum. <i>Environmental Science &amp; Technology</i> , 2010, 44, 5627-5632.	10.0	181
277	Exposure to environmental endocrine disrupting compounds and men's health. <i>Maturitas</i> , 2010, 66, 236-241.	2.4	119
278	Environmental exposure to metals and male reproductive hormones: circulating testosterone is inversely associated with blood molybdenum. <i>Fertility and Sterility</i> , 2010, 93, 130-140.	1.0	119
279	Body mass index in relation to semen quality, sperm DNA integrity, and serum reproductive hormone levels among men attending an infertility clinic. <i>Fertility and Sterility</i> , 2010, 93, 2222-2231.	1.0	437
280	National Study of Exposure to Pesticides among Professional Applicators: An Investigation Based on Urinary Biomarkers. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 10253-10261.	5.2	21
281	Exposure to Polychlorinated Biphenyls (PCBs) and Male Reproduction. <i>Systems Biology in Reproductive Medicine</i> , 2010, 56, 122-131.	2.1	120
282	Molybdenum Exposure and Semen Quality: Meeker et al. Respond. <i>Environmental Health Perspectives</i> , 2009, 117, .	6.0	1
283	Phthalates and other additives in plastics: human exposure and associated health outcomes. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2009, 364, 2097-2113.	4.0	597
284	Urinary Phthalate Metabolites in Relation to Preterm Birth in Mexico City. <i>Environmental Health Perspectives</i> , 2009, 117, 1587-1592.	6.0	219
285	Pyrethroid insecticide metabolites are associated with serum hormone levels in adult men. <i>Reproductive Toxicology</i> , 2009, 27, 155-160.	2.9	143
286	Polybrominated diphenyl ether (PBDE) concentrations in house dust are related to hormone levels in men. <i>Science of the Total Environment</i> , 2009, 407, 3425-3429.	8.0	220
287	Empirical Likelihood-Based Inferences for Generalized Partially Linear Models. <i>Scandinavian Journal of Statistics</i> , 2009, 36, 433-443.	1.4	37
288	Detection of Organophosphate Flame Retardants in Furniture Foam and U.S. House Dust. <i>Environmental Science &amp; Technology</i> , 2009, 43, 7490-7495.	10.0	662

#	ARTICLE	IF	CITATIONS
289	Multiple metals predict prolactin and thyrotropin (TSH) levels in men. Environmental Research, 2009, 109, 869-873.	7.5	70
290	Urinary Metabolites of Di(2-ethylhexyl) Phthalate Are Associated With Decreased Steroid Hormone Levels in Adult Men. Journal of Andrology, 2009, 30, 287-297.	2.0	206
291	Serum and follicular fluid organochlorine concentrations among women undergoing assisted reproduction technologies. Environmental Health, 2009, 8, 32.	4.0	48
292	Engineering Control Technologies to Reduce Occupational Silica Exposures in Masonry Cutting and Tuckpointing. Public Health Reports, 2009, 124, 101-111.	2.5	33
293	Empirical likelihood based inference for additive partial linear measurement error models. Statistics and Its Interface, 2009, 2, 83-90.	0.3	13
294	Circulating estradiol in men is inversely related to urinary metabolites of nonpersistent insecticides. Reproductive Toxicology, 2008, 25, 184-191.	2.9	46
295	Serum Concentrations of Estradiol and Free T4 Are Inversely Correlated With Sperm DNA Damage in Men From an Infertility Clinic. Journal of Andrology, 2008, 29, 379-388.	2.0	29
296	Cadmium, Lead, and Other Metals in Relation to Semen Quality: Human Evidence for Molybdenum as a Male Reproductive Toxicant. Environmental Health Perspectives, 2008, 116, 1473-1479.	6.0	222
297	Human semen quality and sperm DNA damage in relation to urinary metabolites of pyrethroid insecticides. Human Reproduction, 2008, 23, 1932-1940.	0.9	136
298	Temporal Variability and Predictors of Urinary Bisphenol A Concentrations in Men and Women. Environmental Health Perspectives, 2008, 116, 173-178.	6.0	257
299	Maternal exposure to second-hand tobacco smoke and pregnancy outcome among couples undergoing assisted reproduction. Human Reproduction, 2007, 22, 337-345.	0.9	42
300	Risk of Spontaneous Abortion in Women with Childhood Exposure to Parental Cigarette Smoke. American Journal of Epidemiology, 2007, 166, 571-575.	3.4	44
301	Manganese and Welding Fume Exposure and Control in Construction. Journal of Occupational and Environmental Hygiene, 2007, 4, 943-951.	1.0	40
302	Serum PCBs,  overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:sb="http://www.elsevier.com/xml/common/struct-bib/dtd" xmlns:ce="http://www.elsevier.com/x	7.5	125
303	Physical and Chemical Characterization of Asphalt (Bitumen) Paving Exposures. Journal of Occupational and Environmental Hygiene, 2007, 4, 209-216.	1.0	23
304	DNA damage in human sperm is related to urinary levels of phthalate monoester and oxidative metabolites. Human Reproduction, 2007, 22, 688-695.	0.9	359
305	Serum PCB levels and congener profiles among US construction workers. Environmental Health, 2007, 6, 25.	4.0	21
306	Di(2-ethylhexyl) Phthalate Metabolites May Alter Thyroid Hormone Levels in Men. Environmental Health Perspectives, 2007, 115, 1029-1034.	6.0	260

#	ARTICLE	IF	CITATIONS
307	Utility of urinary 1-naphthol and 2-naphthol levels to assess environmental carbaryl and naphthalene exposure in an epidemiology study. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2007, 17, 314-320.	3.9	87
308	Epidemiologic Evidence on the Relationship Between Environmental Endocrine Disruptors and Male Reproductive and Developmental Health. , 2007, , 225-251.		4
309	Relationships Between Serum Hormone Levels and Semen Quality Among Men From an Infertility Clinic. <i>Journal of Andrology</i> , 2006, 28, 397-406.	2.0	194
310	Exposure to Nonpersistent Insecticides and Male Reproductive Hormones. <i>Epidemiology</i> , 2006, 17, 61-68.	2.7	121
311	Thyroid hormones in relation to urinary metabolites of non-persistent insecticides in men of reproductive age. <i>Reproductive Toxicology</i> , 2006, 22, 437-442.	2.9	65
312	Altered Semen Quality in Relation to Urinary Concentrations of Phthalate Monoester and Oxidative Metabolites. <i>Epidemiology</i> , 2006, 17, 682-691.	2.7	377
313	Comparison of Occupational Exposures Among Painters Using Three Alternative Blasting Abrasives. <i>Journal of Occupational and Environmental Hygiene</i> , 2006, 3, D80-D84.	1.0	8
314	Temporal variability of urinary levels of nonpersistent insecticides in adult men. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2005, 15, 271-281.	3.9	98
315	Case Study. <i>Journal of Occupational and Environmental Hygiene</i> , 2005, 2, D60-D64.	1.0	3
316	Temporal Variability of Urinary Phthalate Metabolite Levels in Men of Reproductive Age. <i>Environmental Health Perspectives</i> , 2004, 112, 1734-1740.	6.0	405
317	An Unrecognized Source of PCB Contamination in Schools and Other Buildings. <i>Environmental Health Perspectives</i> , 2004, 112, 1051-1053.	6.0	173
318	The Relationship of Urinary Metabolites of Carbaryl/Naphthalene and Chlorpyrifos with Human Semen Quality. <i>Environmental Health Perspectives</i> , 2004, 112, 1665-1670.	6.0	130
319	Urinary levels of insecticide metabolites and DNA damage in human sperm. <i>Human Reproduction</i> , 2004, 19, 2573-2580.	0.9	95
320	Occupational injuries among Boston bicycle messengers. <i>American Journal of Industrial Medicine</i> , 2002, 42, 519-525.	2.1	36
321	Environmental contaminants and the reproductive and fertility effects in the male. , 0, , 145-160.		0
322	Environmental contaminants and related systems that have implications for reproduction. , 0, , 173-193.		1