## Verity J Cleland

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1608908/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A prospective examination of children's time spent outdoors, objectively measured physical activity and overweight. International Journal of Obesity, 2008, 32, 1685-1693.	3.4	240
2	Overweight and obesity from childhood to adulthood: a followâ€up of participants in the 1985 Australian Schools Health and Fitness Survey. Medical Journal of Australia, 2007, 186, 458-460.	1.7	214
3	Exercise-Induced Hypertension, Cardiovascular Events, and Mortality in Patients Undergoing Exercise Stress Testing: A Systematic Review and Meta-Analysis. American Journal of Hypertension, 2013, 26, 357-366.	2.0	203
4	Trends in children's physical activity and weight status in high and low socioâ€economic status areas of Melbourne, Victoria, 1985–2001. Australian and New Zealand Journal of Public Health, 2005, 29, 337-342.	1.8	157
5	Television viewing and abdominal obesity in young adults: is the association mediated by food and beverage consumption during viewing time or reduced leisure-time physical activity?. American Journal of Clinical Nutrition, 2008, 87, 1148-1155.	4.7	144
6	The longitudinal influence of home and neighbourhood environments on children's body mass index and physical activity over 5 years: the CLAN study. International Journal of Obesity, 2010, 34, 1177-1187.	3.4	135
7	A Longitudinal Study of the Family Physical Activity Environment and Physical Activity among Youth. American Journal of Health Promotion, 2011, 25, 159-167.	1.7	120
8	Decline in Physical Fitness From Childhood to Adulthood Associated With Increased Obesity and Insulin Resistance in Adults. Diabetes Care, 2009, 32, 683-687.	8.6	119
9	Individual, social and environmental correlates of physical activity among women living in socioeconomically disadvantaged neighbourhoods. Social Science and Medicine, 2010, 70, 2011-2018.	3.8	108
10	Socioeconomic Position and the Tracking of Physical Activity and Cardiorespiratory Fitness From Childhood to Adulthood. American Journal of Epidemiology, 2009, 170, 1069-1077.	3.4	103
11	Love thy neighbour? Associations of social capital and crime with physical activity amongst women. Social Science and Medicine, 2010, 71, 807-814.	3.8	97
12	A Comparison of Subjective and Objective Measures of Physical Activity and Fitness in Identifying Associations with Cardiometabolic Risk Factors. Annals of Epidemiology, 2008, 18, 378-386.	1.9	88
13	Predictors of time spent outdoors among children: 5-year longitudinal findings. Journal of Epidemiology and Community Health, 2010, 64, 400-406.	3.7	87
14	Which domains of childhood physical activity predict physical activity in adulthood? A 20-year prospective tracking study. British Journal of Sports Medicine, 2012, 46, 595-602.	6.7	86
15	Parental exercise is associated with Australian children's extracurricular sports participation and cardiorespiratory fitness: A cross-sectional study. International Journal of Behavioral Nutrition and Physical Activity, 2005, 2, 3.	4.6	74
16	Are perceptions of the physical and social environment associated with mothers' walking for leisure and for transport? A longitudinal study. Preventive Medicine, 2008, 47, 188-193.	3.4	73
17	Cardiometabolic Risk in Younger and Older Adults Across an Index of Ambulatory Activity. American Journal of Preventive Medicine, 2009, 37, 278-284.	3.0	73
18	Longitudinal examination of the family food environment and weight status among children. Pediatric Obesity, 2009, 4, 343-352.	3.2	66

#	Article	IF	CITATIONS
19	Effects of schoolâ€based interventions for direct delivery of physical activity on fitness and cardiometabolic markers in children and adolescents: a systematic review of randomized controlled trials. Obesity Reviews, 2013, 14, 818-838.	6.5	65
20	What predicts children's active transport and independent mobility in disadvantaged neighborhoods?. Health and Place, 2017, 44, 103-109.	3.3	57
21	Socioeconomic Position and Children's Physical Activity and Sedentary Behaviors: Longitudinal Findings From the CLAN Study. Journal of Physical Activity and Health, 2009, 6, 289-298.	2.0	55
22	Resilience to obesity among socioeconomically disadvantaged women: the READI study. International Journal of Obesity, 2012, 36, 855-865.	3.4	50
23	Effectiveness of interventions to promote physical activity among socioeconomically disadvantaged women: a systematic review and metaâ€analysis. Obesity Reviews, 2013, 14, 197-212.	6.5	48
24	Factors Affecting the Stability of Blood Lipid and Lipoprotein Levels From Youth to Adulthood. JAMA Pediatrics, 2011, 165, 68-76.	3.0	45
25	Cohort Profile: The Resilience for Eating and Activity Despite Inequality (READI) study. International Journal of Epidemiology, 2013, 42, 1629-1639.	1.9	45
26	Urban–rural comparison of weight status among women and children living in socioeconomically disadvantaged neighbourhoods. Medical Journal of Australia, 2010, 192, 137-140.	1.7	42
27	Associations between sedentary behaviours and dietary intakes among adolescents. Public Health Nutrition, 2018, 21, 1115-1122.	2.2	41
28	Are associations between the perceived home and neighbourhood environment and children′s physical activity and sedentary behaviour moderated by urban/rural location?. Health and Place, 2013, 24, 44-53.	3.3	40
29	The association between physical activity and depressive symptoms in young women: A review. Mental Health and Physical Activity, 2008, 1, 82-88.	1.8	39
30	The provision of compulsory school physical activity: Associations with physical activity, fitness and overweight in childhood and twenty years later. International Journal of Behavioral Nutrition and Physical Activity, 2008, 5, 14.	4.6	36
31	Personal, social and environmental correlates of resilience to physical inactivity among women from socio-economically disadvantaged backgrounds. Health Education Research, 2010, 25, 268-281.	1.9	36
32	Health, Behavioral, Cognitive, and Social Correlates of Breakfast Skipping among Women Living in Socioeconomically Disadvantaged Neighborhoods. Journal of Nutrition, 2013, 143, 1774-1784.	2.9	34
33	Factors associated with physical activity promotion by allied and other non-medical health professionals: A systematic review. Patient Education and Counseling, 2018, 101, 1775-1785.	2.2	33
34	Home and neighbourhood correlates of BMI among children living in socioeconomically disadvantaged neighbourhoods. British Journal of Nutrition, 2012, 107, 1028-1036.	2.3	30
35	Associations Between the Perceived Environment and Physical Activity Among Adults Aged 55–65 Years: Does Urban-Rural Area of Residence Matter?. Journal of Aging and Physical Activity, 2015, 23, 55-63.	1.0	30
36	Effectiveness of interventions to promote physical activity and/or decrease sedentary behaviour among rural adults: a systematic review and metaâ€analysis. Obesity Reviews, 2017, 18, 727-741.	6.5	29

#	Article	IF	CITATIONS
37	Exploring the Health-Promoting Potential of the "parkrun―Phenomenon: What Factors are Associated With Higher Levels of Participation?. American Journal of Health Promotion, 2019, 33, 13-23.	1.7	27
38	Physical activity correlates in young women with depressive symptoms: a qualitative study. International Journal of Behavioral Nutrition and Physical Activity, 2010, 7, 3.	4.6	26
39	Correlates of pedometer-measured and self-reported physical activity among young Australian adults. Journal of Science and Medicine in Sport, 2011, 14, 496-503.	1.3	26
40	Do the Individual, Social, and Environmental Correlates of Physical Activity Differ Between Urban and Rural Women?. Environment and Behavior, 2012, 44, 350-373.	4.7	26
41	Environmental barriers and enablers to physical activity participation among rural adults: a qualitative study. Health Promotion Journal of Australia, 2015, 26, 99-104.	1.2	26
42	A Qualitative Study of Environmental Factors Important for Physical Activity in Rural Adults. PLoS ONE, 2015, 10, e0140659.	2.5	26
43	Three-year change in diet quality and associated changes in BMI among schoolchildren living in socio-economically disadvantaged neighbourhoods. British Journal of Nutrition, 2014, 112, 260-268.	2.3	22
44	Health and broader community benefit of <i>parkrun</i> —An exploratory qualitative study. Health Promotion Journal of Australia, 2019, 30, 163-171.	1.2	22
45	Do food and physical activity environments vary between disadvantaged urban and rural areas? Findings from the READI Study. Health Promotion Journal of Australia, 2012, 23, 153-156.	1.2	21
46	A cross-sectional study of geographic differences in health risk factors among young Australian adults: The role of socioeconomic position. BMC Public Health, 2014, 14, 1278.	2.9	20
47	Socioeconomic position and physical activity among women in Melbourne, Australia: Does the use of different socioeconomic indicators matter?. Social Science and Medicine, 2012, 74, 1578-1583.	3.8	19
48	Accumulated exposure to rural areas of residence over the life course is associated with overweight and obesity in adulthood: a 25-year prospective cohort study. Annals of Epidemiology, 2017, 27, 169-175.e2.	1.9	19
49	Lifestyle behaviours associated with 5-year weight gain in a prospective cohort of Australian adults aged 26-36 years at baseline. BMC Public Health, 2017, 17, 54.	2.9	18
50	Longitudinal associations between TV viewing and BMI not explained by the â€~mindless eating' or â€~physical activity displacement' hypotheses among adults. BMC Public Health, 2018, 18, 797.	2.9	17
51	Physical Activity and Healthy Weight Maintenance From Childhood to Adulthood. Obesity, 2008, 16, 1427-1433.	3.0	16
52	Social ecological factors associated with physical activity and screen time amongst mothers from disadvantaged neighbourhoods over three years. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 110.	4.6	15
53	Women's work. Maintaining a healthy body weight. Appetite, 2009, 53, 9-15.	3.7	14
54	Obesity prevention programs and policies: Practitioner and policyâ€maker perceptions of feasibility and effectiveness. Obesity, 2013, 21, E448-55.	3.0	13

#	Article	IF	CITATIONS
55	Characteristics associated with willingness to walk further than necessary to the bus stop: Insights for public transport-related physical activity. Journal of Transport and Health, 2021, 22, 101139.	2.2	13
56	Cluster patterns of behavioural risk factors among children: Longitudinal associations with adult cardio-metabolic risk factors. Preventive Medicine, 2020, 130, 105861.	3.4	11
57	What might work? Exploring the perceived feasibility of strategies to promote physical activity among women living in socioeconomically disadvantaged neighbourhoods. Health Education Research, 2013, 28, 205-219.	1.9	10
58	Combined Associations of Sitting Time and Physical Activity With Obesity in Young Adults. Journal of Physical Activity and Health, 2014, 11, 136-144.	2.0	10
59	Letter – Recruiting hard-to-reach populations: lessons from a study of women living in socioeconomically disadvantaged areas of Victoria, Australia. Health Promotion Journal of Australia, 2010, 21, 243-244.	1.2	9
60	Factors associated with muscular fitness phenotypes in Australian children: A cross-sectional study. Journal of Sports Sciences, 2020, 38, 38-45.	2.0	9
61	Associations between Education and Personal Income with Body Mass Index among Australian Women Residing in Disadvantaged Neighborhoods. American Journal of Health Promotion, 2013, 28, 59-65.	1.7	8
62	Maternal efficacy and sedentary behavior rules predict child obesity resilience. BMC Obesity, 2015, 2, 26.	3.1	8
63	Acceptability and perceived feasibility of strategies to increase public transport use for physical activity gain – A mixed methods study. Health Promotion Journal of Australia, 2020, 31, 504-517.	1.2	8
64	Factors Associated with Persistently High Muscular Power from Childhood to Adulthood. Medicine and Science in Sports and Exercise, 2020, 52, 49-55.	0.4	8
65	Encouraging Physical Activity and Discouraging Sedentary Behavior in Children and Adolescents. Journal of Adolescent Health, 2010, 47, 221-222.	2.5	7
66	Is a perceived supportive physical environment important for self-reported leisure time physical activity among socioeconomically disadvantaged women with poor psychosocial characteristics? An observational study. BMC Public Health, 2013, 13, 280.	2.9	7
67	Social-ecological predictors of physical activity patterns: A longitudinal study of women from socioeconomically disadvantaged areas. Preventive Medicine, 2020, 132, 105995.	3.4	7
68	Body-mass index trajectories from childhood to mid-adulthood and their sociodemographic predictors: Evidence from the International Childhood Cardiovascular Cohort (i3C) Consortium. EClinicalMedicine, 2022, 48, 101440.	7.1	6
69	trips4health: Protocol of a single-blinded randomised controlled trial incentivising adults to use public transport for physical activity gain. Contemporary Clinical Trials Communications, 2020, 19, 100619.	1.1	5
70	Partnering and parenting transitions in Australian men and women: associations with changes in weight, domain-specific physical activity and sedentary behaviours. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 87.	4.6	5
71	What factors are associated with physical activity promotion in the podiatry setting? A cross-sectional study. Journal of Science and Medicine in Sport, 2021, 24, 60-66.	1.3	5
72	Individual, Social, and Physical Environmental Correlates of Physical Activity Among Young Women at Risk of Depression. Journal of Physical Activity and Health, 2011, 8, 133-140.	2.0	4

#	Article	IF	CITATIONS
73	A mixed-methods study of the demographic and behavioural correlates of walking to a more distant bus stop. Transportation Research Interdisciplinary Perspectives, 2020, 6, 100164.	2.7	4
74	Childhood factors related to diverging body mass index trajectories from childhood into mid-adulthood: A mixed methods study. Social Science and Medicine, 2021, 270, 113460.	3.8	4
75	Patterns and Predictors of Sitting among Women from Disad-Vantaged Neighbourhoods over Time: A 5-Year Prospective Cohort Study. International Journal of Environmental Research and Public Health, 2021, 18, 4625.	2.6	4
76	A scoping review: global health literacy interventions for pregnant women and mothers with young children. Health Promotion International, 2022, 37, .	1.8	4
77	Reimagining physical activity for children following the systemic disruptions from the COVID-19 pandemic in Australia. British Journal of Sports Medicine, 2022, 56, 899-900.	6.7	4
78	Overweight and obesity from childhood to adulthood: a followâ€up of participants in the 1985 Australian Schools Health and Fitness Survey. Medical Journal of Australia, 2007, 187, 314-315.	1.7	3
79	Associations between the Perceived Environment and Physical Activity among Adults Aged 55–65 Years: Does Urban-Rural Area of Residence Matter?. Journal of Aging and Physical Activity, 2015, 23, 55-63.	1.0	3
80	Social and Environmental Determinants of Health Behaviors. , 2010, , 3-17.		2
81	Understanding the physical activity promotion behaviours of podiatrists: a qualitative study. Journal of Foot and Ankle Research, 2013, 6, 37.	1.9	2
82	Testâ€retest reliability of a selfâ€reported physical activity environment instrument for use in rural settings. Australian Journal of Rural Health, 2020, 28, 168-179.	1.5	2
83	Physical Activity and Food Environments in and around Schools: A Case Study in Regional North-West Tasmania. International Journal of Environmental Research and Public Health, 2022, 19, 6238.	2.6	2
84	Young adult perceptions of Australia's physical activity recommendations for adults. Health Promotion Journal of Australia, 2013, 24, 199-205.	1.2	1
85	Socioâ€demographic, behavioural and healthâ€related characteristics associated with active commuting in a regional Australian state: Evidence from the 2016 Tasmanian Population Health Survey. Health Promotion Journal of Australia, 2020, 32 Suppl 2, 320-331.	1.2	1
86	Factors associated with change and stability in adherence to muscle-strengthening guidelines among young Australian adults: A longitudinal study. Journal of Science and Medicine in Sport, 2021, 24, 1261-1266.	1.3	1
87	Abstract MP66: Body Mass Index Trajectories From Childhood to Adulthood: Evidence From the International Childhood Cardiovascular Cohort (i3C) Consortium. Circulation, 2019, 139, .	1.6	1
88	Patterns and Predictors of Television Viewing and Computer Use Among Women Living in Socioeconomically Disadvantaged Neighborhoods: A Prospective Cohort Study. Journal of Physical Activity and Health, 2021, 18, 1511-1524.	2.0	1
89	Feasibility of â€~parkrun' for people with knee osteoarthritis: A mixed methods pilot study. Osteoarthritis and Cartilage Open, 2022, 4, 100269.	2.0	1
90	Authors' Response to the Letter to the Editor: Parkrun and the Claim of "Elitism―in Paid-Entry Run/Walk Events. American Journal of Health Promotion, 2020, 34, 808-808.	1.7	0

#	ARTICLE	IF	CITATIONS
91	Is greater public transport use associated with higher levels of physical activity in a regional setting? Findings from a pilot study. Pilot and Feasibility Studies, 2021, 7, 217.	1.2	0