

# Verity J Cleland

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1608908/publications.pdf>

Version: 2024-02-01

91  
papers

3,499  
citations

147801

31  
h-index

144013

57  
g-index

93  
all docs

93  
docs citations

93  
times ranked

5073  
citing authors

#	ARTICLE	IF	CITATIONS
1	A scoping review: global health literacy interventions for pregnant women and mothers with young children. <i>Health Promotion International</i> , 2022, 37, .	1.8	4
2	Feasibility of Parkrun™ for people with knee osteoarthritis: A mixed methods pilot study. <i>Osteoarthritis and Cartilage Open</i> , 2022, 4, 100269.	2.0	1
3	Body-mass index trajectories from childhood to mid-adulthood and their sociodemographic predictors: Evidence from the International Childhood Cardiovascular Cohort (i3C) Consortium. <i>EClinicalMedicine</i> , 2022, 48, 101440.	7.1	6
4	Physical Activity and Food Environments in and around Schools: A Case Study in Regional North-West Tasmania. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6238.	2.6	2
5	Reimagining physical activity for children following the systemic disruptions from the COVID-19 pandemic in Australia. <i>British Journal of Sports Medicine</i> , 2022, 56, 899-900.	6.7	4
6	Childhood factors related to diverging body mass index trajectories from childhood into mid-adulthood: A mixed methods study. <i>Social Science and Medicine</i> , 2021, 270, 113460.	3.8	4
7	What factors are associated with physical activity promotion in the podiatry setting? A cross-sectional study. <i>Journal of Science and Medicine in Sport</i> , 2021, 24, 60-66.	1.3	5
8	Patterns and Predictors of Sitting among Women from Disadvantaged Neighbourhoods over Time: A 5-Year Prospective Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4625.	2.6	4
9	Factors associated with change and stability in adherence to muscle-strengthening guidelines among young Australian adults: A longitudinal study. <i>Journal of Science and Medicine in Sport</i> , 2021, 24, 1261-1266.	1.3	1
10	Characteristics associated with willingness to walk further than necessary to the bus stop: Insights for public transport-related physical activity. <i>Journal of Transport and Health</i> , 2021, 22, 101139.	2.2	13
11	Patterns and Predictors of Television Viewing and Computer Use Among Women Living in Socioeconomically Disadvantaged Neighborhoods: A Prospective Cohort Study. <i>Journal of Physical Activity and Health</i> , 2021, 18, 1511-1524.	2.0	1
12	Is greater public transport use associated with higher levels of physical activity in a regional setting? Findings from a pilot study. <i>Pilot and Feasibility Studies</i> , 2021, 7, 217.	1.2	0
13	Factors associated with muscular fitness phenotypes in Australian children: A cross-sectional study. <i>Journal of Sports Sciences</i> , 2020, 38, 38-45.	2.0	9
14	Acceptability and perceived feasibility of strategies to increase public transport use for physical activity gain – A mixed methods study. <i>Health Promotion Journal of Australia</i> , 2020, 31, 504-517.	1.2	8
15	Cluster patterns of behavioural risk factors among children: Longitudinal associations with adult cardio-metabolic risk factors. <i>Preventive Medicine</i> , 2020, 130, 105861.	3.4	11
16	Factors Associated with Persistently High Muscular Power from Childhood to Adulthood. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 49-55.	0.4	8
17	A mixed-methods study of the demographic and behavioural correlates of walking to a more distant bus stop. <i>Transportation Research Interdisciplinary Perspectives</i> , 2020, 6, 100164.	2.7	4
18	trips4health: Protocol of a single-blinded randomised controlled trial incentivising adults to use public transport for physical activity gain. <i>Contemporary Clinical Trials Communications</i> , 2020, 19, 100619.	1.1	5

#	ARTICLE	IF	CITATIONS
19	Social ecological factors associated with physical activity and screen time amongst mothers from disadvantaged neighbourhoods over three years. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 110.	4.6	15
20	Socio-demographic, behavioural and health-related characteristics associated with active commuting in a regional Australian state: Evidence from the 2016 Tasmanian Population Health Survey. <i>Health Promotion Journal of Australia</i> , 2020, 32 Suppl 2, 320-331.	1.2	1
21	Test-retest reliability of a self-reported physical activity environment instrument for use in rural settings. <i>Australian Journal of Rural Health</i> , 2020, 28, 168-179.	1.5	2
22	Partnering and parenting transitions in Australian men and women: associations with changes in weight, domain-specific physical activity and sedentary behaviours. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 87.	4.6	5
23	Social-ecological predictors of physical activity patterns: A longitudinal study of women from socioeconomically disadvantaged areas. <i>Preventive Medicine</i> , 2020, 132, 105995.	3.4	7
24	Authors' Response to the Letter to the Editor: Parkrun and the Claim of "Elitism" in Paid-Entry Run/Walk Events. <i>American Journal of Health Promotion</i> , 2020, 34, 808-808.	1.7	0
25	Health and broader community benefit of <i>parkrun</i>—An exploratory qualitative study. <i>Health Promotion Journal of Australia</i> , 2019, 30, 163-171.	1.2	22
26	Exploring the Health-Promoting Potential of the "parkrun" Phenomenon: What Factors are Associated With Higher Levels of Participation?. <i>American Journal of Health Promotion</i> , 2019, 33, 13-23.	1.7	27
27	Abstract MP66: Body Mass Index Trajectories From Childhood to Adulthood: Evidence From the International Childhood Cardiovascular Cohort (i3C) Consortium. <i>Circulation</i> , 2019, 139, .	1.6	1
28	Associations between sedentary behaviours and dietary intakes among adolescents. <i>Public Health Nutrition</i> , 2018, 21, 1115-1122.	2.2	41
29	Factors associated with physical activity promotion by allied and other non-medical health professionals: A systematic review. <i>Patient Education and Counseling</i> , 2018, 101, 1775-1785.	2.2	33
30	Longitudinal associations between TV viewing and BMI not explained by the "mindless eating" or "physical activity displacement" hypotheses among adults. <i>BMC Public Health</i> , 2018, 18, 797.	2.9	17
31	What predicts children's active transport and independent mobility in disadvantaged neighborhoods?. <i>Health and Place</i> , 2017, 44, 103-109.	3.3	57
32	Effectiveness of interventions to promote physical activity and/or decrease sedentary behaviour among rural adults: a systematic review and meta-analysis. <i>Obesity Reviews</i> , 2017, 18, 727-741.	6.5	29
33	Accumulated exposure to rural areas of residence over the life course is associated with overweight and obesity in adulthood: a 25-year prospective cohort study. <i>Annals of Epidemiology</i> , 2017, 27, 169-175.e2.	1.9	19
34	Lifestyle behaviours associated with 5-year weight gain in a prospective cohort of Australian adults aged 26-36 years at baseline. <i>BMC Public Health</i> , 2017, 17, 54.	2.9	18
35	Associations Between the Perceived Environment and Physical Activity Among Adults Aged 55-65 Years: Does Urban-Rural Area of Residence Matter?. <i>Journal of Aging and Physical Activity</i> , 2015, 23, 55-63.	1.0	30
36	Environmental barriers and enablers to physical activity participation among rural adults: a qualitative study. <i>Health Promotion Journal of Australia</i> , 2015, 26, 99-104.	1.2	26

#	ARTICLE	IF	CITATIONS
37	Maternal efficacy and sedentary behavior rules predict child obesity resilience. <i>BMC Obesity</i> , 2015, 2, 26.	3.1	8
38	Associations between the Perceived Environment and Physical Activity among Adults Aged 55–65 Years: Does Urban-Rural Area of Residence Matter?. <i>Journal of Aging and Physical Activity</i> , 2015, 23, 55-63.	1.0	3
39	A Qualitative Study of Environmental Factors Important for Physical Activity in Rural Adults. <i>PLoS ONE</i> , 2015, 10, e0140659.	2.5	26
40	A cross-sectional study of geographic differences in health risk factors among young Australian adults: The role of socioeconomic position. <i>BMC Public Health</i> , 2014, 14, 1278.	2.9	20
41	Three-year change in diet quality and associated changes in BMI among schoolchildren living in socio-economically disadvantaged neighbourhoods. <i>British Journal of Nutrition</i> , 2014, 112, 260-268.	2.3	22
42	Combined Associations of Sitting Time and Physical Activity With Obesity in Young Adults. <i>Journal of Physical Activity and Health</i> , 2014, 11, 136-144.	2.0	10
43	Is a perceived supportive physical environment important for self-reported leisure time physical activity among socioeconomically disadvantaged women with poor psychosocial characteristics? An observational study. <i>BMC Public Health</i> , 2013, 13, 280.	2.9	7
44	Understanding the physical activity promotion behaviours of podiatrists: a qualitative study. <i>Journal of Foot and Ankle Research</i> , 2013, 6, 37.	1.9	2
45	Are associations between the perceived home and neighbourhood environment and children's physical activity and sedentary behaviour moderated by urban/rural location?. <i>Health and Place</i> , 2013, 24, 44-53.	3.3	40
46	What might work? Exploring the perceived feasibility of strategies to promote physical activity among women living in socioeconomically disadvantaged neighbourhoods. <i>Health Education Research</i> , 2013, 28, 205-219.	1.9	10
47	Associations between Education and Personal Income with Body Mass Index among Australian Women Residing in Disadvantaged Neighborhoods. <i>American Journal of Health Promotion</i> , 2013, 28, 59-65.	1.7	8
48	Cohort Profile: The Resilience for Eating and Activity Despite Inequality (READI) study. <i>International Journal of Epidemiology</i> , 2013, 42, 1629-1639.	1.9	45
49	Effectiveness of interventions to promote physical activity among socioeconomically disadvantaged women: a systematic review and meta-analysis. <i>Obesity Reviews</i> , 2013, 14, 197-212.	6.5	48
50	Health, Behavioral, Cognitive, and Social Correlates of Breakfast Skipping among Women Living in Socioeconomically Disadvantaged Neighborhoods. <i>Journal of Nutrition</i> , 2013, 143, 1774-1784.	2.9	34
51	Obesity prevention programs and policies: Practitioner and policy-maker perceptions of feasibility and effectiveness. <i>Obesity</i> , 2013, 21, E448-55.	3.0	13
52	Effects of school-based interventions for direct delivery of physical activity on fitness and cardiometabolic markers in children and adolescents: a systematic review of randomized controlled trials. <i>Obesity Reviews</i> , 2013, 14, 818-838.	6.5	65
53	Exercise-Induced Hypertension, Cardiovascular Events, and Mortality in Patients Undergoing Exercise Stress Testing: A Systematic Review and Meta-Analysis. <i>American Journal of Hypertension</i> , 2013, 26, 357-366.	2.0	203
54	Young adult perceptions of Australia's physical activity recommendations for adults. <i>Health Promotion Journal of Australia</i> , 2013, 24, 199-205.	1.2	1

#	ARTICLE	IF	CITATIONS
55	Resilience to obesity among socioeconomically disadvantaged women: the READI study. <i>International Journal of Obesity</i> , 2012, 36, 855-865.	3.4	50
56	Do the Individual, Social, and Environmental Correlates of Physical Activity Differ Between Urban and Rural Women?. <i>Environment and Behavior</i> , 2012, 44, 350-373.	4.7	26
57	Home and neighbourhood correlates of BMI among children living in socioeconomically disadvantaged neighbourhoods. <i>British Journal of Nutrition</i> , 2012, 107, 1028-1036.	2.3	30
58	Which domains of childhood physical activity predict physical activity in adulthood? A 20-year prospective tracking study. <i>British Journal of Sports Medicine</i> , 2012, 46, 595-602.	6.7	86
59	Do food and physical activity environments vary between disadvantaged urban and rural areas? Findings from the READI Study. <i>Health Promotion Journal of Australia</i> , 2012, 23, 153-156.	1.2	21
60	Socioeconomic position and physical activity among women in Melbourne, Australia: Does the use of different socioeconomic indicators matter?. <i>Social Science and Medicine</i> , 2012, 74, 1578-1583.	3.8	19
61	Individual, Social, and Physical Environmental Correlates of Physical Activity Among Young Women at Risk of Depression. <i>Journal of Physical Activity and Health</i> , 2011, 8, 133-140.	2.0	4
62	Factors Affecting the Stability of Blood Lipid and Lipoprotein Levels From Youth to Adulthood. <i>JAMA Pediatrics</i> , 2011, 165, 68-76.	3.0	45
63	Correlates of pedometer-measured and self-reported physical activity among young Australian adults. <i>Journal of Science and Medicine in Sport</i> , 2011, 14, 496-503.	1.3	26
64	A Longitudinal Study of the Family Physical Activity Environment and Physical Activity among Youth. <i>American Journal of Health Promotion</i> , 2011, 25, 159-167.	1.7	120
65	Letter â€œ Recruiting hard-to-reach populations: lessons from a study of women living in socioeconomically disadvantaged areas of Victoria, Australia. <i>Health Promotion Journal of Australia</i> , 2010, 21, 243-244.	1.2	9
66	Individual, social and environmental correlates of physical activity among women living in socioeconomically disadvantaged neighbourhoods. <i>Social Science and Medicine</i> , 2010, 70, 2011-2018.	3.8	108
67	Love thy neighbour? Associations of social capital and crime with physical activity amongst women. <i>Social Science and Medicine</i> , 2010, 71, 807-814.	3.8	97
68	The longitudinal influence of home and neighbourhood environments on children's body mass index and physical activity over 5 years: the CLAN study. <i>International Journal of Obesity</i> , 2010, 34, 1177-1187.	3.4	135
69	Urbanâ€“rural comparison of weight status among women and children living in socioeconomically disadvantaged neighbourhoods. <i>Medical Journal of Australia</i> , 2010, 192, 137-140.	1.7	42
70	Personal, social and environmental correlates of resilience to physical inactivity among women from socio-economically disadvantaged backgrounds. <i>Health Education Research</i> , 2010, 25, 268-281.	1.9	36
71	Social and Environmental Determinants of Health Behaviors. , 2010, , 3-17.		2
72	Predictors of time spent outdoors among children: 5-year longitudinal findings. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 400-406.	3.7	87

#	ARTICLE	IF	CITATIONS
73	Physical activity correlates in young women with depressive symptoms: a qualitative study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010, 7, 3.	4.6	26
74	Encouraging Physical Activity and Discouraging Sedentary Behavior in Children and Adolescents. <i>Journal of Adolescent Health</i> , 2010, 47, 221-222.	2.5	7
75	Decline in Physical Fitness From Childhood to Adulthood Associated With Increased Obesity and Insulin Resistance in Adults. <i>Diabetes Care</i> , 2009, 32, 683-687.	8.6	119
76	Socioeconomic Position and the Tracking of Physical Activity and Cardiorespiratory Fitness From Childhood to Adulthood. <i>American Journal of Epidemiology</i> , 2009, 170, 1069-1077.	3.4	103
77	Longitudinal examination of the family food environment and weight status among children. <i>Pediatric Obesity</i> , 2009, 4, 343-352.	3.2	66
78	Cardiometabolic Risk in Younger and Older Adults Across an Index of Ambulatory Activity. <i>American Journal of Preventive Medicine</i> , 2009, 37, 278-284.	3.0	73
79	Women's work. Maintaining a healthy body weight. <i>Appetite</i> , 2009, 53, 9-15.	3.7	14
80	Socioeconomic Position and Children's Physical Activity and Sedentary Behaviors: Longitudinal Findings From the CLAN Study. <i>Journal of Physical Activity and Health</i> , 2009, 6, 289-298.	2.0	55
81	A prospective examination of children's time spent outdoors, objectively measured physical activity and overweight. <i>International Journal of Obesity</i> , 2008, 32, 1685-1693.	3.4	240
82	Physical Activity and Healthy Weight Maintenance From Childhood to Adulthood. <i>Obesity</i> , 2008, 16, 1427-1433.	3.0	16
83	The association between physical activity and depressive symptoms in young women: A review. <i>Mental Health and Physical Activity</i> , 2008, 1, 82-88.	1.8	39
84	The provision of compulsory school physical activity: Associations with physical activity, fitness and overweight in childhood and twenty years later. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2008, 5, 14.	4.6	36
85	A Comparison of Subjective and Objective Measures of Physical Activity and Fitness in Identifying Associations with Cardiometabolic Risk Factors. <i>Annals of Epidemiology</i> , 2008, 18, 378-386.	1.9	88
86	Are perceptions of the physical and social environment associated with mothers' walking for leisure and for transport? A longitudinal study. <i>Preventive Medicine</i> , 2008, 47, 188-193.	3.4	73
87	Television viewing and abdominal obesity in young adults: is the association mediated by food and beverage consumption during viewing time or reduced leisure-time physical activity?. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 1148-1155.	4.7	144
88	Overweight and obesity from childhood to adulthood: a follow-up of participants in the 1985 Australian Schools Health and Fitness Survey. <i>Medical Journal of Australia</i> , 2007, 186, 458-460.	1.7	214
89	Overweight and obesity from childhood to adulthood: a follow-up of participants in the 1985 Australian Schools Health and Fitness Survey. <i>Medical Journal of Australia</i> , 2007, 187, 314-315.	1.7	3
90	Trends in children's physical activity and weight status in high and low socioeconomic status areas of Melbourne, Victoria, 1985-2001. <i>Australian and New Zealand Journal of Public Health</i> , 2005, 29, 337-342.	1.8	157

#	ARTICLE	IF	CITATIONS
91	Parental exercise is associated with Australian children's extracurricular sports participation and cardiorespiratory fitness: A cross-sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2005, 2, 3.	4.6	74