

Yung Park

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1610213/publications.pdf>

Version: 2024-02-01

26
papers

823
citations

840776

11
h-index

794594

19
g-index

26
all docs

26
docs citations

26
times ranked

860
citing authors

#	ARTICLE	IF	CITATIONS
1	Medial Pedicle Pivot Point Using Preoperative Computed Tomography Morphometric Measurements for Cervical Pedicle Screw Insertion: A Novel Technique and Case Series. <i>Journal of Clinical Medicine</i> , 2022, 11, 396.	2.4	5
2	Ten-Year Outcomes of Minimally Invasive Versus Open Transforaminal Lumbar Interbody Fusion in Patients With Single-Level Lumbar Spondylolisthesis. <i>Spine</i> , 2022, 47, 773-780.	2.0	7
3	Acute Low Back Pain from Coexisting Gout and Tuberculous Spondyloarthropathy. <i>The Journal of the Korean Orthopaedic Association</i> , 2021, 56, 351.	0.1	0
4	Comparison of Reductions of Left and Right Proximal Portions of Intertrochanteric Fractures Treated by Intramedullary Nailing. <i>Journal of the Korean Fracture Society</i> , 2021, 34, 64.	0.1	1
5	Comparison of the Prevalence of Low Back Pain and Related Spinal Diseases among Smokers and Nonsmokers: Using Korean National Health Insurance Database. <i>Clinics in Orthopedic Surgery</i> , 2020, 12, 200.	2.2	6
6	Early Failure of Cortical-Bone Screw Fixation in the Lumbar Spinal Stenosis. <i>The Journal of the Korean Orthopaedic Association</i> , 2020, 55, 405.	0.1	0
7	Effect of Postoperative Parathyroid Hormone Administration on Osteoporotic Intertrochanteric Fractures of Females. <i>The Journal of the Korean Orthopaedic Association</i> , 2020, 55, 237.	0.1	1
8	Minimally Invasive Lumbar Spinal Fusion Is More Effective Than Open Fusion: A Meta-Analysis. <i>Yonsei Medical Journal</i> , 2018, 59, 524.	2.2	29
9	Atypical Fracture-Like Insufficiency Fracture of the Tibia with Prolonged Bisphosphonate Drug: A Case Report. <i>Journal of the Korean Fracture Society</i> , 2017, 30, 137.	0.1	0
10	Traumatic Lumbar Plexopathy by Seat Belt Injury. <i>Journal of Korean Society of Spine Surgery</i> , 2017, 24, 39.	0.0	0
11	Surgical Strategies for Successful Minimally Invasive Transforaminal Lumbar Interbody Fusion. <i>Journal of Korean Society of Spine Surgery</i> , 2016, 23, 251.	0.0	0
12	Perioperative Surgical Complications and Learning Curve Associated with Minimally Invasive Transforaminal Lumbar Interbody Fusion: A Single-Institute Experience. <i>Clinics in Orthopedic Surgery</i> , 2015, 7, 91.	2.2	46
13	Thoracic Epidural Cavernous Hemangioma. <i>The Journal of the Korean Orthopaedic Association</i> , 2015, 50, 165.	0.1	1
14	Congenital Anomaly of the Atlas Misdiagnosed as Posterior Arch Fracture of the Atlas and Atlantoaxial Subluxation. <i>Clinics in Orthopedic Surgery</i> , 2014, 6, 96.	2.2	12
15	Minimally Invasive Transforaminal Lumbar Interbody Fusion for Spondylolisthesis and Degenerative Spondylosis: 5-year Results. <i>Clinical Orthopaedics and Related Research</i> , 2014, 472, 1813-1823.	1.5	46
16	The Incidence of Bifid C7 Spinous Processes. <i>Global Spine Journal</i> , 2012, 2, 099-103.	2.3	5
17	The Inferior Accessory Ossicle of the Anterior Arch of the Atlas Misdiagnosed as Anterior Arch Fracture - A Case Report -. <i>Journal of Korean Society of Spine Surgery</i> , 2012, 19, 16.	0.0	2
18	The effect of a radiographic solid fusion on clinical outcomes after minimally invasive transforaminal lumbar interbody fusion. <i>Spine Journal</i> , 2011, 11, 205-212.	1.3	52

#	ARTICLE	IF	CITATIONS
19	Cranial facet joint violations by percutaneously placed pedicle screws adjacent to a minimally invasive lumbar spinal fusion. <i>Spine Journal</i> , 2011, 11, 295-302.	1.3	75
20	Percutaneous placement of pedicle screws in overweight and obese patients. <i>Spine Journal</i> , 2011, 11, 919-924.	1.3	29
21	Surgical Outcomes of Minimally Invasive Transforaminal Lumbar Interbody Fusion for the Treatment of Spondylolisthesis and Degenerative Segmental Instability. <i>Asian Spine Journal</i> , 2011, 5, 228.	2.0	32
22	Comparison of anterior cervical fusion after two-level discectomy or single-level corpectomy: sagittal alignment, cervical lordosis, graft collapse, and adjacent-level ossification. <i>Spine Journal</i> , 2010, 10, 193-199.	1.3	91
23	The long-term results of anterior surgical reconstruction in patients with postlaminectomy cervical kyphosis. <i>Spine Journal</i> , 2010, 10, 380-387.	1.3	23
24	Intradural Extramedullary Metastasis to Lumbar Spinal Nerve of Cholangiocarcinoma - A Case Report - <i>Journal of Korean Society of Spine Surgery</i> , 2009, 16, 138.	0.3	0
25	79. Comparison of Anterior Cervical Fusion Following 2-Level Discectomy or Single-Level Corpectomy: Sagittal Alignment, Cervical Lordosis, Graft Collapse, and Adjacent-Level Ossification. <i>Spine Journal</i> , 2009, 9, 42S.	1.3	0
26	Comparison of One-Level Posterior Lumbar Interbody Fusion Performed With a Minimally Invasive Approach or a Traditional Open Approach. <i>Spine</i> , 2007, 32, 537-543.	2.0	360