

# Ernest Giralt

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1619860/publications.pdf>

Version: 2024-02-01

477  
papers

18,525  
citations

13068

68  
h-index

24179

110  
g-index

571  
all docs

571  
docs citations

571  
times ranked

18583  
citing authors

#	ARTICLE	IF	CITATIONS
1	Perspectives on NMR in drug discovery: a technique comes of age. <i>Nature Reviews Drug Discovery</i> , 2008, 7, 738-745.	21.5	373
2	Molecular recycling within amyloid fibrils. <i>Nature</i> , 2005, 436, 554-558.	13.7	342
3	Peptide and Amide Bond-Containing Dendrimers. <i>Chemical Reviews</i> , 2005, 105, 1663-1682.	23.0	321
4	Blood-brain barrier shuttle peptides: an emerging paradigm for brain delivery. <i>Chemical Society Reviews</i> , 2016, 45, 4690-4707.	18.7	318
5	Mechanism of action of and resistance to quinolones. <i>Microbial Biotechnology</i> , 2009, 2, 40-61.	2.0	317
6	Nanoparticle-Mediated Local and Remote Manipulation of Protein Aggregation. <i>Nano Letters</i> , 2006, 6, 110-115.	4.5	305
7	Atropisomerism, biphenyls and the Suzuki coupling: peptide antibiotics. <i>Chemical Society Reviews</i> , 2001, 30, 145-157.	18.7	295
8	Association between double mutation in <i>gyrA</i> gene of ciprofloxacin-resistant clinical isolates of <i>Escherichia coli</i> and MICs. <i>Antimicrobial Agents and Chemotherapy</i> , 1994, 38, 2477-2479.	1.4	260
9	Three Valuable Peptides from Bee and Wasp Venoms for Therapeutic and Biotechnological Use: Melittin, Apamin and Mastoparan. <i>Toxins</i> , 2015, 7, 1126-1150.	1.5	253
10	Modulating protein-protein interactions: the potential of peptides. <i>Chemical Communications</i> , 2015, 51, 3302-3315.	2.2	228
11	Delivery of gold nanoparticles to the brain by conjugation with a peptide that recognizes the transferrin receptor. <i>Biomaterials</i> , 2012, 33, 7194-7205.	5.7	220
12	Anion Helicates: Double Strand Helical Self-Assembly of Chiral Bicyclic Guanidinium Dimers and Tetramers around Sulfate Templates. <i>Journal of the American Chemical Society</i> , 1996, 118, 277-278.	6.6	216
13	Cell-Penetrating Peptides: Design Strategies beyond Primary Structure and Amphipathicity. <i>Molecules</i> , 2017, 22, 1929.	1.7	214
14	A large-scale evaluation of peptide vaccines against foot-and-mouth disease: lack of solid protection in cattle and isolation of escape mutants. <i>Journal of Virology</i> , 1997, 71, 2606-2614.	1.5	209
15	Convergent solid-phase peptide synthesis. <i>Tetrahedron</i> , 1993, 49, 11065-11133.	1.0	205
16	A single amino acid substitution affects multiple overlapping epitopes in the major antigenic site of foot-and-mouth disease virus of serotype C. <i>Journal of General Virology</i> , 1990, 71, 629-637.	1.3	199
17	Mechanistic aspects of CPP-mediated intracellular drug delivery: Relevance of CPP self-assembly. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2006, 1758, 264-279.	1.4	198
18	Structure of the major antigenic loop of foot-and-mouth disease virus complexed with a neutralizing antibody: direct involvement of the Arg-Gly-Asp motif in the interaction.. <i>EMBO Journal</i> , 1995, 14, 1690-1696.	3.5	170

#	ARTICLE	IF	CITATIONS
19	CD of proline-rich polypeptides: Application to the study of the repetitive domain of maize glutelin-2. <i>Biopolymers</i> , 1993, 33, 1019-1028.	1.2	166
20	Proline-rich, amphipathic cell-penetrating peptides. <i>Advanced Drug Delivery Reviews</i> , 2008, 60, 473-484.	6.6	166
21	Prodigiosin from the supernatant of <i>Serratia marcescens</i> induces apoptosis in haematopoietic cancer cell lines. <i>British Journal of Pharmacology</i> , 2000, 131, 585-593.	2.7	163
22	Use of Alloc-amino acids in solid-phase peptide synthesis. Tandem deprotection-coupling reactions using neutral conditions. <i>Tetrahedron Letters</i> , 1997, 38, 7275-7278.	0.7	156
23	Homogeneous Conjugation of Peptides onto Gold Nanoparticles Enhances Macrophage Response. <i>ACS Nano</i> , 2009, 3, 1335-1344.	7.3	148
24	Measuring the Spin-Polarization Power of a Single Chiral Molecule. <i>Small</i> , 2017, 13, 1602519.	5.2	143
25	Fine structure study of A $\beta$ 1-42 fibrillogenesis with atomic force microscopy. <i>FASEB Journal</i> , 2005, 19, 1344-1346.	0.2	141
26	Potential Peptide Carriers: Amphipathic Proline-Rich Peptides Derived from the N-Terminal Domain of $\alpha$ -Zein. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 1811-1814.	7.2	140
27	Implications of a quasispecies genome structure: effect of frequent, naturally occurring amino acid substitutions on the antigenicity of foot-and-mouth disease virus.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989, 86, 5883-5887.	3.3	134
28	Peptides conjugated to gold nanoparticles induce macrophage activation. <i>Molecular Immunology</i> , 2009, 46, 743-748.	1.0	130
29	Decoding the Entry of Two Novel Cell-Penetrating Peptides in HeLa Cells: A Lipid Raft-Mediated Endocytosis and Endosomal Escape. <i>Biochemistry</i> , 2005, 44, 72-81.	1.2	129
30	Reactivity with monoclonal antibodies of viruses from an episode of foot-and-mouth disease. <i>Virus Research</i> , 1987, 8, 261-274.	1.1	127
31	Synthesis and Structure Determination of Kahalalide F1,2. <i>Journal of the American Chemical Society</i> , 2001, 123, 11398-11401.	6.6	127
32	Highly Efficient, Nonpeptidic Oligoguanidinium Vectors that Selectively Internalize into Mitochondria. <i>Journal of the American Chemical Society</i> , 2005, 127, 869-874.	6.6	126
33	Diketopiperazine formation in solid phase peptide synthesis using p-alkoxybenzyl ester resins and Fmoc-amino acids. <i>Tetrahedron Letters</i> , 1986, 27, 743-746.	0.7	124
34	Amphipathic peptides and drug delivery. <i>Biopolymers</i> , 2004, 76, 196-203.	1.2	122
35	Distinct repertoire of antigenic variants of foot-and-mouth disease virus in the presence or absence of immune selection. <i>Journal of Virology</i> , 1993, 67, 6071-6079.	1.5	117
36	Formation of aspartimide peptides in Asp-Gly sequences. <i>Tetrahedron Letters</i> , 1989, 30, 497-500.	0.7	115

#	ARTICLE	IF	CITATIONS
37	Antigenic heterogeneity of a foot-and-mouth disease virus serotype in the field is mediated by very limited sequence variation at several antigenic sites. <i>Journal of Virology</i> , 1994, 68, 1407-1417.	1.5	115
38	How Changes in the Sequence of the Peptide CLPFFD-NH <sub>2</sub> Can Modify the Conjugation and Stability of Gold Nanoparticles and Their Affinity for A $\beta$ -Amyloid Fibrils. <i>Bioconjugate Chemistry</i> , 2008, 19, 1154-1163.	1.8	114
39	Peptide Dendrimers Based on Polyproline Helices. <i>Journal of the American Chemical Society</i> , 2002, 124, 8876-8883.	6.6	111
40	Experimental characterization of disordered and ordered aggregates populated during the process of amyloid fibril formation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 7828-7833.	3.3	109
41	Unique amino acid substitutions in the capsid proteins of foot-and-mouth disease virus from a persistent infection in cell culture. <i>Journal of Virology</i> , 1990, 64, 5519-5528.	1.5	109
42	Reelin delays amyloid-beta fibril formation and rescues cognitive deficits in a model of Alzheimer's disease. <i>Nature Communications</i> , 2014, 5, 3443.	5.8	108
43	Solid-phase synthesis and characterization of N-methyl-rich peptides. <i>Chemical Biology and Drug Design</i> , 2008, 65, 153-166.	1.2	107
44	Application of gel-phase <sup>13</sup> C-NMR to monitor solid phase peptide synthesis. <i>Tetrahedron</i> , 1984, 40, 4141-4152.	1.0	104
45	Improving the brain delivery of gold nanoparticles by conjugation with an amphipathic peptide. <i>Nanomedicine</i> , 2010, 5, 897-913.	1.7	103
46	Cell-Penetrating cis- $\beta$ -Amino-L-Proline-Derived Peptides. <i>Journal of the American Chemical Society</i> , 2005, 127, 9459-9468.	6.6	102
47	A proline-rich peptide improves cell transfection of solid lipid nanoparticle-based non-viral vectors. <i>Journal of Controlled Release</i> , 2009, 133, 52-59.	4.8	98
48	A New Class of Foldamers Based on cis- $\beta$ -Amino-L-proline <sub>1,2</sub> . <i>Journal of the American Chemical Society</i> , 2004, 126, 6048-6057.	6.6	97
49	Applying the Retro-Enantio Approach To Obtain a Peptide Capable of Overcoming the Blood-Brain Barrier. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 3967-3972.	7.2	96
50	Recognition and Stabilization of an $\alpha$ -Helical Peptide by a Synthetic Receptor. <i>Journal of the American Chemical Society</i> , 1997, 119, 9327-9328.	6.6	95
51	A $\beta$ <sub>240</sub> and A $\beta$ <sub>242</sub> Amyloid Fibrils Exhibit Distinct Molecular Recycling Properties. <i>Journal of the American Chemical Society</i> , 2011, 133, 6505-6508.	6.6	93
52	Diketopiperazines as a Tool for the Study of Transport across the Blood-Brain Barrier (BBB) and Their Potential Use as BBB-Shuttles. <i>Journal of the American Chemical Society</i> , 2007, 129, 11802-11813.	6.6	92
53	Direct evaluation of the immunodominance of a major antigenic site of foot-and-mouth disease virus in a natural host. <i>Virology</i> , 1995, 206, 298-306.	1.1	89
54	Light-Regulated Stapled Peptides to Inhibit Protein-Protein Interactions Involved in Clathrin-Mediated Endocytosis. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 7704-7708.	7.2	88

#	ARTICLE	IF	CITATIONS
55	Total Synthesis of Dehydrodidemnin B. Use of Uronium and Phosponium Salt Coupling Reagents in Peptide Synthesis in Solution. <i>Journal of Organic Chemistry</i> , 1997, 62, 354-366.	1.7	86
56	Cyclization of disulfide-containing peptides in solid-phase synthesis. <i>International Journal of Peptide and Protein Research</i> , 1991, 37, 402-413.	0.1	85
57	Synthesis of defined peptide-oligonucleotide hybrids containing a nuclear transport signal sequence.. <i>Tetrahedron</i> , 1991, 47, 4113-4120.	1.0	84
58	DNA Interaction and Dual Topoisomerase I and II Inhibition Properties of the Anti-Tumor Drug Prodigiosin. <i>Toxicological Sciences</i> , 2005, 85, 870-879.	1.4	84
59	Solid-phase synthesis of head-to-tail cyclic peptides via lysine side-chain anchoring. <i>Tetrahedron Letters</i> , 1994, 35, 9633-9636.	0.7	81
60	Self-Assembly of a Cyclobutane $\beta^2$ -Tetrapeptide To Form Nanosized Structures. <i>Organic Letters</i> , 2007, 9, 3643-3645.	2.4	81
61	Baicalin, a prodrug able to reach the CNS, is a prolyl oligopeptidase inhibitor. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 7516-7524.	1.4	81
62	Stability and structural recovery of the tetramerization domain of p53-R337H mutant induced by a designed templating ligand. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 16426-16431.	3.3	81
63	Cytosolic Targeting of Macromolecules Using a pH-Dependent Fusogenic Peptide in Combination with Cationic Liposomes. <i>Bioconjugate Chemistry</i> , 2009, 20, 953-959.	1.8	81
64	Arylboronic Acids and Arylpinacolboronate Esters in Suzuki Coupling Reactions Involving Indoles. Partner Role Swapping and Heterocycle Protection. <i>Journal of Organic Chemistry</i> , 2004, 69, 6812-6820.	1.7	80
65	Gold Nanoparticles and Microwave Irradiation Inhibit Beta-Amyloid Amyloidogenesis. <i>Nanoscale Research Letters</i> , 2008, 3, .	3.1	75
66	In vitro activity of several antimicrobial peptides against colistin-susceptible and colistin-resistant <i>Acinetobacter baumannii</i> . <i>Clinical Microbiology and Infection</i> , 2012, 18, 383-387.	2.8	75
67	Shuttle-Mediated Drug Delivery to the Brain. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 7998-8014.	7.2	74
68	Molecular cloning of cDNAs encoding a putative cell wall protein from <i>Zea mays</i> and immunological identification of related polypeptides. <i>Plant Molecular Biology</i> , 1988, 11, 483-493.	2.0	70
69	PEG-PGA enveloped octaarginine-peptide nanocomplexes: An oral peptide delivery strategy. <i>Journal of Controlled Release</i> , 2018, 276, 125-139.	4.8	70
70	A Third Shot at EGFR: New Opportunities in Cancer Therapy. <i>Trends in Pharmacological Sciences</i> , 2019, 40, 941-955.	4.0	69
71	A Similar Pattern of Interaction for Different Antibodies with a Major Antigenic Site of Foot-and-Mouth Disease Virus: Implications for Intratypic Antigenic Variation. <i>Journal of Virology</i> , 1998, 72, 739-748.	1.5	69
72	Stable Conjugates of Peptides with Gold Nanorods for Biomedical Applications with Reduced Effects on Cell Viability. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 4076-4085.	4.0	67

#	ARTICLE	IF	CITATIONS
73	Replacement of a Proline with Silaprolin Causes a 20-Fold Increase in the Cellular Uptake of a Pro-Rich Peptide. <i>Journal of the American Chemical Society</i> , 2006, 128, 8479-8483.	6.6	66
74	Structure and Intermolecular Dynamics of Aggregates Populated during Amyloid Fibril Formation Studied by Hydrogen/Deuterium Exchange. <i>Accounts of Chemical Research</i> , 2010, 43, 1072-1079.	7.6	66
75	Design, Synthesis and Characterization of a New Anionic Cell-Penetrating Peptide: SAP(E). <i>ChemBioChem</i> , 2011, 12, 896-903.	1.3	66
76	MiniApâ€4: A Venomâ€Inspired Peptidomimetic for Brain Delivery. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 572-575.	7.2	66
77	Use of N-tritylamino acids and PyAOP1 for the suppression of diketopiperazine formation in Fmoc/tBu solid-phase peptide synthesis using alkoxybenzyl ester anchoring linkages. <i>Tetrahedron Letters</i> , 1996, 37, 4195-4198.	0.7	65
78	Solid-phase-assisted synthesis of targeting peptideâ€“PEGâ€“oligo(ethane amino)amides for receptor-mediated gene delivery. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 3258.	1.5	65
79	<i>all</i>-<sc>D</sc> proline-rich cell-penetrating peptides: a preliminary <i>in vivo</i> internalization study. <i>Biochemical Society Transactions</i> , 2007, 35, 794-796.	1.6	64
80	<i>N</i>-Methyl Phenylalanine-Rich Peptides as Highly Versatile BloodâˆBrain Barrier Shuttles. <i>Journal of Medicinal Chemistry</i> , 2010, 53, 2354-2363.	2.9	64
81	Enantioselective synthetic approaches to cyclopropane and cyclobutane Î²-amino acids: synthesis and structural study of a conformationally constrained Î²-dipeptide. <i>Tetrahedron: Asymmetry</i> , 2000, 11, 3569-3584.	1.8	63
82	Aminoâ€acids condensations in the preparation of <i>N</i>-Î±-â€fluorenylmethylchloroformate. <i>International Journal of Peptide and Protein Research</i> , 1983, 22, 125-128.	0.1	63
83	Peptides and proteins used to enhance gold nanoparticle delivery to the brain: preclinical approaches. <i>International Journal of Nanomedicine</i> , 2015, 10, 4919.	3.3	62
84	Jumping Hurdles: Peptides Able To Overcome Biological Barriers. <i>Accounts of Chemical Research</i> , 2017, 50, 1847-1854.	7.6	62
85	Active carbonate resins for solid-phase synthesis through the anchoring of a hydroxyl function. Synthesis of cyclic and alcohol peptides. <i>Tetrahedron Letters</i> , 1997, 38, 883-886.	0.7	61
86	Relationship between Mutations in the gyrA Gene and Quinolone Resistance in Clinical Isolates of <i>Corynebacterium striatum</i> and <i>Corynebacterium amycolatum</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2005, 49, 1714-1719.	1.4	60
87	Peptide multifunctionalized gold nanorods decrease toxicity of Î²-amyloid peptide in a <i>Caenorhabditis elegans</i> model of Alzheimer's disease. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2017, 13, 2341-2350.	1.7	60
88	Use of BOP reagent for the suppression of diketopiperazine formation in boc/bzl solid-phase peptide synthesis. <i>Tetrahedron Letters</i> , 1990, 31, 7363-7366.	0.7	59
89	Toward an Optimal BloodâˆBrain Barrier Shuttle by Synthesis and Evaluation of Peptide Libraries. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 4881-4889.	2.9	59
90	Folding and self-assembling with Î²-oligomers based on (1R,2S)-2-aminocyclobutane-1-carboxylic acid. <i>Organic and Biomolecular Chemistry</i> , 2010, 8, 564-575.	1.5	59

#	ARTICLE	IF	CITATIONS
91	A Signaling Mechanism Coupling Netrin-1/Deleted in Colorectal Cancer Chemoattraction to SNARE-Mediated Exocytosis in Axonal Growth Cones. <i>Journal of Neuroscience</i> , 2011, 31, 14463-14480.	1.7	59
92	Combating virulence of Gram-negative bacilli by OmpA inhibition. <i>Scientific Reports</i> , 2017, 7, 14683.	1.6	59
93	Kalioxin (1-37) Shows Structural Differences With Related Potassium Channel Blockers. <i>Biochemistry</i> , 1994, 33, 14256-14263.	1.2	58
94	The Natural Product Berberine is a Human Prolyl Oligopeptidase Inhibitor. <i>ChemMedChem</i> , 2007, 2, 354-359.	1.6	58
95	Convergent solid phase peptide synthesis. II. Synthesis of the 16 apamin protected segment on a NBB-resin. Synthesis of apamin. <i>Tetrahedron</i> , 1982, 38, 1193-1201.	1.0	56
96	De Novo Protein Surface Design: Use of Cation- $\pi$ Interactions to Enhance Binding between an $\alpha$ -Helical Peptide and a Cationic Molecule in 50% Aqueous Solution. <i>Angewandte Chemie - International Edition</i> , 2002, 41, 117-119.	7.2	56
97	NMR-based methods and strategies for drug discovery. <i>Chemical Society Reviews</i> , 2003, 32, 365.	18.7	54
98	Structure of the major antigenic loop of foot-and-mouth disease virus complexed with a neutralizing antibody: direct involvement of the Arg-Gly-Asp motif in the interaction. <i>EMBO Journal</i> , 1995, 14, 1690-6.	3.5	54
99	Self-assembly of the amphipathic helix (VHLPPP) <sub>8</sub> . A mechanism for zein protein body formation <sup>11</sup> Edited by W. Baumeister. <i>Journal of Molecular Biology</i> , 2001, 312, 907-913.	2.0	52
100	Relevant Elements of a Maize $\beta$ -Zein Domain Involved in Protein Body Biogenesis. <i>Journal of Biological Chemistry</i> , 2010, 285, 35633-35644.	1.6	52
101	Comparative study of supports for solid-phase coupling of protected-peptide segments. <i>Journal of Organic Chemistry</i> , 1989, 54, 360-366.	1.7	51
102	Solid-phase synthesis of peptides using allylic anchoring groups. An investigation of their palladium-catalysed cleavage. <i>Tetrahedron Letters</i> , 1991, 32, 4207-4210.	0.7	51
103	A study of the use of NH <sub>4</sub> I for the reduction of methionine sulfoxide in peptides containing cysteine and cystine. <i>Tetrahedron</i> , 1995, 51, 5701-5710.	1.0	51
104	Differentiation Restricted Endocytosis of Cell Penetrating Peptides in MDCK Cells Corresponds with Activities of Rho-GTPases. <i>Pharmaceutical Research</i> , 2007, 24, 628-642.	1.7	51
105	<sc>D</sc>-SAP: A New, Noncytotoxic, and Fully Protease Resistant Cell-Penetrating Peptide. <i>ChemMedChem</i> , 2008, 3, 296-301.	1.6	51
106	Active carbonate resins: Application to the solid-phase synthesis of alcohol, carbamate and cyclic peptides. <i>Tetrahedron</i> , 1998, 54, 10125-10152.	1.0	50
107	Supramolecular Properties of the Proline-Rich $\beta$ -Zein N-Terminal Domain. <i>Biophysical Journal</i> , 2002, 83, 1194-1204.	0.2	50
108	Abbreviated nomenclature for cyclic and branched homo- and hetero-detic peptides. <i>Chemical Biology and Drug Design</i> , 2005, 65, 550-555.	1.2	50



#	ARTICLE	IF	CITATIONS
109	Shuttling Gold Nanoparticles into Tumoral Cells with an Amphipathic Proline-Rich Peptide. <i>ChemBioChem</i> , 2009, 10, 1025-1031.	1.3	50
110	IB-01212, a New Cytotoxic Cyclodepsipeptide Isolated from the Marine Fungus <i>Clonostachys</i> sp. ESNA-A009. <i>Journal of Organic Chemistry</i> , 2006, 71, 3335-3338.	1.7	49
111	Inhibition of beta-amyloid toxicity by short peptides containing N-methyl amino acids. <i>Chemical Biology and Drug Design</i> , 2004, 63, 324-328.	1.2	48
112	Surface Recognition and Helix Stabilization of a Tetraaspartate Peptide by Shape and Electrostatic Complementarity of an Artificial Receptor. <i>Journal of the American Chemical Society</i> , 1999, 121, 11813-11820.	6.6	47
113	Use of the Nps thiol protection in solid phase peptide synthesis Application to direct peptide-protein conjugation through cysteine residues. <i>International Journal of Peptide and Protein Research</i> , 1989, 34, 124-128.	0.1	47
114	14-Helical Folding in a Cyclobutane-Containing $\beta^2$ -Tetrapeptide. <i>Journal of Organic Chemistry</i> , 2004, 69, 5093-5099.	1.7	46
115	Building Cell Selectivity into CPP-Mediated Strategies. <i>Pharmaceuticals</i> , 2010, 3, 1456-1490.	1.7	46
116	Convergent solid phase peptide synthesis. I. Synthesis of protected segments on a hydroxymethylphenyloxymethyl resin using the base labile Fmoc $\beta$ -amine protection. Model synthesis of LHRH. <i>Tetrahedron</i> , 1982, 38, 1183-1192.	1.0	45
117	Spirolactams as Conformationally Restricted Pseudopeptides: Synthesis and Conformational Analysis. <i>Journal of Organic Chemistry</i> , 2002, 67, 7587-7599.	1.7	45
118	Convenient Syntheses of Fluorenylmethyl-Based Side Chain Derivatives of Glutamic and Aspartic acids, Lysine, and Cysteine. <i>Synthesis</i> , 1990, 1990, 119-122.	1.2	44
119	Solid-Phase Total Synthesis of Trunkamide A1. <i>Journal of Organic Chemistry</i> , 2001, 66, 7568-7574.	1.7	44
120	Lipid Bilayer Crossing - The Gate of Symmetry. Water-Soluble Phenylproline-Based Blood-Brain Barrier Shuttles. <i>Journal of the American Chemical Society</i> , 2015, 137, 7357-7364.	6.6	44
121	AT514, a cyclic depsipeptide from <i>Serratia marcescens</i> , induces apoptosis of B-chronic lymphocytic leukemia cells: interference with the Akt/NF- $\kappa$ B survival pathway. <i>Leukemia</i> , 2005, 19, 572-579.	3.3	43
122	Blood-brain barrier peptide shuttles. <i>Current Opinion in Chemical Biology</i> , 2017, 38, 134-140.	2.8	43
123	Diketopiperazine formation in acetamido- and nitrobenzamido-bridged polymeric supports. <i>Tetrahedron Letters</i> , 1981, 22, 3779-3782.	0.7	42
124	NPE-resin, a new approach to the solid-phase synthesis of protected peptides and oligonucleotides I: Synthesis of the supports and their application to oligonucleotide synthesis. <i>Tetrahedron Letters</i> , 1991, 32, 1511-1514.	0.7	42
125	Studies on antigenic variability of C strains of foot-and-mouth disease virus by means of synthetic peptides and monoclonal antibodies. <i>International Journal of Peptide and Protein Research</i> , 1992, 39, 41-47.	0.1	42
126	From venoms to BBB shuttles: Synthesis and blood-brain barrier transport assessment of apamin and a nontoxic analog. <i>Biopolymers</i> , 2013, 100, 675-686.	1.2	42



#	ARTICLE	IF	CITATIONS
127	Inhibition of Human Prolyl Oligopeptidase Activity by the Cyclotide Psysol 2 Isolated from <i>Psychotria solitudinum</i> . <i>Journal of Natural Products</i> , 2015, 78, 1073-1082.	1.5	42
128	Synthesis and applications of a new base-labile fluorene derived linker for solid-phase peptide synthesis. <i>Tetrahedron</i> , 1995, 51, 1449-1458.	1.0	41
129	Synthesis and Antitumor Evaluation of New Thiazolo[5,4-b]quinoline Derivatives. <i>Journal of Medicinal Chemistry</i> , 1997, 40, 668-676.	2.9	41
130	Oxazolopiperidin-2-ones as Type II $\beta$ -Turn Mimetics: Synthesis and Conformational Analysis. <i>Journal of Organic Chemistry</i> , 2000, 65, 6992-6999.	1.7	41
131	Identification by 19F NMR of Traditional Chinese Medicinal Plants Possessing Prolyl Oligopeptidase Inhibitory Activity. <i>ChemBioChem</i> , 2006, 7, 827-833.	1.3	41
132	Improving gold nanorod delivery to the central nervous system by conjugation to the shuttle Angiopep-2. <i>Nanomedicine</i> , 2017, 12, 2503-2517.	1.7	41
133	An HPLC-ESMS study on the solid-phase assembly of C-terminal proline peptides. , 1999, 5, 131-140.		39
134	Fatty acyl moieties: improving Pro-rich peptide uptake inside HeLa cells. <i>Chemical Biology and Drug Design</i> , 2005, 65, 580-590.	1.2	39
135	Mechanism of Binding of Fluoroquinolones to the Quinolone Resistance-Determining Region of DNA Gyrase: Towards an Understanding of the Molecular Basis of Quinolone Resistance. <i>ChemBioChem</i> , 2008, 9, 2081-2086.	1.3	39
136	Flavonoids with prolyl oligopeptidase inhibitory activity isolated from <i>Scutellaria racemosa</i> Pers. <i>F<math>\ddot{A}</math>-totera<math>\ddot{A}</math></i> , 2010, 81, 552-556.	1.1	39
137	Branched BBB-shuttle peptides: chemoselective modification of proteins to enhance blood-brain barrier transport. <i>Chemical Science</i> , 2018, 9, 8409-8415.	3.7	39
138	S-Phenylacetamidomethyl (Phacm): an orthogonal cysteine protecting group for Boc and Fmoc solid-phase peptide synthesis strategies. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1995, , 1095.	0.9	38
139	Gold nanoparticles for selective and remote heating of $\beta$ -amyloid protein aggregates. <i>Materials Science and Engineering C</i> , 2007, 27, 1236-1240.	3.8	38
140	Structure-Activity Relationship of Kahalalide F Synthetic Analogues. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 4920-4931.	2.9	38
141	Retro-Enantio Methylated Peptides as $\beta$ -Amyloid Aggregation Inhibitors. <i>ChemMedChem</i> , 2009, 4, 1488-1494.	1.6	38
142	Combined bottom-up and top-down mass spectrometry analyses of the pattern of post-translational modifications of <i>Drosophila melanogaster</i> linker histone H1. <i>Journal of Proteomics</i> , 2012, 75, 4124-4138.	1.2	38
143	Using peptides to increase transport across the intestinal barrier. <i>Advanced Drug Delivery Reviews</i> , 2016, 106, 355-366.	6.6	38
144	Molecular evolution of aphthoviruses. <i>Virus Genes</i> , 1995, 11, 197-207.	0.7	37

#	ARTICLE	IF	CITATIONS
145	A Tetraguanidinium Ligand Binds to the Surface of the Tetramerization Domain of Protein P53. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 196-198.	7.2	37
146	ENPDA: an evolutionary structure-based de novo peptide design algorithm. <i>Journal of Computer-Aided Molecular Design</i> , 2005, 19, 585-601.	1.3	37
147	Targeted Covalent Inhibition of Prolyl Oligopeptidase (POP): Discovery of Sulfonylfluoride Peptidomimetics. <i>Cell Chemical Biology</i> , 2018, 25, 1031-1037.e4.	2.5	36
148	Convenient synthesis of a cyclic peptide disulfide: A type II $\hat{1}^2$ -turn structural model. <i>Tetrahedron Letters</i> , 1989, 30, 2441-2444.	0.7	35
149	Non-additive effects of multiple amino acid substitutions on antigen-antibody recognition. <i>European Journal of Immunology</i> , 1992, 22, 1385-1389.	1.6	35
150	Anchoring of Fmoc-amino acids to hydroxymethyl resins. <i>International Journal of Peptide and Protein Research</i> , 1989, 33, 386-390.	0.1	35
151	Small Peptide Inhibitors Disrupt a High-Affinity Interaction between Cytoplasmic Dynein and a Viral Cargo Protein. <i>Journal of Virology</i> , 2010, 84, 10792-10801.	1.5	35
152	Uteroglobin-like peptide cavities I. Synthesis of antiparallel and parallel dimers of bis-cysteine peptides. <i>Tetrahedron Letters</i> , 1988, 29, 3845-3848.	0.7	34
153	A new approach to Hmb-backbone protection of peptides: Synthesis and reactivity of $N^{\pm}$ -Fmoc- $N^{\pm}$ -(Hmb)amino acids. <i>Tetrahedron Letters</i> , 1997, 38, 2317-2320.	0.7	34
154	Solution Structure of the Antitumor Candidate Trunkamide A by 2D NMR and Restrained Simulated Annealing Methods. <i>Journal of Organic Chemistry</i> , 2003, 68, 211-215.	1.7	34
155	Solid-phase approaches to regiospecific double disulfide formation. Application to a fragment of bovine pituitary peptide. <i>Tetrahedron</i> , 1990, 46, 8255-8266.	1.0	33
156	[15] Convergent solid-phase peptide synthesis. <i>Methods in Enzymology</i> , 1997, 289, 313-336.	0.4	33
157	3D structure of kaliotoxin: is residue 34 a key for channel selectivity?. , 1997, 3, 314-319.		33
158	Reduction of methionine sulfoxide with : Compatibility with peptides containing cysteine and aromatic amino acids. <i>Tetrahedron</i> , 1998, 54, 15273-15286.	1.0	33
159	Exploring the interaction of the surfactant N-terminal domain of $\hat{1}^3$ -Zein with soybean phosphatidylcholine liposomes. <i>Biopolymers</i> , 2004, 73, 258-268.	1.2	33
160	Use of substituted and tandem-repeated peptides to probe the relevance of the highly conserved RGD tripeptide in the immune response against foot-and-mouth disease virus. <i>FEBS Letters</i> , 1993, 330, 253-259.	1.3	32
161	Proteomic analysis of a fraction enriched in cell envelope proteins of <i>Acinetobacter baumannii</i> . <i>Proteomics</i> , 2006, 6, S82-S87.	1.3	32
162	NPE-resin, a new approach to the solid-phase synthesis of protected peptides and oligonucleotides II. Synthesis of protected peptides. <i>Tetrahedron Letters</i> , 1991, 32, 1515-1518.	0.7	31

#	ARTICLE	IF	CITATIONS
163	Synthetic Approaches to Multivalent Lipopeptide Dendrimers Containing Cyclic Disulfide Epitopes of Foot-and-Mouth Disease Virus. <i>Bioconjugate Chemistry</i> , 2003, 14, 144-152.	1.8	31
164	Disruption of the HIV-1 protease dimer with interface peptides: Structural studies using NMR spectroscopy combined with [2-13C]-Trp selective labeling. <i>Biopolymers</i> , 2007, 88, 164-173.	1.2	31
165	Novel System to Achieve One-Pot Modification of Cargo Molecules with Oligoarginine Vectors for Intracellular Delivery. <i>Bioconjugate Chemistry</i> , 2009, 20, 249-257.	1.8	31
166	Solid-phase synthesis of peptides using allylic anchoring groups 2. Palladium-catalysed cleavage of Fmoc-protected peptides. <i>Tetrahedron Letters</i> , 1994, 35, 4437-4440.	0.7	30
167	The role of peptides in blood-brain barrier nanotechnology. <i>Journal of Peptide Science</i> , 2008, 14, 163-173.	0.8	30
168	Low molecular weight inhibitors of Prolyl Oligopeptidase: a review of compounds patented from 2003 to 2010. <i>Expert Opinion on Therapeutic Patents</i> , 2011, 21, 1023-1044.	2.4	30
169	CSA-131, a ceragenin active against colistin-resistant <i>Acinetobacter baumannii</i> and <i>Pseudomonas aeruginosa</i> clinical isolates. <i>International Journal of Antimicrobial Agents</i> , 2015, 46, 568-571.	1.1	30
170	Convergent Solid Phase Peptide Synthesis: An Efficient Approach to the Synthesis of Highly Repetitive Protein Domains. <i>Journal of Organic Chemistry</i> , 1995, 60, 7575-7581.	1.7	29
171	Native-like cyclic peptide models of a viral antigenic site: finding a balance between rigidity and flexibility. , 2000, 13, 5-13.		29
172	Synthesis and screening of a small library of proline-based biodendrimers for use as delivery agents. <i>Biopolymers</i> , 2005, 80, 800-814.	1.2	29
173	Adrenergic Modulation With Photochromic Ligands. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 3625-3631.	7.2	29
174	A new fluorene-derived anchor for solid-phase synthesis of protected peptides. <i>Tetrahedron Letters</i> , 1992, 33, 1775-1778.	0.7	28
175	Convergent solid-phase peptide synthesis. X. Synthesis and purification of protected peptide fragments using the photolabile Nbb-resin. <i>Tetrahedron</i> , 1991, 47, 9867-9880.	1.0	27
176	Design, synthesis, and complexing properties of (1Cys-1'Cys,4Cys-4'Cys)-dithiobis(Ac-L-1Cys-L-Pro-D-Val-L-4Cys-NH <sub>2</sub> ). The first example of a new family of ion-binding peptides. <i>Journal of the American Chemical Society</i> , 1993, 115, 11663-11670.	6.6	27
177	Convergent Synthesis of Repeating Peptides (Val-X-Leu-Pro-Pro-Pro) <sub>8</sub> Adopting a Polyproline II Conformation. <i>Journal of Organic Chemistry</i> , 1996, 61, 6775-6782.	1.7	27
178	Convergent Approaches for the Synthesis of the Antitumoral Peptide, Kahalalide F. Study of Orthogonal Protecting Groups. <i>Journal of Organic Chemistry</i> , 2006, 71, 7196-7204.	1.7	27
179	A fast and robust 19F NMR-based method for finding new HIV-1 protease inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 2677-2681.	1.0	27
180	Novel Peptidyl Aryl Vinyl Sulfones as Highly Potent and Selective Inhibitors of Cathepsins L and B. <i>ChemMedChem</i> , 2010, 5, 1556-1567.	1.6	27

#	ARTICLE	IF	CITATIONS
181	Solid-phase synthesis of second-generation polyproline dendrimers. <i>Biopolymers</i> , 2004, 76, 283-297.	1.2	26
182	Use of the SPhos Ligand to Suppress Racemization in Arylpinacolboronate Ester Suzuki Couplings Involving $\alpha$ -Amino Acids. Synthesis of Biaryl Derivatives of 4-Hydroxyphenylglycine, Tyrosine, and Tryptophan. <i>Journal of Organic Chemistry</i> , 2009, 74, 9202-9205.	1.7	26
183	Electrostatic Binding and Hydrophobic Collapse of Peptide-Nucleic Acid Aggregates Quantified Using Force Spectroscopy. <i>ACS Nano</i> , 2013, 7, 5102-5113.	7.3	26
184	Delivering wasp venom for cancer therapy. <i>Journal of Controlled Release</i> , 2014, 182, 13-21.	4.8	26
185	Immunosilencing peptides by stereochemical inversion and sequence reversal: retro-D-peptides. <i>Scientific Reports</i> , 2018, 8, 6446.	1.6	26
186	Convergent solid phase peptide synthesis-III. <i>Tetrahedron</i> , 1986, 42, 691-698.	1.0	25
187	Gel-phase $^{31}\text{P}$ -NMR. A new analytical tool to evaluate solid phase oligonucleoside synthesis.. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1993, 3, 2793-2796.	1.0	25
188	Structural limitations to antigenic mimicry achievable with retroinverso (all-D-retro) peptides. <i>Trends in Biotechnology</i> , 1996, 14, 44-45.	4.9	25
189	Surface plasmon resonance screening of synthetic peptides mimicking the immunodominant region of C-S8c1 foot-and-mouth disease virus. <i>Vaccine</i> , 1999, 18, 362-370.	1.7	25
190	Kahalalide B. Synthesis of a natural cyclodepsipeptide. <i>Tetrahedron Letters</i> , 2000, 41, 9765-9769.	0.7	25
191	Antibacterial evaluation of a collection of norfloxacin and ciprofloxacin derivatives against multiresistant bacteria. <i>International Journal of Antimicrobial Agents</i> , 2006, 28, 19-24.	1.1	25
192	NMR analysis of G-protein $\beta\gamma$ subunit complexes reveals a dynamic $\text{G}\beta\text{-G}\gamma$ subunit interface and multiple protein recognition modes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 639-644.	3.3	25
193	NMR Studies of Protein-Ligand Interactions. <i>Methods in Molecular Biology</i> , 2012, 831, 233-259.	0.4	25
194	Toward a Novel Drug To Target the EGF-EGFR Interaction: Design of Metabolically Stable Bicyclic Peptides. <i>ChemBioChem</i> , 2018, 19, 76-84.	1.3	25
195	Polystyrene-supported synthesis by the phosphite triester approach: An alternative for the large scale synthesis of small oligodeoxyribonucleotides.. <i>Tetrahedron Letters</i> , 1990, 31, 6231-6234.	0.7	24
196	Synthesis of D-alloisoleucine from L-isoleucine and from (S)-2-methylbutan-1-ol. Synthesis of isotatine. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1994, , 1969.	0.9	24
197	Solid phase-mediated cyclization of head-to-tail peptides: Problems associated with side chain anchoring. <i>Tetrahedron Letters</i> , 1996, 37, 4229-4232.	0.7	24
198	Synthesis and NMR Structure of P41icf, a Potent Inhibitor of Human Cathepsin L. <i>Journal of the American Chemical Society</i> , 2003, 125, 1508-1517.	6.6	24

#	ARTICLE	IF	CITATIONS
199	Recent patents of dipeptidyl peptidase IV inhibitors. <i>Expert Opinion on Therapeutic Patents</i> , 2011, 21, 1693-1741.	2.4	24
200	Loss of LPS is involved in the virulence and resistance to colistin of colistin-resistant <i>Acinetobacter nosocomialis</i> mutants selected <i>in vitro</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2015, 70, 2981-2986.	1.3	24
201	Update of Peptides with Antibacterial Activity. <i>Current Medicinal Chemistry</i> , 2012, 19, 6188-6198.	1.2	24
202	(S)-9-Fluorenylmethyl-L-cysteine, a useful HF-stable derivative for peptide synthesis. <i>Journal of the Chemical Society Chemical Communications</i> , 1986, , 1501.	2.0	23
203	Direct single-step surface plasmon resonance analysis of interactions between small peptides and immobilized monoclonal antibodies. <i>Journal of Immunological Methods</i> , 2000, 235, 101-111.	0.6	23
204	Bicyclic Homodetic Peptide Libraries: Comparison of Synthetic Strategies for Their Solid-Phase Synthesis. <i>ACS Combinatorial Science</i> , 2003, 5, 760-768.	3.3	23
205	Synthesis of 3-Aminolactams as X-Gly Constrained Pseudodipeptides and Conformational Study of a Trp-Gly Surrogate. <i>Journal of Organic Chemistry</i> , 2003, 68, 9541-9553.	1.7	23
206	Cell cycle arrest and proapoptotic effects of the anticancer cyclodepsipeptide serratamolide (AT514) are independent of p53 status in breast cancer cells. <i>Biochemical Pharmacology</i> , 2005, 71, 32-41.	2.0	23
207	Preparation of de Novo Globular Proteins Based on Proline Dendrimers. <i>Journal of Organic Chemistry</i> , 2005, 70, 6274-6281.	1.7	23
208	Convergent solid-phase peptide synthesis. <i>International Journal of Peptide and Protein Research</i> , 1991, 37, 58-60.	0.1	23
209	Activity-Based Probes for Monitoring Postproline Protease Activity. <i>ChemBioChem</i> , 2009, 10, 2361-2366.	1.3	23
210	<sup>15</sup> N Relaxation NMR Studies of Prolyl Oligopeptidase, an 80 kDa Enzyme, Reveal a Pre-existing Equilibrium between Different Conformational States. <i>ChemBioChem</i> , 2011, 12, 2737-2739.	1.3	23
211	Direct-reversible binding of small molecules to G protein $\beta\gamma$ subunits. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2011, 1814, 1210-1218.	1.1	23
212	Phage display as a tool to discover blood-brain barrier (BBB) shuttle peptides: panning against a human BBB cellular model. <i>Biopolymers</i> , 2017, 108, e22928.	1.2	23
213	Peptide Mediated Brain Delivery of Nano- and Submicroparticles: A Synergistic Approach. <i>Current Pharmaceutical Design</i> , 2018, 24, 1366-1376.	0.9	23
214	Structural, kinetic and cytotoxicity aspects of 12-28 $\beta$ -amyloid protein fragment: a reappraisal. <i>Journal of Peptide Science</i> , 2002, 8, 578-588.	0.8	22
215	Synthesis, Conformational Analysis, and Cytotoxicity of Conformationally Constrained Aplidine and Tamandarin A Analogues Incorporating a Spirolactam $\beta^2$ -Turn Mimetic. <i>Journal of Medicinal Chemistry</i> , 2004, 47, 5700-5712.	2.9	22
216	Total Solid-Phase Synthesis of Marine Cyclodepsipeptide IB-01212. <i>Journal of Organic Chemistry</i> , 2006, 71, 3339-3344.	1.7	22

#	ARTICLE	IF	CITATIONS
217	Knitting and untying the protein network: Modulation of protein ensembles as a therapeutic strategy. <i>Protein Science</i> , 2009, 18, 481-493.	3.1	22
218	Convergent solid phase peptide synthesis. VII. Good yields in the coupling of protected segments on a solid support. <i>Tetrahedron</i> , 1989, 45, 4637-4648.	1.0	21
219	Solid-phase-mediated peptide heterodisulfide formation. <i>Journal of the American Chemical Society</i> , 1990, 112, 5345-5347.	6.6	21
220	A new ionizable chromophore of 1,4-bis(alkylamino)benzo[g]phthalazine which interacts with DNA by intercalation. <i>Journal of Medicinal Chemistry</i> , 1991, 34, 82-86.	2.9	21
221	AN IMPROVED SYNTHESIS OF N-[(9-HYDROXYMETHYL)-2-FLUORENYL]SUCCINAMIC ACID (HMFS), A VERSATILE HANDLE FOR THE SOLID-PHASE SYNTHESIS OF BIOMOLECULES. <i>Synthetic Communications</i> , 2001, 31, 225-232.	1.1	21
222	One-pot full peptide deprotection in Fmoc-based solid-phase peptide synthesis: methionine sulfoxide reduction with Bu <sub>4</sub> NBr. <i>Tetrahedron Letters</i> , 2001, 42, 1891-1893.	0.7	21
223	Tentoxin as a Scaffold for Drug Discovery. Total Solid-Phase Synthesis of Tentoxin and a Library of Analogues. <i>Organic Letters</i> , 2003, 5, 2115-2118.	2.4	21
224	Development and Characterization of Peptidic Fusion Inhibitors Derived from HIV-1 gp41 with Partial Amino Acid Substitutions. <i>ChemMedChem</i> , 2009, 4, 570-581.	1.6	21
225	la Carte™ Peptide Shuttles: Tools to Increase Their Passage across the Blood-Brain Barrier. <i>ChemMedChem</i> , 2014, 9, 1594-1601.	1.6	21
226	Convergent solid phase peptide synthesis. v. synthesis of the 1-4, 32-34, and 53-59 protected segments of the toxin ii of androctonus australis hector.. <i>Tetrahedron</i> , 1987, 43, 5961-5971.	1.0	20
227	The use of the Nbb-resin for the solid-phase synthesis of peptide alkylesters and alkylamides. Synthesis of leuprolide. <i>Tetrahedron</i> , 1997, 53, 3179-3194.	1.0	20
228	Functional Mimicry of a Discontinuous Antigenic Site by a Designed Synthetic Peptide. <i>ChemBioChem</i> , 2002, 3, 175-182.	1.3	20
229	Chemical Synthesis of 19F-labeled HIV-1 Protease using Fmoc-Chemistry and ChemMatrix Resin. <i>International Journal of Peptide Research and Therapeutics</i> , 2007, 13, 221-227.	0.9	20
230	Benzimidazolium Salts as Small, Nonpeptidic and BBB-Permeable Human Prolyl Oligopeptidase Inhibitors. <i>ChemMedChem</i> , 2008, 3, 1558-1565.	1.6	20
231	Metabolic Cleavage and Translocation Efficiency of Selected Cell Penetrating Peptides: A Comparative Study with Epithelial Cell Cultures. <i>AAPS Journal</i> , 2008, 10, 349-359.	2.2	20
232	Trishomocubane Amino Acid as a Turn scaffold. <i>Chemical Biology and Drug Design</i> , 2008, 71, 125-130.	1.5	20
233	Unveiling Prolyl Oligopeptidase Ligand Migration by Comprehensive Computational Techniques. <i>Biophysical Journal</i> , 2015, 108, 116-125.	0.2	20
234	Absence of a Stable Secondary Structure Is Not a Limitation for Photoswitchable Inhibitors of $\beta$ -Arrestin/ $\beta$ -Adaptin 2 Protein-Protein Interaction. <i>Chemistry and Biology</i> , 2015, 22, 31-37.	6.2	20

#	ARTICLE	IF	CITATIONS
235	The prolyl oligopeptidase inhibitor IPR19 ameliorates cognitive deficits in mouse models of schizophrenia. <i>European Neuropsychopharmacology</i> , 2017, 27, 180-191.	0.3	20
236	Diurnal rhythm of rat liver cytosolic 3-hydroxy-3-methylglutaryl-CoA synthase. <i>Biochemical Journal</i> , 1991, 280, 61-64.	1.7	19
237	Side chain elongation causes a change from enthalpy driven to entropy driven binding in the molecular recognition of tetraanionic peptides. <i>Chemical Communications</i> , 2000, , 1399-1400.	2.2	19
238	Development of a Genetic Algorithm to Design and Identify Peptides that can Cross the Blood-Brain Barrier. <i>QSAR and Combinatorial Science</i> , 2003, 22, 745-753.	1.5	19
239	Efficient Preparation of ProlineN-Carboxyanhydride Using Polymer-Supported Bases. <i>Organic Letters</i> , 2006, 8, 5385-5388.	2.4	19
240	Staple Motifs, Initial Steps in the Formation of Thiolate-Protected Gold Nanoparticles: How Do They Form?. <i>Inorganic Chemistry</i> , 2012, 51, 11422-11429.	1.9	19
241	Sequence-activity relationship, and mechanism of action of mastoparan analogues against extended-drug resistant <i>Acinetobacter baumannii</i> . <i>European Journal of Medicinal Chemistry</i> , 2015, 101, 34-40.	2.6	19
242	A new quinoxaline-containing peptide induces apoptosis in cancer cells by autophagy modulation. <i>Chemical Science</i> , 2015, 6, 4537-4549.	3.7	19
243	Peptides Targeting EGF Block the EGF-EGFR Interaction. <i>ChemBioChem</i> , 2016, 17, 702-711.	1.3	19
244	Computational study of the conformational preferences of the(R)-8-amino-pentacyclo[5.4.0.02,6.03,10.05,9] undecane-8-carboxylic acid mono-peptide. <i>Journal of Peptide Science</i> , 2004, 10, 274-284.	0.8	18
245	Evolutionary combinatorial chemistry, a novel tool for SAR studies on peptide transport across the blood-brain barrier. Part 2. Design, synthesis and evaluation of a first generation of peptides. <i>Journal of Peptide Science</i> , 2005, 11, 789-804.	0.8	18
246	Inhibitory Effect of Verbascoside Isolated from <i>Buddleja brasiliensis</i> Jacq. ex Spreng on Prolyl Oligopeptidase Activity. <i>Phytotherapy Research</i> , 2012, 26, 1472-1475.	2.8	18
247	From venoms to BBB-shuttles. MiniCTX3: a molecular vector derived from scorpion venom. <i>Chemical Communications</i> , 2018, 54, 12738-12741.	2.2	18
248	Blocking EGFR Activation with Anti-EGF Nanobodies via Two Distinct Molecular Recognition Mechanisms. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 13843-13847.	7.2	18
249	Amphiphilic Polymeric Nanoparticles Modified with a Retro-Enantio Peptide Shuttle Target the Brain of Mice. <i>Chemistry of Materials</i> , 2020, 32, 7679-7693.	3.2	18
250	Convergent solid phase peptide synthesis IV.. <i>Tetrahedron</i> , 1986, 42, 6703-6711.	1.0	17
251	Use of polar picolyl protecting groups in peptide synthesis. <i>Journal of Organic Chemistry</i> , 1988, 53, 5386-5389.	1.7	17
252	Cyclic disulfide model of the major antigenic site of serotype-C foot-and-mouth disease virus. <i>FEBS Letters</i> , 1993, 328, 159-164.	1.3	17



#	ARTICLE	IF	CITATIONS
253	An Easy Entry to a New High-Symmetry, Large Molecular Framework for Molecular Recognition Studies and de Novo Protein Design. Solvent Modulation of the Spontaneous Formation of a Cyclic Monomer, Dimer, or Trimer from a Bis-cysteine Peptide. <i>Journal of the American Chemical Society</i> , 1998, 120, 6639-6650.	6.6	17
254	3-Amino-2-piperidones as constrained pseudopeptides: Preparation of a new Ser-Leu surrogate. <i>Tetrahedron Letters</i> , 1999, 40, 4865-4868.	0.7	17
255	Solid phase synthesis of enantiomerically pure polyhydroxyvalerolactams. <i>Tetrahedron Letters</i> , 2001, 42, 871-873.	0.7	17
256	Solid-phase syntheses of N-substituted carbamates. Reaction monitoring by gel-phase <sup>13</sup> C NMR using a <sup>13</sup> C enriched BAL-linker. <i>Tetrahedron Letters</i> , 2002, 43, 3543-3546.	0.7	17
257	Ionic self-complementarity induces amyloid-like fibril formation in an isolated domain of a plant copper metallochaperone protein. <i>BMC Structural Biology</i> , 2004, 4, 7.	2.3	17
258	Explicit Treatment of Water Molecules in Protein-Ligand Docking. <i>Current Computer-Aided Drug Design</i> , 2009, 5, 145-154.	0.8	17
259	A new side opening on prolyl oligopeptidase revealed by electron microscopy. <i>FEBS Letters</i> , 2009, 583, 3344-3348.	1.3	17
260	On the Role of Flexibility in Protein-Ligand Interactions: the Example of p53 Tetramerization Domain. <i>Chemistry - an Asian Journal</i> , 2011, 6, 1463-1469.	1.7	17
261	Selenomethionine Incorporation into Amyloid Sequences Regulates Fibrillogenesis and Toxicity. <i>PLoS ONE</i> , 2011, 6, e27999.	1.1	17
262	Convergent solid-phase peptide synthesis. XI. Synthesis and purification of protected peptide segments spanning the entire sequence of the uteroglobin monomer using the photolabile nbb-resin.. <i>Tetrahedron</i> , 1993, 49, 10069-10078.	1.0	16
263	A comparative study of cyclization strategies applied to the synthesis of head-to-tail cyclic analogs of a viral epitope. <i>Chemical Biology and Drug Design</i> , 1999, 53, 56-67.	1.2	16
264	Conformational Analysis of Dehydrodidemnin B (Aplidine) by NMR Spectroscopy and Molecular Mechanics/Dynamics Calculations. <i>Journal of Organic Chemistry</i> , 2001, 66, 4580-4584.	1.7	16
265	Primary structure, recombinant expression and homology modelling of human brain prolyl oligopeptidase, an important therapeutic target in the treatment of neuropsychiatric diseases. <i>Journal of Peptide Science</i> , 2005, 11, 283-287.	0.8	16
266	The GAGA Protein of <i>Drosophila</i> is Phosphorylated by CK2. <i>Journal of Molecular Biology</i> , 2005, 351, 562-572.	2.0	16
267	Synthetic Ligands Able to Interact with the P53 Tetramerization Domain. Towards Understanding a Protein Surface Recognition Event. <i>ChemBioChem</i> , 2006, 7, 1105-1113.	1.3	16
268	Applications and future of ion mobility mass spectrometry in structural biology. <i>New Journal of Chemistry</i> , 2013, 37, 1283.	1.4	16
269	An optimized method for <sup>15</sup> N R1 relaxation rate measurements in non-deuterated proteins. <i>Journal of Biomolecular NMR</i> , 2015, 62, 209-220.	1.6	16
270	<sup>13</sup> C Dynamic Nmr Studies on Restricted Rotation about C-N Bond in 2-Aryl-1-formyl-4-piperidones. <i>Heterocycles</i> , 1989, 29, 2185.	0.4	16

#	ARTICLE	IF	CITATIONS
271	Determination of rotational barriers of carbon-carbon bonds in 2-arylpiperidines. <i>Journal of Heterocyclic Chemistry</i> , 1984, 21, 715-720.	1.4	15
272	Determination of rotational barriers of c(sp <sup>2</sup> )-c(sp <sup>3</sup> ) bonds in 2-arylpiperidines. II. 1h-dnmr and 13c-dnmr studies of the trans-1,3-dimethyl-2-(3,4,5-trimethoxyphenyl)-4-piperidone. <i>Tetrahedron</i> , 1986, 42, 3957-3966.	1.0	15
273	Convergent solid phase peptide synthesis vi : synthesis by the fmoc procedure with a modified protocol of two protected segments, sequence 5-17 and 18-31 of the neurotoxin ii of the scorpion androctonus australis Hector.. <i>Tetrahedron</i> , 1987, 43, 5973-5980.	1.0	15
274	S-2-(2,4-dinitrophenyl)ethyl-cysteine: a new derivative for solid-phase peptide synthesis. <i>Tetrahedron Letters</i> , 1992, 33, 2391-2394.	0.7	15
275	A New Method for the Preparation of Unprotected Peptides on Biocompatible Resins with Application in Combinatorial Chemistry. <i>Organic Letters</i> , 2002, 4, 3831-3833.	2.4	15
276	Branched Poly(proline) Peptides: An Efficient New Approach to the Synthesis of Repetitive Branched Peptides. <i>European Journal of Organic Chemistry</i> , 2002, 2002, 1756-1762.	1.2	15
277	Saturated resins or stress of the resin. <i>Tetrahedron Letters</i> , 2003, 44, 1751-1754.	0.7	15
278	Racemization in Suzuki Couplings: A Quantitative Study Using 4-Hydroxyphenylglycine and Tyrosine Derivatives as Probe Molecules. <i>Journal of Organic Chemistry</i> , 2007, 72, 1047-1050.	1.7	15
279	Evolutionary computation and multimodal search: A good combination to tackle molecular diversity in the field of peptide design. <i>Molecular Diversity</i> , 2007, 11, 7-21.	2.1	15
280	Simultaneous <sup>19</sup> F NMR Screening of Prolyl Oligopeptidase and Dipeptidyl Peptidase IV Inhibitors. <i>ChemBioChem</i> , 2010, 11, 1115-1119.	1.3	15
281	Chemically synthesized peptide libraries as a new source of BBB shuttles. Use of mass spectrometry for peptide identification. <i>Journal of Peptide Science</i> , 2016, 22, 577-591.	0.8	15
282	Amphiphilic Polymeric Nanoparticles Modified with a Protease-Resistant Peptide Shuttle for the Delivery of SN-38 in Diffuse Intrinsic Pontine Glioma. <i>ACS Applied Nano Materials</i> , 2021, 4, 1314-1329.	2.4	15
283	Computer-Aided Design of Fragment Mixtures for NMR-Based Screening. <i>PLoS ONE</i> , 2013, 8, e58571.	1.1	15
284	The Use of Nbb Resin in Cyclic Dipeptide ("Diketopiperazine") Synthesis. <i>Synthesis</i> , 1985, 1985, 181-184.	1.2	14
285	Polymer bound pyrrole compounds- II. <i>Tetrahedron</i> , 1987, 43, 2593-2608.	1.0	14
286	Arenesulphonyltriazolides as condensing reagents in solid phasepeptide synthesis. <i>Tetrahedron Letters</i> , 1990, 31, 1915-1918.	0.7	14
287	Conformationally Restricted Analogues of Tryptophan: Synthesis of Chiral 3-Amino-4-indolyl-2-piperidones. <i>Synthetic Communications</i> , 1996, 26, 3029-3059.	1.1	14
288	Proteomic analysis of prodigiosin-induced apoptosis in a breast cancer mitoxantrone-resistant (MCF-7) cell line. <i>Journal of Cellular Biochemistry</i> , 2004, 91, 115-124.	1.2	14

#	ARTICLE	IF	CITATIONS
289	Cyclic Dipeptide Shuttles as a Novel Skin Penetration Enhancement Approach: Preliminary Evaluation with Diclofenac. PLoS ONE, 2016, 11, e0160973.	1.1	14
290	Active-Site-Directed Inhibitors of Prolyl Oligopeptidase Abolish Its Conformational Dynamics. ChemBioChem, 2016, 17, 913-917.	1.3	14
291	Just passing through. Nature Chemistry, 2017, 9, 727-728.	6.6	14
292	Algorithm-supported, mass and sequence diversity-oriented random peptide library design. Journal of Cheminformatics, 2019, 11, 25.	2.8	14
293	Target-templated <i>de novo</i> design of macrocyclic <i>d</i> - <i>l</i> -peptides: discovery of drug-like inhibitors of PD-1. Chemical Science, 2021, 12, 5164-5170.	3.7	14
294	<i>In vivo</i> micro computed tomography detection and decrease in amyloid load by using multifunctionalized gold nanorods: a neurotheranostic platform for Alzheimer's disease. Biomaterials Science, 2021, 9, 4178-4190.	2.6	14
295	Intracellular Fate of Peptide-Mediated Delivered Cargoes. Current Pharmaceutical Design, 2013, 19, 2924-2942.	0.9	14
296	Fast atom bombardment mass spectrometry of protected peptide segments. Biomedical & Environmental Mass Spectrometry, 1988, 15, 681-684.	1.6	13
297	Preparation of oligonucleotides containing dAICA using an unexpected side-reaction observed on a protected derivative of 2-aza- $\epsilon$ -deoxyinosine.. Tetrahedron, 1991, 47, 8917-8930.	1.0	13
298	Unequivocal synthesis and characterization of a parallel and an antiparallel bis-cystine peptide. Journal of Organic Chemistry, 1993, 58, 6319-6328.	1.7	13
299	Synthesis of 3-Amino-4-indolyl-2-piperidones: Tryptophan-derived Pseudodipeptides. Heterocycles, 1996, 43, 513.	0.4	13
300	A cyclic disulfide peptide reproduces in solution the main structural features of a native antigenic site of foot-and-mouth disease virus. International Journal of Biological Macromolecules, 1997, 20, 209-219.	3.6	13
301	Structural comparison in solution of a native and retro peptide derived from the third helix of Staphylococcus aureus protein A, domain B: retro peptides, a useful tool for the discrimination of helix stabilization factors dependent on the peptide chain orientation. Journal of Peptide Science, 1997, 3, 299-313.	0.8	13
302	An efficient method for the solid-phase synthesis of fluorescently labelled peptides. Tetrahedron Letters, 2004, 45, 6079-6081.	0.7	13
303	Drosophila dSAP18 is a nuclear protein that associates with chromosomes and the nuclear matrix, and interacts with pinin, a protein factor involved in RNA splicing. Chromosome Research, 2006, 14, 515-526.	1.0	13
304	Towards the identification of unknown neuropeptide precursor-processing enzymes: Design and synthesis of a new family of dipeptidyl phosphonate activity probes for substrate-based protease identification. Bioorganic and Medicinal Chemistry, 2010, 18, 8350-8355.	1.4	13
305	Electrochemical Investigation of Cellular Uptake of Quantum Dots Decorated with a Proline-Rich Cell Penetrating Peptide. Bioconjugate Chemistry, 2011, 22, 180-185.	1.8	13
306	Template-Assisted Lateral Growth of Amyloid- $\beta$ 242 Fibrils Studied by Differential Labeling with Gold Nanoparticles. Bioconjugate Chemistry, 2012, 23, 27-32.	1.8	13

#	ARTICLE	IF	CITATIONS
307	Protein Chemical Synthesis Combined with Mirror-Image Phage Display Yields Peptide EGF Ligands that Block the EGF-EGFR Interaction. <i>ChemBioChem</i> , 2019, 20, 2079-2084.	1.3	13
308	Brain metastasis models: What should we aim to achieve better treatments?. <i>Advanced Drug Delivery Reviews</i> , 2021, 169, 79-99.	6.6	13
309	Î±-(Phenylacetamido)benzylpolystyrene (pab-resin). <i>Tetrahedron</i> , 1981, 37, 2007-2010.	1.0	12
310	Conformational analysis of 2,3-dialkoxy-1,4-dioxanes. <i>Tetrahedron</i> , 1983, 39, 3959-3963.	1.0	12
311	Determination of acid dissociation constants of histidine-containing peptides by proton magnetic resonance spectroscopy. <i>Magnetic Resonance in Chemistry</i> , 1983, 21, 208-213.	0.7	12
312	The relevance of imidazole tautomerism for the hormonal activity of histidine-containing peptides. <i>Bioorganic Chemistry</i> , 1986, 14, 405-416.	2.0	12
313	Conformational analysis of the repeated sequence of glutelin-2, a maize storage protein. <i>Magnetic Resonance in Chemistry</i> , 1987, 25, 402-406.	1.1	12
314	Synthesis of aspartimide-free protected peptides on base-labile functionalized resins. <i>Tetrahedron Letters</i> , 2000, 41, 8093-8096.	0.7	12
315	Analysis of Conformational Equilibria in Aplidine Using Selective Excitation 2D NMR Spectroscopy and Molecular Mechanics/Dynamics Calculations. <i>Journal of Organic Chemistry</i> , 2003, 68, 9554-9562.	1.7	12
316	Evolutionary algorithms and de novo peptide design. <i>Soft Computing</i> , 2006, 10, 295-304.	2.1	12
317	A Cost-Effective Labeling Strategy for the NMR Study of Large Proteins: Selective <sup>15</sup> N-labeling of the Tryptophan Side Chains of Prolyl Oligopeptidase. <i>ChemBioChem</i> , 2009, 10, 2736-2739.	1.3	12
318	Increased immune cell infiltration in patient-derived tumor explants treated with Traniplatin: an original Pt(IV) pro-drug based on Cisplatin and Tranilast. <i>Chemical Communications</i> , 2018, 54, 8324-8327.	2.2	12
319	Bromotryptophans and their incorporation in cyclic and bicyclic privileged peptides. <i>Biopolymers</i> , 2018, 109, e23112.	1.2	12
320	Oligoarginine Peptide Conjugated to BSA Improves Cell Penetration of Gold Nanorods and Nanoprisms for Biomedical Applications. <i>Pharmaceutics</i> , 2021, 13, 1204.	2.0	12
321	A new approach to the solid-phase peptide synthesis of peptide alkyl-amides and esters. <i>Tetrahedron Letters</i> , 1992, 33, 2183-2186.	0.7	11
322	Crystallization and preliminary x-ray diffraction studies of a monoclonal antibody fab fragment against foot-and-mouth disease virus and of its complex with the main antigenic site peptide. <i>Proteins: Structure, Function and Bioinformatics</i> , 1994, 18, 201-203.	1.5	11
323	Cyclization of a large disulfide peptide in the solid phase. <i>Tetrahedron Letters</i> , 1995, 36, 1137-1140.	0.7	11
324	Antigenicity modulation upon peptide cyclization: application to the GH loop of foot-and-mouth disease virus strain C1-Barcelona. <i>Vaccine</i> , 2001, 19, 3459-3466.	1.7	11

#	ARTICLE	IF	CITATIONS
325	Solid-Phase Synthesis of Peptides Containing $\hat{1},\hat{2}$ -Didehydroamino Acids. <i>European Journal of Organic Chemistry</i> , 2001, 2001, 45-48.	1.2	11
326	The fuc1 gene product (20 kDa FUC1) of <i>Pisum sativum</i> has no alpha-L-fucosidase activity. <i>Plant Molecular Biology</i> , 2003, 51, 877-884.	2.0	11
327	Microwave-Assisted Solvent-Free Regiospecific Synthesis of 5-Alkylidene and 5-Arylidenehydantoins. <i>Synthetic Communications</i> , 2006, 36, 1575-1584.	1.1	11
328	Design and Synthesis of FAJANU: a de Novo $C_2$ -Symmetric Cyclopeptide Family. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 3194-3202.	2.9	11
329	Application of acetamidomethyl and 9-fluorenylmethyl groups for efficient side protection of penicillamine in solid-phase peptide synthesis. <i>International Journal of Peptide and Protein Research</i> , 1990, 35, 434-440.	0.1	11
330	An Intramolecular $O\rightarrow N$ Migration Reaction on Gold Surfaces: Toward the Preparation of Well-Defined Amyloid Surfaces. <i>ACS Nano</i> , 2009, 3, 3091-3097.	7.3	11
331	Peptide POP inhibitors for the treatment of the cognitive symptoms of schizophrenia. <i>Future Medicinal Chemistry</i> , 2013, 5, 1509-1523.	1.1	11
332	$\alpha$ -Polyarginine Lipopeptides as Intestinal Permeation Enhancers. <i>ChemMedChem</i> , 2018, 13, 2045-2052.	1.6	11
333	Update of peptides with antibacterial activity. <i>Current Medicinal Chemistry</i> , 2012, 19, 6188-98.	1.2	11
334	A betamimetic drug and human fetal lung maturation. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1979, 9, 261-263.	0.5	10
335	Solid phase synthesis of tyrosine-containing histone fragments. <i>Tetrahedron</i> , 1983, 39, 3185-3188.	1.0	10
336	A synthetic strategy for simultaneous purification-conjugation of antigenic peptides. <i>Analytical Biochemistry</i> , 1989, 181, 389-395.	1.1	10
337	Determination of rotational barriers of carbon(sp <sup>2</sup> )-carbon(sp <sup>3</sup> ) bonds in 2-arylpiperidines. 3. Proton dynamic nuclear magnetic resonance studies and molecular mechanics calculations of the 1,2,2-trimethyl-6-(3,4,5-trimethoxyphenyl)- and 1,5,5-trimethyl-2-(3,4,5-trimethoxyphenyl)-4-piperidones. <i>Journal of Organic Chemistry</i> , 1990, 55, 2307-2311.	1.7	10
338	Conformational analysis of two cyclic disulfide peptides. <i>Biopolymers</i> , 1991, 31, 835-843.	1.2	10
339	Determination of the enantiomeric purity of synthetic peptides by gas chromatography-mass spectrometry. <i>Biomedical Applications</i> , 1991, 562, 447-458.	1.7	10
340	Conformational Study of a Nine Residue Fragment of the Antigenic Loop of Foot-and-Mouth Disease Virus. <i>Journal of Biomolecular Structure and Dynamics</i> , 1992, 10, 1-13.	2.0	10
341	D-Amino acids in protein de novo design. II. Protein-diastereomerism versus protein-enantiomerism. <i>International Journal of Peptide Research and Therapeutics</i> , 1997, 4, 377-386.	0.1	10
342	Synthetic studies on threonines. The preparation of protected derivatives of d-allo- and l-allo-threonine for peptide synthesis. <i>Tetrahedron</i> , 1997, 53, 3369-3382.	1.0	10

#	ARTICLE	IF	CITATIONS
343	Novel charged [14]azolophanes: associative behaviour revealed by electrospray ionization. , 2000, 14, 1014-1016.		10
344	Rational Design of a Selective Covalent Modifier of G Protein $\beta\gamma$ Subunits. Molecular Pharmacology, 2011, 79, 24-33.	1.0	10
345	Combined Use of Oligopeptides, Fragment Libraries, and Natural Compounds: A Comprehensive Approach To Sample the Druggability of Vascular Endothelial Growth Factor. ChemMedChem, 2016, 11, 928-939.	1.6	10
346	NIR and glutathione trigger the surface release of methotrexate linked by Diels-Alder adducts to anisotropic gold nanoparticles. Materials Science and Engineering C, 2021, 131, 112512.	3.8	10
347	Polymer bound pyrrole compounds. Reversible anchoring of bilirubin and biliverdin to a polystyrene matrix. Tetrahedron Letters, 1984, 25, 4145-4146.	0.7	9
348	Determination of the preferred tautomeric form of 4- $\epsilon$ -nitrohistidine. Journal of Heterocyclic Chemistry, 1986, 23, 921-924.	1.4	9
349	Gly/Lys- containing peptide macrocycles: Synthesis and cyclization studies. Tetrahedron Letters, 1990, 31, 4191-4194.	0.7	9
350	Severe side-reaction in the acidolytic cleavage of a C-terminal Met-containing peptide from the solid support. Formation of the homoserine lactone peptide. Tetrahedron Letters, 1994, 35, 175-178.	0.7	9
351	Solution versus solid-phase cyclization strategies for large sidechain lactam-bridged peptides: A comparative study. Journal of Peptide Science, 1995, 1, 241-250.	0.8	9
352	Synthesis of peptides containing $\beta$ , $\gamma$ -didehydroamino acids. Scope and limitations. International Journal of Peptide Research and Therapeutics, 2002, 9, 135-141.	0.1	9
353	Design of enhanced agonists through the use of a new virtual screening method: Application to peptides that bind class I major histocompatibility complex (MHC) molecules. Protein Science, 2005, 14, 2069-2079.	3.1	9
354	Conformational analysis of a potent SSTR3-selective somatostatin analogue by NMR in water solution. Journal of Peptide Science, 2006, 12, 82-91.	0.8	9
355	Rational Dissection of Binding Surfaces for Mimicking of Discontinuous Antigenic Sites. Chemistry and Biology, 2006, 13, 815-823.	6.2	9
356	Redesign of Protein Domains Using One-Bead-One-Compound Combinatorial Chemistry. Journal of the American Chemical Society, 2007, 129, 14922-14932.	6.6	9
357	Bike peptides: a ride through the membrane. Journal of Peptide Science, 2017, 23, 294-302.	0.8	9
358	Conformational analysis of bacitracin A, a naturally occurring lariat. Biopolymers, 1991, 31, 605-612.	1.2	8
359	Analysis of the conformational preferences of (4R,5R)-4,5-bis(alkylcarbamoyl)-1,3-dioxolanes. Tetrahedron, 1996, 52, 8275-8286.	1.0	8
360	Disulfide Bonded Cyclic Peptide Dimers and Trimers: An Easy Entry to High Symmetry Peptide Frameworks. Synlett, 2000, 2000, 172-181.	1.0	8



#	ARTICLE	IF	CITATIONS
361	Synthetic Peptides as Functional Mimics of a Viral Discontinuous Antigenic Site. <i>Biologicals</i> , 2001, 29, 265-269.	0.5	8
362	Constrained Derivatives of Stylostatin 1. 1. Synthesis and Biological Evaluation as Potential Anticancer Agents. <i>Journal of Medicinal Chemistry</i> , 2003, 46, 5825-5833.	2.9	8
363	Structural analysis of substance P using molecular dynamics and NMR spectroscopy. <i>Journal of Peptide Science</i> , 2007, 13, 728-741.	0.8	8
364	Dual system for the central nervous system targeting and blood-brain barrier transport of a selective prolyl oligopeptidase inhibitor. <i>Biopolymers</i> , 2013, 100, 662-674.	1.2	8
365	HAI Peptide and Backbone Analogs Validation and Enhancement of Biostability and Bioactivity of BBB Shuttles. <i>Scientific Reports</i> , 2018, 8, 17932.	1.6	8
366	Self-Assembly of DNA-Peptide Supermolecules: Coiled-Coil Peptide Structures Templated by DNA and DNA Triplexes Exhibit Chirality-Independent but Orientation-Dependent Stabilizing Cooperativity. <i>Chemistry - A European Journal</i> , 2020, 26, 5676-5684.	1.7	8
367	Conformational analysis of -2,3-diaryloxy-1,4-dioxanes. A tool for discriminating between steric and electronic effects in the position of. <i>Tetrahedron</i> , 1985, 41, 3785-3789.	1.0	7
368	Molecular mechanics calculations on the Csp3-Csp2 rotation in the N,3,3-trimethyl-2-phenyl-4-piperidone system. <i>Journal of Organic Chemistry</i> , 1986, 51, 3951-3955.	1.7	7
369	Application of two-dimensional NMR spectroscopy to the study of the cyclic decapeptide antamanide. <i>Magnetic Resonance in Chemistry</i> , 1986, 24, 123-129.	1.1	7
370	Reversible protection of lysine to facilitate the purification of protected peptide segments. <i>Tetrahedron Letters</i> , 1992, 33, 397-400.	0.7	7
371	An investigation of residue-specific contributions to peptide desorption in MALDI-TOF mass spectrometry. <i>International Journal of Peptide Research and Therapeutics</i> , 1999, 6, 109-115.	0.1	7
372	Location of Disulfide bonds in mature Î±-L-fucosidase from pea. <i>Journal of Peptide Science</i> , 2001, 7, 305-315.	0.8	7
373	Exploration of the One-Bead One-Compound Methodology for the Design of Prolyl Oligopeptidase Substrates. <i>PLoS ONE</i> , 2009, 4, e6222.	1.1	7
374	Synthesis of the protected repeat sequence of glutelin-2 of maize, Boc-Val-His-Leu-Pro-Pro-OH, via nucleophilic cleavage from an Nbb-resin. <i>International Journal of Peptide and Protein Research</i> , 1987, 29, 647-656.	0.1	7
375	Convergent solid-phase peptide synthesis 12. * Chromatographic techniques for the purification of protected peptide segments. <i>International Journal of Peptide and Protein Research</i> , 1995, 46, 119-133.	0.1	7
376	Fusion Intermediates of HIV-1 gp41 as Targets for Antibody Production: Design, Synthesis, and HR1-HR2 Complex Purification and Characterization of Generated Antibodies. <i>ChemMedChem</i> , 2010, 5, 1907-1918.	1.6	7
377	Molecular recognition at protein surface in solution and gas phase: Five VEGF peptidic ligands show inverse affinity when studied by NMR and CID-MS. <i>Biopolymers</i> , 2010, 94, 689-700.	1.2	7
378	Improved Fmoc-based solid-phase synthesis of homologous peptide fragments of human and mouse prion proteins. <i>Journal of Peptide Science</i> , 2011, 17, 32-38.	0.8	7



#	ARTICLE	IF	CITATIONS
379	Update of Peptides with Antibacterial Activity. <i>Current Medicinal Chemistry</i> , 2012, 19, 6188-6198.	1.2	7
380	Targeted Nanoswitchable Inhibitors of Protein-Protein Interactions Involved in Apoptosis. <i>ChemMedChem</i> , 2018, 14, 100-106.	1.6	7
381	<sup>13</sup> C-NMR spectra of fluorinated molecules using <sup>19</sup> F- <sup>13</sup> C polarization transfer. <i>Tetrahedron Letters</i> , 1985, 26, 2817-2820.	0.7	6
382	Reversed-phase high-performance liquid chromatography of protected peptide segments. <i>Journal of Chromatography A</i> , 1987, 409, 281-290.	1.8	6
383	Use of polystyrene-1% divinylbenzene and Kel-F-g-styrene for the simultaneous synthesis of peptides. <i>Reactive &amp; Functional Polymers</i> , 1989, 10, 259-268.	0.8	6
384	Determination of interchain NOEs in symmetrical dimer peptides. <i>Journal of the American Chemical Society</i> , 1991, 113, 5049-5050.	6.6	6
385	Temperature coefficients of peptides dissolved in hexafluoroisopropanol monitor distortions of helices. <i>International Journal of Peptide Research and Therapeutics</i> , 1997, 4, 29-39.	0.1	6
386	A Rationally Designed Synthetic Peptide Mimic of a Discontinuous Viral Antigenic Site Elicits Neutralizing Antibodies. <i>Journal of the American Chemical Society</i> , 1999, 121, 11932-11933.	6.6	6
387	Molecular analysis of peptides from the GH loop of foot-and-mouth disease virus C-S30 using surface plasmon resonance: a role for kinetic rate constants. <i>Molecular Immunology</i> , 2000, 37, 975-985.	1.0	6
388	<sup>1</sup> H(N), <sup>15</sup> N, <sup>13</sup> CO, <sup>13</sup> Calpha, <sup>13</sup> Cbeta assignment and secondary structure of a 20 kDa alpha-L-fucosidase from pea using TROSY. <i>Journal of Biomolecular NMR</i> , 2002, 22, 295-296.	1.6	6
389	Old and New Strategies for the Discovery of Antibacterial Agents. <i>Anti-Infective Agents in Medicinal Chemistry</i> , 2005, 4, 337-353.	0.9	6
390	Using peptidyl aldehydes in activity-based proteomics. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 3752-3755.	1.0	6
391	Analyzing slowly exchanging protein conformations by ion mobility mass spectrometry: study of the dynamic equilibrium of prolyl oligopeptidase. <i>Journal of Mass Spectrometry</i> , 2016, 51, 504-511.	0.7	6
392	Enthalpy-versus Entropy-Driven Molecular Recognition in the Era of Biologics. <i>ChemBioChem</i> , 2019, 20, 2981-2986.	1.3	6
393	Bottom-Up Design Approach for OBOC Peptide Libraries. <i>Molecules</i> , 2020, 25, 3316.	1.7	6
394	The Combined Use of Gold Nanoparticles and Infrared Radiation Enables Cytosolic Protein Delivery. <i>Chemistry - A European Journal</i> , 2021, 27, 4670-4675.	1.7	6
395	Cell-Penetrating Proline-Rich Peptidomimetics. <i>Methods in Molecular Biology</i> , 2007, 386, 241-267.	0.4	6
396	Trimeric heptad repeat synthetic peptides HR1 and HR2 efficiently inhibit HIV-1 entry. <i>Bioscience Reports</i> , 2019, 39, .	1.1	6

#	ARTICLE	IF	CITATIONS
397	Examining the relationship between secondary structure and antibody recognition in immunopeptides from foot-and-mouth disease virus. <i>International Journal of Peptide Research and Therapeutics</i> , 1994, 1, 39-49.	0.1	5
398	Boc-S-methylbenzyl-(S)-2-amino-6-mercaptohexanoic acid: Preparation and application to the synthesis of a large cyclic disulfide peptide. <i>Tetrahedron Letters</i> , 1995, 36, 3885-3888.	0.7	5
399	Simple methods for the preparation of protected derivatives of and. <i>Tetrahedron Letters</i> , 1997, 38, 299-302.	0.7	5
400	Two short peptides including segments of subunit A of <i>Escherichia coli</i> DNA gyrase as potential probes to evaluate the antibacterial activity of quinolones. <i>Journal of Peptide Science</i> , 2001, 7, 27-40.	0.8	5
401	Expanding the MiniApe4 BBB shuttle family: Evaluation of proline <i>cis</i> / <i>trans</i> ratio as tool to fine-tune transport. <i>Journal of Peptide Science</i> , 2019, 25, e3172.	0.8	5
402	A MALDI-TOF-based Method for Studying the Transport of BBB Shuttles—Enhancing Sensitivity and Versatility of Cell-Based In Vitro Transport Models. <i>Scientific Reports</i> , 2019, 9, 4875.	1.6	5
403	Probing the Kinetic and Thermodynamic Fingerprints of Anti-EGF Nanobodies by Surface Plasmon Resonance. <i>Pharmaceutics</i> , 2020, 13, 134.	1.7	5
404	Adrenergic Modulation With Photochromic Ligands. <i>Angewandte Chemie</i> , 2021, 133, 3669-3675.	1.6	5
405	Benzomorphan related compounds. III.. Structural determination of $\hat{\nu}^{3}$ and $\hat{\nu}^{4}$ tetrahydropyridines by nuclear magnetic resonance. <i>Journal of Heterocyclic Chemistry</i> , 1976, 13, 305-309.	1.4	4
406	Effect of trifluoroacetic acid upon Boc-aminoacyl- and Box-peptidyl-resins. Description of a new polymeric support for solid phase peptide synthesis.. <i>Tetrahedron Letters</i> , 1979, 20, 3587-3590.	0.7	4
407	Conformational basis of N-glycosylation of proteins: conformational analysis of Ac-Asn-Ala-Thr-NH <sub>2</sub> . <i>International Journal of Biological Macromolecules</i> , 1983, 5, 279-282.	3.6	4
408	Title is missing!. <i>International Journal of Peptide Research and Therapeutics</i> , 1999, 6, 109-115.	0.1	4
409	Application of the disulfide trapping approach to explain the antiparallel assembly of dimeric rabbit uteroglobin: A preliminary study using short peptide models. <i>International Journal of Peptide Research and Therapeutics</i> , 1999, 6, 165-172.	0.1	4
410	Effects of l- and d-REKR amino acid-containing peptides on HIV and SIV envelope glycoprotein precursor maturation and HIV and SIV replication. <i>Biochemical Journal</i> , 2002, 366, 863-872.	1.7	4
411	Probing degeneracy in antigen-antibody recognition at the immunodominant site of foot-and-mouth disease virus. <i>Chemical Biology and Drug Design</i> , 2002, 59, 221-231.	1.2	4
412	Coupe du Roi Bisection of Proteins. Spontaneous Tetramerization of Two Peptides That Span the Sequence of the Rabbit Uteroglobin Monomer. <i>Journal of the American Chemical Society</i> , 2005, 127, 17719-17733.	6.6	4
413	The Therapeutic Potential of Migrastatin-Core Analogs for the Treatment of Metastatic Cancer. <i>Molecules</i> , 2017, 22, 198.	1.7	4
414	A proton magnetic resonance study of isomeric alkylidencyanoesters. <i>Magnetic Resonance in Chemistry</i> , 1975, 7, 585-587.	0.7	3

#	ARTICLE	IF	CITATIONS
415	Acid-base properties of 4-nitro-l-histidine and related compounds. <i>Bioorganic Chemistry</i> , 1979, 8, 59-67.	2.0	3
416	Steady-state dqf-cosy spectra using a variable relaxation delay. <i>Journal of Magnetic Resonance</i> , 1988, 78, 314-320.	0.5	3
417	Kinetic analysis of the carboxypeptidase a hydrolysis of oligopeptides by reversed-phase high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 1989, 479, 27-37.	1.8	3
418	Optimization of the experimental procedures in fast atom bombardment mass spectrometry of peptides with a quadrupole mass spectrometer. <i>Biological Mass Spectrometry</i> , 1990, 19, 235-239.	0.5	3
419	Synthesis of derivatives of (2S,4S)-4-hydroxy-2,5-dimethyl-3-oxohexanoic acid, a constituent of the didemnins. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1996, , 1427-1433.	0.9	3
420	CD studies of peptides that mimic the four helicoidal sequences of the uteroglobin monomer. <i>International Journal of Peptide Research and Therapeutics</i> , 1996, 2, 353-362.	0.1	3
421	Inhibition of HIV-2ROD replication in a lymphoblastoid cell line by the $\hat{1}\pm 1$ -antitrypsin Portland variant ( $\hat{1}\pm 1$ -PDX) and the decRVKRcmk peptide: comparison with HIV-1LAI. <i>Microbes and Infection</i> , 2001, 3, 1073-1084.	1.0	3
422	Combined use of ESI-MS and UV diode-array detection for localization of disulfide bonds in proteins: application to an $\hat{1}\pm 1$ -fucosidase of pea. <i>Chemical Biology and Drug Design</i> , 2001, 57, 473-482.	1.2	3
423	Synthesis of peptides containing $\hat{1}\pm$ , $\hat{1}^2$ -didehydroamino acids. Scope and limitations. <i>International Journal of Peptide Research and Therapeutics</i> , 2002, 9, 135-141.	0.1	3
424	In Vitro Evaluation of Caffeoyle and Cinnamoyl Derivatives as Potential Prolyl Oligopeptidase Inhibitors. <i>Planta Medica</i> , 2013, 79, 1531-1535.	0.7	3
425	Lebetin Peptides, A New Class of Potent Platelet Aggregation Inhibitors: Chemical Synthesis, Biological Activity and NMR Spectroscopic Study. <i>International Journal of Peptide Research and Therapeutics</i> , 2020, 26, 21-31.	0.9	3
426	Photoswitchable dynasore analogs to control endocytosis with light. <i>Chemical Science</i> , 2020, 11, 8981-8988.	3.7	3
427	A novel family of diketopiperazines as a tool for the study of transport across the blood-brain barrier (BBB) and their potential use as BBB-shuttles.. <i>Advances in Experimental Medicine and Biology</i> , 2009, 611, 227-228.	0.8	3
428	Chemical Composition and Inhibitory Effects of <i>Hypericum brasiliense</i> and <i>H. connatum</i> on Prolyl Oligopeptidase and Acetylcholinesterase Activities. <i>Medicinal Chemistry</i> , 2016, 12, 457-463.	0.7	3
429	NPE-resin, a new approach to the solid-phase synthesis of protected peptides and oligonucleotides. , 1991, , 134-136.		3
430	Convergent solid-phase peptide synthesis IX: application to the synthesis of peptides with repetitive sequences. <i>Peptide Research</i> , 1992, 5, 62-71.	0.2	3
431	Use of histidine pKa changes to study peptide-DNA interactions. <i>Bioorganic Chemistry</i> , 1985, 13, 171-178.	2.0	2
432	Molecular dynamics study of kalitoxin in water. <i>International Journal of Biological Macromolecules</i> , 1999, 24, 1-9.	3.6	2

#	ARTICLE	IF	CITATIONS
433	Desymmetrization of the Tetrahedron: Stereogenic Centers. <i>Journal of Chemical Education</i> , 2003, 80, 1178.	1.1	2
434	Stereogenic Centers and Axes: A Comparison of the Chiral Topologies Available to Cabcd and abC=C=Ccd. <i>Journal of Chemical Education</i> , 2005, 82, 1031.	1.1	2
435	Does the Solid-Phase Synthesis of a Tetrapeptide Represent a Challenge at the Onset of the XXI Century? The Case of Cyclo [(3R)-3-hydroxydecanoyl-L-seryl-(3R)-3-hydroxydecanoyl-L-seryl]. <i>International Journal of Peptide Research and Therapeutics</i> , 2007, 13, 313-327.	0.9	2
436	Applications of 3-aminolactams: design, synthesis, and biological evaluation of a library of potential dimerisation inhibitors of HIV1-protease. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 4348.	1.5	2
437	Synthesis of an Orthogonally Protected Polyhydroxylated Cyclopentene from $\alpha$ -D-Glucose. <i>Chemistry - an Asian Journal</i> , 2016, 11, 2035-2040.	1.7	2
438	Blocking EGFR Activation with Anti-EGF Nanobodies via Two Distinct Molecular Recognition Mechanisms. <i>Angewandte Chemie</i> , 2018, 130, 14039-14043.	1.6	2
439	Computer-Aided Peptide Evolution for Virtual Drug Design. <i>Lecture Notes in Computer Science</i> , 2004, , 321-332.	1.0	2
440	Recent results in convergent solid-phase peptide synthesis. , 1991, , 146-148.		2
441	Synthetic and immunological studies of protein p12 from African swine fever virus. , 1992, , 719-720.		2
442	Protein Surface Recognition. , 1999, , 267-280.		2
443	Efficient Synthesis of Norbuprenorphines Coupled with Enkephalins and Investigation of Their Permeability. <i>Iranian Journal of Pharmaceutical Research</i> , 2019, 18, 1277-1287.	0.3	2
444	Proteomic tools for the quantitative analysis of artificial peptide libraries: detection and characterization of target-amplified PD-1 inhibitors.. <i>ChemBioChem</i> , 2022, , .	1.3	2
445	Chromatographic determination of 4-nitro-L-histidine. <i>Journal of Chromatography A</i> , 1978, 151, 228-231.	1.8	1
446	Peptides in molecular recognition: synthetic and conformational aspects. <i>Biochemical Society Transactions</i> , 1994, 22, 1045-1048.	1.6	1
447	Title is missing!. <i>International Journal of Peptide Research and Therapeutics</i> , 1997, 4, 29-39.	0.1	1
448	Convergent solid-phase peptide synthesis. , 1992, , 607-608.		1
449	36 Clinical phase I and II trial of cis platinum (CDDP) and preclinical and clinical phase I studies of malonato platinum (MDP). <i>Biochimie</i> , 1978, 60, 1062.	1.3	0
450	Synthesis and ion-binding properties of an immobilized bis-cysteine peptide. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1992, 2, 281-284.	1.0	0

#	ARTICLE	IF	CITATIONS
451	D-Amino acids in protein de novo design. II. Protein-diastereomerism versus protein-enantiomerism. International Journal of Peptide Research and Therapeutics, 1997, 4, 377-386.	0.1	0
452	Title is missing!. International Journal of Peptide Research and Therapeutics, 1999, 6, 165-172.	0.1	0
453	Complete <sup>1</sup> H and <sup>13</sup> C NMR chemical shift assignment of N1- and N3-alkyl nitrohistidines and of 1,4,6,7-tetrahydroimidazo[4,5-b]pyridines. Magnetic Resonance in Chemistry, 2003, 41, 219-222.	1.1	0
454	NMR-Based Methods and Strategies for Drug Discovery. ChemInform, 2004, 35, no.	0.1	0
455	Arylboronic Acids and Arylpinacolboronate Esters in Suzuki Coupling Reactions Involving Indoles. Partner Role Swapping and Heterocycle Protection.. ChemInform, 2005, 36, no.	0.1	0
456	Peptide and Amide Bond Containing Dendrimers. ChemInform, 2005, 36, no.	0.1	0
457	New Nomenclature for Complex Cyclopeptides. , 2006, , 142-143.		0
458	The Guanidinium Group: A Key Player in Molecular Recognition. , 2006, , 649-650.		0
459	Case Study: Inhibitors of the MDM2â€p53 Proteinâ€™Protein Interaction. , 2010, , 273-293.		0
460	Case Study: The Discovery of Potent LFAâ€™1 Antagonists. , 2010, , 295-314.		0
461	Inorganic nanoparticles and the immune system: detection, selective activation and tolerance. , 2012, , .		0
462	Titelbild: Light-Regulated Stapled Peptides to Inhibit Protein-Protein Interactions Involved in Clathrin-Mediated Endocytosis (Angew. Chem. 30/2013). Angewandte Chemie, 2013, 125, 7759-7759.	1.6	0
463	Josef Rudinger Memorial Lecture: Use of peptides to modulate protein-protein interactions. Journal of Peptide Science, 2015, 21, 447-453.	0.8	0
464	â€™ La Carteâ€™™ Cyclic Hexapeptides: Fine Tuning Conformational Diversity while Preserving the Peptide Scaffold.. ChemistrySelect, 2018, 3, 2343-2351.	0.7	0
465	Proline: A Key Building Block in â€™de novoâ€™-Designed Peptide Molecules. , 2001, , 432-434.		0
466	A Discontinuous Antigenic Site Is Functionally Reproduced by Synthetic Peptide Constructions. , 2001, , 1018-1020.		0
467	Chapter 7.2. Drug Delivery Strategies: BBBâ€™Shuttles. RSC Drug Discovery Series, 2012, , 364-391.	0.2	0
468	Synthetic approaches to double disulfide-containing peptides. , 1991, , 238-240.		0

#	ARTICLE	IF	CITATIONS
469	Synthesis of heterodetic bicyclic Gly/Lys-containing octa- and nonapeptides. , 1991, , 223-224.		0
470	Synthetic peptides as probes to study the antigenic variability of foot-and-mouth disease virus. , 1991, , 864-866.		0
471	RNA binding characteristics of a 16 kDa glycine-rich protein from maize. Plant Journal, 1992, 2, 999-1003.	2.8	0
472	2-Aminofluorene as a useful compound in convergent solid phase peptide synthesis. , 1993, , 288-289.		0
473	Molecular Evolution of Aphthoviruses. , 1996, , 125-135.		0
474	Protein Chemical Synthesis Combined with Mirror-Image Phage Display Yields D-Peptide EGF Ligands that Block the EGF-EGFR Interaction. SSRN Electronic Journal, 0, , .	0.4	0
475	Peptides and molecular recognition: head-to-tail self-assembly, formation of amphipathic surfaces and recognition of anionic superhelices. , 1999, , 351-356.		0
476	Self-assembly of synthetic peptides: Formation of amphipathic surfaces and head-to-tail self-assembly. , 2002, , 316-317.		0
477	Disulfide Bond Based Self-Assembly of Peptides Leading To Spheroidal Cyclic Trimers. , 2002, , 243-256.		0