

# Alfredo Vizzini

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1624378/publications.pdf>

Version: 2024-02-01

154  
papers

5,943  
citations

136950  
32  
h-index

88630  
70  
g-index

156  
all docs

156  
docs citations

156  
times ranked

4460  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Faces of Fungi database: fungal names linked with morphology, phylogeny and human impacts. <i>Fungal Diversity</i> , 2015, 74, 3-18.	12.3	471
2	FungalTraits: a user-friendly traits database of fungi and fungus-like stramenopiles. <i>Fungal Diversity</i> , 2020, 105, 1-16.	12.3	387
3	Fungal diversity notes 111–252: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , 2015, 75, 27-274.	12.3	375
4	Fungal diversity notes 367–490: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , 2016, 80, 1-270.	12.3	314
5	Notes, outline and divergence times of Basidiomycota. <i>Fungal Diversity</i> , 2019, 99, 105-367.	12.3	256
6	Fungal diversity notes 253–366: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , 2016, 78, 1-237.	12.3	239
7	Fungal Planet description sheets: 469–557. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2016, 37, 218-403.	4.4	196
8	Unravelling Soil Fungal Communities from Different Mediterranean Land-Use Backgrounds. <i>PLoS ONE</i> , 2012, 7, e34847.	2.5	194
9	Fungal Planet description sheets: 320–370. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2015, 34, 167-266.	4.4	193
10	Fungal diversity notes 491–602: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , 2017, 83, 1-261.	12.3	180
11	Fungal diversity notes 603–708: taxonomic and phylogenetic notes on genera and species. <i>Fungal Diversity</i> , 2017, 87, 1-235.	12.3	165
12	Taxonomy based on science is necessary for global conservation. <i>PLoS Biology</i> , 2018, 16, e2005075.	5.6	149
13	Fungal Planet description sheets: 716–784. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2018, 40, 239-392.	4.4	142
14	Fusarium: more than a node or a foot-shaped basal cell. <i>Studies in Mycology</i> , 2021, 98, 100116.	7.2	134
15	Fungal Planet description sheets: 558–624. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2017, 38, 240-384.	4.4	126
16	Fungal Planet description sheets: 868–950. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2019, 42, 291-473.	4.4	124
17	Morphological and molecular typing of the below-ground fungal community in a natural <i>Tuber magnatum</i> truffle-ground. <i>FEMS Microbiology Letters</i> , 2005, 245, 307-313.	1.8	115
18	Molecular phylogeny, morphology, pigment chemistry and ecology in Hygrophoraceae (Agaricales). <i>Fungal Diversity</i> , 2014, 64, 1-99.	12.3	108

#	ARTICLE	IF	CITATIONS
19	Fungal Planet description sheets: 1042–1111. Persoonia: Molecular Phylogeny and Evolution of Fungi, 2020, 44, 301-459.	4.4	91
20	Phylogeny of the Pluteaceae (Agaricales, Basidiomycota): taxonomy and character evolution. Fungal Biology, 2011, 115, 1-20.	2.5	86
21	454 Pyrosequencing Analysis of Fungal Assemblages from Geographically Distant, Disparate Soils Reveals Spatial Patterning and a Core Mycobiome Diversity, 2013, 5, 73-98.	1.7	82
22	< i>Tuber melanosporum, </i> when dominant, affects fungal dynamics in truffle grounds. New Phytologist, 2010, 185, 237-247.	7.3	77
23	Tuber magnatum Pico, a species of limited geographical distribution: its genetic diversity inside and outside a truffle ground. Environmental Microbiology, 2005, 7, 55-65.	3.8	63
24	Is the Perigord black truffle threatened by an invasive species? We dreaded it and it has happened!. New Phytologist, 2008, 178, 699-702.	7.3	63
25	Fungal Planet description sheets: 1112–1181. Persoonia: Molecular Phylogeny and Evolution of Fungi, 2020, 45, 251-409.	4.4	63
26	Dothideomycetes and Leotiomycetes sterile mycelia isolated from the Italian seagrass Posidonia oceanica based on rDNA data. SpringerPlus, 2014, 3, 508.	1.2	59
27	Genetic variability of Tuber uncinatum and its relatedness to other black truffles. Environmental Microbiology, 2002, 4, 584-594.	3.8	58
28	Bacterial and fungal communities associated with < i>Tuber magnatum </i> productive niches. Plant Biosystems, 2010, 144, 323-332.	1.6	45
29	ITS primers for the identification of marketable boletes. Journal of Biotechnology, 2006, 121, 318-329.	3.8	40
30	Species recognition in Pluteus and Volvopluteus (Pluteaceae, Agaricales): morphology, geography and phylogeny. Mycological Progress, 2011, 10, 453-479.	1.4	40
31	Macrofungi as ecosystem resources: Conservation versus exploitation. Plant Biosystems, 2013, 147, 219-225.	1.6	38
32	Fungal biodiversity and < i>in situ</i> conservation in Italy. Plant Biosystems, 2011, 145, 950-957.	1.6	37
33	Adaptation of fungi, including yeasts, to cold environments. Plant Biosystems, 2013, 147, 247-258.	1.6	34
34	< i>Atractosporocybe, Leucocybe</i> and < i>Rhizocybe</i>: three new clitocyboid genera in the Tricholomatoid clade (Agaricales) with notes on < i>Clitocybe</i> and < i>Lepista</i>. Mycologia, 2015, 107, 123-136.	1.9	33
35	Consumption of hypogeous and epigeous fungi by the red squirrel ( <i>Sciurus vulgaris</i> ) in subalpine conifer forests. Forest Ecology and Management, 2004, 202, 227-233.	3.2	31
36	Biodiversity of wood-decay fungi in Italy. Plant Biosystems, 2011, 145, 958-968.	1.6	31

#	ARTICLE	IF	CITATIONS
37	< i>Crassisporium</i> and < i>Romagnesiella</i>: two new genera of dark-spored Agaricales. Systematics and Biodiversity, 2015, 13, 28-41.	1.2	28
38	A phylogenetic and taxonomic revision of sequestrate < i>Russulaceae</i> in Mediterranean and temperate Europe. Persoonia: Molecular Phylogeny and Evolution of Fungi, 2019, 42, 127-185.	4.4	28
39	< i>Alessioporus</i> and < i>Pulchroboletus</i> (Boletaceae, Boletineae), two novel genera for < i>Xerocomus ichnusanus</i> and < i>X. roseoalbidus</i> from the European Mediterranean basin: molecular and morphological evidence. Mycologia, 2014, 106, 1168-1187.	1.9	27
40	Saproamanita, a new name for both Lepidella E.-J. Gilbert and Aspidella E.-J. Gilbert (Amaniteae,) Tj ETQq0 0 0 rgBT /Overlock 3.8	10	25
41	< i>Paralepistopsis</i> gen. nov. and < i>Paralepista</i> (< i>Basidiomycota, Agaricales</i>). Mycotaxon, 2012, 120, 253-267.	0.3	23
42	A preliminary ITS phylogeny of < i>Melanoleuca</i> (< i>Agaricales</i>), with special reference to European taxa. Mycotaxon, 2012, 118, 361-381.	0.3	23
43	Inactivation of < i>Aspergillus</i> spp. by Ozone Treatment. Ozone: Science and Engineering, 2008, 30, 423-430.	2.5	22
44	The Paxillus involutus (Boletales, Paxillaceae) complex in Europe: Genetic diversity and morphological description of the new species Paxillus cuprinus, typification of P. involutus s.s., and synthesis of species boundaries. Fungal Biology, 2014, 118, 12-31.	2.5	22
45	Tuber borchii versus Tuber maculatum: Neotype Studies and DNA Analyses. Mycologia, 2000, 92, 326.	1.9	21
46	Alien fungal species distribution: the study case of Favolaschia calocera. Biological Invasions, 2009, 11, 417-429.	2.4	21
47	Unexpected species diversity and contrasting evolutionary hypotheses in Hebeloma (Agaricales) sections Sinapizantia and Velutipes in Europe. Mycological Progress, 2016, 15, 1.	1.4	21
48	Tuber borchii versus Tuber maculatum: neotype studies and DNA analyses. Mycologia, 2000, 92, 326-331.	1.9	20
49	A new taxon in the Infundibulicybe gibba complex (Basidiomycota, Agaricales, Tricholomataceae) from Sardinia (Italy). Mycologia, 2011, 103, 203-208.	1.9	20
50	Calocybella, a new genus for Rugosomyces pudicus (Agaricales, Lyophyllaceae) and emendation of the genus Gerhardtia. IMA Fungus, 2015, 6, 1-11.	3.8	20
51	Basidiomycota isolated from the Mediterranean Sea – Phylogeny and putative ecological roles. Fungal Ecology, 2018, 36, 51-62.	1.6	20
52	Authentication of prized white and black truffles in processed products using quantitative real-time PCR. Food Research International, 2012, 48, 792-797.	6.2	19
53	A nonnative and a native fungal plant pathogen similarly stimulate ectomycorrhizal development but are perceived differently by a fungal symbiont. New Phytologist, 2017, 213, 1836-1849.	7.3	19
54	Delimiting species in Basidiomycota: a review. Fungal Diversity, 2021, 109, 181-237.	12.3	18

#	ARTICLE	IF	CITATIONS
55	Edible Mycorrhizal Fungi: Identification, Life Cycle and Morphogenesis. , 2008, , 707-732.	17	
56	Cupreoboletus (Boletaceae, Boletineae), a new monotypic genus segregated from <i>Boletus</i> sect. Luridi to reassess the Mediterranean species <i>B. poikilochromus</i> . <i>Mycologia</i> , 2015, 107, 1254-1269.	1.9	17
57	Trichocybe, a new genus for <i>Clitocybe puberula</i> (Agaricomycetes, Agaricales). <i>Fungal Diversity</i> , 2010, 42, 97-105.	12.3	16
58	<i>Strobilomyces echinocephalus</i> sp. nov. (Boletales) from south-western China, and a key to the genus <i>Strobilomyces</i> worldwide. <i>Mycological Progress</i> , 2013, 12, 575-588.	1.4	16
59	Circumscription and Taxonomic Arrangement of <i>Nigroboletus roseonigrescens</i> Gen. Et Sp. Nov., a New Member of Boletaceae from Tropical South-Eastern China. <i>PLoS ONE</i> , 2015, 10, e0134295.	2.5	16
60	Pseudoclitocybaceae fam. nov. (Agaricales, Tricholomataceae), a new arrangement at family, genus and species level. <i>Fungal Diversity</i> , 2018, 90, 109-133.	12.3	15
61	Phylloporus and Phyllobotellus are no longer alone: <i>Phylloporopsis</i> gen. nov. (Boletaceae), a new smooth-spored lamellate genus to accommodate the American species <i>Phylloporus boletinoides</i> . <i>Fungal Systematics and Evolution</i> , 2018, 2, 341-359.	2.2	15
62	Insights into the Tricholomataceae (Agaricales, Agaricomycetes): a new arrangement of Biannulariaceae and <i>Callistosporium</i> , <i>Callistosporiaceae</i> fam. nov., <i>Xerophorus</i> stat. nov., and <i>Pleurocollybia</i> incorporated into <i>Callistosporium</i> . <i>Fungal Diversity</i> , 2020, 101, 211-259.	12.3	15
63	A new annulate <i>Pluteus</i> variety from Italy. <i>Mycologia</i> , 2011, 103, 904-911.	1.9	14
64	< i>Musumecia</i> gen. nov. in the Tricholomatoid clade (Basidiomycota, Agaricales) related to Pseudoclitocybe. <i>Nordic Journal of Botany</i> , 2011, 29, 734-740.	0.5	14
65	< i>O</i>nychomycosis < i>from Aspergillus melleus</i>, a Novel Pathogen for Humans. <i>Fungal Identification and &lt; i&gt;in Vitro&lt;/i&gt; Drug Susceptibility</i> . <i>Experimental Dermatology</i> , 2015, 24, 966-968.	2.9	14
66	Two new <i>Rhodocybe</i> species (sect. Rufobrunnea, Entolomataceae) from the East Black Sea coast of Turkey. <i>Turkish Journal of Botany</i> , 2017, 41, 200-210.	1.2	14
67	A new < i>Neopaxillus</i> species (Agaricomycetes) from the Dominican Republic and the status of < i>Neopaxillus</i> within the Agaricales. <i>Mycologia</i> , 2012, 104, 138-147.	1.9	13
68	<i>Alpova komoviana</i> (Boletales, Paxillaceae), a new sequestrate fungus from Montenegro, with a revised phylogeny of the genus in Europe. <i>Mycological Progress</i> , 2013, 12, 109-119.	1.4	13
69	<i>Boletus mendax</i> , a new species of <i>Boletus</i> sect. Luridi from Italy and insights on the <i>B. luridus</i> complex. <i>Mycological Progress</i> , 2014, 13, 95-109.	1.4	13
70	Illuminating type collections of nectriaceous fungi in Saccardo's fungarium. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2020, 45, 221-249.	4.4	13
71	<i>Gymnopus trabzonensis</i> sp. nov. (Omphalotaceae) and <i>Tricholoma virgatum</i> var. <i>fulvoumbonatum</i> var. nov. (Tricholomataceae), two new white-spored agarics from Turkey. <i>Phytotaxa</i> , 2015, 226, 119.	0.3	12
72	<i>Lyophyllum turicum</i> (Agaricomycetes: Lyophyllaceae), a new species from Turkey. <i>Turkish Journal of Botany</i> , 2015, 39, 512-519.	1.2	12

#	ARTICLE	IF	CITATIONS
73	Thelephora dominicana (Basidiomycota, Thelephorales), a new species from the Dominican Republic, and preliminary notes on thelephoroid genera. <i>Phytotaxa</i> , 2016, 265, 27.	0.3	12
74	Is the species diversity in the lyophylloid genera Calocybella and Gerhardtia (Agaricales,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 Td (B 241.	0.3	12
75	Two new species and one new record of the genus Tylopilus (Boletaceae) from Indian Himalaya with morphological details and phylogenetic estimations. <i>MycoKeys</i> , 2018, 33, 103-124.	1.9	12
76	Indoporus shoreae gen. et sp. nov. (Boletaceae) from Tropical India. <i>Cryptogamie, Mycologie</i> , 2018, 39, 447.	1.0	12
77	< i>Leucoagaricus decipiens</i> and < i>La. erythropaeus</i>, a new species pair in sect.< i>Piloselli</i>. <i>Mycologia</i> , 2010, 102, 447-454.	1.9	11
78	A new cryptic species in the genus Tubariomyces (Inocybaceae, Agaricales). <i>Mycological Progress</i> , 2013, 12, 375-381.	1.4	10
79	Molecular confirmation of Gyroporus lacteus and typification of Boletus cyanescens. <i>Phytotaxa</i> , 2015, 226, 27.	0.3	10
80	Redescription of Clitocybe umbrinopurpurascens (Basidiomycota, Agaricales) and revision of Neohyphrophorus and Pseudoomphalina. <i>Phytotaxa</i> , 2015, 219, 43.	0.3	10
81	Morphological and phylogenetic evidences unveil a novel species of < i>Gyroporus</i> (Gyroporaceae,) Tj ETQq1 1 0.784314 rgBT /Over		
82	Mythicomyctaceae Fam. Nov. (Agaricineae , Agaricales) for Accommodating the Genera Mythicomycetes and Stagnicola , and Simocybe Parvispora Reconsidered. <i>Fungal Systematics and Evolution</i> , 2019, 3, 225-240.	2.2	10
83	Gymnopilus maritimus (Basidiomycota, Agaricales), a new species from coastal psammophilous plant communities of northern Sardinia, Italy, and notes on G. arenophilus. <i>Mycological Progress</i> , 2009, 8, 195-205.	1.4	9
84	Typification of < i>Octaviania rubescens</i>(< i>Paxillineae</i>,< i>Boletales</i>) and phylogenetic hypotheses for genus < i>Alpova</i>. <i>Mycologia</i> , 2010, 102, 967-975.	1.9	9
85	Rhodocybe tigrulii (Agaricales, Entolomataceae), a new species from Turkey and Estonia based on morphological and molecular data, and a new combination in Clitocella (Entolomataceae). <i>Phytotaxa</i> , 2016, 267, 1.	0.3	9
86	Variability, host range, delimitation and neotypification of Amanita simulans (Amanita section) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 227 lividopallescens. <i>Phytotaxa</i> , 2016, 280, 1.	0.3	9
87	Circumscription of species in the Hodophilus foetens complex (Clavariaceae, Agaricales) in Europe. <i>Mycological Progress</i> , 2017, 16, 47-62.	1.4	9
88	< i>Fusarium</i> and Allied Fusarioïd Taxa (FUSA). 1. <i>Fungal Systematics and Evolution</i> , 2022, 9, 161-200.	2.2	9
89	Clitopilus chrischonensis sp. nov. (Agaricales, Entolomataceae), a striking new fungal species from Switzerland. <i>Nova Hedwigia</i> , 2011, 92, 425-434.	0.4	8
90	Molecular validation of Sarcodon quercinofibulatus, a species of the S. imbricatus complex associated with Fagaceae, and notes on Sarcodon. <i>Mycological Progress</i> , 2013, 12, 465-474.	1.4	8

#	ARTICLE	IF	CITATIONS
91	<i>Laccariopsis</i>, a new genus for <i>Hydropus mediterraneus</i> (<i>Basidiomycota</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	0.3	50
92	Lepiota sanguineofracta (Basidiomycota, Agaricales), a new species with a hymeniform pileus covering from Italy. Mycological Progress, 2014, 13, 683-690.	1.4	8
93	Paxillus orientalis sp. nov. (Paxillaceae, Boletales) from south-western China based on morphological and molecular data and proposal of the new subgenus Alnopaxillus. Mycological Progress, 2014, 13, 333-342.	1.4	8
94	Strobilomyces pteroreticulosporus (Boletales), a new species of the S. strobilaceus complex from the Republic of Korea and remarks on the variability of S. confusus. Phytotaxa, 2015, 219, 78.	0.3	8
95	Cibaomyces and Cyptotrama, two new genera for Europe, and an emendation of Rhizomarasmius (Basidiomycota, Physalacriaceae). Mycological Progress, 2015, 14, 1.	1.4	8
96	Hodophilus (Clavariaceae, Agaricales) species with dark dots on the stipe: more than one species in Europe. Mycological Progress, 2017, 16, 811-821.	1.4	8
97	Near-infrared spectroscopy as a new method for post-harvest monitoring of white truffles. Mycological Progress, 2020, 19, 329-337.	1.4	8
98	Neoboletus antillanus sp. nov. (Boletaceae), first report of a red-pored bolete from the Dominican Republic and insights on the genus Neoboletus. MycoKeys, 2019, 49, 73-97.	1.9	8
99	Fungal Biodiversity Profiles 91-100. Cryptogamie, Mycologie, 2020, 41, 69.	1.0	8
100	Additional records of <i>Volvariella dunensis</i> (<i>Basidiomycota</i>, <i>Agaricales</i>): morphological and molecular characterization. Mycotaxon, 2011, 117, 37-43.	0.3	7
101	Lepiota coloratipes, a new species for Lepiota rufipes ss. Auct. europ. non ss. orig.. Mycological Progress, 2014, 13, 171-179.	1.4	7
102	New collection, iconography and molecular evidence for Tylopilus neofelleus (Boletaceae,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307 Td T.Âmicromyces. Mycoscience, 2015, 56, 373-386.	0.8	7
103	Localized reshaping of the fungal community in response to a forest fungal pathogen reveals resilience of Mediterranean mycobiota. Science of the Total Environment, 2021, 800, 149582.	8.0	7
104	Lepiota elseae (Agaricales, Agaricaceae), a new species of section Lepiota from Spain. Phytotaxa, 2015, 201, 188.	0.3	6
105	Pseudoporpoloma, a new genus for Agaricus pes-caprae (Agaricales, Tricholomataceae). Phytotaxa, 2016, 243, 271.	0.3	6
106	Clitolyophyllum akcaabatense gen. nov., sp. nov. (Agaricales, Tricholomatinae); a new fan-shaped clitocyboid agaric from Turkey. Botany, 2016, 94, 73-80.	1.0	6
107	Outstanding Pinkish Brown-Spored Neotropical Boletes: Austroboletus subflavidus and Fistulinella gloeocarpa (Boletaceae, Boletales) from the Dominican Republic. Mycobiology, 2021, 49, 24-45.	1.7	6
108	Squamanitaceae and three new species of Squamanita parasitic on Amanita basidiomes. IMA Fungus, 2021, 12, 4.	3.8	6

#	ARTICLE	IF	CITATIONS
109	New data in Porotheleaceae and Cyphellaceae: epitypification of <i>Prunulus scabripes</i> Murrill, the status of Mycopan Redhead, Moncalvo & Vilgalys and a new combination in <i>Pleurella</i> Horak emend.. <i>Mycological Progress</i> , 2022, 21, 1.	1.4	6
110	&lt;I&gt; <i>Volvariella acystidiata</i> &lt;/I&gt; (&lt;I&gt; <i>Agaricomycetes</i> &lt;/I&gt;, &lt;I&gt; <i>Pluteaceae</i> &lt;/I&gt;), an African species new to Europe, with two new combinations in &lt;I&gt; <i>Volvariella</i> &lt;/I&gt;. <i>Mycotaxon</i> , 2010, 112, 25-29.	0.3	5
111	New taxa in the genus &lt;I&gt; <i>Lyophyllum</i> &lt;/I&gt; s.l. from La Palma (Canary Islands, Spain). <i>Mycotaxon</i> , 2010, 111, 323-330.	0.3	5
112	<i>Clitopilus canariensis</i> (Basidiomycota, Entolomataceae), a new species in the <i>C. nitellinus</i> -complex ( <i>Clitopilus</i> subg. <i>Rhodophana</i> ) from the Canary Islands (Spain). <i>Brittonia</i> , 2011, 63, 484-488.	0.2	5
113	A new cystidiate variety of <i>Omphalina pyxidata</i> (Basidiomycota,</i> tricholomatoid clade) from Italy. <i>Mycotaxon</i> , 2012, 120, 361-371.	0.3	5
114	Ecology and diversity of <i>Cortinarius</i> species (Agaricales, Basidiomycota) associated with <i>Quercus ilex</i> L. in the Mediterranean area of Liguria (North-western Italy). <i>Plant Biosystems</i> , 2014, 148, 357-366.	1.6	5
115	<i>Hygrocybe rubroalba</i> (Hygrophoraceae, Agaricales), a new species of sect. <i>Firmeae</i> from Brazil. <i>Phytotaxa</i> , 2015, 226, 18.	0.3	5
116	First mycological assessment in hydrothermal caves of Monte Kronio (Sicily, southern Italy). <i>Webbia</i> , 2017, 72, 277-285.	0.3	5
117	A new species of <i>Boletellus</i> (Boletaceae, Basidiomycota) from tropical India. <i>Nordic Journal of Botany</i> , 2018, 36, .	0.5	5
118	Reappraisal of the Genus <i>Exsudoporus</i> (Boletaceae) Worldwide Based on Multi-Gene Phylogeny, Morphology and Biogeography, and Insights on <i>Amoenoboletus</i> . <i>Journal of Fungi</i> (Basel, Switzerland), 2022, 8, 101.	3.5	5
119	Two new species of <i>Lyophyllum</i> s.l. (<i>Basidiomycota</i>, <i>Agaricomycetes</i>) from La Palma (Canary Islands, Spain). <i>Mycotaxon</i> , 2011, 115, 65-71.	0.3	4
120	A new <i>Leucoagaricus</i> species of section <i>Piloselli</i> (Agaricales, Agaricaceae) from Spain. <i>IMA Fungus</i> , 2012, 3, 117-123.	3.8	4
121	The phylogenetic position of <i>Haasiella</i> (Basidiomycota, Agaricomycetes) and the relationships between <i>H. venustissima</i> and <i>H. splendidissima</i>. <i>Mycologia</i> , 2012, 104, 777-784.	1.9	4
122	A new <i>Cortinarius</i> of section <i>Calochroi</i> (Basidiomycota, Agaricomycetes) from Mediterranean <i>Quercus</i> woodlands (Italy). <i>Mycologia</i> , 2012, 104, 1502-1509.	1.9	4
123	<i>Leucoagaricus croceobasis</i> (Agaricales, Agaricaceae), a new species of section <i>Piloselli</i> from Spain. <i>Mycological Progress</i> , 2014, 13, 649-655.	1.4	4
124	<i>Tylopilus griseolivaceus</i> sp. nov. and <i>T. leucomycelinus</i> (Boletaceae) revisited from the Dominican Republic within a comprehensive phylogeny of <i>Tylopilus</i> s. str.. <i>Mycological Progress</i> , 2019, 18, 1039-1056.	1.4	4
125	Phylogenetic relationships among false truffle genera of Paxillaceaeâ€”<i>Alpova</i>, <i>Melanogaster</i> , <i>Neoalpova&lt;/i&gt;, and &lt;i&gt;Paralpova&lt;/i&gt;, gen. nov. <i>Mycologia</i>, 2021, 113, 828-841.</i>	1.9	4
126	Typification of the Four Most Investigated and Valuable Truffles: <i>Tuber aestivum</i> Vittad., <i>T. borchii</i> Vittad., <i>T. magnatum</i> Picco and <i>T. melanosporum</i> Vittad.. <i>Cryptogamie, Mycologie</i> , 2021, 42, .	1.0	4

#	ARTICLE	IF	CITATIONS
127	A new species of Rhodocybe sect. Rufobrunnea (Entolomataceae, Agaricales) from Italy. MycoKeys, 2018, 36, 21-33.	1.9	4
128	Validation of combinations with basionyms published by Fries in 1861. Mycotaxon, 2012, 118, 455-458.	0.3	3
129	Phylogenetic and morphological comparison of <i>Pluteus variabilicolor</i> and <i>P. castri</i> (Basidiomycota,) Tj ETQq1 1 0.784314 rgBT <sub>3.8</sub> /Overlock		
130	Phylogeny and morphology of the <i>Peziza ammophila</i> complex (Pezizales, Ascomycota), with description of two new species and a new form. Mycological Progress, 2016, 15, 883-901.	1.4	3
131	<i>Stropharia acanthostipitata</i> (Agaricales, Strophariaceae), a new species from Tropical America. Phytotaxa, 2017, 324, 155.	0.3	3
132	Testing spore amyloidity in Agaricales under light microscope: the case study of <i>Tricholoma</i> . IMA Fungus, 2020, 11, 24.	3.8	3
133	Notulae to the Italian flora of algae, bryophytes, fungi and lichens: 8. Italian Botanist, 0, 8, 47-62.	0.0	3
134	Notulae to the Italian flora of algae, bryophytes, fungi and lichens: 9. Italian Botanist, 0, 9, 35-46.	0.0	3
135	Looking for <i>Lepiota psalion</i> Huijser & Vellinga (Agaricales, Agaricaceae). MycoKeys, 2019, 52, 45-69.	1.9	3
136	<i>Crinipellis pedemontana</i> sp. nov. (Agaricomycetes), a new basidiomycete from Italy. Mycologia, 2007, 99, 786-791.	1.9	2
137	<I> <i>Disciseda bovista</i> </I>, recently collected from northern Italy, and <I> <i>Lycoperdon defossum</i> </I>, a synonym of <I> <i>D. candida</i> </I>. Mycotaxon, 2010, 113, 129-136.	0.3	2
138	First records of <I> <i>Rhizopogon rocabrunae</i> </I> and <I> <i>R. pumilionum</i> </I> (<I>Boletales</I>) from Italy. Mycotaxon, 2010, 113, 291-296.	0.3	2
139	<i>Gamundia nivea</i> sp. nov. (Basidiomycota, Agaricomycetes) from central Europe (France). Nordic Journal of Botany, 2010, 28, 428-431.	0.5	2
140	A new volvate <i>Macrolepiota</i> (<i>Agaricomycetes</i>, <i>Agaricales</i>) from Italy, with observations on the <i>M</i>. <i>procera</i> complex. Mycotaxon, 2011, 117, 149-164.	0.3	2
141	On the variability of spore ornamentation in <i>Laccaria tortilis</i> (<i>Basidiomycota</i>,) Tj ETQq1 1 0.784314 rgBT <sub>0.3</sub> /Overlock 10 T <sub>2</sub> 5		
142	<i>Gliophorus flavoviridis</i> , a new species in the family Hygrophoraceae from India. Phytotaxa, 2017, 327, 283.	0.3	2
143	The genus <i>Dermoloma</i> is more diverse than expected and forms a monophyletic lineage in the Tricholomataceae. Mycological Progress, 2021, 20, 11-25.	1.4	2
144	Diversity of polypores in the Dominican Republic: <i>Pseudowrightoporia dominicana</i> sp. nov. (Hericiaeae, Russulales). MycoKeys, 2018, 34, 35-45.	1.9	2

#	ARTICLE	IF	CITATIONS
145	&lt;p&gt;&lt;strong&gt;Assessing the taxonomic status of &lt;em&gt; <i>Amanita citrina</i> &lt;/em&gt; var. &lt;em&gt; <i>intermedia</i> &lt;/em&gt; ( <i>Basidiomycota, Agaricales</i> )&lt;/strong&gt;&lt;/p&gt;. <i>Phytotaxa</i> , 2020, 440, 55-68.	0.3	2
146	<i>Crinipellis pedemontana</i> sp. nov. (Agaricomycetes), a new basidiomycete from Italy. <i>Mycologia</i> , 2007, 99, 786-791.	1.9	1
147	<i>Cortinarius anaunianus</i> (Agaricales, Cortinariaceae): a new species of the Humolentes clade from Italy. <i>Phytotaxa</i> , 2021, 520, 225-240.	0.3	1
148	&lt;p&gt;&lt;strong&gt;&lt;em&gt; <i>Cortinarius latus</i> &lt;/em&gt;&lt;/strong&gt;&lt;strong&gt; ( <i>Agaricales, Cortinariaceae</i> )&lt;/em&gt;, &lt;/em&gt;a new species in section &lt;em&gt; <i>Calochroi</i> &lt;/em&gt;&lt;/strong&gt;&lt;/p&gt;. <i>Phytotaxa</i> , 2020, 447, 31-41.	0.3	1
149	A new species in the genus <i>Chroogomphus</i> (Gomphidiaceae) from India. <i>Phytotaxa</i> , 2021, 528, 84-92.	0.3	1
150	Molecular confirmation of <i>Leucoagaricus idae-fragum</i> (Agaricales, Agaricaceae), and notes on its morphological variability. <i>Phytotaxa</i> , 2017, 332, 157.	0.3	0
151	A reassessment of <i>Hourangia cheoi</i> from Yunnan, China. <i>Mycotaxon</i> , 2017, 132, 343-356.	0.3	0
152	<i>Cortinarius pseudocisticola</i> (Agaricales, Cortinariaceae), a new species in section Calochroi from Europe. <i>Phytotaxa</i> , 2021, 518, 14-24.	0.3	0
153	<i>Leucoagaricus cupresseoides</i> (Agaricaceae), a new species in sect. Piloselli and <i>L. aurantiovergens</i> and <i>L. pseudopilatianus</i> redescribed from Italy. <i>Phytotaxa</i> , 2022, 536, 126-140.	0.3	0
154	<i>Cortinarius dombangensis</i> sp. nov. and <i>C. longistipitatus</i> (Agaricales, Cortinariaceae) from Indian Himalaya. <i>Nordic Journal of Botany</i> , 0, .	0.5	0