
Suzanne Nielsen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/163071/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A synthesis of oral morphine equivalents (OME) for opioid utilisation studies. Pharmacoepidemiology and Drug Safety, 2016, 25, 733-737.	1.9	322
2	Cannabis and cannabinoids for the treatment of people with chronic noncancer pain conditions: a systematic review and meta-analysis of controlled and observational studies. Pain, 2018, 159, 1932-1954.	4.2	321
3	Opioid-Sparing Effect of Cannabinoids: A Systematic Review and Meta-Analysis. Neuropsychopharmacology, 2017, 42, 1752-1765.	5.4	190
4	Effect of cannabis use in people with chronic non-cancer pain prescribed opioids: findings from a 4-year prospective cohort study. Lancet Public Health, The, 2018, 3, e341-e350.	10.0	172
5	Opioid agonist treatment for pharmaceutical opioid dependent people. The Cochrane Library, 2016, , CD011117.	2.8	148
6	Serious morbidity associated with misuse of overâ€theâ€counter codeine–ibuprofen analgesics: a series of 27 cases. Medical Journal of Australia, 2010, 193, 294-296.	1.7	130
7	The Use of Cannabis and Cannabinoids in Treating Symptoms of Multiple Sclerosis: a Systematic Review of Reviews. Current Neurology and Neuroscience Reports, 2018, 18, 8.	4.2	116
8	The Pain and Opioids IN Treatment study. Pain, 2015, 156, 231-242.	4.2	104
9	Benzodiazepine Use among Chronic Pain Patients Prescribed Opioids: Associations with Pain, Physical and Mental Health, and Health Service Utilization. Pain Medicine, 2015, 16, 356-366.	1.9	102
10	Buprenorphine/Naloxone and Methadone Maintenance Treatment Outcomes for Opioid Analgesic, Heroin, and Combined Users: Findings From Starting Treatment With Agonist Replacement Therapies (START). Journal of Studies on Alcohol and Drugs, 2013, 74, 605-613.	1.0	100
11	Benzodiazepines, Methadone and Buprenorphine: Interactions and Clinical Management. American Journal on Addictions, 2010, 19, 59-72.	1.4	92
12	Prescription drug abuse: from epidemiology to public policy. Journal of Substance Abuse Treatment, 2015, 48, 1-7.	2.8	91
13	Concurrent buprenorphine and benzodiazepines use and selfâ€reported opioid toxicity in opioid substitution treatment. Addiction, 2007, 102, 616-622.	3.3	83
14	Pharmaceutical Opioid Use and Dependence among People Living with Chronic Pain: Associations Observed within the Pain and Opioids in Treatment (POINT) Cohort. Pain Medicine, 2015, 16, 1745-1758.	1.9	78
15	The source and diversion of pharmaceutical drugs for non-medical use: A systematic review and meta-analysis. Drug and Alcohol Dependence, 2018, 186, 242-256.	3.2	67
16	Identifying and treating codeine dependence: a systematic review. Medical Journal of Australia, 2018, 208, 451-461.	1.7	67
17	Take-Home Naloxone for the Emergency Interim Management of Opioid Overdose: The Public Health Application of an Emergency Medicine. Drugs, 2019, 79, 1395-1418.	10.9	67
18	Trends and characteristics of accidental and intentional codeine overdose deaths in Australia. Medical Journal of Australia, 2015, 203, 299-299.	1.7	63

#	Article	IF	CITATIONS
19	The extent and correlates of communityâ€based pharmaceutical opioid utilisation in Australia. Pharmacoepidemiology and Drug Safety, 2016, 25, 521-538.	1.9	63
20	Community pharmacist knowledge, attitudes and confidence regarding naloxone for overdose reversal. Addiction, 2016, 111, 2177-2186.	3.3	61
21	Stigma and Social Support in Pharmaceutical Opioid Treatment Populations: a Scoping Review. International Journal of Mental Health and Addiction, 2017, 15, 452-469.	7.4	56
22	Agreement between definitions of pharmaceutical opioid use disorders and dependence in people taking opioids for chronic non-cancer pain (POINT): a cohort study. Lancet Psychiatry,the, 2015, 2, 314-322.	7.4	55
23	Opioid Agonist Treatment for Patients With Dependence on Prescription Opioids. JAMA - Journal of the American Medical Association, 2017, 317, 967.	7.4	55
24	The Impact of Stigma on People with Opioid Use Disorder, Opioid Treatment, and Policy. Substance Abuse and Rehabilitation, 2022, Volume 13, 1-12.	4.8	51
25	Perceptions of extendedâ€release buprenorphine injections for opioid use disorder among people who regularly use opioids in Australia. Addiction, 2020, 115, 1295-1305.	3.3	46
26	Buprenorphine pharmacotherapy and behavioral treatment: Comparison of outcomes among prescription opioid users, heroin users and combination users. Journal of Substance Abuse Treatment, 2015, 48, 70-76.	2.8	44
27	Defining problematic pharmaceutical opioid use among people prescribed opioids for chronic noncancer pain: do different measures identify the same patients?. Pain, 2016, 157, 1489-1498.	4.2	43
28	Prescription drug misuse: Is technology friend or foe?. Drug and Alcohol Review, 2009, 28, 81-86.	2.1	40
29	Pain, alcohol use disorders and risky patterns of drinking among people with chronic non-cancer pain receiving long-term opioid therapy. Drug and Alcohol Dependence, 2016, 162, 79-87.	3.2	40
30	Cohort protocol paper: The Pain and Opioids In Treatment (POINT) study. BMC Pharmacology & Toxicology, 2014, 15, 17.	2.4	39
31	What is known about community pharmacy supply of naloxone? A scoping review. International Journal of Drug Policy, 2016, 32, 24-33.	3.3	39
32	Defined daily doses (DDD) do not accurately reflect opioid doses used in contemporary chronic pain treatment. Pharmacoepidemiology and Drug Safety, 2017, 26, 587-591.	1.9	39
33	The effect of buprenorphine and benzodiazepines on respiration in the rat. Drug and Alcohol Dependence, 2005, 79, 95-101.	3.2	38
34	A Comparison of Buprenorphine Taper Outcomes Between Prescription Opioid and Heroin Users. Journal of Addiction Medicine, 2013, 7, 33-38.	2.6	37
35	An ecological study of the extent and factors associated with the use of prescription and over-the-counter codeine in Australia. European Journal of Clinical Pharmacology, 2016, 72, 469-494.	1.9	37
36	Etizolam: A rapid review on pharmacology, nonâ€medical use and harms. Drug and Alcohol Review, 2020, 39, 330-336.	2.1	36

#	Article	IF	CITATIONS
37	The effects of modafinil treatment on neuropsychological and attentional bias performance during 7-day inpatient withdrawal from methamphetamine dependence Experimental and Clinical Psychopharmacology, 2010, 18, 489-497.	1.8	35
38	A systematic review of opioid overdose interventions delivered within emergency departments. Drug and Alcohol Dependence, 2020, 213, 108009.	3.2	35
39	Opportunities and challenges: over-the-counter codeine supply from the codeine consumer's perspectiveâ€. International Journal of Pharmacy Practice, 2013, 21, 161-168.	0.6	34
40	Perceived stigma and social support in treatment for pharmaceutical opioid dependence. Drug and Alcohol Review, 2018, 37, 262-272.	2.1	33
41	Understanding the evidence for medical cannabis and cannabis-based medicines for the treatment of chronic non-cancer pain. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 135-144.	3.2	33
42	Knowledge of Opioid Overdose and Attitudes to Supply of Take-Home Naloxone Among People with Chronic Noncancer Pain Prescribed Opioids. Pain Medicine, 2018, 19, 533-540.	1.9	32
43	Using routinely collected data to understand and predict adverse outcomes in opioid agonist treatment: Protocol for the Opioid Agonist Treatment Safety (OATS) Study. BMJ Open, 2018, 8, e025204.	1.9	31
44	Factors associated with the development of depression in chronic non-cancer pain patients following the onset of opioid treatment for pain. Journal of Affective Disorders, 2015, 184, 72-80.	4.1	30
45	Pharmaceutical opioid analgesic and heroin dependence: How do treatmentâ€seeking clients differ in Australia?. Drug and Alcohol Review, 2011, 30, 291-299.	2.1	28
46	Opioid-sparing effect of cannabinoids for analgesia: an updated systematic review and meta-analysis of preclinical and clinical studies. Neuropsychopharmacology, 2022, 47, 1315-1330.	5.4	28
47	Over-the-Counter Codeine—from Therapeutic Use to Dependence, and the Grey Areas in Between. Current Topics in Behavioral Neurosciences, 2015, 34, 59-75.	1.7	27
48	Development of a brief tool for monitoring aberrant behaviours among patients receiving long-term opioid therapy: The Opioid-Related Behaviours In Treatment (ORBIT) scale. Drug and Alcohol Dependence, 2016, 159, 42-52.	3.2	27
49	Adapting harm reduction services during COVID-19: lessons from the supervised injecting facilities in Australia. Harm Reduction Journal, 2021, 18, 20.	3.2	27
50	Recent increase in detection of alprazolam in Victorian heroinâ€related deaths. Medical Journal of Australia, 2013, 198, 206-209.	1.7	25
51	Treatment outcomes in opioid dependent patients with different buprenorphine/naloxone induction dosing patterns and trajectories. American Journal on Addictions, 2015, 24, 667-675.	1.4	25
52	Comparing treatmentâ€seeking codeine users and strong opioid users: Findings from a novel case series. Drug and Alcohol Review, 2015, 34, 304-311.	2.1	25
53	What does the ecological and epidemiological evidence indicate about the potential for cannabinoids to reduce opioid use and harms? A comprehensive review. International Review of Psychiatry, 2018, 30, 91-106.	2.8	25
54	How prescription drug monitoring programs influence clinical decision-making: A mixed methods systematic review and meta-analysis. Drug and Alcohol Dependence, 2021, 228, 109090.	3.2	25

#	Article	IF	CITATIONS
55	Buprenorphine supply by community pharmacists in Victoria, Australia: perceptions, experiences and key issues identified. Drug and Alcohol Review, 2007, 26, 143-151.	2.1	24
56	The sources of pharmaceuticals for problematic users of benzodiazepines and prescription opioids. Medical Journal of Australia, 2013, 199, 696-699.	1.7	24
57	Attitudes in Australia on the upscheduling of overâ€theâ€counter codeine to a prescriptionâ€only medication. Drug and Alcohol Review, 2018, 37, 257-261.	2.1	23
58	Changes in Australian prescription opioid use following codeine rescheduling: A retrospective study using pharmaceutical benefits data. International Journal of Drug Policy, 2019, 74, 170-173.	3.3	23
59	Why aren't Australian pharmacists supplying naloxone? Findings from a qualitative study. International Journal of Drug Policy, 2019, 69, 46-52.	3.3	23
60	Recent trends in heroin and pharmaceutical opioidâ€related harms in Victoria, Australia up to 2018. Addiction, 2020, 115, 261-269.	3.3	23
61	Does naloxone provision lead to increased substance use? A systematic review to assess if there is evidence of a †moral hazard' associated with naloxone supply. International Journal of Drug Policy, 2022, 100, 103513.	3.3	23
62	A pilot randomised controlled trial of modafinil during acute methamphetamine withdrawal: Feasibility, tolerability and clinical outcomes. Drug and Alcohol Review, 2013, 32, 88-95.	2.1	22
63	Cocaine Use Reduction with Buprenorphine (CURB): Rationale, design, and methodology. Contemporary Clinical Trials, 2013, 34, 196-204.	1.8	22
64	Outcomes of a single-arm implementation trial of extended-release subcutaneous buprenorphine depot injections in people with opioid dependence. International Journal of Drug Policy, 2022, 100, 103492.	3.3	22
65	Comparing buprenorphine induction experience with heroin and prescription opioid users. Journal of Substance Abuse Treatment, 2012, 43, 285-290.	2.8	21
66	A mapping review of take-home naloxone for people released from correctional settings. International Journal of Drug Policy, 2017, 46, 7-16.	3.3	20
67	Benzodiazepines - Their role in aggression and why GPs should prescribe with caution. Australian Family Physician, 2011, 40, 862-5.	O.5	20
68	Benzodiazepines. Current Topics in Behavioral Neurosciences, 2015, 34, 141-159.	1.7	19
69	Cannabinoids for the treatment of spasticity. Developmental Medicine and Child Neurology, 2019, 61, 631-638.	2.1	19
70	Alprazolam use and related harm among opioid substitution treatment clients – 12 months follow up after regulatory rescheduling. International Journal of Drug Policy, 2016, 36, 104-111.	3.3	18
71	Using the behaviour change wheel to understand and address barriers to pharmacy naloxone supply in Australia. International Journal of Drug Policy, 2021, 90, 103061.	3.3	17
72	Urine drug screening for early detection of unwitting use of fentanyl and its analogues among people who inject heroin in Sydney, Australia. Drug and Alcohol Review, 2018, 37, 847-850.	2.1	16

#	Article	IF	CITATIONS
73	Risk factors for indicators of opioid-related harms amongst people living with chronic non-cancer pain: Findings from a 5-year prospective cohort study. EClinicalMedicine, 2020, 28, 100592.	7.1	16
74	The relationship between primary prescription opioid and buprenorphine-naloxone induction outcomes in a prescription opioid dependent sample. American Journal on Addictions, 2014, 23, 343-348.	1.4	15
75	Editorial: Changes for codeine. Australian Prescriber, 2018, 41, 2-3.	1.0	15
76	What can Australia learn from the North American opioid crisis? The role of opioid regulation and other evidenceâ€based responses. Drug and Alcohol Review, 2019, 38, 223-225.	2.1	15
77	Comparing rates and characteristics of ambulance attendances related to extramedical use of pharmaceutical opioids in Victoria, Australia from 2013 to 2018. Addiction, 2020, 115, 1075-1087.	3.3	15
78	Life expectancy of people who are dependent on opioids: A cohort study in New South Wales, Australia. Journal of Psychiatric Research, 2020, 130, 435-440.	3.1	15
79	Naloxone rescheduling in <scp>A</scp> ustralia: Processes, implementation and challenges with supply of naloxone as a â€~pharmacist only' overâ€theâ€counter medicine. Drug and Alcohol Review, 2018, 450-453.	372.1	13
80	How prepared are pharmacists to provide over-the-counter naloxone? The role of previous education and new training opportunities. Research in Social and Administrative Pharmacy, 2019, 15, 1014-1020.	3.0	13
81	Routine opioid outcome monitoring in community pharmacy: Pilot implementation study protocol. Research in Social and Administrative Pharmacy, 2019, 15, 1047-1055.	3.0	13
82	Selective review and commentary on emerging pharmacotherapies for opioid addiction. Substance Abuse and Rehabilitation, 2011, 2, 181.	4.8	12
83	A crossâ€sectional analysis of overâ€theâ€counter codeine use among an <scp>A</scp> ustralian sample of people who regularly inject drugs. Drug and Alcohol Review, 2013, 32, 574-581.	2.1	12
84	Current Opioid Access, Use, and Problems in Australasian Jurisdictions. Current Addiction Reports, 2018, 5, 464-472.	3.4	12
85	Antidepressant Use Among People Prescribed Opioids for Chronic Noncancer Pain. Pain Medicine, 2019, 20, 2450-2458.	1.9	12
86	Designing, implementing and evaluating the overdose response with takeâ€home naloxone model of care: An evaluation of client outcomes and perspectives. Drug and Alcohol Review, 2020, 39, 55-65.	2.1	12
87	Pharmaceutical opioid poisonings in Victoria, Australia: Rates and characteristics of a decade of emergency department presentations among nine pharmaceutical opioids. Addiction, 2022, 117, 623-636.	3.3	12
88	Diversion of prescribed opioids by people living with chronic pain: Results from an <scp>A</scp> ustralian community sample. Drug and Alcohol Review, 2014, 33, 27-32.	2.1	11
89	Same-day use of opioids and other central nervous system depressants amongst people who tamper with pharmaceutical opioids: A retrospective 7-day diary study. Drug and Alcohol Dependence, 2016, 166, 125-133.	3.2	11
90	Drug sourcing and motivations among a sample of people involved in the supply of pharmaceutical drugs in Australia. International Journal of Drug Policy, 2019, 66, 38-47.	3.3	11

#	Article	IF	CITATIONS
91	Economic analysis of out-of-pocket costs among people in opioid agonist treatment: A cross-sectional survey in three Australian jurisdictions. International Journal of Drug Policy, 2022, 99, 103472.	3.3	11
92	Methadone- and buprenorphine-related ambulance attendances: A population-based indicator of adverse events. Journal of Substance Abuse Treatment, 2008, 35, 457-461.	2.8	10
93	Implementing realâ€ŧime prescription drug monitoring: Are we ready?. Drug and Alcohol Review, 2014, 33, 463-465.	2.1	10
94	Geographic Variation in Health Service Use and Perceived Access Barriers for Australian Adults with Chronic Non-Cancer Pain Receiving Opioid Therapy. Pain Medicine, 2016, 17, 2003-2016.	1.9	10
95	Sleep Quality Among People Living With Chronic Noncancer Pain. Clinical Journal of Pain, 2016, 32, 380-387.	1.9	10
96	Estimating Centre for Disease Control and Preventionâ€defined overdose risk in people prescribed opioids for chronic nonâ€cancer pain: implications for takeâ€home naloxone provision. Internal Medicine Journal, 2019, 49, 1054-1055.	0.8	10
97	Comparing rates and characteristics of ambulance attendances related to extramedical use of pharmaceutical opioids in Australia: a protocol for a retrospective observational study. BMJ Open, 2019, 9, e029170.	1.9	10
98	Routine opioid outcome monitoring in community pharmacy: Outcomes from an open-label single-arm implementation-effectiveness pilot study. Research in Social and Administrative Pharmacy, 2020, 16, 1694-1701.	3.0	10
99	Retention of opioid agonist treatment prescribers across New South Wales, Australia, 2001–2018: Implications for treatment systems and potential impact on client outcomes. Drug and Alcohol Dependence, 2021, 219, 108464.	3.2	10
100	Characteristics of a nontreatment-seeking sample of over-the-counter codeine users: implications for intervention and prevention. Journal of Opioid Management, 2011, 7, 363-70.	0.5	10
101	Pharmaceutical drugs: The delicate balance between reducing pain and reducing harm. Drug and Alcohol Review, 2011, 30, 233-235.	2.1	9
102	Concerns and Help-Seeking Among Patients Using Opioids for Management of Chronic Noncancer Pain. Pain Medicine, 2019, 20, 758-769.	1.9	9
103	A protocol for a discrete choice experiment: understanding patient medicine preferences for managing chronic non-cancer pain. BMJ Open, 2019, 9, e027153.	1.9	9
104	Open-label, multicentre, single-arm trial of monthly injections of depot buprenorphine in people with opioid dependence: protocol for the CoLAB study. BMJ Open, 2020, 10, e034389.	1.9	9
105	Community pharmacy naloxone supply, before and after rescheduling as an overâ€theâ€counter drug: sales and prescriptions data, 2014–2018. Medical Journal of Australia, 2020, 212, 314-320.	1.7	9
106	Clinical correlates and outcomes associated with pregabalin use among people prescribed opioids for chronic non ancer pain: A fiveâ€year prospective cohort study. British Journal of Clinical Pharmacology, 2021, 87, 3092-3104.	2.4	9
107	Correlates of pain in an inâ€treatment sample of opioidâ€dependent people. Drug and Alcohol Review, 2013, 32, 489-494.	2.1	8
108	Health service utilisation by people living with chronic non-cancer pain: findings from the Pain and Opioids IN Treatment (POINT) study. Australian Health Review, 2016, 40, 490.	1.1	8

#	Article	IF	CITATIONS
109	Development of a Brief Patient-Administered Screening Tool for Prescription Opioid Dependence for Primary Care Settings. Pain Medicine, 2020, 21, e79-e88.	1.9	8
110	â€~Extreme personal stress' and â€~a lot of pain': Exploring the physical, mental and social contexts of extramedical pharmaceutical opioid use in Australian paramedic case descriptions. Drug and Alcohol Review, 2020, 39, 870-878.	2.1	8
111	Community use of naloxone for opioid overdose. Australian Prescriber, 2017, 40, 137-140.	1.0	8
112	Treating codeine dependence with buprenorphine: Dose requirements and induction outcomes from a retrospective case series in <scp>N</scp> ew <scp>S</scp> outh <scp>W</scp> ales, <scp>A</scp> ustralia. Drug and Alcohol Review, 2016, 35, 70-75.	2.1	7
113	A nationwide study of the extent and factors associated with fentanyl use in Australia. Research in Social and Administrative Pharmacy, 2018, 14, 303-308.	3.0	7
114	Correlates of indicators of potential extraâ€medical opioid use in people prescribed opioids for chronic nonâ€cancer pain. Drug and Alcohol Review, 2020, 39, 128-134.	2.1	7
115	What predicts pharmacists' engagement with opioid-outcome screening? Secondary analysis from an implementation study in community pharmacy. International Journal of Clinical Pharmacy, 2021, 43, 420-429.	2.1	7
116	Key considerations for the implementation of clinically focused Prescription Drug Monitoring Programs to avoid unintended consequences. International Journal of Drug Policy, 2022, 101, 103549.	3.3	7
117	Examining the cost and impact of dosing fees among clients in opioid agonist treatment: Results from a crossâ€sectional survey of Australian treatment clients. Drug and Alcohol Review, 2022, 41, 841-850.	2.1	7
118	Infrequent detection of unintentional fentanyl use via urinalysis among people who regularly inject opioids in Sydney and Melbourne, Australia. Addiction, 2022, 117, 2331-2337.	3.3	7
119	Letter to the Editor. Drug and Alcohol Review, 2003, 22, 471-473.	2.1	6
120	THE USE OF SUBLINGUAL BUPRENORPHINE–NALOXONE FOR REVERSING HEROIN OVERDOSE: A HIGHâ€RISK STRATEGY THAT SHOULD NOT BE RECOMMENDED. Addiction, 2008, 103, 2065-2066.	3.3	6
121	Injecting buprenorphineâ€naloxone film: Findings from an explorative qualitative study. Drug and Alcohol Review, 2015, 34, 623-629.	2.1	6
122	Understanding an emerging treatment population: Protocol for and baseline characteristics of a prospective cohort of people receiving treatment for pharmaceutical opioid dependence. Drug and Alcohol Review, 2018, 37, 887-896.	2.1	5
123	What factors contributed to the misconduct of health practitioners? An analysis of Australian cases involving the diversion and supply of pharmaceutical drugs for nonâ€medical use between 2010 and 2016. Drug and Alcohol Review, 2019, 38, 366-376.	2.1	5
124	Risk of discharge against medical advice among hospital inpatients with a history of opioid agonist therapy in New South Wales, Australia: A cohort study and nested crossover-cohort analysis. Drug and Alcohol Dependence, 2020, 217, 108343.	3.2	5
125	Alprazolam use among a sample of Australians who inject drugs: Trends up to six years post regulatory changes. International Journal of Drug Policy, 2020, 79, 102721.	3.3	5
126	Community pharmacists' preparedness to intervene with concerns around prescription opioids: findings from a nationally representative survey. International Journal of Clinical Pharmacy, 2021, 43, 411-419.	2.1	5

#	Article	IF	CITATIONS
127	Hospitalisations for non-fatal overdose among people with a history of opioid dependence in New South Wales, Australia, 2001–2018: Findings from the OATS retrospective cohort study. Drug and Alcohol Dependence, 2021, 218, 108354.	3.2	5
128	The cost and impact of distributing naloxone to people who are prescribed opioids to prevent opioidâ€related deaths: findings from a modelling study. Addiction, 2022, 117, 1009-1019.	3.3	5
129	Comparing rates and characteristics of emergency department presentations related to pharmaceutical opioid poisoning in Australia: a study protocol for a retrospective observational study. BMJ Open, 2020, 10, e038979.	1.9	4
130	Pharmaceutical Opioid Use Patterns and Indicators of Extramedical Use and Harm in Adults With Chronic Noncancer Pain, 2012-2018. JAMA Network Open, 2021, 4, e213059.	5.9	4
131	Opioid agonist doses for oxycodone and morphine dependence: Findings from a retrospective case series. Drug and Alcohol Review, 2017, 36, 311-316.	2.1	3
132	Benzodiazepine use of community-based violent offenders: a preliminary investigation. Journal of Substance Use, 2017, 22, 295-303.	0.7	3
133	Validation of the OWLS, a Screening Tool for Measuring Prescription Opioid Use Disorder in Primary Care. Pain Medicine, 2020, 21, 2757-2764.	1.9	3
134	Validity and Reliability of theÂComputer-Administered Routine Opioid Outcome Monitoring (ROOM) Tool. Pain Medicine, 2020, 21, 3645-3654.	1.9	3
135	Unintended consequences of using real time prescription monitoring systems. Medical Journal of Australia, 2020, 213, 142.	1.7	3
136	Feasibility and acceptability of takeâ€home naloxone for people released from prison in New South Wales, Australia. Drug and Alcohol Review, 2021, 40, 98-108.	2.1	3
137	A prospective cohort study evaluating the impact of upscheduling codeine in Australia among frequent users of codeine. Addiction, 2022, 117, 677-686.	3.3	3
138	Perceptions of injectable opioid agonist treatment (iOAT) among people who regularly use opioids in Australia: findings from a crossâ€sectional study in three Australian cities. Addiction, 2021, 116, 1482-1494.	3.3	3
139	Opioid agonist treatment in the time of fentanyl: What can we learn from emerging evidence?. Drug and Alcohol Review, 2020, 39, 203-204.	2.1	2
140	The price and mark up of pharmaceutical drugs supplied on the black market. International Journal of Drug Policy, 2020, 76, 102626.	3.3	2
141	Efficacy of cannabinoids for treating paediatric spasticity in cerebral palsy or traumatic brain injury: what is the evidence?. Developmental Medicine and Child Neurology, 2020, 62, 1007-1007.	2.1	2
142	Commentary on Cairns et al . (2020): Codeine rescheduling—where to from here?. Addiction, 2020, 115, 460-461.	3.3	2
143	Should we be routinely coâ€prescribing naloxone for patients on long term opioids?. Medical Journal of Australia, 2021, 214, 403-404.e1.	1.7	2
144	Use of pharmacological and nonpharmacological treatments for chronic noncancer pain among people using opioids: a longitudinal cohort study. Pain, 2022, 163, 1049-1059.	4.2	2

#	Article	IF	CITATIONS
145	Time to address addiction treatment inequality in hospital settings. Lancet Public Health, The, 2021, , .	10.0	2
146	Self-reported challenges obtaining ongoing prescription opioids among Australians with chronic non-cancer pain. International Journal of Drug Policy, 2022, 105, 103708.	3.3	2
147	Commentary on Chang <i>et al</i> . (2018): Assessing prescribing volume and patient risk—implementation considerations. Addiction, 2018, 113, 687-688.	3.3	1
148	The case for developing pharmacist workforce capacity in addiction medicine. Journal of Pharmacy Practice and Research, 2019, 49, 505-507.	0.8	1
149	Editorial: Naloxone for opioid toxicity and overdose in the community. Australian Prescriber, 2021, 44, 38-39.	1.0	1
150	Commentary on McCoy <i>et al</i> .: More pieces of the mosaic describing outcomes of the Australian upâ€scheduling of overâ€theâ€counter codeine to prescription only. Addiction, 2022, 117, 687-689.	3.3	1
151	Impact of Removing Nonprescription Codeine in Australia: Protocol for a Prospective Cohort Study. JMIR Research Protocols, 2020, 9, e15540.	1.0	1
152	A prospective, multisite implementation-efficacy trial of a collaborative prescriber-pharmacist model for Medication Assisted Treatment for Opioid Dependence: Protocol for the EPIC-MATOD study. Research in Social and Administrative Pharmacy, 2021, , .	3.0	1
153	The Overdose Response with Take Home Naloxone (<scp>ORTHN</scp>) project: Evaluation of health worker training, attitudes and perceptions. Drug and Alcohol Review, 2022, 41, 1085-1094.	2.1	1
154	Comparing opioid types in the persistence of opioid use following surgical admission: a study protocol for a retrospective observational linkage study comparing tapentadol and oxycodone in Australia. BMJ Open, 2022, 12, e060151.	1.9	1
155	Prescribing and Dispensing of Benzodiazepines. , 2016, , 283-292.		0
156	Commentary on McDonald <i>et al</i> . (2018): Intranasal naloxone—from the laboratory to the real world. Addiction, 2018, 113, 494-495.	3.3	0
157	Characteristics of oxycodoneâ€related ambulance attendances: analysis of temporal trends and the effect of reformulation in Victoria, Australia from 2013 to 2018. Addiction, 2021, 116, 2233-2241.	3.3	0