

# Kyoungbun Lee

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1642152/publications.pdf>

Version: 2024-02-01

159  
papers

4,132  
citations

109321

35  
h-index

161849

54  
g-index

163  
all docs

163  
docs citations

163  
times ranked

6864  
citing authors

#	ARTICLE	IF	CITATIONS
1	Simultaneous evaluation of perfusion and morphology using GRASP MRI in hepatic fibrosis. <i>European Radiology</i> , 2022, 32, 34-45.	4.5	8
2	How to approach pancreatic cancer after neoadjuvant treatment: assessment of resectability using multidetector CT and tumor markers. <i>European Radiology</i> , 2022, 32, 56-66.	4.5	11
3	LI-RADS Tumor in Vein at CT and Hepatobiliary MRI. <i>Radiology</i> , 2022, 302, 107-115.	7.3	13
4	Oncologic outcomes according to the location and status of resection margin in pancreas head cancer: role of radiation therapy in R1 resection. <i>Annals of Surgical Treatment and Research</i> , 2022, 102, 10.	1.0	3
5	Comprehensive clinicopathologic, molecular, and immunologic characterization of colorectal carcinomas with loss of three intestinal markers, CDX2, SATB2, and KRT20. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 480, 543-555.	2.8	5
6	Quantitative analysis of tendon histopathology using digital pathology in rat models with Achilles tendon injury. <i>Connective Tissue Research</i> , 2022, , 1-12.	2.3	0
7	Performance of LI-RADS Version 2018 on CT for Determining Eligibility for Liver Transplant According to Milan Criteria in Patients at High Risk for Hepatocellular Carcinoma. <i>American Journal of Roentgenology</i> , 2022, 219, 86-96.	2.2	7
8	Prediction of tumor recurrence and poor survival of ampullary adenocarcinoma using preoperative clinical and CT findings. <i>European Radiology</i> , 2021, 31, 2433-2443.	4.5	6
9	Natural history and optimal treatment strategy of intraductal papillary mucinous neoplasm of the pancreas: Analysis using a nomogram and Markov decision model. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021, 28, 131-142.	2.6	18
10	Important CT and histopathological findings for recurrence and overall survival in patients with pancreatic ductal adenocarcinoma who underwent surgery after neoadjuvant FOLFIRINOX. <i>European Radiology</i> , 2021, 31, 3616-3626.	4.5	4
11	PAIP 2019: Liver cancer segmentation challenge. <i>Medical Image Analysis</i> , 2021, 67, 101854.	11.6	52
12	T2 gallbladder cancer shows substantial survival variation between continents and this is not due to histopathologic criteria or pathologic sampling differences. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 478, 875-884.	2.8	10
13	Preoperative immune landscape predisposes adverse outcomes in hepatocellular carcinoma patients with liver transplantation. <i>Npj Precision Oncology</i> , 2021, 5, 27.	5.4	11
14	Multiple hepatocyte nuclear factor 1A (HNF1A)-inactivated hepatocellular adenomas arising in a background of congenital hepatic fibrosis. <i>Journal of Pathology and Translational Medicine</i> , 2021, 55, 154-158.	1.1	3
15	Preoperative assessment of the resectability of pancreatic ductal adenocarcinoma on CT according to the NCCN Guidelines focusing on SMA/SMV branch invasion. <i>European Radiology</i> , 2021, 31, 6889-6897.	4.5	14
16	Hepatic fibrosis grading with extracellular volume fraction from iodine mapping in spectral liver CT. <i>European Journal of Radiology</i> , 2021, 137, 109604.	2.6	17
17	Improving the Accuracy of Intrahepatic Cholangiocarcinoma Subtype Classification by Hidden Class Detection via Label Smoothing. , 2021, , .		0
18	Peritumoral lymph nodes in pancreatic cancer revisited; is it truly equivalent to lymph node metastasis?. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021, 28, 893-901.	2.6	5

#	ARTICLE	IF	CITATIONS
19	Development and operation of a digital platform for sharing pathology image data. <i>BMC Medical Informatics and Decision Making</i> , 2021, 21, 114.	3.0	5
20	Comparison of Clinical Outcomes of Borderline Resectable Pancreatic Cancer According to the Neoadjuvant Chemo-Regimens: Gemcitabine versus FOLFIRINOX. <i>Gut and Liver</i> , 2021, 15, 466-475.	2.9	11
21	A comparison of outcomes in patients with intracholecystic papillary neoplasms or conventional adenocarcinomas of the gallbladder. <i>Hpb</i> , 2021, 23, 746-752.	0.3	13
22	Evaluation of LI-RADS Version 2018 Treatment Response Algorithm for Hepatocellular Carcinoma in Liver Transplant Candidates: Intraindividual Comparison between CT and Hepatobiliary Agent-enhanced MRI. <i>Radiology</i> , 2021, 299, 336-345.	7.3	13
23	Prognostic significance of viable tumor size measurement in hepatocellular carcinomas after preoperative locoregional treatment. <i>Journal of Pathology and Translational Medicine</i> , 2021, 55, 338-348.	1.1	3
24	Assessment of hepatic sinusoidal obstruction syndrome with intravoxel incoherent motion diffusion-weighted imaging: An experimental study in a rat model. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 51, 81-89.	3.4	8
25	Risk Factors of Tumor Recurrence After Liver Transplantation for Combined Hepatocellular Carcinoma and Cholangiocarcinoma. <i>Transplantation Proceedings</i> , 2020, 52, 271-275.	0.6	0
26	Comparison of liquid-based cytology with conventional smear cytology for EUS-guided FNA of solid pancreatic masses: a prospective randomized noninferiority study. <i>Gastrointestinal Endoscopy</i> , 2020, 91, 837-846.e1.	1.0	23
27	Intrahepatic cholangiocarcinomas with IDH1/2 mutation-associated hypermethylation at selective genes and their clinicopathological features. <i>Scientific Reports</i> , 2020, 10, 15820.	3.3	16
28	Contrast-enhanced US with Sulfur Hexafluoride and Perfluorobutane for the Diagnosis of Hepatocellular Carcinoma in Individuals with High Risk. <i>Radiology</i> , 2020, 297, 108-116.	7.3	32
29	The Clinicopathological and Prognostic Significance of Nrf2 and Keap1 Expression in Hepatocellular Carcinoma. <i>Cancers</i> , 2020, 12, 2128.	3.7	12
30	Antibacterial infection and immune-evasive coating for orthopedic implants. <i>Science Advances</i> , 2020, 6, .	10.3	73
31	Radiologic-Pathologic Correlation of Hepatobiliary Phase Hypointense Nodules without Arterial Phase Hyperenhancement at Gadoteric Acid-enhanced MRI: A Multicenter Study. <i>Radiology</i> , 2020, 296, 335-345.	7.3	42
32	Pancreatic acinar cell carcinomas and mixed acinar-neuroendocrine carcinomas are more clinically aggressive than grade 1 pancreatic neuroendocrine tumours. <i>Pathology</i> , 2020, 52, 336-347.	0.6	14
33	Ultrasound and Magnetic Resonance Imaging Features of Calcifying Aponeurotic Fibromas. <i>Journal of Ultrasound in Medicine</i> , 2020, 39, 1299-1306.	1.7	7
34	MEST-C pathological score and long-term outcomes of child and adult patients with Henoch-Schönlein purpura nephritis. <i>BMC Nephrology</i> , 2020, 21, 33.	1.8	20
35	Two-Dimensional-Shear Wave Elastography with a Propagation Map: Prospective Evaluation of Liver Fibrosis Using Histopathology as the Reference Standard. <i>Korean Journal of Radiology</i> , 2020, 21, 1317.	3.4	12
36	Pancreatic High-Grade Neuroendocrine Neoplasms in the Korean Population: A Multicenter Study. <i>Cancer Research and Treatment</i> , 2020, 52, 263-276.	3.0	19

#	ARTICLE	IF	CITATIONS
37	A scoring system for the diagnosis of non-alcoholic steatohepatitis from liver biopsy. <i>Journal of Pathology and Translational Medicine</i> , 2020, 54, 228-236.	1.1	2
38	Gorham-Stout Syndrome with Focal Segmental Glomerulosclerosis: A Case Report. <i>Childhood Kidney Diseases</i> , 2020, 24, 120-125.	0.4	0
39	Clinical meaning of the World Health Organization morphologic classification (flat vs. tumoral) of gallbladder intraepithelial neoplasm as a prognostic factor in gallbladder cancer. <i>Annals of Translational Medicine</i> , 2020, 8, 1413-1413.	1.7	1
40	Combined hepatocellular cholangiocarcinoma: LI-RADS v2017 categorisation for differential diagnosis and prognostication on gadoteric acid-enhanced MR imaging. <i>European Radiology</i> , 2019, 29, 373-382.	4.5	89
41	Tumor-Associated Protein Profiles in Kaposi Sarcoma and Mimicking Vascular Tumors, and Their Pathological Implications. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3142.	4.1	5
42	Personalized 3D-Printed Transparent Liver Model Using the Hepatobiliary Phase MRI. <i>Investigative Radiology</i> , 2019, 54, 138-145.	6.2	6
43	DLEC1 methylation is associated with a better clinical outcome in patients with intrahepatic cholangiocarcinoma of the small duct subtype. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019, 475, 49-58.	2.8	12
44	Preoperative MDCT Assessment of Resectability in Borderline Resectable Pancreatic Cancer: Effect of Neoadjuvant Chemoradiation Therapy. <i>American Journal of Roentgenology</i> , 2018, 210, 1059-1065.	2.2	21
45	Preformed donor-specific antibodies do not affect the 1-year allograft survival in living donor liver transplantation. <i>Clinical Transplantation</i> , 2018, 32, e13244.	1.6	14
46	CT diagnosis of gallbladder adenomyomatosis: importance of enhancing mucosal epithelium, the "cotton ball sign". <i>European Radiology</i> , 2018, 28, 3573-3582.	4.5	16
47	Effect of <i>PNPLA3</i> 1148M polymorphism on histologically proven non-alcoholic fatty liver disease in liver transplant recipients. <i>Hepatology Research</i> , 2018, 48, E162-E171.	3.4	12
48	Progression of Pancreatic Branch Duct Intraductal Papillary Mucinous Neoplasm Associates With Cyst Size. <i>Gastroenterology</i> , 2018, 154, 576-584.	1.3	91
49	Memory T cells are significantly increased in rejected liver allografts of rhesus monkeys. <i>Liver Transplantation</i> , 2018, 24, 256-268.	2.4	12
50	Alteration of MRP2 expression and the graft outcome after liver transplantation. <i>Annals of Surgical Treatment and Research</i> , 2018, 95, 249.	1.0	2
51	Modified Rat Hepatocellular Carcinoma Models Overexpressing Vascular Endothelial Growth Factor. <i>Journal of Vascular and Interventional Radiology</i> , 2018, 29, 1604-1612.	0.5	9
52	Comparison of the Clinicopathologic Characteristics of Intraductal Papillary Neoplasm of the Bile Duct according to Morphological and Anatomical Classifications. <i>Journal of Korean Medical Science</i> , 2018, 33, e266.	2.5	21
53	Reduced expression of the RNA-binding protein HuD in pancreatic neuroendocrine tumors correlates with low p27 <sup>Kip1</sup> levels and poor prognosis. <i>Journal of Pathology</i> , 2018, 246, 231-243.	4.5	21
54	Prognostic significance of microscopic tumor extension in local recurrence of myxofibrosarcoma and undifferentiated pleomorphic sarcoma. <i>Pathology International</i> , 2018, 68, 509-516.	1.3	12

#	ARTICLE	IF	CITATIONS
55	Intrahepatic Mass-Forming Cholangiocarcinoma: Relationship Between Computed Tomography Characteristics and Histological Subtypes. <i>Journal of Computer Assisted Tomography</i> , 2018, 42, 340-349.	0.9	14
56	A portable high-intensity focused ultrasound system for the pancreas with 3D electronic steering: a preclinical study in a swine model. <i>Ultrasonography</i> , 2018, 37, 298-306.	2.3	6
57	Prognostic significance of E-cadherin and ZEB1 expression in intraductal papillary mucinous neoplasm. <i>Oncotarget</i> , 2018, 9, 306-320.	1.8	5
58	Duodenal Adenocarcinoma of Brunner Gland Origin: A Case Report. <i>Journal of Pathology and Translational Medicine</i> , 2018, 52, 179-182.	1.1	6
59	COQ6 Mutations in Children With Steroid-Resistant Focal Segmental Glomerulosclerosis and Sensorineural Hearing Loss. <i>American Journal of Kidney Diseases</i> , 2017, 70, 139-144.	1.9	40
60	Clinical Implications of Cytotoxic T Lymphocyte Antigen-4 Expression on Tumor Cells and Tumor-Infiltrating Lymphocytes in Extrahepatic Bile Duct Cancer Patients Undergoing Surgery Plus Adjuvant Chemoradiotherapy. <i>Targeted Oncology</i> , 2017, 12, 211-218.	3.6	17
61	Focal segmental glomerulosclerosis and medullary nephrocalcinosis in children with ADCK4 mutations. <i>Pediatric Nephrology</i> , 2017, 32, 1547-1554.	1.7	27
62	Therapeutic Mechanisms of Human Adipose-Derived Mesenchymal Stem Cells in a Rat Tendon Injury Model. <i>American Journal of Sports Medicine</i> , 2017, 45, 1429-1439.	4.2	68
63	Comparison of cytological and histological preparations in the diagnosis of pancreatic malignancies using endoscopic ultrasound-guided fine needle aspiration. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2017, 16, 418-423.	1.3	7
64	Split liver transplantation for retroperitoneal immature teratoma masquerading as hepatoblastoma. <i>Pediatric Transplantation</i> , 2017, 21, e13025.	1.0	2
65	Multifunctional nanoparticles as a tissue adhesive and an injectable marker for image-guided procedures. <i>Nature Communications</i> , 2017, 8, 15807.	12.8	67
66	The correlation between poor prognosis and increased yes-associated protein 1 expression in keratin 19 expressing hepatocellular carcinomas and cholangiocarcinomas. <i>BMC Cancer</i> , 2017, 17, 441.	2.6	22
67	Preoperative Assessment of Pancreatic Cancer with FDG PET/MR Imaging versus FDG PET/CT Plus Contrast-enhanced Multidetector CT: A Prospective Preliminary Study. <i>Radiology</i> , 2017, 282, 149-159.	7.3	74
68	Tumoral LINE-1 hypomethylation is associated with poor survival of patients with intrahepatic cholangiocarcinoma. <i>BMC Cancer</i> , 2017, 17, 588.	2.6	12
69	Liver fibrosis staging with a new 2D-shear wave elastography using comb-push technique: Applicability, reproducibility, and diagnostic performance. <i>PLoS ONE</i> , 2017, 12, e0177264.	2.5	31
70	VDJ gene usage among B-cell receptors in ABO-incompatible kidney transplantation determined by RNA-seq Transcriptomic analysis. <i>BMC Nephrology</i> , 2017, 18, 340.	1.8	2
71	False Positive Diagnosis of Hepatocellular Carcinoma in Liver Resection Patients. <i>Journal of Korean Medical Science</i> , 2017, 32, 315.	2.5	15
72	Survival outcome and prognostic factors of neoadjuvant treatment followed by resection for borderline resectable pancreatic cancer. <i>Annals of Surgical Treatment and Research</i> , 2017, 93, 186.	1.0	28

#	ARTICLE	IF	CITATIONS
73	No-touch radiofrequency ablation using multiple electrodes: An in vivo comparison study of switching monopolar versus switching bipolar modes in porcine livers. <i>PLoS ONE</i> , 2017, 12, e0176350.	2.5	20
74	Ceruloplasmin as a prognostic marker in patients with bile duct cancer. <i>Oncotarget</i> , 2017, 8, 29028-29037.	1.8	26
75	DAXX/ATRX and MEN1 genes are strong prognostic markers in pancreatic neuroendocrine tumors. <i>Oncotarget</i> , 2017, 8, 49796-49806.	1.8	59
76	Prognosis of Hepatocellular Carcinoma after Liver Transplantation: Comparative Analysis with Partial Hepatectomy. <i>Journal of Pathology and Translational Medicine</i> , 2017, 51, 79-86.	1.1	6
77	Dermatomyositis in a Patient with Cholangiocarcinoma Detected by an [ <sup>18</sup> F]-Fluorodeoxyglucose Positron Emission Tomography-Computed Tomography Scan. <i>Cancer Research and Treatment</i> , 2016, 48, 848-852.	3.0	7
78	Undifferentiated embryonal sarcoma of the liver in an adult patient. <i>Clinical and Molecular Hepatology</i> , 2016, 22, 292-295.	8.9	18
79	Improvement of clinical outcomes in the patients with gallbladder cancer: lessons from periodic comparison in a tertiary referral center. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2016, 23, 234-241.	2.6	9
80	Pre-transplant Evaluation of Donor Urinary Biomarkers can Predict Reduced Graft Function After Deceased Donor Kidney Transplantation. <i>Medicine (United States)</i> , 2016, 95, e3076.	1.0	24
81	Impact of Type of Surgery on Survival Outcome in Patients With Early Gallbladder Cancer in the Era of Minimally Invasive Surgery. <i>Medicine (United States)</i> , 2016, 95, e3675.	1.0	49
82	Biomarker Development for Intraductal Papillary Mucinous Neoplasms Using Multiple Reaction Monitoring Mass Spectrometry. <i>Journal of Proteome Research</i> , 2016, 15, 100-113.	3.7	16
83	Liver Fibrosis Staging with MR Elastography: Comparison of Diagnostic Performance between Patients with Chronic Hepatitis B and Those with Other Etiologic Causes. <i>Radiology</i> , 2016, 280, 88-97.	7.3	54
84	Comparison of tumor vascularity and hemodynamics in three rat hepatoma models. <i>Abdominal Radiology</i> , 2016, 41, 257-264.	2.1	15
85	Assessment of Malignant Potential in Intraductal Papillary Mucinous Neoplasms of the Pancreas: Comparison between Multidetector CT and MR Imaging with MR Cholangiopancreatography. <i>Radiology</i> , 2016, 279, 128-139.	7.3	54
86	Survival Outcomes According to Adjuvant Treatment and Prognostic Factors Including Host Immune Markers in Patients with Curatively Resected Ampulla of Vater Cancer. <i>PLoS ONE</i> , 2016, 11, e0151406.	2.5	15
87	Tenofovir-associated nephrotoxicity in patients with chronic hepatitis B: two cases. <i>Clinical and Molecular Hepatology</i> , 2016, 22, 286-291.	8.9	15
88	Histopathology of a benign bile duct lesion in the liver: Morphologic mimicker or precursor of intrahepatic cholangiocarcinoma. <i>Clinical and Molecular Hepatology</i> , 2016, 22, 400-405.	8.9	15
89	Interobserver Agreement on Pathologic Features of Liver Biopsy Tissue in Patients with Nonalcoholic Fatty Liver Disease. <i>Journal of Pathology and Translational Medicine</i> , 2016, 50, 190-196.	1.1	25
90	Nuclear Expression of Hepatitis B Virus X Protein Is Associated with Recurrence of Early-Stage Hepatocellular Carcinomas: Role of Viral Protein in Tumor Recurrence. <i>Journal of Pathology and Translational Medicine</i> , 2016, 50, 181-189.	1.1	7

#	ARTICLE	IF	CITATIONS
91	Visceral Obesity Predicts Significant Fibrosis in Patients With Nonalcoholic Fatty Liver Disease. <i>Medicine (United States)</i> , 2015, 94, e2159.	1.0	85
92	Clinical and pathological significance of ROS1 expression in intrahepatic cholangiocarcinoma. <i>BMC Cancer</i> , 2015, 15, 721.	2.6	19
93	Improved Insulin Secretion by Autologous Islet Transplantation, Compared to Oral Antidiabetic Agents, after Distal Pancreatectomy. <i>Cell Transplantation</i> , 2015, 24, 1615-1626.	2.5	8
94	The effect of cyclosporine A in hemorrhagic shock model of rats. <i>Journal of Trauma and Acute Care Surgery</i> , 2015, 78, 370-377.	2.1	8
95	Diagnostic Accuracy of Endoscopic Ultrasound-Guided Fine Needle Aspiration Cytology of Pancreatic Lesions. <i>Journal of Pathology and Translational Medicine</i> , 2015, 49, 52-60.	1.1	35
96	A case of gemcitabine-induced thrombotic microangiopathy in a urothelial tumor patient with a single kidney. <i>Kidney Research and Clinical Practice</i> , 2015, 34, 237-240.	2.2	8
97	Nephronophthisis 13: implications of its association with Caroli disease and altered intracellular localization of WDR19 in the kidney. <i>Pediatric Nephrology</i> , 2015, 30, 1451-1458.	1.7	18
98	High ratio of programmed cell death protein 1 (PD-1)+/CD8+ tumor-infiltrating lymphocytes identifies a poor prognostic subset of extrahepatic bile duct cancer undergoing surgery plus adjuvant chemoradiotherapy. <i>Radiotherapy and Oncology</i> , 2015, 117, 165-170.	0.6	47
99	Sonic hedgehog (SHH) and glioblastoma-2 (Gli-2) expressions are associated with poor jaundice-free survival in biliary atresia. <i>Journal of Pediatric Surgery</i> , 2015, 50, 371-376.	1.6	11
100	Familial IPEX syndrome: Different glomerulopathy in two siblings. <i>Pediatrics International</i> , 2015, 57, e59-61.	0.5	26
101	Clinicopathologic Analysis of Gastrointestinal Stromal Tumors in Duodenum and Small Intestine. <i>World Journal of Surgery</i> , 2015, 39, 1026-1033.	1.6	11
102	Adjuvant treatment patterns and clinical outcomes in patients with curative resected ampulla of Vater cancer. <i>Journal of Clinical Oncology</i> , 2015, 33, 415-415.	1.6	1
103	CT Findings of Gallbladder Metastases: Emphasis on Differences According to Primary Tumors. <i>Korean Journal of Radiology</i> , 2014, 15, 334.	3.4	23
104	Timely diagnosis of pulmonary artery tumor embolism by ultrasound-guided transbronchial needle aspiration. <i>Thoracic Cancer</i> , 2014, 5, 184-187.	1.9	9
105	Histologically proven nonalcoholic fatty liver disease and clinically related factors in recipients after liver transplantation. <i>Clinical Transplantation</i> , 2014, 28, 521-529.	1.6	50
106	Fulminant hepatitis linked to dapson hypersensitivity syndrome requiring urgent living donor liver transplantation: A case report. <i>Pediatric Transplantation</i> , 2014, 18, E240-5.	1.0	9
107	Napsin A is a useful marker for metastatic adenocarcinomas of pulmonary origin. <i>Histopathology</i> , 2014, 65, 195-206.	2.9	25
108	Clinicopathological analysis and prognosis of extrahepatic bile duct cancer with a microscopic positive ductal margin. <i>Hpb</i> , 2014, 16, 575-581.	0.3	15

#	ARTICLE	IF	CITATIONS
109	Shear-Wave Elastographic Features of Breast Cancers. <i>Investigative Radiology</i> , 2014, 49, 147-155.	6.2	39
110	Intravoxel Incoherent Motion Diffusion-Weighted Imaging of Pancreatic Neuroendocrine Tumors. <i>Investigative Radiology</i> , 2014, 49, 396-402.	6.2	48
111	Hepatic Steatosis in Living Liver Donor Candidates: Preoperative Assessment by Using Breath-hold Triple-Echo MR Imaging and <sup>1</sup> H MR Spectroscopy. <i>Radiology</i> , 2014, 271, 730-738.	7.3	50
112	Analysis of Microscopic Tumor Spread Patterns According to Gross Morphologies and Suggestions for Optimal Resection Margins in Bile Duct Cancer. <i>Journal of Gastrointestinal Surgery</i> , 2014, 18, 1146-1154.	1.7	7
113	22q11-q13 as a hot spot for prediction of disease-free survival in bile duct cancer: integrative analysis of copy number variations. <i>Cancer Genetics</i> , 2014, 207, 57-69.	0.4	14
114	Blood pressure-targeted stepwise resuscitation for hemorrhagic shock in rats. <i>Journal of Trauma and Acute Care Surgery</i> , 2014, 76, 771-778.	2.1	9
115	Long-term Prospective Cohort Study of Patients Undergoing Pancreatectomy for Intraductal Papillary Mucinous Neoplasm of the Pancreas. <i>Annals of Surgery</i> , 2014, 260, 356-363.	4.2	112
116	High Expression of Protein Tyrosine Kinase 7 Significantly Associates with Invasiveness and Poor Prognosis in Intrahepatic Cholangiocarcinoma. <i>PLoS ONE</i> , 2014, 9, e90247.	2.5	28
117	Sarcomatoid hepatocellular carcinoma with mixed osteoclast-like giant cells and chondroid differentiation. <i>Clinical and Molecular Hepatology</i> , 2014, 20, 313.	8.9	14
118	Histopathologic factors affecting tumor recurrence after hepatic resection in colorectal liver metastases. <i>Annals of Surgical Treatment and Research</i> , 2014, 87, 14.	1.0	26
119	Comparison of Shear-Wave and Strain Ultrasound Elastography in the Differentiation of Benign and Malignant Breast Lesions. <i>American Journal of Roentgenology</i> , 2013, 201, W347-W356.	2.2	154
120	Impact of Macroscopic Morphology, Multifocality, and Mucin Secretion on Survival Outcome of Intraductal Papillary Neoplasm of the Bile Duct. <i>Journal of Gastrointestinal Surgery</i> , 2013, 17, 931-938.	1.7	36
121	Outcome of Various Treatments for Posttransplant Hepatitis B Virus Recurrence. <i>World Journal of Surgery</i> , 2013, 37, 812-819.	1.6	8
122	Clinicopathologic implication of hepatic progenitor cell marker expression in hepatoblastoma. <i>Pathology Research and Practice</i> , 2013, 209, 568-573.	2.3	18
123	Shear wave elastography in the evaluation of rejection or recurrent hepatitis after liver transplantation. <i>European Radiology</i> , 2013, 23, 1729-1737.	4.5	28
124	ANT2 suppression by shRNA restores miR-636 expression, thereby downregulating Ras and inhibiting tumorigenesis of hepatocellular carcinoma. <i>Experimental and Molecular Medicine</i> , 2013, 45, e3-e3.	7.7	36
125	Infliximol Reduces Severity of Acute Pancreatitis by Inhibiting Nuclear Factor- $\kappa$ B Activation in Cerulein-Induced Pancreatitis. <i>Pancreas</i> , 2013, 42, 279-284.	1.1	8
126	Evaluation of Clinical Meaning of Histological Subtypes of Intraductal Papillary Mucinous Neoplasm of the Pancreas. <i>Pancreas</i> , 2013, 42, 959-966.	1.1	34



#	ARTICLE	IF	CITATIONS
127	Disease Spectrum of Intraductal Papillary Mucinous Neoplasm With an Associated Invasive Carcinoma. <i>Pancreas</i> , 2013, 42, 1267-1274.	1.1	40
128	Protein expression status in mucosal and submucosal portions of early gastric cancers and their predictive value for lymph node metastasis. <i>Apmis</i> , 2013, 121, 926-937.	2.0	3
129	Liver transplantation for HBsAg-positive recipients using grafts from HBsAg-positive deceased donors. <i>Transplant International</i> , 2013, 26, 1173-1183.	1.6	19
130	Rat Model of Hindlimb Ischemia Induced via Embolization with Polyvinyl Alcohol and N-Butyl Cyanoacrylate. <i>Korean Journal of Radiology</i> , 2013, 14, 923.	3.4	6
131	Clinical and pathological differences between serum immunoglobulin G4-positive and -negative type 1 autoimmune pancreatitis. <i>World Journal of Gastroenterology</i> , 2013, 19, 4031.	3.3	26
132	Feasibility and Accuracy of Dual-Source Dual-Energy CT for Noninvasive Determination of Hepatic Iron Accumulation. <i>Radiology</i> , 2012, 262, 126-135.	7.3	68
133	Antioxidant effects of selenium on lung injury in paraquat intoxicated rats. <i>Clinical Toxicology</i> , 2012, 50, 749-753.	1.9	22
134	Effect of valproic acid on acute lung injury in a rodent model of intestinal ischemia reperfusion. <i>Resuscitation</i> , 2012, 83, 243-248.	3.0	72
135	Overexpression of Romo1 Promotes Production of Reactive Oxygen Species and Invasiveness of Hepatic Tumor Cells. <i>Gastroenterology</i> , 2012, 143, 1084-1094.e7.	1.3	67
136	Overexpression of epithelial-mesenchymal transition-related markers according to cell dedifferentiation: clinical implications as an independent predictor of poor prognosis in cholangiocarcinoma. <i>Human Pathology</i> , 2012, 43, 2360-2370.	2.0	29
137	Bile-Based Detection of Extrahepatic Cholangiocarcinoma with Quantitative DNA Methylation Markers and Its High Sensitivity. <i>Journal of Molecular Diagnostics</i> , 2012, 14, 256-263.	2.8	33
138	Prognostic implications of tumor vascularity and its relationship to cytokeratin 19 expression in patients with hepatocellular carcinoma. <i>Abdominal Imaging</i> , 2012, 37, 439-446.	2.0	19
139	Nicotinamide inhibits the early stage of carcinogen-induced hepatocarcinogenesis in mice and suppresses human hepatocellular carcinoma cell growth. <i>Journal of Cellular Physiology</i> , 2012, 227, 899-908.	4.1	16
140	Early versus delayed laparoscopic cholecystectomy after percutaneous transhepatic gallbladder drainage. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2012, 19, 187-193.	2.6	67
141	The Histologic Cut-off Point for Adjacent and Remote Non-neoplastic Liver Parenchyma of Hepatocellular Carcinoma in Chronic Hepatitis B Patients. <i>Korean Journal of Pathology</i> , 2012, 46, 349.	1.3	6
142	Clinical features of 20 patients with curatively resected biliary neuroendocrine tumours. <i>Digestive and Liver Disease</i> , 2011, 43, 965-970.	0.9	56
143	Cyst Growth Rate Predicts Malignancy in Patients With Branch Duct Intraductal Papillary Mucinous Neoplasms. <i>Clinical Gastroenterology and Hepatology</i> , 2011, 9, 87-93.	4.4	192
144	Determination of the Cutoff Value of the Proportion of Cystic Change for Prognostic Stratification of Clear Cell Renal Cell Carcinoma. <i>Journal of Urology</i> , 2011, 186, 423-429.	0.4	26

#	ARTICLE	IF	CITATIONS
145	CD151 expression can predict cancer progression in clear cell renal cell carcinoma. <i>Histopathology</i> , 2011, 58, 191-197.	2.9	31
146	The clinicopathological significance of heat shock protein 70 and glutamine synthetase expression in hepatocellular carcinoma. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2011, 18, 544-550.	2.6	30
147	Gene expression profiling of human hepatoblastoma using archived formalin-fixed and paraffin-embedded tissues. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 458, 453-465.	2.8	24
148	Usefulness of a break-apart FISH assay in the diagnosis of Xp11.2 translocation renal cell carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 459, 299-306.	2.8	47
149	MR elastography for noninvasive assessment of hepatic fibrosis: Experience from a tertiary center in asia. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 34, 1110-1116.	3.4	86
150	Intrahepatic Mass-forming Cholangiocarcinomas: Enhancement Patterns at Multiphasic CT, with Special Emphasis on Arterial Enhancement Pattern—Correlation with Clinicopathologic Findings. <i>Radiology</i> , 2011, 260, 148-157.	7.3	200
151	Increased Intratumoral Lymphatic Vessel Density Correlates with Lymph Node Metastasis in Early Gastric Carcinoma. <i>Annals of Surgical Oncology</i> , 2010, 17, 73-80.	1.5	32
152	ORIGINAL ARTICLE: Expression pattern of glypican-3, HSP70, and glutamine synthetase in chronic hepatitis B and hepatocellular carcinoma. <i>Basic and Applied Pathology</i> , 2010, 3, 75-79.	0.2	0
153	Differential Expression of Matrix Metalloproteinases and Tissue Inhibitors of Metalloproteinases in Thioacetamide-Induced Chronic Liver Injury. <i>Journal of Korean Medical Science</i> , 2010, 25, 570.	2.5	38
154	TMPRSS2-ERG Gene Fusion and Clinicopathologic Characteristics of Korean Prostate Cancer Patients. <i>Urology</i> , 2010, 76, 1268.e7-1268.e13.	1.0	47
155	Human neuroblastoma cell line SNU-B1 loses sensitivity to brain-derived neurotrophic factor during establishment. <i>Basic and Applied Pathology</i> , 2009, 2, 131-136.	0.2	0
156	How overworked are pathologists? An assessment of cases for histopathology and cytopathology services. <i>Basic and Applied Pathology</i> , 2009, 2, 111-117.	0.2	1
157	Transcriptional profiling and Wnt signaling activation in proliferation of human hepatic stellate cells induced by PDGF-BB. <i>The Korean Journal of Hepatology</i> , 2009, 15, 486.	1.5	6
158	Correlation Analysis Between Cervicovaginal Cytologic and Histopathologic Diagnoses in Cervical Squamous Cell Neoplasm. <i>Korean Journal of Pathology</i> , 2009, 43, 157.	1.3	3
159	The Relationship between Prognostic Factors and the Expression Pattern of Fascin and E-cadherin in Renal Cell Carcinoma. <i>Korean Journal of Pathology</i> , 2009, 43, 139.	1.3	0