
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1644657/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Prevalence of workplace violence against healthcare workers: a systematic review and meta-analysis. Occupational and Environmental Medicine, 2019, 76, 927-937.	2.8	360
2	Shift work and diabetes mellitus: a meta-analysis of observational studies. Occupational and Environmental Medicine, 2015, 72, 72-78.	2.8	356
3	Insomnia and the risk of depression: a meta-analysis of prospective cohort studies. BMC Psychiatry, 2016, 16, 375.	2.6	354
4	Comparing keywords plus of <scp>WOS</scp> and author keywords: A case study of patient adherence research. Journal of the Association for Information Science and Technology, 2016, 67, 967-972.	2.9	342
5	Depression and the risk of coronary heart disease: a meta-analysis of prospective cohort studies. BMC Psychiatry, 2014, 14, 371.	2.6	338
6	Psychological health, sleep quality, and coping styles to stress facing the COVID-19 in Wuhan, China. Translational Psychiatry, 2020, 10, 225.	4.8	265
7	Sedentary behaviors and risk of depression: a meta-analysis of prospective studies. Translational Psychiatry, 2020, 10, 26.	4.8	160
8	Prevalence of Anxiety and Depressive Symptoms and Related Risk Factors among Physicians in China: A Cross-Sectional Study. PLoS ONE, 2014, 9, e103242.	2.5	142
9	Post-lockdown SARS-CoV-2 nucleic acid screening in nearly ten million residents of Wuhan, China. Nature Communications, 2020, 11, 5917.	12.8	140
10	Breakfast skipping and the risk of type 2 diabetes: a meta-analysis of observational studies. Public Health Nutrition, 2015, 18, 3013-3019.	2.2	136
11	Consumption of fruit and vegetable and risk of coronary heart disease: A meta-analysis of prospective cohort studies. International Journal of Cardiology, 2015, 183, 129-137.	1.7	135
12	Associations between aspirin use and the risk of cancers: a meta-analysis of observational studies. BMC Cancer, 2018, 18, 288.	2.6	118
13	Prevalence and risk factors for dyslipidemia among adults in rural and urban China: findings from the China National Stroke Screening and prevention project (CNSSPP). BMC Public Health, 2019, 19, 1500.	2.9	117
14	ls shift work associated with a higher risk of overweight or obesity? A systematic review of observational studies with meta-analysis. International Journal of Epidemiology, 2018, 47, 1956-1971.	1.9	116
15	Sleep duration and risk of stroke events and stroke mortality: A systematic review and meta-analysis of prospective cohort studies. International Journal of Cardiology, 2016, 223, 870-876.	1.7	88
16	Prevalence of depressive symptoms and work-related risk factors among nurses in public hospitals in southern China: A cross-sectional study. Scientific Reports, 2014, 4, 7109.	3.3	87
17	Prevalence and associated factors of depression and anxiety symptoms among college students: a systematic review and metaâ€analysis. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2022, 63, 1222-1230.	5.2	86
18	Carotid Atherosclerosis Detected by Ultrasonography: A National Crossâ€Sectional Study. Journal of the American Heart Association, 2018, 7, .	3.7	75

#	Article	IF	CITATIONS
19	Offâ€Hour Admission and Mortality Risk for 28 Specific Diseases: A Systematic Review and Metaâ€Analysis of 251 Cohorts. Journal of the American Heart Association, 2016, 5, e003102.	3.7	70
20	Consumption of hot beverages and foods and the risk of esophageal cancer: a meta-analysis of observational studies. BMC Cancer, 2015, 15, 449.	2.6	67
21	Parity and risk of maternal cardiovascular disease: A dose–response meta-analysis of cohort studies. European Journal of Preventive Cardiology, 2019, 26, 592-602.	1.8	66
22	The Health Effects of Passive Smoking: An Overview of Systematic Reviews Based on Observational Epidemiological Evidence. PLoS ONE, 2015, 10, e0139907.	2.5	66
23	Association between shift work and risk of prostate cancer: a systematic review and meta-analysis of observational studies. Carcinogenesis, 2018, 39, 87-97.	2.8	61
24	Tea consumption and the risk of depression: A meta-analysis of observational studies. Australian and New Zealand Journal of Psychiatry, 2015, 49, 334-345.	2.3	53
25	Prevalence of metabolic syndrome among middle-aged and elderly adults in China: current status and temporal trends. Annals of Medicine, 2018, 50, 345-353.	3.8	51
26	Prevalence of atrial fibrillation in different socioeconomic regions of China and its association with stroke: Results from a national stroke screening survey. International Journal of Cardiology, 2018, 271, 92-97.	1.7	50
27	Non-adherence to anti-tuberculosis treatment among internal migrants with pulmonary tuberculosis in Shenzhen, China: a cross-sectional study. BMC Public Health, 2015, 15, 474.	2.9	46
28	Prevalence of burnout and associated factors among general practitioners in Hubei, China: a cross-sectional study. BMC Public Health, 2019, 19, 1607.	2.9	46
29	Relationship Between COVID-19 Infection and Risk Perception, Knowledge, Attitude, and Four Nonpharmaceutical Interventions During the Late Period of the COVID-19 Epidemic in China: Online Cross-Sectional Survey of 8158 Adults. Journal of Medical Internet Research, 2020, 22, e21372.	4.3	45
30	Chinese Version of the EQ-5D Preference Weights: Applicability in a Chinese General Population. PLoS ONE, 2016, 11, e0164334.	2.5	39
31	Association of coffee consumption with risk of colorectal cancer: a meta-analysis of prospective cohort studies. Oncotarget, 2017, 8, 18699-18711.	1.8	39
32	Turnover intention and related factors among general practitioners in Hubei, China: a cross-sectional study. BMC Family Practice, 2018, 19, 74.	2.9	38
33	Insomnia and the risk of hypertension: A meta-analysis of prospective cohort studies. Sleep Medicine Reviews, 2021, 56, 101403.	8.5	38
34	Factors associated with doctors' knowledge on antibiotic use in China. Scientific Reports, 2016, 6, 23429.	3.3	35
35	Sleep disturbances among Chinese residents during the Coronavirus Disease 2019 outbreak and associated factors. Sleep Medicine, 2020, 74, 199-203.	1.6	35
36	Status of tuberculosisâ€related stigma and associated factors: a crossâ€sectional study in central China. Tropical Medicine and International Health, 2018, 23, 199-205.	2.3	34

#	Article	IF	CITATIONS
37	A meta-analysis of cohort studies including dose-response relationship between shift work and the risk of diabetes mellitus. European Journal of Epidemiology, 2019, 34, 1013-1024.	5.7	34
38	Protein expression of hypoxia-inducible factor-1 alpha and hepatocellular carcinoma: A systematic review with meta-analysis. Clinics and Research in Hepatology and Gastroenterology, 2014, 38, 598-603.	1.5	33
39	Awareness, treatment, control, and determinants of dyslipidemia among adults in China. Scientific Reports, 2021, 11, 10056.	3.3	33
40	Improper wound treatment and delay of rabies post-exposure prophylaxis of animal bite victims in China: Prevalence and determinants. PLoS Neglected Tropical Diseases, 2017, 11, e0005663.	3.0	32
41	Effectiveness of interventions for hypertension care in the community – a meta-analysis of controlled studies in China. BMC Health Services Research, 2012, 12, 216.	2.2	31
42	The global prevalence of turnover intention among general practitioners: a systematic review and meta-analysis. BMC Family Practice, 2020, 21, 246.	2.9	31
43	Association of metformin with mortality or ARDS in patients with COVID-19 and type 2 diabetes: A retrospective cohort study. Diabetes Research and Clinical Practice, 2021, 173, 108619.	2.8	31
44	Efficacy of ribavirin and interferon-α therapy for hospitalized patients with COVID-19: A multicenter, retrospective cohort study. International Journal of Infectious Diseases, 2021, 104, 641-648.	3.3	31
45	Overweight, obesity and the risk of gallbladder and extrahepatic bile duct cancers: A metaâ€analysis of observational studies. Obesity, 2016, 24, 1786-1802.	3.0	30
46	Trends and patterns of outpatient and inpatient antibiotic use in China's hospitals: data from the Center for Antibacterial Surveillance, 2012–16. Journal of Antimicrobial Chemotherapy, 2019, 74, 1731-1740.	3.0	30
47	The association of metabolic syndrome components and diabetes mellitus: evidence from China National Stroke Screening and Prevention Project. BMC Public Health, 2019, 19, 192.	2.9	28
48	Maternal smoking status during pregnancy and low birth weight in offspring: systematic review and meta-analysis of 55 cohort studies published from 1986 to 2020. World Journal of Pediatrics, 2022, 18, 176-185.	1.8	28
49	The effect of essential medicines programme on rational use of medicines in China. Health Policy and Planning, 2016, 31, 21-27.	2.7	27
50	Nonadherence to Antituberculosis Medications: The Impact of Stigma and Depressive Symptoms. American Journal of Tropical Medicine and Hygiene, 2018, 98, 262-265.	1.4	27
51	Prevalence and Risk Factors Associated With Workplace Violence Against General Practitioners in Hubei, China. American Journal of Public Health, 2018, 108, 1223-1226.	2.7	27
52	Over-the-counter antibiotic sales in community and online pharmacies, China. Bulletin of the World Health Organization, 2020, 98, 449-457.	3.3	27
53	Focus on vulnerable populations and promoting equity in health service utilization ––an analysis of visitor characteristics and service utilization of the Chinese community health service. BMC Public Health, 2014, 14, 503.	2.9	26
54	Pre-hospital Delay after Acute Ischemic Stroke in Central Urban China: Prevalence and Risk Factors. Molecular Neurobiology, 2017, 54, 3007-3016.	4.0	26

#	Article	IF	CITATIONS
55	The effect of body mass index and physical activity on hypertension among Chinese middle-aged and older population. Scientific Reports, 2017, 7, 10256.	3.3	26
56	Prevalence and risk factors associated with stroke in middle-aged and older Chinese: A community-based cross-sectional study. Scientific Reports, 2017, 7, 9501.	3.3	26
57	Patient Satisfaction with Community Health Service Centers as Gatekeepers and the Influencing Factors: A Cross-Sectional Study in Shenzhen, China. PLoS ONE, 2016, 11, e0161683.	2.5	25
58	The NLRP3 inflammasome and stroke. International Journal of Clinical and Experimental Medicine, 2015, 8, 4787-94.	1.3	24
59	Prevalence and risk factors of physical inactivity among middle-aged and older Chinese in Shenzhen: a cross-sectional study. BMJ Open, 2018, 8, e019775.	1.9	22
60	Associations of socioeconomic status and sleep disorder with depression among US adults. Journal of Affective Disorders, 2021, 295, 21-27.	4.1	22
61	Determinants of Emergency Medical Services Utilization Among Acute Ischemic Stroke Patients in Hubei Province in China. Stroke, 2016, 47, 891-894.	2.0	21
62	Intravenous thrombolytic therapy for acute ischemic stroke in Hubei, China: a survey of thrombolysis rate and barriers. BMC Neurology, 2019, 19, 202.	1.8	21
63	Coffee consumption and the risk of gastric cancer: a meta-analysis of prospective cohort studies. BMC Cancer, 2015, 15, 733.	2.6	20
64	Gatekeeping and the utilization of community health services in Shenzhen, China. Medicine (United) Tj ETQqQ	0 0 rgBT /C F0	overlock 10 Tf
65	Evaluation of Responsiveness of Community Health Services in Urban China: A Quantitative Study in Wuhan City. PLoS ONE, 2013, 8, e62923.	2.5	20
66	Antimicrobial resistance in Neisseria gonorrhoeae in China: a meta-analysis. BMC Infectious Diseases, 2016, 16, 108.	2.9	19
67	Residents' Willingness to Maintain Contracts with Family Doctors: a Cross-sectional Study in China. Journal of General Internal Medicine, 2021, 36, 622-631.	2.6	19
68	Relationship between metabolic syndrome and its components and cardiovascular disease in middle-aged and elderly Chinese population: a national cross-sectional survey. BMJ Open, 2019, 9, e027545.	1.9	18
69	The global prevalence of burnout among general practitioners: a systematic review and meta-analysis. Family Practice, 2022, 39, 943-950.	1.9	18
70	Maternal smoking during pregnancy and the risk of strabismus in offspring: a metaâ€analysis. Acta Ophthalmologica, 2019, 97, 353-363.	1.1	17
71	A national survey of turnover intention among general practitioners in China. International Journal of Health Planning and Management, 2020, 35, 482-493.	1.7	17
72	Impact of exposure to noise on the risk of hypertension: A systematic review and meta-analysis of cohort studies. Environmental Research, 2021, 195, 110813.	7.5	17

#	Article	IF	CITATIONS
73	Social Determinants of Community Health Services Utilization among the Users in China: A 4-Year Cross-Sectional Study. PLoS ONE, 2014, 9, e98095.	2.5	16
74	The Mediating Effects of Stigma on Depressive Symptoms in Patients With Tuberculosis: A Structural Equation Modeling Approach. Frontiers in Psychiatry, 2018, 9, 618.	2.6	15
75	Acute stroke patients' knowledge of stroke at discharge in China: a crossâ€sectional study. Tropical Medicine and International Health, 2018, 23, 1200-1206.	2.3	15
76	Associations of depression, sleep disorder with total and cause-specific mortality: A prospective cohort study. Journal of Affective Disorders, 2022, 298, 134-141.	4.1	15
77	Prevalence and ethnic pattern of overweight and obesity among middle-aged and elderly adults in China. European Journal of Preventive Cardiology, 2019, 26, 1785-1789.	1.8	13
78	Analysis on professional identity and related factors among Chinese general practitioners: a National Cross-sectional Study. BMC Family Practice, 2020, 21, 80.	2.9	13
79	Blood volatile organic aromatic compounds concentrations across adulthood in relation to total and cause specific mortality: A prospective cohort study. Chemosphere, 2022, 286, 131590.	8.2	13
80	Evaluation of early antibiotic use in patients with nonâ€severe COVIDâ€19 without bacterial infection. International Journal of Antimicrobial Agents, 2022, 59, 106462.	2.5	13
81	Assessing the COVID-19 vaccine hesitancy in the Chinese adults using a generalized vaccine hesitancy survey instrument. Human Vaccines and Immunotherapeutics, 2021, 17, 4005-4012.	3.3	13
82	Interrupted Time-Series Analysis to Evaluate the Impact of a National Antimicrobial Stewardship Campaign on Antibiotic Prescribing: A Typical Practice in China's Primary Care. Clinical Infectious Diseases, 2021, 73, e4463-e4471.	5.8	12
83	Job Satisfaction and Its Associated Factors Among General Practitioners in China. Journal of the American Board of Family Medicine, 2020, 33, 456-459.	1.5	12
84	General practitioners' perspectives of the integrated health care system: a cross-sectional study in Wuhan, China. Family Practice, 2021, 38, 103-108.	1.9	12
85	Association of polycyclic aromatic hydrocarbons exposure, systemic inflammation with hearing loss among adults and adolescents. Environmental Pollution, 2022, 296, 118772.	7.5	12
86	Association of general and central adiposity with blood pressure among Chinese adults. Journal of Hypertension, 2018, 36, 2406-2413.	0.5	11
87	Metaâ€analysis on the association between the frequency of tooth brushing and diabetes mellitus risk. Diabetes/Metabolism Research and Reviews, 2019, 35, e3141.	4.0	11
88	Knowledge, attitudes, and practices regarding rabies and its prevention and control among bite victims by suspected rabid animals in China. One Health, 2021, 13, 100264.	3.4	11
89	Depressive Symptoms Mediate the Associations of Stigma with Medication Adherence and Quality of Life in Tuberculosis Patients in China. American Journal of Tropical Medicine and Hygiene, 2019, 100, 31-36.	1.4	11
90	Association of occupational noise exposure, bilateral hearing loss with hypertension among Chinese workers. Journal of Hypertension, 2021, 39, 643-650.	0.5	11

#	Article	IF	CITATIONS
91	Current status and associated factors of psychological resilience among the Chinese residents during the coronavirus disease 2019 pandemic. International Journal of Social Psychiatry, 2022, 68, 34-43.	3.1	10
92	Prevalence and risk factors associated with stroke in China: A nationwide survey of 726,451 adults. European Journal of Preventive Cardiology, 2021, 28, e6-e10.	1.8	10
93	Association of adiposity indicators with hypertension among Chinese adults. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 1391-1400.	2.6	10
94	Doseâ€response association of earlyâ€life antibiotic exposure and subsequent overweight or obesity in children: A metaâ€analysis of prospective studies. Obesity Reviews, 2021, 22, e13321.	6.5	10
95	The prevalence and global burden of hearing loss in 204 countries and territories, 1990–2019. Environmental Science and Pollution Research, 2022, 29, 12009-12016.	5.3	10
96	ls carrot consumption associated with a decreased risk of lung cancer? A meta-analysis of observational studies. British Journal of Nutrition, 2019, 122, 488-498.	2.3	9
97	Are long working hours associated with weightâ€related outcomes? A metaâ€analysis of observational studies. Obesity Reviews, 2020, 21, e12977.	6.5	9
98	A meta-analysis of observational studies including dose–response relationship between long working hours and risk of obesity. Reviews in Endocrine and Metabolic Disorders, 2021, , 1.	5.7	9
99	Comparison of obesity indices and triglyceride glucose-related parameters to predict type 2 diabetes mellitus among normal-weight elderly in China. Eating and Weight Disorders, 2022, 27, 1181-1191.	2.5	9
100	Weight Loss and the Risk of Dementia: A Meta-analysis of Cohort Studies. Current Alzheimer Research, 2021, 18, 125-135.	1.4	9
101	Analysis of the current status and associated factors of tuberculosis knowledge, attitudes, and practices among elderly people in Shenzhen: a cross-sectional study. BMC Public Health, 2021, 21, 1163.	2.9	9
102	Prevalence of Depressive Symptoms and Related Risk Factors among Patients with Tuberculosis in China: A Multistage Cross-Sectional Study. American Journal of Tropical Medicine and Hygiene, 2018, 98, 1624-1628.	1.4	9
103	Association between self-reported depression and risk of all-cause mortality and cause-specific mortality. Journal of Affective Disorders, 2022, 299, 353-358.	4.1	9
104	An amperometric nitrate sensor based on well-aligned cone-shaped polypyrrole-nanorods. Analytical Methods, 2012, 4, 4182.	2.7	8
105	Reproductive health service use and social determinants among the floating population: a quantitative comparative study in Guangzhou City. BMC Health Services Research, 2014, 14, 502.	2.2	8
106	The effect of the latest health care reforms on the quality of community health services in China. International Journal of Health Planning and Management, 2018, 33, e1225-e1231.	1.7	8
107	Estimating the costs of the national basic public health services in Zhuhai, China, through activity-based costing: a cross-sectional study. BMJ Open, 2019, 9, e024831.	1.9	8
108	The prevalence of turnover intention and influencing factors among emergency physicians: A national observation. Journal of Global Health, 2022, 12, 04005.	2.7	8

#	Article	IF	CITATIONS
109	Association of the serum transaminase with mortality among the US elderly population. Journal of Gastroenterology and Hepatology (Australia), 2022, 37, 946-953.	2.8	8
110	Factors influencing government insurance scheme beneficiary acceptance of the gatekeeper policy: a cross-sectional study in Wuhan, China. BMC Health Services Research, 2018, 18, 241.	2.2	7
111	Patients' trust and associated factors among primary care institutions in China: a cross-sectional study. , 2022, 23, 109.		7
112	Association of smoking with risk of stroke in middle-aged and older Chinese. Medicine (United States), 2018, 97, e13260.	1.0	6
113	Reporting quality and statistical analysis of published dose-response meta-analyses was suboptimal: a cross-sectional literature survey. Journal of Clinical Epidemiology, 2019, 115, 133-140.	5.0	6
114	Knowledge, attitude, and practice regarding atrial fibrillation among neurologists in central China: A crossâ€sectional study. Clinical Cardiology, 2020, 43, 639-646.	1.8	6
115	Effectiveness of Systemic Corticosteroids Therapy for Nonsevere Patients With COVID-19: A Multicenter, Retrospective, Longitudinal Cohort Study. Value in Health, 2022, , .	0.3	6
116	Occupational stress and associated factors among general practitioners in China: a national cross-sectional study. BMC Public Health, 2022, 22, .	2.9	6
117	Association of endothelial nitric oxide synthase gene mini-satellite marker VNTR polymorphism with ischemic stroke in the Chinese Uyghur population. International Journal of Cardiology, 2014, 174, 812-814.	1.7	5
118	Data on prevalence of atrial fibrillation and its association with stroke in low-, middle-, and high-income regions of China. Data in Brief, 2018, 19, 1822-1827.	1.0	5
119	Association between neck circumference and cardiometabolic disease in Chinese adults: a community-based cross-sectional study. BMJ Open, 2019, 9, e026253.	1.9	5
120	Sex differences in risk factors for stroke: A nationwide survey of 700,000 Chinese Adults. European Journal of Preventive Cardiology, 2020, 27, 323-327.	1.8	5
121	Increased prevalence of hypertension in Ghana: New 2017 American College of Cardiology/American Hypertension Association hypertension guidelines application. Journal of Global Health, 2020, 10, 020408.	2.7	5
122	Association of adiposity with diabetes: A national research among Chinese adults. Diabetes/Metabolism Research and Reviews, 2021, 37, e3380.	4.0	5
123	Development and Validation of a Model to Predict the Contract Service of Family Doctor: A National Survey in China. Frontiers in Public Health, 2022, 10, 750722.	2.7	5
124	Service functions of private community health stations in China: A comparison analysis with government-sponsored community health stations. Journal of Huazhong University of Science and Technology [Medical Sciences], 2012, 32, 159-166.	1.0	4
125	Association of functional genetic variants in PPARÎ <sup>3</sup> and PPARα encoding peroxisome proliferator-activated receptors with ischemic stroke in a unique Chinese population. International Journal of Cardiology, 2015, 190, 205-207.	1.7	4
126	Risk of human exposure to animal bites in China: a clinicâ€based crossâ€sectional study. Annals of the New York Academy of Sciences, 2019, 1452, 78-87.	3.8	4

#	Article	IF	CITATIONS
127	Safe Limits of Contrast Media for Contrast-Induced Nephropathy: A Multicenter Prospective Cohort Study. Frontiers in Medicine, 2021, 8, 701062.	2.6	4
128	Cooking with biomass fuels and mortality among Chinese elderly people: A prospective cohort study. Indoor Air, 2022, 32, .	4.3	4
129	Relationship between dietary niacin intake and diabetes mellitus in the National Health and Nutrition Examination Survey (NHANES) 2003–2018. Eating and Weight Disorders, 2022, 27, 2425-2434.	2.5	4
130	Association of food groups with the risk of cognitive impairment in Chinese older adults. Journal of Affective Disorders, 2022, 309, 266-273.	4.1	4
131	Evaluation of Need and Distribution of National Essential Medicines List in Village Clinics: A Cross-sectional Study Based on the Perspective of Village Doctors in China. Current Medical Science, 2019, 39, 663-669.	1.8	3
132	More children, more happiness? Fewer and better births, a happy life: The relationship of parity and maternal cardiovascular disease risk. European Journal of Preventive Cardiology, 2019, 26, 589-591.	1.8	3
133	Association of the Time to First Cigarette and the Prevalence of Chronic Respiratory Diseases in Chinese Elderly Population. Journal of Epidemiology, 2022, 32, 415-422.	2.4	3
134	Prevalence of hearing loss and influencing factors among workers in Wuhan, China. Environmental Science and Pollution Research, 2021, 28, 31511-31519.	5.3	3
135	Bidirectional Mendelian randomization to explore the causal relationships between Sleep traits, Parkinson's disease and Amyotrophic lateral sclerosis. Sleep Medicine, 2022, 96, 42-49.	1.6	3
136	Metaâ€analysis on the association between the frequency of tooth brushing and hypertension risk. Journal of Clinical Hypertension, 2022, 24, 689-697.	2.0	3
137	Population Attributable Risks of Potential Modifiable Factors for Atrial Fibrillation in China: A National Survey. Risk Management and Healthcare Policy, 0, Volume 15, 1215-1224.	2.5	3
138	Discrepancy in perceived social support and related factors among Chinese college students with and without siblings. Journal of Affective Disorders, 2020, 276, 84-89.	4.1	2
139	Optimal Gestational Weight Gain for Tibetans Based on Prepregnancy Body Mass Index. Scientific Reports, 2020, 10, 10690.	3.3	2
140	High milk consumption is associated with carotid atherosclerosis in middle and old-aged Chinese. International Journal of Cardiology: Hypertension, 2020, 5, 100031.	2.2	2
141	Keys to promoting the graded diagnosis and treatment system based on the integrated health care system in China. Family Practice, 2022, 39, 217-218.	1.9	2
142	The Rates and the Determinants of Hypertension According to the 2017 Definition of Hypertension by ACC/AHA and 2014 Evidence-Based Guidelines Among Population Aged ≥40 Years Old. Global Heart, 2021, 16, 34.	2.3	2
143	Association between alcohol consumption and the risk of stroke in middle-aged and older adults in China. Drug and Alcohol Dependence, 2021, 229, 109134.	3.2	2
144	The wound severity of animal bite victims visiting rabies prevention clinics and the influencing factors in Central China: a cross-sectional investigation. BMC Public Health, 2021, 21, 2125.	2.9	2

#	Article	IF	CITATIONS
145	Cost-Effectiveness analysis of combining plasma Epstein-Barr virus DNA testing and different surveillance imaging modalities for nasopharyngeal carcinoma patients in first remission. Oral Oncology, 2022, 128, 105851.	1.5	2
146	Prevalence and associated factors for workplace violence among general practitioners in China: a national cross-sectional study. Human Resources for Health, 2022, 20, 42.	3.1	2
147	Polymorphisms of XPC gene and susceptibility of esophageal cancer. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research, 2010, 22, 49-54.	2.2	1
148	Effects of functional genetic variants in PPARδ encoding peroxisome proliferator-activated receptor delta on the risk of ischemic stroke in Chinese Han population. International Journal of Cardiology, 2016, 207, 297-299.	1.7	1
149	Neurologists' attitudes and options for anticoagulation therapy in central China. International Journal of Clinical Practice, 2021, 75, e14305.	1.7	1
150	Prevalence and Risk Factors of Home Quarantine Strategy Implementation Among Chinese Residents During the Coronavirus Disease 2019 Pandemic. Frontiers in Psychology, 2021, 12, 679538.	2.1	1
151	Maternal long working hours and offspring's weightâ€related outcomes: A systematic review and metaâ€analysis. Obesity Reviews, 2022, , e13439.	6.5	1
152	Author response: letter on â€~shift work and diabetes mellitus: a meta-analysis of observational studies'. Occupational and Environmental Medicine, 2014, 71, 805-806.	2.8	0
153	Author response: low vitamin D concentrations may contribute to the increased risk of diabetes mellitus related to shift work. Occupational and Environmental Medicine, 2015, 72, 161.2-162.	2.8	0