
Christoph Nowak

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1646064/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Association between albuminuria, incident cardiovascular events, and mortality in persons without hypertension, diabetes, and cardiovascular disease. European Journal of Preventive Cardiology, 2022, 29, e4-e6.	1.8	1
2	Association between treatment effect on Câ€peptide preservation and <scp>HbA1c</scp> in metaâ€analysis of glutamic acid decarboxylase (GAD)â€alum immunotherapy in recentâ€onset type 1 diabetes. Diabetes, Obesity and Metabolism, 2022, 24, 1647-1655.	4.4	2
3	Intralymphatic GAD-Alum (Diamyd®) Improves Glycemic Control in Type 1 Diabetes With HLA DR3-DQ2. Journal of Clinical Endocrinology and Metabolism, 2022, 107, 2644-2651.	3.6	10
4	The association between short-term, chronic localized and chronic widespread pain and risk for cardiovascular disease in the UK Biobank. European Journal of Preventive Cardiology, 2022, 29, 1994-2002.	1.8	19
5	Plasma proteomics and lung function in four community-based cohorts. Respiratory Medicine, 2021, 176, 106282.	2.9	2
6	Estimated salt intake and risk of atrial fibrillation in a prospective communityâ€based cohort. Journal of Internal Medicine, 2021, 289, 700-708.	6.0	14
7	Association between Cardiorespiratory Fitness and Circulating Proteins in 50-Year-Old Swedish Men and Women: a Cross-Sectional Study. Sports Medicine - Open, 2021, 7, 52.	3.1	4
8	"Concerns regarding the "meta-analysis―by A. S. Bhagavathula and J. Rahmani― Clinical Nutrition, 2021 40, 4859-4860.	' 5.0	0
9	The genomics of heart failure: design and rationale of the HERMES consortium. ESC Heart Failure, 2021, 8, 5531-5541.	3.1	11
10	Albuminuria Testing in Hypertension and Diabetes: An Individual-Participant Data Meta-Analysis in a Global Consortium. Hypertension, 2021, 78, 1042-1052.	2.7	52
11	Estimating tubular damage for predicting progression of chronic kidney disease—what are the implications for clinical practice and public health?. Nephrology Dialysis Transplantation, 2021, 36, 1769-1770.	0.7	0
12	Epigenome-wide association study of serum urate reveals insights into urate co-regulation and the SLC2A9 locus. Nature Communications, 2021, 12, 7173.	12.8	8
13	Meta-analyses identify DNA methylation associated with kidney function and damage. Nature Communications, 2021, 12, 7174.	12.8	30
14	Non-targeted urine metabolomics and associations with prevalent and incident type 2 diabetes. Scientific Reports, 2020, 10, 16474.	3.3	11
15	Atherosclerotic Aortic Calcification-Associated Polymorphism in HDAC9 and Associations with Mortality, Cardiovascular Disease, and Kidney Disease. IScience, 2020, 23, 101253.	4.1	3
16	The association between plasma proteomics and incident cardiovascular disease identifies MMP-12 as a promising cardiovascular risk marker in patients with chronic kidney disease. Atherosclerosis, 2020, 307, 11-15.	0.8	15
17	Kidney Disease Biomarkers Improve Heart Failure Risk Prediction in the General Population. Circulation: Heart Failure, 2020, 13, e006904.	3.9	22
18	Using proximity extension proteomics assay to discover novel biomarkers associated with circulating leptin levels in patients with type 2 diabetes. Scientific Reports, 2020, 10, 13097.	3.3	4

CHRISTOPH NOWAK

#	Article	IF	CITATIONS
19	Global, regional, and national burden of chronic kidney disease, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2020, 395, 709-733.	13.7	2,858
20	Pregnancy Associated Plasma Protein-A as a Cardiovascular Risk Marker in Patients with Stable Coronary Heart Disease During 10 Years Follow-Up—A CLARICOR Trial Sub-Study. Journal of Clinical Medicine, 2020, 9, 265.	2.4	7
21	In search of causal pathways in diabetes: a study using proteomics and genotyping data from a cross-sectional study. Diabetologia, 2019, 62, 1998-2006.	6.3	27
22	Cathepsin D improves the prediction of undetected diabetes in patients with myocardial infarction. Upsala Journal of Medical Sciences, 2019, 124, 187-192.	0.9	1
23	The metabolites urobilin and sphingomyelin (30:1) are associated with incident heart failure in the general population. ESC Heart Failure, 2019, 6, 764-773.	3.1	23
24	Circulating endostatin as a risk factor for cardiovascular events in patients with stable coronary heart disease: A CLARICOR trial sub-study. Atherosclerosis, 2019, 284, 202-208.	0.8	11
25	Circulating proteins as predictors of cardiovascular mortality in end-stage renal disease. Journal of Nephrology, 2019, 32, 111-119.	2.0	42
26	10‥ear Associations Between Tumor Necrosis Factor Receptors 1 and 2 and Cardiovascular Events in Patients With Stable Coronary Heart Disease: A CLARICOR (Effect of Clarithromycin on Mortality and) Tj ETQq0) 0 0 ₃ rgBT /(Overlock 10 T
	Association, 2018, 7, .		
27	Circulating proteins as predictors of incident heart failure in the elderly. European Journal of Heart Failure, 2018, 20, 55-62.	7.1	87
28	Lung Function and Coronary Artery Disease Risk. Circulation Genomic and Precision Medicine, 2018, 11, e002137.	3.6	1
29	A Mendelian randomization study of the effects of blood lipids on breast cancer risk. Nature Communications, 2018, 9, 3957.	12.8	121
30	Endothelial dysfunction is associated with impaired lung function in two independent community cohorts. Respiratory Medicine, 2018, 143, 123-128.	2.9	4
31	Multiplex proteomics for prediction of major cardiovascular events in type 2 diabetes. Diabetologia, 2018, 61, 1748-1757.	6.3	43
32	Glucose challenge metabolomics implicates medium-chain acylcarnitines in insulin resistance. Scientific Reports, 2018, 8, 8691.	3.3	47
33	Functional germline variants as potential co-oncogenes. Npj Breast Cancer, 2017, 3, 46.	5.2	14
34	Dog ownership and the risk of cardiovascular disease and death – a nationwide cohort study. Scientific Reports, 2017, 7, 15821.	3.3	109
35	Childhood adiposity and risk of type 1 diabetes: A Mendelian randomization study. PLoS Medicine, 2017, 14, e1002362.	8.4	90
36	Protein Biomarkers for Insulin Resistance and Type 2 Diabetes Risk in Two Large Community Cohorts. Diabetes, 2016, 65, 276-284.	0.6	100

CHRISTOPH NOWAK

#	Article	IF	CITATIONS
37	Non-targeted metabolomics combined with genetic analyses identifies bile acid synthesis and phospholipid metabolism as being associated with incident type 2 diabetes. Diabetologia, 2016, 59, 2114-2124.	6.3	74
38	Effect of Insulin Resistance on Monounsaturated Fatty Acid Levels: A Multi-cohort Non-targeted Metabolomics and Mendelian Randomization Study. PLoS Genetics, 2016, 12, e1006379.	3.5	20
39	Use of type 2 diabetes risk scores in clinical practice: a call for action. Lancet Diabetes and Endocrinology,the, 2015, 3, 166-167.	11.4	5
40	Oscillatory Shear Stress-Induced Arginase Activity May Explain Reduced Exhaled Nitric Oxide Levels after Vest Chest Physiotherapy in Cystic Fibrosis. Pulmonary Medicine, 2014, 2014, 1-2.	1.9	0
41	Accuracy of the Hospital Anxiety and Depression Scale for Identifying Depression in Chronic Obstructive Pulmonary Disease Patients. Pulmonary Medicine, 2014, 2014, 1-7.	1.9	31
42	Die Wirksamkeit ambulanter Psychotherapie der Sozialen AngststĶrung in einer universitĤen Ambulanz. Zeitschrift Fļr Klinische Psychologie Und Psychotherapie, 2009, 38, 181-193.	0.3	8