

Raymond Yee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1646195/publications.pdf>

Version: 2024-02-01

75
papers

4,054
citations

236925

25
h-index

114465

63
g-index

76
all docs

76
docs citations

76
times ranked

3468
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Cardiac-Resynchronization Therapy for Mild-to-Moderate Heart Failure. <i>New England Journal of Medicine</i> , 2010, 363, 2385-2395. | 27.0 | 1,585 |
| 2 | Randomized Assessment of Syncope Trial. <i>Circulation</i> , 2001, 104, 46-51. | 1.6 | 423 |
| 3 | Use of an Extended Monitoring Strategy in Patients With Problematic Syncope. <i>Circulation</i> , 1999, 99, 406-410. | 1.6 | 330 |
| 4 | Anatomic Substrate for Idiopathic Left Ventricular Tachycardia. <i>Circulation</i> , 1996, 93, 497-501. | 1.6 | 147 |
| 5 | Utility of Treadmill Testing in Identification and Genotype Prediction in Long-QT Syndrome. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2010, 3, 120-125. | 4.8 | 118 |
| 6 | Inappropriate Sinus Tachycardia: Evaluation and Therapy. <i>Journal of Cardiovascular Electrophysiology</i> , 1995, 6, 1124-1128. | 1.7 | 103 |
| 7 | Hysteresis of the RT Interval With Exercise. <i>Circulation</i> , 1997, 96, 1551-1556. | 1.6 | 85 |
| 8 | Prevalence of Myocardial Fibrosis Patterns in Patients With Systolic Dysfunction. <i>Circulation: Cardiovascular Imaging</i> , 2014, 7, 593-600. | 2.6 | 81 |
| 9 | Outcome of advisory implantable cardioverter-defibrillator replacement: One-year follow-up. <i>Heart Rhythm</i> , 2008, 5, 1675-1681. | 0.7 | 66 |
| 10 | Recurrent Ventricular Tachycardia Responsive to Verapamil. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1984, 7, 938-948. | 1.2 | 60 |
| 11 | Atrioventricular Node Reentry With "Smooth" AV Node Function Curves. <i>Circulation</i> , 1996, 93, 969-972. | 1.6 | 55 |
| 12 | Catheter Ablation of Idiopathic Left Ventricular Tachycardia. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1995, 18, 1255-1265. | 1.2 | 51 |
| 13 | Gender differences in Wikipedia editing. , 2011, , . | | 49 |
| 14 | Electrophysiological Testing. <i>Circulation</i> , 1995, 92, 1332-1335. | 1.6 | 47 |
| 15 | Maturation of the Sensed Electrogram Amplitude Over Time in a New Subcutaneous Implantable Loop Recorder. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1997, 20, 1686-1690. | 1.2 | 42 |
| 16 | Risk of Sudden Arrhythmic Death in the Wolff-Parkinson-White Syndrome: Current Perspectives. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1994, 17, 966-975. | 1.2 | 41 |
| 17 | Malposition of Transvenous Pacing Lead in the Left Ventricle. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1993, 16, 1800-1807. | 1.2 | 40 |
| 18 | Surgical Treatment of Supraventricular Tachycardia: A Five-Year Experience.. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1986, 9, 1376-1380. | 1.2 | 36 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Nonreentrant Supraventricular Tachycardia Due to Simultaneous Conduction Over Fast and Slow AV Node Pathways: Successful Treatment with Radiofrequency Ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1994, 17, 1186-1193. | 1.2 | 36 |
| 20 | Syncope in the Wolff-Parkinson-White Syndrome: Incidence and Electrophysiologic Correlates. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1984, 7, 381-388. | 1.2 | 33 |
| 21 | Correlation Between the Ventricular Electrogram Amplitude in Sinus Rhythm and in Ventricular Fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1990, 13, 1105-1109. | 1.2 | 32 |
| 22 | Alfentanil-midazolam anaesthesia has no electrophysiological effects upon the normal conduction system or accessory pathways in patients with Wolff-Parkinson-White syndrome. <i>Canadian Journal of Anaesthesia</i> , 1992, 39, 816-821. | 1.6 | 32 |
| 23 | Right Ventricular Ejection Fraction Is Incremental to Left Ventricular Ejection Fraction for the Prediction of Future Arrhythmic Events in Patients With Systolic Dysfunction. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2017, 10, . | 4.8 | 31 |
| 24 | Effect of beta-blockers on QT dynamics in the long QT syndrome: measuring the benefit. <i>Europace</i> , 2014, 16, 1847-1851. | 1.7 | 30 |
| 25 | Novel active fixation mechanism permits precise placement of a left ventricular lead: Early results from a multicenter clinical study. <i>Heart Rhythm</i> , 2014, 11, 1150-1155. | 0.7 | 28 |
| 26 | Early repolarization is associated with symptoms in patients with type 1 and type 2 long QT syndrome. <i>Heart Rhythm</i> , 2014, 11, 1632-1638. | 0.7 | 26 |
| 27 | Feasibility of Long-Term Electrocardiographic Monitoring with an Implanted Device for Syncope Diagnosis. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1990, 13, 1374-1378. | 1.2 | 23 |
| 28 | Comparative Functional Effects of Chronic Ventricular Demand and Atrial Synchronous Ventricular Inhibited Pacing. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1984, 7, 23-28. | 1.2 | 22 |
| 29 | Feasibility of an Implantable Arrhythmia Monitor. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1992, 15, 2232-2235. | 1.2 | 22 |
| 30 | Localization of Accessory Pathways in the Wolff-Parkinson-White Syndrome. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1989, 12, 1691-1705. | 1.2 | 21 |
| 31 | Model-Based Navigation of Left and Right Ventricular Leads to Optimal Targets for Cardiac Resynchronization Therapy. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014, 7, 1040-1047. | 4.8 | 20 |
| 32 | Survival rates as a guide to implanted cardioverter-defibrillator replacement strategies for device recallsâ€”Adding statistical insight to clinical intuition. <i>American Heart Journal</i> , 2007, 153, 253-259. | 2.7 | 19 |
| 33 | Performance of a novel active fixation quadripolar left ventricular lead for cardiac resynchronization therapy: Attain Stability Quad Clinical Study results. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 1147-1154. | 1.7 | 19 |
| 34 | Utility of Low Energy Test Shocks for Estimation of Cardiac and Electrode Impedance with Implantable Defibrillators. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1990, 13, 410-416. | 1.2 | 18 |
| 35 | Acute Testing of the Rate-Smoothed Pacing Algorithm for Ventricular Rate Stabilization. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1999, 22, 554-561. | 1.2 | 18 |
| 36 | Atrial flutter and atrial fibrillation ablation â€” sequential or combined? A cost-benefit and risk analysis of primary prevention pulmonary vein ablation. <i>Heart Rhythm</i> , 2016, 13, 1441-1448. | 0.7 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | The Relationship between Pacing Site and Induction or Termination of Sustained Monomorphic Ventricular Tachycardia by Antitachycardia Pacing. PACE - Pacing and Clinical Electrophysiology, 2010, 33, 27-32. | 1.2 | 17 |
| 38 | Iron-Sensitive Cardiac Magnetic Resonance Imaging for Prediction of Ventricular Arrhythmia Risk in Patients With Chronic Myocardial Infarction. Circulation: Cardiovascular Imaging, 2015, 8, . | 2.6 | 17 |
| 39 | Intraoperative Mapping is Not Necessary for VT Surgery. PACE - Pacing and Clinical Electrophysiology, 1994, 17, 2156-2162. | 1.2 | 16 |
| 40 | Real-World Assessment of Acute Left Ventricular Lead Implant Success and Complication Rates: Results from the Attain Success Clinical Trial. PACE - Pacing and Clinical Electrophysiology, 2016, 39, 1246-1253. | 1.2 | 15 |
| 41 | The Value of Electrophysiologic Testing in Patients Resuscitated From Documented Ventricular Fibrillation. Journal of Cardiovascular Electrophysiology, 1994, 5, 805-809. | 1.7 | 14 |
| 42 | Supraventricular Tachycardias: The Role of Surgery. PACE - Pacing and Clinical Electrophysiology, 1993, 16, 658-670. | 1.2 | 11 |
| 43 | Congenital and acquired long QT syndromes. Canadian Journal of Cardiology, 2003, 19, 76-87. | 1.7 | 11 |
| 44 | Cardioversion and Defibrillation Using a Catheter Electrode: Myocardial Damage Assessed at Autopsy. PACE - Pacing and Clinical Electrophysiology, 1987, 10, 800-804. | 1.2 | 10 |
| 45 | Sequential Pulse Countershock Between Two Transvenous Catheters: Feasibility, Safety, and Efficacy. PACE - Pacing and Clinical Electrophysiology, 1989, 12, 1869-1877. | 1.2 | 10 |
| 46 | A Unique Preexcitation Pattern Related to an Atypical Anteroseptal Accessory Pathway. PACE - Pacing and Clinical Electrophysiology, 1992, 15, 1696-1701. | 1.2 | 10 |
| 47 | A Randomized, Double-Blind, Placebo-Controlled Evaluation of the Efficacy and Safety of Intravenously Administered Dofetilide in Patients with Wolff-Parkinson-White Syndrome. PACE - Pacing and Clinical Electrophysiology, 2001, 24, 1258-1260. | 1.2 | 10 |
| 48 | Effect of Isoproterenol on Accessory Pathways Without Overt Retrograde Conduction. Journal of Cardiovascular Electrophysiology, 1995, 6, 170-173. | 1.7 | 9 |
| 49 | Extensive Thrombosis Following Lead Extraction: Further Justification for Routine Post-operative Anticoagulation. Indian Pacing and Electrophysiology Journal, 2014, 14, 150-151. | 0.6 | 9 |
| 50 | A Detailed Description and Assessment of Outcomes of Patients With Hospital Recorded QTc Prolongation. American Journal of Cardiology, 2015, 115, 907-911. | 1.6 | 9 |
| 51 | Progressive Anterior Ablation in the Coronary Sinus Region. Circulation, 1997, 96, 3477-3483. | 1.6 | 9 |
| 52 | Radiofrequency Catheter Ablation of Accessory Pathways During Entrainment of AV Reentrant Tachycardia. PACE - Pacing and Clinical Electrophysiology, 1994, 17, 590-594. | 1.2 | 8 |
| 53 | Recurrent seizure diagnosed by the insertable loop recorder. Journal of Interventional Cardiac Electrophysiology, 2000, 4, 475-479. | 1.3 | 8 |
| 54 | Functional Similarity Between Electrograms Recorded from an Implantable Cardioverter Defibrillator Emulator and the Surface Electrocardiogram. PACE - Pacing and Clinical Electrophysiology, 2001, 24, 34-40. | 1.2 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | The Utility of Holter Monitoring Compared to Loop Recorders in the Evaluation of Syncope and Presyncope. <i>Annals of Noninvasive Electrocardiology</i> , 2000, 5, 284-289. | 1.1 | 7 |
| 56 | Comparative Atrioventricular Node Properties After Radiofrequency Ablation and Operative Therapy of Atrioventricular Node Reentry. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1993, 16, 971-977. | 1.2 | 5 |
| 57 | The Effect of Variable Retrograde Penetration on Dual AV Nodal Pathways: Observations Before and After Slow Pathway Ablation LDD. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1997, 20, 2146-2153. | 1.2 | 4 |
| 58 | A preliminary crosswalk from METS to IMS content packaging. <i>Library Hi Tech</i> , 2004, 22, 69-81. | 5.1 | 4 |
| 59 | Pulmonary Vein Isolation With Incomplete Antral Ablation Lines: Is More Ablation Necessary? Results of a Randomized Trial. <i>Journal of Cardiovascular Electrophysiology</i> , 2016, 27, 298-302. | 1.7 | 4 |
| 60 | Utilizing preprocedural imaging and active fixation lead in cardiac resynchronization therapy device upgrade for persistent left superior vena cava. <i>HeartRhythm Case Reports</i> , 2022, 8, 50-53. | 0.4 | 4 |
| 61 | Pharmacological Management of Supraventricular Tachycardia. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1990, 13, 1516-1524. | 1.2 | 3 |
| 62 | Should a VVIR Pacemaker Increase the Heart Rate with Standing?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1992, 15, 288-294. | 1.2 | 3 |
| 63 | Wide QRS Tachycardia: Multiple Mechanisms in a Patient after Myocardial Infarction. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1984, 7, 179-186. | 1.2 | 2 |
| 64 | Hypothesis Testing as an Approach to the Analysis of Complex Tachycardias-an Illustrative Case of a Preexcitation Variant. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1991, 14, 1503-1513. | 1.2 | 2 |
| 65 | A case report of inappropriate inhibition of ventricular pacing due to a unique pacemaker electrogram storage feature. <i>European Heart Journal - Case Reports</i> , 2021, 5, ytab096. | 0.6 | 2 |
| 66 | Selection of Ablation Site with Automatic Atrial Tachycardia. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1995, 18, 731-734. | 1.2 | 1 |
| 67 | Contemporary Review of the Cardiovascular Implantable Electronic Devices with Future Directions. <i>Cardiac Electrophysiology Clinics</i> , 2018, 10, xv. | 1.7 | 1 |
| 68 | Double chamber cross-talk, the ultimate double-cross. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020, 43, 1599-1604. | 1.2 | 1 |
| 69 | Canadian Registry of Electronic Device Outcomes (CREDO): The Abbott ICD Premature Battery Depletion Advisory, a Multicentre Cohort Study. <i>CJC Open</i> , 2021, 3, 48-53. | 1.5 | 1 |
| 70 | Hemodynamically tolerated ventricular tachycardia with mildly impaired ejection fraction – Do these patients have VT/VF recurrence and ICD therapies?. <i>Canadian Journal of Cardiology</i> , 2022, , . | 1.7 | 1 |
| 71 | A Case of Problematic Supraventricular Tachycardia. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1995, 18, 105-105. | 1.2 | 0 |
| 72 | Wide QRS Tachycardia in a Young Man. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1995, 18, 474-477. | 1.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Title is missing!. Journal of Interventional Cardiac Electrophysiology, 1997, 1, 473-477. | 1.0 | 0 |
| 74 | GW24-e2928â€¦Computed tomography metal artifact reduction for evaluation of lead calcification in patients with implantable cardiac defibrillator. Heart, 2013, 99, A270.2-A270. | 2.9 | 0 |
| 75 | Safety of Lead Repair Compared to Lead Revision for Visible Lead Insulation Defects in Patients with Cardiac Implantable Electronic Devices.. CJC Open, 2021, 3, 1490-1494. | 1.5 | 0 |