

Raymond Yee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1646195/publications.pdf>

Version: 2024-02-01

75
papers

4,054
citations

236925

25
h-index

114465

63
g-index

76
all docs

76
docs citations

76
times ranked

3468
citing authors

#	ARTICLE	IF	CITATIONS
1	Utilizing preprocedural imaging and active fixation lead in cardiac resynchronization therapy device upgrade for persistent left superior vena cava. <i>HeartRhythm Case Reports</i> , 2022, 8, 50-53.	0.4	4
2	Hemodynamically tolerated ventricular tachycardia with mildly impaired ejection fraction – Do these patients have VT/VF recurrence and ICD therapies?. <i>Canadian Journal of Cardiology</i> , 2022, , .	1.7	1
3	Canadian Registry of Electronic Device Outcomes (CREDO): The Abbott ICD Premature Battery Depletion Advisory, a Multicentre Cohort Study. <i>CJC Open</i> , 2021, 3, 48-53.	1.5	1
4	A case report of inappropriate inhibition of ventricular pacing due to a unique pacemaker electrogram storage feature. <i>European Heart Journal - Case Reports</i> , 2021, 5, ytab096.	0.6	2
5	Safety of Lead Repair Compared to Lead Revision for Visible Lead Insulation Defects in Patients with Cardiac Implantable Electronic Devices.. <i>CJC Open</i> , 2021, 3, 1490-1494.	1.5	0
6	Performance of a novel active fixation quadripolar left ventricular lead for cardiac resynchronization therapy: Attain Stability Quad Clinical Study results. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 1147-1154.	1.7	19
7	Double chamber cross-talk, the ultimate double-cross. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020, 43, 1599-1604.	1.2	1
8	Contemporary Review of the Cardiovascular Implantable Electronic Devices with Future Directions. <i>Cardiac Electrophysiology Clinics</i> , 2018, 10, xv.	1.7	1
9	Right Ventricular Ejection Fraction Is Incremental to Left Ventricular Ejection Fraction for the Prediction of Future Arrhythmic Events in Patients With Systolic Dysfunction. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2017, 10, .	4.8	31
10	Pulmonary Vein Isolation With Incomplete Antral Ablation Lines: Is More Ablation Necessary? Results of a Randomized Trial. <i>Journal of Cardiovascular Electrophysiology</i> , 2016, 27, 298-302.	1.7	4
11	Atrial flutter and atrial fibrillation ablation – sequential or combined? A cost-benefit and risk analysis of primary prevention pulmonary vein ablation. <i>Heart Rhythm</i> , 2016, 13, 1441-1448.	0.7	18
12	Real-World Assessment of Acute Left Ventricular Lead Implant Success and Complication Rates: Results from the Attain Success Clinical Trial. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016, 39, 1246-1253.	1.2	15
13	A Detailed Description and Assessment of Outcomes of Patients With Hospital Recorded QTc Prolongation. <i>American Journal of Cardiology</i> , 2015, 115, 907-911.	1.6	9
14	Iron-Sensitive Cardiac Magnetic Resonance Imaging for Prediction of Ventricular Arrhythmia Risk in Patients With Chronic Myocardial Infarction. <i>Circulation: Cardiovascular Imaging</i> , 2015, 8, .	2.6	17
15	Prevalence of Myocardial Fibrosis Patterns in Patients With Systolic Dysfunction. <i>Circulation: Cardiovascular Imaging</i> , 2014, 7, 593-600.	2.6	81
16	Model-Based Navigation of Left and Right Ventricular Leads to Optimal Targets for Cardiac Resynchronization Therapy. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014, 7, 1040-1047.	4.8	20
17	Novel active fixation mechanism permits precise placement of a left ventricular lead: Early results from a multicenter clinical study. <i>Heart Rhythm</i> , 2014, 11, 1150-1155.	0.7	28
18	Effect of beta-blockers on QT dynamics in the long QT syndrome: measuring the benefit. <i>Europace</i> , 2014, 16, 1847-1851.	1.7	30

#	ARTICLE	IF	CITATIONS
19	Early repolarization is associated with symptoms in patients with type 1 and type 2 long QT syndrome. <i>Heart Rhythm</i> , 2014, 11, 1632-1638.	0.7	26
20	Extensive Thrombosis Following Lead Extraction: Further Justification for Routine Post-operative Anticoagulation. <i>Indian Pacing and Electrophysiology Journal</i> , 2014, 14, 150-151.	0.6	9
21	CW24-e2928â€¦Computed tomography metal artifact reduction for evaluation of lead calcification in patients with implantable cardiac defibrillator. <i>Heart</i> , 2013, 99, A270.2-A270.	2.9	0
22	Gender differences in Wikipedia editing. , 2011, , .		49
23	The Relationship between Pacing Site and Induction or Termination of Sustained Monomorphic Ventricular Tachycardia by Antitachycardia Pacing. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2010, 33, 27-32.	1.2	17
24	Utility of Treadmill Testing in Identification and Genotype Prediction in Long-QT Syndrome. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2010, 3, 120-125.	4.8	118
25	Cardiac-Resynchronization Therapy for Mild-to-Moderate Heart Failure. <i>New England Journal of Medicine</i> , 2010, 363, 2385-2395.	27.0	1,585
26	Outcome of advisory implantable cardioverter-defibrillator replacement: One-year follow-up. <i>Heart Rhythm</i> , 2008, 5, 1675-1681.	0.7	66
27	Survival rates as a guide to implanted cardioverter-defibrillator replacement strategies for device recallsâ€”Adding statistical insight to clinical intuition. <i>American Heart Journal</i> , 2007, 153, 253-259.	2.7	19
28	A preliminary crosswalk from METS to IMS content packaging. <i>Library Hi Tech</i> , 2004, 22, 69-81.	5.1	4
29	Congenital and acquired long QT syndromes. <i>Canadian Journal of Cardiology</i> , 2003, 19, 76-87.	1.7	11
30	Functional Similarity Between Electrograms Recorded from an Implantable Cardioverter Defibrillator Emulator and the Surface Electrocardiogram. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2001, 24, 34-40.	1.2	8
31	A Randomized, Double-Blind, Placebo-Controlled Evaluation of the Efficacy and Safety of Intravenously Administered Dofetilide in Patients with Wolff-Parkinson-White Syndrome. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2001, 24, 1258-1260.	1.2	10
32	Randomized Assessment of Syncope Trial. <i>Circulation</i> , 2001, 104, 46-51.	1.6	423
33	The Utility of Holter Monitoring Compared to Loop Recorders in the Evaluation of Syncope and Presyncope. <i>Annals of Noninvasive Electrocardiology</i> , 2000, 5, 284-289.	1.1	7
34	Recurrent seizure diagnosed by the insertable loop recorder. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2000, 4, 475-479.	1.3	8
35	Use of an Extended Monitoring Strategy in Patients With Problematic Syncope. <i>Circulation</i> , 1999, 99, 406-410.	1.6	330
36	Acute Testing of the Rate-Smoothed Pacing Algorithm for Ventricular Rate Stabilization. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1999, 22, 554-561.	1.2	18

#	ARTICLE	IF	CITATIONS
37	Maturation of the Sensed Electrogram Amplitude Over Time in a New Subcutaneous Implantable Loop Recorder. PACE - Pacing and Clinical Electrophysiology, 1997, 20, 1686-1690.	1.2	42
38	The Effect of Variable Retrograde Penetration on Dual AV Nodal Pathways: Observations Before and After Slow Pathway Ablation LDD. PACE - Pacing and Clinical Electrophysiology, 1997, 20, 2146-2153.	1.2	4
39	Title is missing!. Journal of Interventional Cardiac Electrophysiology, 1997, 1, 473-477.	1.0	0
40	Progressive Anterior Ablation in the Coronary Sinus Region. Circulation, 1997, 96, 3477-3483.	1.6	9
41	Hysteresis of the RT Interval With Exercise. Circulation, 1997, 96, 1551-1556.	1.6	85
42	Anatomic Substrate for Idiopathic Left Ventricular Tachycardia. Circulation, 1996, 93, 497-501.	1.6	147
43	Atrioventricular Node Reentry With "Smooth" AV Node Function Curves. Circulation, 1996, 93, 969-972.	1.6	55
44	Inappropriate Sinus Tachycardia: Evaluation and Therapy. Journal of Cardiovascular Electrophysiology, 1995, 6, 1124-1128.	1.7	103
45	Effect of Isoproterenol on Accessory Pathways Without Overt Retrograde Conduction. Journal of Cardiovascular Electrophysiology, 1995, 6, 170-173.	1.7	9
46	A Case of Problematic Supraventricular Tachycardia. PACE - Pacing and Clinical Electrophysiology, 1995, 18, 105-105.	1.2	0
47	Wide QRS Tachycardia in a Young Man. PACE - Pacing and Clinical Electrophysiology, 1995, 18, 474-477.	1.2	0
48	Selection of Ablation Site with Automatic Atrial Tachycardia. PACE - Pacing and Clinical Electrophysiology, 1995, 18, 731-734.	1.2	1
49	Catheter Ablation of Idiopathic Left Ventricular Tachycardia. PACE - Pacing and Clinical Electrophysiology, 1995, 18, 1255-1265.	1.2	51
50	Electrophysiological Testing. Circulation, 1995, 92, 1332-1335.	1.6	47
51	The Value of Electrophysiologic Testing in Patients Resuscitated From Documented Ventricular Fibrillation. Journal of Cardiovascular Electrophysiology, 1994, 5, 805-809.	1.7	14
52	Risk of Sudden Arrhythmic Death in the Wolff-Parkinson-White Syndrome: Current Perspectives. PACE - Pacing and Clinical Electrophysiology, 1994, 17, 966-975.	1.2	41
53	Nonreentrant Supraventricular Tachycardia Due to Simultaneous Conduction Over Fast and Slow AV Node Pathways: Successful Treatment with Radiofrequency Ablation. PACE - Pacing and Clinical Electrophysiology, 1994, 17, 1186-1193.	1.2	36
54	Radiofrequency Catheter Ablation of Accessory Pathways During Entrainment of AV Reentrant Tachycardia. PACE - Pacing and Clinical Electrophysiology, 1994, 17, 590-594.	1.2	8

#	ARTICLE	IF	CITATIONS
55	Intraoperative Mapping is Not Necessary for VT Surgery. PACE - Pacing and Clinical Electrophysiology, 1994, 17, 2156-2162.	1.2	16
56	Supraventricular Tachycardias: The Role of Surgery. PACE - Pacing and Clinical Electrophysiology, 1993, 16, 658-670.	1.2	11
57	Malposition of Transvenous Pacing Lead in the Left Ventricle. PACE - Pacing and Clinical Electrophysiology, 1993, 16, 1800-1807.	1.2	40
58	Comparative Atrioventricular Node Properties After Radiofrequency Ablation and Operative Therapy of Atrioventricular Node Reentry. PACE - Pacing and Clinical Electrophysiology, 1993, 16, 971-977.	1.2	5
59	A Unique Preexcitation Pattern Related to an Atypical Anteroseptal Accessory Pathway. PACE - Pacing and Clinical Electrophysiology, 1992, 15, 1696-1701.	1.2	10
60	Feasibility of an Implantable Arrhythmia Monitor. PACE - Pacing and Clinical Electrophysiology, 1992, 15, 2232-2235.	1.2	22
61	Should a VVIR Pacemaker Increase the Heart Rate with Standing?. PACE - Pacing and Clinical Electrophysiology, 1992, 15, 288-294.	1.2	3
62	Alfentanil-midazolam anaesthesia has no electrophysiological effects upon the normal conduction system or accessory pathways in patients with Wolff-Parkinson-White syndrome. Canadian Journal of Anaesthesia, 1992, 39, 816-821.	1.6	32
63	Hypothesis Testing as an Approach to the Analysis of Complex Tachycardias-an Illustrative Case of a Preexcitation Variant. PACE - Pacing and Clinical Electrophysiology, 1991, 14, 1503-1513.	1.2	2
64	Utility of Low Energy Test Shocks for Estimation of Cardiac and Electrode Impedance with Implantable Defibrillators. PACE - Pacing and Clinical Electrophysiology, 1990, 13, 410-416.	1.2	18
65	Correlation Between the Ventricular Electrogram Amplitude in Sinus Rhythm and in Ventricular Fibrillation. PACE - Pacing and Clinical Electrophysiology, 1990, 13, 1105-1109.	1.2	32
66	Feasibility of Long-Term Electrocardiographic Monitoring with an Implanted Device for Syncope Diagnosis. PACE - Pacing and Clinical Electrophysiology, 1990, 13, 1374-1378.	1.2	23
67	Pharmacological Management of Supraventricular Tachycardia. PACE - Pacing and Clinical Electrophysiology, 1990, 13, 1516-1524.	1.2	3
68	Localization of Accessory Pathways in the Wolff-Parkinson-White Syndrome. PACE - Pacing and Clinical Electrophysiology, 1989, 12, 1691-1705.	1.2	21
69	Sequential Pulse Countershock Between Two Transvenous Catheters: Feasibility, Safety, and Efficacy. PACE - Pacing and Clinical Electrophysiology, 1989, 12, 1869-1877.	1.2	10
70	Cardioversion and Defibrillation Using a Catheter Electrode: Myocardial Damage Assessed at Autopsy. PACE - Pacing and Clinical Electrophysiology, 1987, 10, 800-804.	1.2	10
71	Surgical Treatment of Supraventricular Tachycardia: A Five-Year Experience.. PACE - Pacing and Clinical Electrophysiology, 1986, 9, 1376-1380.	1.2	36
72	Comparative Functional Effects of Chronic Ventricular Demand and Atrial Synchronous Ventricular Inhibited Pacing. PACE - Pacing and Clinical Electrophysiology, 1984, 7, 23-28.	1.2	22

#	ARTICLE	IF	CITATIONS
73	Wide QRS Tachycardia: Multiple Mechanisms in a Patient after Myocardial Infarction. PACE - Pacing and Clinical Electrophysiology, 1984, 7, 179-186.	1.2	2
74	Syncope in the Wolff-Parkinson-White Syndrome: Incidence and Electrophysiologic Correlates. PACE - Pacing and Clinical Electrophysiology, 1984, 7, 381-388.	1.2	33
75	Recurrent Ventricular Tachycardia Responsive to Verapamil. PACE - Pacing and Clinical Electrophysiology, 1984, 7, 938-948.	1.2	60