

Stefano Belforte

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1649916/publications.pdf>

Version: 2024-02-01

625
papers

33,182
citations

5268
83
h-index

8630
146
g-index

633
all docs

633
docs citations

633
times ranked

10719
citing authors

#	ARTICLE	IF	CITATIONS
1	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	6
2	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	5
3	Search for long-lived particles decaying to leptons with large impact parameter in proton+proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2022, 82, 153.	3.9	14
4	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	1
5	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton+proton collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2022, 82, 290.	3.9	18
6	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	13
7	Search for long-lived particles decaying into muon pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV collected with a dedicated high-rate data stream. <i>Journal of High Energy Physics</i> , 2022, 2022, .	4.7	5
8	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	12
9	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	2
10	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	6
11	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	5
12	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	5
13	Measurement of the inclusive $t\bar{t}$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	2
14	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, .	4.7	2
15	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, .	4.7	4
16	Observation of $B \rightarrow D^* \pi^- \rightarrow \psi(2S) K^+ \pi^-$ and $B \rightarrow D^* \pi^- \rightarrow \psi(2S) K^+$ decays. <i>European Physical Journal C</i> , 2022, 82, .	3.9	1
17	Search for dark matter produced in association with a leptonically decaying Z boson in proton+proton collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2021, 81, 13.	3.9	33
18	Search for top squark pair production using dilepton final states in $\sqrt{s}=13$ TeV collision data collected at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2021, 81, 3.	3.9	33

#	ARTICLE	IF	CITATIONS
19	Measurements of $\mathrm{pp} \rightarrow \mathrm{Z}\mathrm{Z}$ production cross sections and constraints on anomalous triple gauge couplings at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2021, 81, 200.	3.9	24
20	Development and validation of HERWIG ⁷ tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312.	3.9	12
21	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2021, 81, 378.	3.9	40
22	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2021, 81, 488.	3.9	35
23	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\sqrt{s} = 13\text{TeV}$. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
24	MUSiC: a model-unspecific search for new physics in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2021, 81, 629.	3.9	18
25	Search for a heavy vector resonance decaying to a $Z\chi\chi$ boson and a Higgs boson in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2021, 81, 688.	3.9	9
26	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2021, 81, 723.	3.9	19
27	Measurements of angular distance and momentum ratio distributions in three-jet and $\chi\chi$ + two-jet final states in pp collisions. European Physical Journal C, 2021, 81, 852.	3.9	2
28	Precision luminosity measurement in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	3.9	123
29	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2021, 81, 970.	3.9	18
30	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. Computing and Software for Big Science, 2020, 4, 10.	2.9	21
31	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. Journal of Instrumentation, 2020, 15, P02027-P02027.	1.2	27
32	Calibration of the CMS hadron calorimeters using proton-proton collision data at $\sqrt{s} = 13\text{TeV}$. Journal of Instrumentation, 2020, 15, P05002-P05002.	1.2	3
33	Study of central exclusive "Equation missing" production in proton-proton collisions at $\sqrt{s} = 5.02\text{TeV}$ and 13TeV . European Physical Journal C, 2020, 80, 718.	3.9	7
34	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2020, 80, 752.	3.9	23
35	Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. Journal of Instrumentation, 2020, 15, P10017-P10017.	1.2	84
36	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13TeV with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	4.7	21

#	ARTICLE	IF	CITATIONS
37	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	20
38	Search for direct pair production of supersymmetric partners to the τ^+ lepton in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2020, 80, 189.	3.9	22
39	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76$ and 5.02 TeV. <i>European Physical Journal C</i> , 2020, 80, 534.	3.9	14
40	Measurement of electroweak production of a W boson in association with two jets in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2020, 80, 43.	3.9	11
41	Evidence for WW production from double-parton interactions in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	10
42	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2020, 80, 75.	3.9	78
43	Searches for physics beyond the standard model with the M_{T2} variable in hadronic final states with and without disappearing tracks in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2020, 80, 3.	3.9	70
44	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , 2020, 80, 4.	3.9	198
45	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	14
46	A multi-dimensional search for new heavy resonances decaying to boosted W bosons, or Z boson pairs in the dijet final state at 13 TeV. <i>European Physical Journal C</i> , 2020, 80, 237.	3.9	31
47	Measurement of single-diffractive dijet production in proton-proton collisions at $\sqrt{s} = 8$ TeV with the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2020, 80, 1164.	3.9	5
48	Measurement of differential cross sections and charge ratios for t-channel single top quark production in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2020, 80, 370.	3.9	22
49	Measurement of $t\bar{t}$ normalised multi-differential cross sections in pp collisions at $\sqrt{s}=13$ TeV, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	33
50	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	17
51	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	9
52	Measurement of exclusive $\rho \rightarrow \tau^+ \tau^-$ photoproduction in ultraperipheral pPb collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV. <i>European Physical Journal C</i> , 2019, 79, 702.	3.9	33
53	Measurement of exclusive $\Upsilon \rightarrow \tau^+ \tau^-$ photoproduction from protons in $p\text{-Pb}$ collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV. <i>European Physical Journal C</i> , 2019, 79, 277.	3.9	35
54	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2019, 79, 564.	3.9	50

#	ARTICLE	IF	CITATIONS
55	Measurement of the top quark mass in the all-jets final state at $\sqrt{s} = 13 \text{ TeV}$ and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.	3.9	40
56	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in $\sqrt{s} = 13 \text{ TeV}$ collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 773.	3.9	8
57	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton+proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 305.	3.9	4
58	Search for the pair production of light top squarks in the $e^{\pm}\bar{l}^{\mp} \rightarrow t\bar{t}$ final state in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
59	Combined measurements of Higgs boson couplings in proton+proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 421.	3.9	355
60	Search for supersymmetry in events with a photon, jets, b -jets, and missing transverse momentum in proton+proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 444.	3.9	11
61	Measurements of the p_T $t\bar{t}$ WZ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
62	Measurement of the $t\bar{t}$ production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 368.	3.9	68
63	Measurement of the energy density as a function of pseudorapidity in proton+proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 1.	3.9	12
64	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton+proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 280.	3.9	29
65	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton+proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 364.	3.9	48
66	Search for single production of vector-like quarks decaying to a top quark and a W boson in proton+proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 90.	3.9	34
67	Study of the underlying event in top quark pair production in p_T collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 123.	3.9	11
68	Search for rare decays of Z and Higgs bosons to J/ψ and a photon in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 94.	3.9	20
69	Search for $t\bar{t}$ production in the $t\bar{t} \rightarrow b\bar{b} + l\nu$ decay channel with leptonic $t\bar{t}$ decays in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
70	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	12
71	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 20.	3.9	18
72	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in p_T collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2019, 79, 969.	3.9	6

#	ARTICLE	IF	CITATIONS
73	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	18
74	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>European Physical Journal C</i> , 2019, 79, 893.	3.9	12
75	Search for new physics in top quark production in dilepton final states in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. <i>European Physical Journal C</i> , 2019, 79, 886.	3.9	16
76	Measurements of differential Z boson production cross sections in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	28
77	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at $\sqrt{s}=7\text{TeV}$. <i>European Physical Journal C</i> , 2018, 78, 242.	3.9	10
78	Pseudorapidity distributions of charged hadrons in proton-lead collisions at $s_{NN} = 5.02 \text{ TeV}$ and 8.16 TeV . <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	8
79	Search for resonant and nonresonant Higgs boson pair production in the $b\bar{b}\rightarrow Z^0 Z^0$ final state in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	36
80	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 291.	3.9	27
81	Measurements of the p_T distribution and the branching fraction, and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2018, 78, 165.	3.9	52
82	Measurement of associated $Z + \text{charm}$ production in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 287.	3.9	16
83	Measurement of the inclusive $t\bar{t}$ cross section in pp collisions at $\sqrt{s}=5.02 \text{ TeV}$ using final states with at least one charged lepton. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	5
84	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at $\sqrt{s}=8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	0
85	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	5
86	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	6
87	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	57
88	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	63
89	Measurement of differential cross sections in the kinematic angular variable $\tilde{\ell}^*$ for inclusive Z boson production in pp collisions at $\sqrt{s}=8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	4
90	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at $\sqrt{s_{NN}}=5.02 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	12

#	ARTICLE	IF	CITATIONS
91	Measurement of normalized differential $\mathcal{C}_{t\bar{t}}$ cross sections in the dilepton channel from $p\bar{p}$ collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	18
92	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
93	Search for ZZ resonances in the 2γ final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	4
94	Search for $t\bar{t}$ production in the all-jet final state in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	20
95	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	11
96	Search for natural and split supersymmetry in proton-proton collisions at $\sqrt{s} = 13$ TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	43
97	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	12
98	Measurement of the top quark mass with lepton+jets final states using $p\bar{p}$ collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 891.	3.9	34
99	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	57
100	Search for $Z^{\prime 3}$ resonances using leptonic and hadronic final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
101	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	14
102	Search for third-generation scalar leptoquarks decaying to a top quark and a τ lepton at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 707.	3.9	46
103	Measurement of differential cross sections for Z boson production in association with jets in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 965.	3.9	39
104	Studies of $B_s \rightarrow D_s^+ D_s^-$ and $B_s \rightarrow D_s^0 \bar{D}_s^0$ at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 966.	3.9	39

#	ARTICLE	IF	CITATIONS
109	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 1.	3.9	9
110	Search for high-mass resonances in final states with a lepton and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	25
111	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
112	Measurement of the Z/γ^* cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ and validation of \mathcal{N} . European Physical Journal C, 2018, 78, 708.	3.9	10
113	Search for dark matter produced in association with a Higgs boson decaying to $\tilde{l}\tilde{l}$ or \tilde{l}, \tilde{l}' at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
114	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11
115	Search for a heavy resonance decaying into a Z boson and a vector boson in the $u\bar{u}$ final state. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
116	Measurement of the weak mixing angle using the forward-backward asymmetry of Drell-Yan events in $p\bar{p}$ collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2018, 78, 701.	3.9	58
117	Measurement of prompt and nonprompt charmonium suppression in PbPb collisions at $\sqrt{s} = 5.02 \text{ TeV}$. European Physical Journal C, 2018, 78, 509.	3.9	83
118	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying \tilde{l} , leptons at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
119	Electroweak production of two jets in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 1.	3.9	17
120	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
121	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
122	Measurement of the inelastic proton-proton cross section at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	62
123	Search for high-mass resonances in dilepton final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	86
124	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	42
125	Jet properties in PbPb and pp collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
126	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 140.	3.9	44

#	ARTICLE	IF	CITATIONS
127	Measurement of b hadron lifetimes in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2018, 78, 457.	3.9	15
128	Measurements of the (p_T) production cross section and the ($Z \rightarrow 4\ell$) branching fraction, and constraints on anomalous triple gauge couplings at ($\sqrt{s} = 13 \text{ TeV}$). European Physical Journal C, 2018, 78, 1.	3	
129	Measurement of b hadron lifetimes in pp collisions at ($\sqrt{s} = 8 \text{ TeV}$). European Physical Journal C, 2018, 78, 1.	1	
130	Measurements of the $t\bar{t}$ production cross section in lepton+jets final states in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ and ratio of 8 to 7 $t\bar{t}$ cross sections. European Physical Journal C, 2017, 77, 15.	3.9	34
131	Measurement of the $t\bar{t}$ production cross section using events in the $e\mu$ final state in pp collisions at $\sqrt{s}=13 \text{ TeV}$. European Physical Journal C, 2017, 77, 172.	3.9	40
132	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	54
133	Search for electroweak production of charginos in final states with two $\tilde{\nu}_\tau$ leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
134	Measurement of the production cross section of a $W\bar{b}$ boson in association with two b jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2017, 77, 92.	3.9	16
135	Measurement of the WZ production cross section in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ and search for anomalous triple gauge couplings at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2017, 77, 236.	3.9	37
136	Measurement of prompt and nonprompt J/ψ production in $p\bar{p}$ and $p\bar{p}$ collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$. European Physical Journal C, 2017, 77, 269.	3.9	53
137	A search for new phenomena in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ in final states with missing transverse momentum and at least one jet using the $\alpha_T \pm T$ variable. European Physical Journal C, 2017, 77, 294.	3.9	29
138	Search for new physics in the monophoton final state in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
139	Measurement of double-differential cross sections for top quark pair production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.	3.9	52
140	Measurement of the jet mass in highly boosted $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2017, 77, 467.	3.9	23
141	Charged-particle nuclear modification factors in PbPb and pPb collisions at $s_{NN} = 5.02 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	103
142	Search for $t\bar{t}$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
143	Search for associated production of dark matter with a Higgs boson decaying to $b\bar{b}$ or $\tilde{\chi}_1^0$ at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
144	Observation of $\Upsilon(1S)$ pair production in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	48

#	ARTICLE	IF	CITATIONS
145	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $s = 7 \sqrt{s} = 7$ TeV and 8 TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	35
146	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $s = 13 \sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	13
147	Measurement of the semileptonic $t\bar{t}\bar{\chi}^0$ production cross section in pp collisions at $s = 8 \sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	11
148	Measurements of the pp $\bar{t}\bar{t}W\bar{\chi}^0$ and pp $\bar{t}\bar{t}Z\bar{\chi}^0$ cross sections and limits on anomalous quartic gauge couplings at $s = 8 \sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	10
149	Search for new phenomena with the M_{T2} variable in the all-hadronic final state produced in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2017, 77, 710.	3.9	98
150	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8 \sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
151	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $s = 13 \sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	23
152	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
153	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $s = 8 \sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	23
154	Suppression and azimuthal anisotropy of prompt and nonprompt J/ψ production in PbPb collisions at $\sqrt{s}_{NN} = 2.76$ TeV. <i>European Physical Journal C</i> , 2017, 77, 252.	3.9	82
155	Searches for pair production of third-generation squarks in pp collisions. <i>European Physical Journal C</i> , 2017, 77, 327.	3.9	32
156	Measurement of the top quark mass using single top quark events in proton-proton collisions at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2017, 77, 354.	3.9	23
157	Searches for invisible decays of the Higgs boson in pp collisions at $s = 7, 8,$ and 13 TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	95
158	Search for massive resonances decaying into WW , WZ or ZZ bosons in proton-proton collisions at $s = 13 \sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	22
159	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2017, 77, 845.	3.9	38
160	Measurement of electroweak-induced production of $W\bar{\chi}^0$ with two jets in pp collisions at $s = 8 \sqrt{s} = 8$ TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
161	Searches for $W\chi^0$ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
162	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s = 13 \sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	10

#	ARTICLE	IF	CITATIONS
163	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
164	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
165	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	27
166	Search for top squark pair production in pp collisions at $s = 13 \text{ TeV}$ using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
167	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
168	Measurement of the $t\bar{t}\bar{\Lambda}$ production cross section using events with one lepton and at least one jet in pp collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
169	Search for a heavy resonance decaying to a top quark and a vector-like top quark at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	5
170	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2017, 77, 578.	3.9	57
171	Search for top quark partners with charge 5/3 in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
172	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
173	Measurements of jet charge with dijet events in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
174	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	21
175	Search for new physics with dijet angular distributions in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
176	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	62
177	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	41
178	Search for new phenomena with multiple charged leptons in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2017, 77, 1.	3.9	2
179	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2017, 77, 636.	3.9	38
180	Search for high-mass Z^3 resonances in $e+e^- \rightarrow Z^3$ and $\gamma\gamma \rightarrow Z^3$ final states in proton-proton collisions at $s = 8 \text{ TeV}$ and 13 TeV . Journal of High Energy Physics, 2017, 2017, 1.	4.7	7

#	ARTICLE	IF	CITATIONS
181	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying \tilde{l} , leptons and two jets in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
182	Search for CP violation in $t\bar{t} \rightarrow t\bar{t}$ production and decay in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	4
183	Measurement of the triple-differential dijet cross section in proton-proton collisions at $s = 8 \text{ TeV}$ and constraints on parton distribution functions. European Physical Journal C, 2017, 77, 746.	3.9	23
184	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
185	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
186	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	101
187	Use of DAGMan in CRAB3 to improve the splitting of CMS user jobs. Journal of Physics: Conference Series, 2017, 898, 052035.	0.4	0
188	Measurements of the associated production of a Z boson and b jets in pp collisions at $s = 8 \text{ TeV}$. European Physical Journal C, 2017, 77, 751.	3.9	30
189	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at $s = 8 \text{ TeV}$ using H → WW decays. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
190	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
191	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at $s = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	18
192	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at $s = 13 \text{ TeV}$. European Physical Journal C, 2016, 76, 451.	3.9	55
193	Measurement of the $W + W$ - cross section in pp collisions at $s = 8 \text{ TeV}$ and limits on anomalous gauge couplings. European Physical Journal C, 2016, 76, 401.	3.9	74
194	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371.	3.9	33
195	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
196	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an $e\mu e\mu$ pair in proton-proton collisions at $s = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 317.	3.9	16
197	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
198	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at $s = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31

#	ARTICLE	IF	CITATIONS
199	Search for anomalous single top quark production in association with a photon in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	27
200	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	7
201	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
202	Forwardâ€“backward asymmetry of Drellâ€“Yan lepton pairs in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 325.	3.9	25
203	Search for new physics in same-sign dilepton events in protonâ€“proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2016, 76, 439.	3.9	64
204	Measurement of dijet azimuthal decorrelation in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 536.	3.9	16
205	Search for dark matter particles in proton-proton collisions at $s = 8 \text{ TeV}$ using the razor variables. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4
206	Search for s channel single top quark production in pp collisions at $s = 7 \text{ TeV}$ and 8 TeV . Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
207	Measurement of inclusive jet production and nuclear modifications in pPb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$. European Physical Journal C, 2016, 76, 372.	3.9	29
208	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $s = 7 \text{ TeV}$ and 8 TeV . Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
209	Measurement of the $t\bar{t} \rightarrow W^+W^-$ production cross section in the $e\bar{e}$ channel in proton-proton collisions at $s = 7 \text{ TeV}$ and 8 TeV . Journal of High Energy Physics, 2016, 2016, 1.	4.7	41
210	Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
211	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
212	Evidence for exclusive $t\bar{t} \rightarrow W^+W^-$ production and constraints on anomalous quartic gauge couplings in pp collisions at $s = 7 \text{ TeV}$ and 8 TeV . Journal of High Energy Physics, 2016, 2016, 1.	4.7	42
213	Search for supersymmetry in pp collisions at $s = 13 \text{ TeV}$ in the single-lepton final state using the sum of masses of large-radius jets. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
214	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 460.	3.9	18
215	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at $s = 7 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
216	Phenomenological MSSM interpretation of CMS searches in pp collisions at $s = 7 \text{ TeV}$ and 8 TeV . Journal of High Energy Physics, 2016, 2016, 1.	4.7	12

#	ARTICLE	IF	CITATIONS
217	Measurement of the mass of the top quark in decays with a J/ψ meson in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	6
218	Measurement of the inclusive jet cross section in pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 1.	3.9	26
219	Measurement of $t\bar{t}$ production with additional jet activity, including b quark jets, in the dilepton decay channel using pp collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 379.	3.9	34
220	Measurement of the differential cross section and charge asymmetry for inclusive $t\bar{t} \rightarrow W^+ p^- + W^- p^+$ production at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 469.	3.9	83
221	Observation of top quark pairs produced in association with a vector boson in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	23
222	Search for $W\rightarrow t\bar{t}$ in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	3
223	Correlations between jets and charged particles in PbPb and pp collisions at $s_NN = 2.76 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	29
224	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	5
225	Search for excited leptons in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	16
226	Measurement of $t\bar{t}$ production cross section in the all-jets final state in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 128.	3.9	41
227	Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , 2016, 76, 155.	3.9	499
228	Search for massive WH resonances decaying into the $\ell u \bar{b} \bar{b}$ final state at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 237.	3.9	30
229	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	16
230	Measurement of top quark polarisation in t-channel single top quark production. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15
231	Search for heavy Majorana neutrinos in $e^\pm e^\pm$ jets and $e^\pm \nu$ jets events in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	35
232	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into $\tilde{\chi}_1^0$ leptons in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	19
233	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 13.	3.9	62
234	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	8

#	ARTICLE	IF	CITATIONS
235	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
236	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	34
237	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	37
238	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	20
239	Search for a charged Higgs boson in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	81
240	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	12
241	Search for a light charged Higgs boson decaying to $c \bar{s}$ in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1-37.	4.7	44
242	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
243	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	1
244	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015, 2015, 1.	4.7	92
245	CMS distributed data analysis with CRAB3. Journal of Physics: Conference Series, 2015, 664, 062038.	0.4	7
246	Pushing HTCondor and glideinWMS to 200K+ Jobs in a Global Pool for CMS before Run 2. Journal of Physics: Conference Series, 2015, 664, 062030.	0.4	3
247	Using the glideinWMS System as a Common Resource Provisioning Layer in CMS. Journal of Physics: Conference Series, 2015, 664, 062031.	0.4	8
248	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 TeV. European Physical Journal C, 2015, 75, 212.	3.9	541
249	Measurement of the $Z\tilde{t}^3$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.	4.7	11
250	Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeV and determination of the strong coupling constant in the TeV range. European Physical Journal C, 2015, 75, 186.	3.9	68
251	Measurement of the differential cross section for top quark pair production in pp collisions at $s = 8 \text{ TeV}$. European Physical Journal C, 2015, 75, 542.	3.9	191
252	Measurements of the $Z\tilde{Z}$ production cross sections in the $Z\tilde{Z}$ channel in proton-proton collisions at $s = 7 \text{ TeV}$ and $s = 8 \text{ TeV}$. European Physical Journal C, 2015, 75, 511.	3.9	32

#	ARTICLE	IF	CITATIONS
253	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	30
254	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. <i>European Physical Journal C</i> , 2015, 75, 251.	3.9	73
255	Measurement of electroweak production of two jets in association with a Z boson in protonâ€“proton collisions at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2015, 75, 66.	3.9	31
256	Measurements of differential and double-differential Drellâ€“Yan cross sections in protonâ€“proton collisions at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2015, 75, 147.	3.9	88
257	Search for decays of stopped long-lived particles produced in protonâ€“proton collisions at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2015, 75, 151.	3.9	44
258	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	26
259	Measurement of the ratio of the production cross sections and the branching fractions of $B_c \rightarrow \bar{K}^+ \pi^+ \tau^+ \nu_\tau$ and $B_c \pm \bar{K}^0 \bar{K}^0$ and $B_c \pm \bar{K}^0 \bar{K}^0 \tau^+ \nu_\tau$ and $B_c \pm \bar{K}^0 \bar{K}^0 \tau^+ \nu_\tau / B_c \pm \bar{K}^0 \bar{K}^0 \tau^+ \nu_\tau$. <i>European Physical Journal C</i> , 2015, 75, 17.	4.7	17
260	Search for disappearing tracks in proton-proton collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	46
261	Study of Z production in PbPb and pp collisions at $s_{NN} = 2.76$ TeV in the dimuon and dielectron decay channels. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	27
262	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	78
263	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at $s = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	10
264	Search for dark matter, extra dimensions, and unparticles in monojet events in protonâ€“proton collisions at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2015, 75, 235.	3.9	320
265	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2015, 75, 288.	3.9	54
266	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV. <i>European Physical Journal C</i> , 2015, 75, 237.	3.9	58
267	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2015, 75, 302.	3.9	6
268	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in protonâ€“proton collisions at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2015, 75, 325.	3.9	43
269	Search for heavy neutrinos and W bosons with right-handed couplings in protonâ€“proton collisions at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2014, 74, 3149.	3.9	179
270	Measurement of top quarkâ€“antiquark pair production in association with a W or Z boson in pp collisions at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2014, 74, 3060.	3.9	43

#	ARTICLE	IF	CITATIONS
271	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2014, 74, 3129.	3.9	65
272	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	4.7	81
273	Measurement of pseudorapidity distributions of charged particles in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.	3.9	49
274	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV . European Physical Journal C, 2014, 74, 3036.	3.9	241
275	Measurement of prompt J/ ψ pair production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	61
276	Observation of the diphoton decay of the Higgs boson and measurement of its properties. European Physical Journal C, 2014, 74, 3076.	3.9	342
277	Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.	4.7	51
278	Study of hadronic event-shape variables in multijet final states in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	3
279	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	17
280	Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High Energy Physics, 2014, 2014, 1.	4.7	43
281	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. Journal of High Energy Physics, 2014, 2014, 1.	4.7	169
282	Measurement of the t-channel production cross section in the dilepton channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	52
283	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	77
284	Measurement of associated W + charm production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	55
285	Search for new physics in events with same-sign dileptons and jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	48
286	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$. European Physical Journal C, 2014, 74, 1.	3.9	75
287	Measurement of WZ and ZZ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ in final states with b-tagged jets. European Physical Journal C, 2014, 74, 2973.	3.9	23
288	Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. European Physical Journal C, 2014, 74, 2980.	3.9	171

#	ARTICLE	IF	CITATIONS
289	Measurement of jet multiplicity distributions in $\mathrm{t}\overline{\mathrm{t}}$ production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2014, 74, 3014.	3.9	16
290	Study of double parton scattering using W + 2-jet events in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	85
291	Event activity dependence of Y (nS) production in $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ pPb and $\sqrt{s} = 2.76 \text{ TeV}$ pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	4.7	56
292	Measurements of the $t\overline{t}$ charge asymmetry using the dilepton decay channel in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	20
293	Evidence for the 125 GeV Higgs boson decaying to a pair of \tilde{t} , leptons. Journal of High Energy Physics, 2014, 2014, 1.	4.7	123
294	Search for $W\rightarrow t\bar{t}$ decays in the lepton + jets final state in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	26
295	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	31
296	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	100
297	Measurement of the t-channel single-top-quark production cross section and of the $ V_{tb} $ CKM matrix element in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	70
298	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	39
299	Search for pair production of excited top quarks in the lepton + jets final state. Journal of High Energy Physics, 2014, 2014, 1.	4.7	4
300	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	85
301	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	69
302	Measurement of the top-quark mass in all-jets $t\overline{t}$ events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2014, 74, 2758.	3.9	35
303	Study of the production of charged pions, kaons, and protons in pPb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$. European Physical Journal C, 2014, 74, 2847.	3.9	85
304	Probing color coherence effects in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2014, 74, 2901.	3.9	17
305	CMS computing operations during run 1. Journal of Physics: Conference Series, 2014, 513, 032040.	0.4	5
306	Evolution of the pilot infrastructure of CMS: towards a single glideinWMS pool. Journal of Physics: Conference Series, 2014, 513, 032041.	0.4	2

#	ARTICLE	IF	CITATIONS
307	Measurement of the ($\overline{t}t$) production cross section in the dilepton channel in pp collisions at (\sqrt{s}) = 8 TeV. , 2014, 2014, 1.	3	
308	Search for the associated production of the Higgs boson with a top-quark pair. , 2014, 2014, 1.	6	
309	Search for microscopic black holes in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	44
310	Measurement of the Λ_b^0 lifetime in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	17
311	Searches for long-lived charged particles in pp collisions at $\sqrt{s}=7$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	118
312	Study of exclusive two-photon production of $W+W^\gamma$ in pp collisions at $\sqrt{s}=7$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2013, 2013, 1.	4.7	75
313	Observation of a new boson with mass near 125 GeV in pp collisions at $\sqrt{s}=7$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	320
314	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	39
315	Studies of jet mass in dijet and $W/Z + \text{jet}$ events. Journal of High Energy Physics, 2013, 2013, 1.	4.7	58
316	Measurement of the $t\overline{t}$ production cross section in the all-jet final state in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	16
317	Measurement of the $X(3872)$ production cross section via decays to $J/\psi + \pi^\pm$ in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	73
318	Study of the underlying event at forward rapidity in pp collisions at $\sqrt{s}=0.9, 2.76, 7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	50
319	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	15
320	Search for new physics in events with same-sign dileptons and b jets in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	33
321	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. Journal of High Energy Physics, 2013, 2013, 1.	4.7	32
322	Search for exotic resonances decaying into WZ/ZZ in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	20
323	Search for supersymmetry in pp collisions at $\sqrt{s}=7$ TeV in events with a single lepton, jets, and missing transverse momentum. European Physical Journal C, 2013, 73, 2404.	3.9	20
324	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. European Physical Journal C, 2013, 73, 2469.	3.9	68

#	ARTICLE	IF	CITATIONS
325	Measurement of the production cross section for $Z\gamma \rightarrow u\bar{u}\gamma\gamma$ in pp collisions at $\sqrt{s} = 7$ TeV and limits on $ZZ\tilde{l}^3$ and $Z\tilde{l}^3\tilde{l}^3$ triple gauge boson couplings. Journal of High Energy Physics, 2013, 2013, 1.	4.7	14
326	Measurement of the W-boson helicity in top-quark decays from $t\bar{t}$ production in lepton+jets events in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	30
327	Search for supersymmetry in hadronic final states with missing transverse energy using the variables \hat{T} and b-quark multiplicity in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2013, 73, 2568.	3.9	147
328	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	16
329	Measurement of masses in the $t\bar{t}$ system by kinematic endpoints in pp collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2013, 73, 2494.	3.9	55
330	Search for physics beyond the standard model in events with \tilde{l} , leptons, jets, and large transverse momentum imbalance in pp collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2013, 73, 2493.	3.9	22
331	Measurement of the $t\bar{t}$ production cross section in the $\tilde{l}, +\text{jets}$ channel in pp collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2013, 73, 1.	3.9	24
332	Jet and underlying event properties as a function of charged-particle multiplicity in proton+proton collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2013, 73, 2674.	3.9	32
333			

#	ARTICLE	IF	CITATIONS
343	Measurement of differential top-quark-pair production cross sections in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2013, 73, 1.	3.9	125
344	Search for new physics in events with same-sign dileptons and b jets in pp collisions at $(\sqrt{s})=8 \text{ TeV}$, 2013, 2013, 1.		2
345	Inclusive b-jet production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	39
346	Search for quark compositeness in dijet angular distributions from pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	18
347	Suppression of non-prompt J/ψ , prompt J/ψ , and $\Upsilon(1S)$ in PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	200
348	Search for heavy bottom-like quarks in 4.9 fb^{-1} of pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	45
349	Measurement of the cross section for production of $b\bar{b}$ decaying to muons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	6
350	Measurement of the Z/γ^* b-jet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	39
351	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	31
352	Search for anomalous production of multilepton events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	68
353	Search for a light charged Higgs boson in top quark decays in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	117
354	Search for leptonic decays of W^{\pm} bosons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	49
355	Search for stopped long-lived particles produced in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	17
356	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	30
357	Measurement of the underlying event activity in pp collisions at $\sqrt{s} = 0.9 \text{ and } 7 \text{ TeV}$ with the novel jet-area/median approach. Journal of High Energy Physics, 2012, 2012, 1.	4.7	13
358	Search for anomalous $t\bar{t}$ production in the highly-boosted all-hadronic final state. Journal of High Energy Physics, 2012, 2012, 1.	4.7	58
359	Search for dark matter and large extra dimensions in monojet events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	168
360	Search for a fermiophobic Higgs boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15

#	ARTICLE	IF	CITATIONS
361	Search for supersymmetry in hadronic final states using M T2 in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	95
362	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at $\sqrt{s_{\text{NN}}}=2.76$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	85
363	Measurement of the $t\bar{t}$ production cross section in the dilepton channel in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	69
364	Search for exclusive or semi-exclusive $\tilde{b}^0\tilde{b}^0$ production and observation of exclusive and semi-exclusive $e+e\gamma$ production in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	51
365	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	7
366	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	41
367	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	11
368	Search for resonant $t\bar{t}$ production in lepton+jets events in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	26
369	Observation of Z decays to four leptons with the CMS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
370	Measurement of the single-top-quark t-channel cross section in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	83
371	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	14
372	Measurement of the top-quark mass in $t\bar{t}$ events with lepton+jets final states in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	38
373	A New Boson with a Mass of 125 GeV Observed with the CMS Experiment at the Large Hadron Collider. Science, 2012, 338, 1569-1575.	12.6	85
374	Measurement of the underlying event in the Drell-Yan process in proton-proton collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 1.	3.9	33
375	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at $\sqrt{s} = 0.9, 2.76, 7$ TeV. European Physical Journal C, 2012, 72, 1.	3.9	154
376	A search for a doubly-charged Higgs boson in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 1.	3.9	129
377	Measurement of the top-quark mass in $t\bar{t}$ events with dilepton final states in pp collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2012, 72, 1.	3.9	42
378	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton-proton collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2012, 72, 1.	3.9	26

ARTICLE

IF CITATIONS

379

#	ARTICLE	IF	CITATIONS
397	Charged particle multiplicities in pp interactions at $\sqrt{s} = 0.9$, 2.36, and 7 TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	106
398	Measurements of inclusive W and Z cross sections in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	122
399	Search for heavy stable charged particles in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	38
400	Inclusive b-hadron production cross section with muons in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	23
401	Measurement of \overline{B} angular correlations based on secondary vertex reconstruction at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	32
402	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	59
403	Measurement of Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	30
404	Strange particle production in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	139
405	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	22
406	Search for resonances in the dilepton mass distribution in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	39
407	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	26
408	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	46
409	Measurement of the $t\bar{t}$ production cross section and the top quark mass in the dilepton channel in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	53
410	Long-range and short-range dihadron angular correlations in central PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	65
411	Search for light resonances decaying into pairs of muons as a signal of new physics. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	13
412	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	29
413	Search for same-sign top-quark pair production at $\sqrt{s} = 7$ TeV and limits on flavour changing neutral currents in the top sector. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	40
414	Charged particle transverse momentum spectra in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	56

#	ARTICLE	IF	CITATIONS
415	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	20
416	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at $\sqrt{\{s_{\text{NN}}\}} = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	99
417	Search for new physics with jets and missing transverse momentum in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	49
418	Search for supersymmetry in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ in events with a single lepton, jets, and missing transverse momentum. Journal of High Energy Physics, 2011, 2011, 1.	4.7	32
419	Measurement of the underlying event activity at the LHC with $\sqrt{s} = 7 \text{ TeV}$ and comparison with $\sqrt{s} = 0.9 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	97
420	Measurement of the Drell-Yan cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	36
421	Measurement of the inclusive W and Z production cross sections in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the CMS experiment. Journal of High Energy Physics, 2011, 2011, 1.	4.7	158
422	Measurement of energy flow at large pseudorapidities in pp collisions at $\sqrt{s} = 0.9 \text{ and } 7 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	25
423	Measurement of energy flow at large pseudorapidities in pp collisions at $(\sqrt{s} = 0.9) \text{ and } 7 \text{ TeV}$, 2011, 2011, 1.		5
424	Debugging data transfers in CMS. Journal of Physics: Conference Series, 2010, 219, 062055.	0.4	5
425	Bringing the CMS distributed computing system into scalable operations. Journal of Physics: Conference Series, 2010, 219, 062015.	0.4	1
426	Use of the gLite-WMS in CMS for production and analysis. Journal of Physics: Conference Series, 2010, 219, 062007.	0.4	5
427	First measurement of the underlying event activity at the LHC with $\sqrt{s} = 0.9 \text{ TeV}$. European Physical Journal C, 2010, 70, 555-572.	3.9	50
428	CMS tracking performance results from early LHC operation. European Physical Journal C, 2010, 70, 1165-1192.	3.9	120
429	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at $\sqrt{s} = 0.9 \text{ and } 2.36 \text{ TeV}$. Journal of High Energy Physics, 2010, 2010, 1.	4.7	230
430	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. Journal of High Energy Physics, 2010, 2010, 1.	4.7	497
431	Distributed Analysis in CMS. Journal of Grid Computing, 2010, 8, 159-179.	3.9	11
432	Measurement of the ratio of branching fractions $B(\bar{B}^{\pm} \rightarrow J/\psi \bar{K}^{\pm})/B(\bar{B}^{\pm} \rightarrow J/\psi \bar{K}^{\pm})$. Physical Review D, 2009, 79, .	4.7	3

#	ARTICLE	IF	CITATIONS
433	Cross section measurements of high-pT dilepton final-state processes using a global fitting method. Physical Review D, 2008, 78, .	4.7	8
434	CMS offline web tools. Journal of Physics: Conference Series, 2008, 119, 082007.	0.4	5
435	Analysis of the Quantum Numbers PCof the $\chi(3872)$ Particle. Physical Review Letters, 2007, 98, 132002.	7.8	193
436	Measurement of the $b\bar{b}$ Lifetime in $p\bar{p}$ Collisions at $s=1.96 \text{ TeV}$. Physical Review Letters, 2007, 98, 122001.	7.8	24
437	Measurement of the Ratios of Branching Fractions $B(B_s \rightarrow D_s \pi^+ \pi^-)/B(B \bar{D} \rightarrow D \pi^+ \pi^-)$ and $B(B_s \rightarrow D_s \rho^+)/B(B \bar{D} \rightarrow D \rho^+)$. Physical Review Letters, 2007, 98, 061802.	7.8	23
438	Measurement of the inclusive jet cross section using the kT algorithm in $p\bar{p}$ collisions at $s=1.96 \text{ TeV}$ with the CDF II detector. Physical Review D, 2007, 75, .	4.7	114
439	Measurement of $f(p\bar{p} \rightarrow Z \rightarrow l^+ l^-)$ in $p\bar{p}$ collisions at $s=1.96 \text{ TeV}$. Physical Review D, 2007, 75, .	4.7	24
440	Search for V+A Current in Top-Quark Decays in $p\bar{p}$ Collisions at $s=1.96 \text{ TeV}$. Physical Review Letters, 2007, 98, 072001.	7.8	22
441	Measurement of $f(b\bar{b})/f(B \bar{D} \rightarrow B \bar{D} \pi^+ \pi^-)$ in $p\bar{p}$ Collisions at $s=1.96 \text{ TeV}$. Physical Review Letters, 2007, 98, 122002.	7.8	23
442	Search for Anomalous Production of Multilepton Events in $p\bar{p}$ Collisions at $s=1.96 \text{ TeV}$. Physical Review Letters, 2007, 98, 131804.	7.8	15
443	Observation of Exclusive Electron-Positron Production in Hadron-Hadron Collisions. Physical Review Letters, 2007, 98, 112001.	7.8	79
444	Measurement of the Top-Quark Mass in All-Hadronic Decays in $p\bar{p}$ Collisions at CDF II. Physical Review Letters, 2007, 98, 142001.	7.8	29
445	Measurement of $f(c\bar{c})/f(c\bar{c} \rightarrow c\bar{c} \pi^+ \pi^-)$ in $p\bar{p}$ Collisions at $s=1.96 \text{ TeV}$. Physical Review Letters, 2007, 98, 233002.	7.8	23
446	Measurement of the B^+ production cross section in $p\bar{p}$ collisions at $s=1960 \text{ GeV}$. Physical Review D, 2007, 75, .	4.7	45
447	Precision measurement of the top-quark mass from dilepton events at CDF II. Physical Review D, 2007, 75, .	4.7	29
448	Search for W^2 boson decaying to electron-neutrino pairs in $p\bar{p}$ collisions at $s=1.96 \text{ TeV}$. Physical Review D, 2007, 75, .	4.7	20
449	Search for new physics in lepton+photon+X events with 929 pb^{-1} of $p\bar{p}$ collisions at $s=1.96 \text{ TeV}$. Physical Review D, 2007, 75, .	4.7	11
450	Measurement of the top quark mass in $p\bar{p}$ collisions at $s=1.96 \text{ TeV}$ using the decay length technique. Physical Review D, 2007, 75, .	4.7	13

#	ARTICLE	IF	CITATIONS
451	Measurement of the helicity fractions of W bosons from top quark decays using fully reconstructed tt̄ events with CDF II. Physical Review D, 2007, 75, .	4.7	25
452	Observation of Bs0→B̄s0 Oscillations. Physical Review Letters, 2006, 97, 242003.	7.8	311
453	Measurement of the azimuthal angle distribution of leptons from W boson decays as a function of the W transverse momentum in pp̄ collisions at $s=1.8\text{ TeV}$. Physical Review D, 2006, 73, .	4.7	11
454	Search for Excited and Exotic Muons in the $\ell^+ \ell^- \ell^+ \ell^-$ Decay Channel in pp̄ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2006, 97, 191802.	7.8	19
455	Measurement of the helicity of W bosons in top-quark decays. Physical Review D, 2006, 73, .	4.7	21
456	Measurement of the ratio of branching fractions $B(D0 \rightarrow K^+ \ell^-)/B(D0 \rightarrow K^+ \ell^+)$ using the CDF II detector. Physical Review D, 2006, 74, .	4.7	13
457	Search for W and Z bosons in the reaction $p\bar{p} \rightarrow \ell^+ \ell^- \ell^+ \ell^- \ell^+ \ell^-$ at $s=1.8\text{ TeV}$. Physical Review D, 2006, 73, .	7.8	1
458	Search for second-generation scalar leptoquarks in pp̄ collisions at $s=1.96\text{ TeV}$. Physical Review D, 2006, 73, .	4.7	21
459	Measurement of the top quark mass with the dynamical likelihood method using lepton plus jets events with b-tags in pp̄ collisions at $s=1.96\text{ TeV}$. Physical Review D, 2006, 73, .	4.7	22
460	Measurement of the inclusive jet cross section in pp̄ interactions at $s=1.96\text{ TeV}$ using a cone-based jet algorithm. Physical Review D, 2006, 74, .	4.7	44
461	Search for New Physics in Lepton+Photon+X Events with 305 pb^{-1} of pp̄ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2006, 97, 031801.	7.8	
462	Measurement of the tth̄ production cross section in pp̄ collisions at $s=1.96\text{ TeV}$ using single lepton+jets events with jet probability b-tagging. Physical Review D, 2006, 74, .	4.7	72
463	Measurement of the tt̄ production cross section in pp̄ collisions at $s=1.96\text{ TeV}$ in the all hadronic decay mode. Physical Review D, 2006, 74, .	4.7	14
464	Search for anomalous semileptonic decay of heavy flavor hadrons produced in association with a W boson at CDF II. Physical Review D, 2006, 73, .	4.7	3
465	Measurement of mass and width of the excited charmed meson states D10 and D2*0 at CDF. Physical Review D, 2006, 73, .	4.7	17
466	Top quark mass measurement using the template method in the lepton+jets channel at CDF II. Physical Review D, 2006, 73, .	4.7	124
467	A search for $c\bar{c}$ in $t\bar{t}$ at $s=1.96\text{ TeV}$ using the template method. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2006, 639, 172-178.	4.1	9
468	Search for High-Mass Resonances Decaying to $\ell^+ \ell^- \ell^+ \ell^-$ in pp̄ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2006, 96, 211802.	7.8	31

#	ARTICLE	IF	CITATIONS
469	Evidence for the Exclusive Decay $B_c \rightarrow J/\psi \pi^\pm$ and Measurement of the Mass of the B_c^\pm Meson. Physical Review Letters, 2006, 96, 082002.	7.8	76
470	Precision Top-Quark Mass Measurement in the Lepton+Jets Topology in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2006, 96, 022004.	7.8	31
471	Measurement of the Ratios of Branching Fractions $B(B_s \rightarrow D^* \pi^\pm)/B(B_0 \rightarrow D^- \pi^+)$ and $B(B \rightarrow D^* \pi^\pm)/B(B_0 \rightarrow D^- \pi^+)$. Physical Review Letters, 2006, 96, 191801.	7.8	15
472	Measurement of the Inclusive Jet Cross Section Using the kT Algorithm in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2006, 96, 122001.	7.8	49
473	Search for Neutral Higgs Bosons of the Minimal Supersymmetric Standard Model Decaying to $t\bar{t}$, Pairs in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2006, 96, 011802.	7.8	63
474	Top-Quark Mass Measurement from Dilepton Events at CDF II. Physical Review Letters, 2006, 96, 152002.	7.8	25
475	Measurement of the $t\bar{t}t\bar{t}$ Production Cross Section in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$ Using Missing ET+jets Events with Secondary Vertex Tagging. Physical Review Letters, 2006, 96, 202002.	7.8	16
476	Measurement of the $t\bar{t}t\bar{t}$ Production Cross Section in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2006, 97, 082004.	7.8	72
477	Search for Large Extra Dimensions in the Production of Jets and Missing Transverse Energy in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2006, 97, 171802.	7.8	43
478	Top quark mass measurement from dilepton events at CDF II with the matrix-element method. Physical Review D, 2006, 74, .	4.7	24
479	Measurement of the top quark mass using template methods on dilepton events in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review D, 2006, 73, .	4.7	41
480	Search for a Neutral Higgs Boson Decaying to a W Boson Pair in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2006, 97, 081802.	7.8	19
481	Measurement of the B_c Meson Lifetime Using the Decay Mode $B_c \rightarrow J/\psi e^+ \bar{e}^-$. Physical Review Letters, 2006, 97, 012002.	7.8	73
482	Observation of $B_s \rightarrow J/\psi(2S) \pi^\pm$ and Measurement of the Ratio of Branching Fractions $B(B_s \rightarrow J/\psi(2S) \pi^\pm)/B(B_s \rightarrow J/\psi \pi^\pm)$. Physical Review Letters, 2006, 96, 231801.	7.8	12
483	Measurement of the Dipion Mass Spectrum in $X(3872) \rightarrow J/\psi \pi^+ \pi^-$ Decays. Physical Review Letters, 2006, 96, 102002.	7.8	121
484	Search for Higgs Bosons Decaying to $b\bar{b}$ and Produced in Association with W Bosons in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2006, 96, 081803.	7.8	9
485	Search for $Z \rightarrow e^+ e^-$ Using Dielectron Mass and Angular Distribution. Physical Review Letters, 2006, 96, 211801.	7.8	69
486	Search for Charged Higgs Bosons from Top Quark Decays in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2006, 96, 042003.	7.8	103

#	ARTICLE		IF	CITATIONS
487	Direct Search for Dirac Magnetic Monopoles in pp $\bar{\gamma}$ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2006, 96, 201801.	7.8	39	
488	Search for Scalar Bottom Quarks from Gluino Decays in p \bar{p} Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2006, 96, 171802.	7.8	11	
489	Observation of $B_s \rightarrow K^+ K^-$ and Measurements of Branching Fractions of Charmless Two-Body Decays of B_0 and B_s Mesons in p \bar{p} Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2006, 97, 211802.	7.8	56	
490	Measurement of the $B_s \rightarrow B^- \bar{s} \bar{0}$ Oscillation Frequency. Physical Review Letters, 2006, 97, 062003.	7.8	141	
491	Measurement of Bottom-Quark Hadron Masses in Exclusive J/ ψ Decays with the CDF Detector. Physical Review Letters, 2006, 96, 202001.	7.8	82	
492	Search for Excited and Exotic Electrons in the $e \ell^3$ Decay Channel in pp $\bar{\gamma}$ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2005, 94, 101802.	7.8	30	
493	Measurement of the $t\bar{t}$ production cross section in pp $\bar{\gamma}$ collisions at $s=1.96\text{ TeV}$ using lepton+jets events with secondary vertex b-tagging. Physical Review D, 2005, 71, .	4.7	231	
494	Measurement of the cross section for $t\bar{t}$ production in pp $\bar{\gamma}$ collisions using the kinematics of lepton+jets events. Physical Review D, 2005, 72, .	4.7	39	
495	Search for Higgs Bosons Decaying into $b\bar{b}$ and Produced in Association with a Vector Boson in pp $\bar{\gamma}$ Collisions at $s=1.8\text{ TeV}$. Physical Review Letters, 2005, 95, 051801.	7.8	13	
496	Measurement of the $W+W^*$ Production Cross Section in pp $\bar{\gamma}$ Collisions at $s=1.96\text{ TeV}$ using Dilepton Events. Physical Review Letters, 2005, 94, 211801.	7.8	25	
497	Measurement of $B(t\bar{t} \rightarrow Wb)/B(t\bar{t} \rightarrow Wq)$ at the Collider Detector at Fermilab. Physical Review Letters, 2005, 95, 102002.	7.8	42	
498	Search for New Physics Using High-Mass Tau Pairs from 1.96 TeV pp $\bar{\gamma}$ Collisions. Physical Review Letters, 2005, 95, 131801.	7.8	40	
499	Search for Anomalous Kinematics in tt $\bar{\gamma}$ Dilepton Events at CDF II. Physical Review Letters, 2005, 95, 022001.	7.8	10	
500	Measurement of the Lifetime Difference between B_s Mass Eigenstates. Physical Review Letters, 2005, 94, 101803.	7.8	53	
501	Search for New High-Mass Particles Decaying to Lepton Pairs in pp $\bar{\gamma}$ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2005, 95, 252001.	7.8	42	
502	Search for supersymmetric Higgs bosons in the di-tau decay mode in pp $\bar{\gamma}$ collisions at $s=1.8\text{ TeV}$. Physical Review D, 2005, 72, .	4.7	8	
503	Evidence for $B_s \rightarrow \tau^+\tau^-$ Decay and Measurements of Branching Ratio and ACP for $B_s \rightarrow \tau^+\tau^-$. Physical Review Letters, 2005, 95, 031801.	7.8	33	
504	Search for $B_s \rightarrow l^+l^-$ and $B_d \rightarrow l^+l^-$ Decays in pp $\bar{\gamma}$ Collisions with CDF II. Physical Review Letters, 2005, 95, 221805.	7.8	36	

#	ARTICLE		IF	CITATIONS
505	Search for Long-Lived Doubly Charged Higgs Bosons in pp̄ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2005, 95, 071801.		7.8	28
506	First Measurements of Inclusive W and Z Cross Sections from Run II of the Fermilab Tevatron Collider. Physical Review Letters, 2005, 94, 091803.		7.8	111
507	Measurement of the Cross Section for Prompt Diphoton Production in pp̄ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2005, 95, 022003.		7.8	34
508	Measurement of Partial Widths and Search for Direct CP Violation in D0 Meson Decays to K̄K+ and l̄l̄. Physical Review Letters, 2005, 94, 122001.		7.8	38
509	Measurement of W̄ and Z̄ Production in pp̄ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2005, 94, 041803.		7.8	32
510	KS0 and D0 production studies in pp̄ collisions at $\sqrt{s} = 1800 \text{ and } 630 \text{ GeV}$. Physical Review D, 2005, 72, .		4.7	23
511	Measurement of the forward-backward charge asymmetry from W̄t̄ēl̄/2 production in pp̄ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review D, 2005, 71, .		4.7	69
512	Study of jet shapes in inclusive jet production in pp̄ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review D, 2005, 71, .		4.7	76
513	Measurements of bottom-antibottom azimuthal production correlations in proton-antiproton collisions at $\sqrt{s} = 1.8 \text{ TeV}$. Physical Review D, 2005, 71, .		4.7	27
514	Measurement of the t̄t̄ production cross section in pp̄ collisions at $\sqrt{s} = 1.96 \text{ TeV}$ using lepton plus jets events with semileptonic B decays to muons. Physical Review D, 2005, 72, .		4.7	34
515	Measurement of the forward-backward charge asymmetry of electron-positron pairs in p̄p̄ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review D, 2005, 71, .		4.7	46
516	Search for scalar leptoquark pairs decaying to l̄1/2l̄1/2̄q̄q̄ in pp̄ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review D, 2005, 71, .		4.7	7
517	Search for b̄0̄l̄p̄ and b̄0̄l̄p̄ decays in pp̄ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review D, 2005, 72, .		4.7	3
518	Measurement of the J/ψ meson and b-hadron production cross sections in pp̄ collisions at $\sqrt{s} = 1960 \text{ GeV}$. Physical Review D, 2005, 71, .		4.7	624
519	Search for first-generation scalar leptoquarks in pp̄ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review D, 2005, 72, .		4.7	24
520	Measurement of the moments of the hadronic invariant mass distribution in semileptonic B decays. Physical Review D, 2005, 71, .		4.7	31
521	Measurement of the t̄t̄ production cross section in pp̄ collisions at $\sqrt{s} = 1.96 \text{ TeV}$ using kinematic fitting of b-tagged lepton+jet events. Physical Review D, 2005, 71, .		4.7	29
522	Search for ZZ and ZW production in pp̄ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review D, 2005, 71, .		4.7	8

#	ARTICLE	IF	CITATIONS
523	Search for anomalous production of diphoton events with missing transverse energy at CDF and limits on gauge-mediated supersymmetry-breaking models. <i>Physical Review D</i> , 2005, 71, .	4.7	23
524	Search for electroweak single-top-quark production in $p\bar{p}$ -collisions at $\sqrt{s} = 1.96 \text{ TeV}$. <i>Physical Review D</i> , 2005, 71, .	4.7	37
525	Measurement of the W boson polarization in top decay at CDF at $\sqrt{s} = 1.8 \text{ TeV}$. <i>Physical Review D</i> , 2005, 71, .	4.7	24
526	Observation of the Narrow State $X(3872)$ in $p\bar{p}$ -Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. <i>Physical Review Letters</i> , 2004, 93, 072001.	7.8	531
527	Search for Doubly Charged Higgs Bosons Decaying to Dileptons in $p\bar{p}$ -Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. <i>Physical Review Letters</i> , 2004, 93, 221802.	7.8	92
528	Measurement of the average time-integrated mixing probability of b-flavored hadrons produced at the Fermilab Tevatron. <i>Physical Review D</i> , 2004, 69, .	4.7	14
529	Search for $B_s^0 \rightarrow l^+ l^-$ and $B_d^0 \rightarrow l^+ l^-$ Decays in $p\bar{p}$ -Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. <i>Physical Review Letters</i> , 2004, 93, 032001.	7.8	100
530	Search for Kaluza-Klein Graviton Emission in $p\bar{p}$ -Collisions at $\sqrt{s} = 1.8 \text{ TeV}$ Using the Missing Energy Signature. <i>Physical Review Letters</i> , 2004, 92, 121802.	7.8	22
531	Optimized search for single-top-quark production at the Fermilab Tevatron. <i>Physical Review D</i> , 2004, 69, .	4.7	29
532	Underlying event in hard interactions at the Fermilab Tevatron $p\bar{p}$ -collider. <i>Physical Review D</i> , 2004, 70, .	4.7	82
533	Inclusive Double-Pomeron Exchange at the Fermilab Tevatron $p\bar{p}$ -Collider. <i>Physical Review Letters</i> , 2004, 93, 141601.	7.8	12
534	Measurement of the $t\bar{t}$ Production Cross Section in $p\bar{p}$ -Collisions at $\sqrt{s} = 1.96 \text{ TeV}$ Using Dilepton Events. <i>Physical Review Letters</i> , 2004, 93, 142001.	7.8	59
535	Direct photon cross section with conversions at CDF. <i>Physical Review D</i> , 2004, 70, .	4.7	23
536	The CDF Silicon Vertex Trigger. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2004, 518, 532-536.	1.6	133
537	Search for Lepton Flavor Violating Decays of a Heavy Neutral Particle in $p\bar{p}$ -Collisions at $\sqrt{s} = 1.8 \text{ TeV}$. <i>Physical Review Letters</i> , 2003, 91, 171602.	7.8	10
538	Momentum distribution of charged particles in jets in dijet events in $p\bar{p}$ -collisions at $\sqrt{s} = 1.8 \text{ TeV}$ and comparisons to perturbative QCD predictions. <i>Physical Review D</i> , 2003, 68, .	4.7	38
539	Search for the Supersymmetric Partner of the Top Quark in Dilepton Events from $p\bar{p}$ -Collisions at $\sqrt{s} = 1.8 \text{ TeV}$. <i>Physical Review Letters</i> , 2003, 90, 251801.	7.8	18
540	Search for Associated Production of χ and Vector Boson in $p\bar{p}$ -Collisions at $\sqrt{s} = 1.8 \text{ TeV}$. <i>Physical Review Letters</i> , 2003, 90, 221803.	7.8	13

#	ARTICLE		IF	CITATIONS
541	Measurement of Prompt Charm Meson Production Cross Sections in $p\bar{p}$ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2003, 91, 241804.		7.8	149
542	Central Pseudorapidity Gaps in Events with a Leading Antiproton at the Fermilab Tevatron $\bar{p}p$ Collider. Physical Review Letters, 2003, 91, 011802.		7.8	8
543	Search for the flavor-changing neutral current decay $D0 \rightarrow D^+ \pi^-$ in $p\bar{p}$ collisions at $s=1.96\text{ TeV}$. Physical Review D, 2003, 68, .		4.7	8
544	Measurement of the mass difference $m(D_s^+) - m(D^+)$ at CDF II. Physical Review D, 2003, 68, .		4.7	12
545	Charged jet evolution and the underlying event in proton-antiproton collisions at 1.8 TeV. Physical Review D, 2002, 65, .		4.7	142
546	Branching ratio measurements of exclusive B^+ decays to charmonium with the Collider Detector at Fermilab. Physical Review D, 2002, 66, .		4.7	13
547	Measurement of the Strong Coupling Constant from Inclusive Jet Production at the Tevatron $\bar{p}p$ Collider. Physical Review Letters, 2002, 88, 042001.		7.8	41
548	Search for new physics in photon-lepton events in $p\bar{p}$ collisions at $s=1.8\text{ TeV}$. Physical Review D, 2002, 66, .		4.7	15
549	Measurement of the ratio of b quark production cross sections in $p\bar{p}$ collisions at $s=630\text{ GeV}$ and $s=1800\text{ GeV}$. Physical Review D, 2002, 66, .		4.7	24
550	$t\bar{t}$ Production and Polarization in $p\bar{p}$ Collisions at $s=1.8\text{ TeV}$. Physical Review Letters, 2002, 88, 161802.		7.8	135
551	Diffractive Dijet Production at $s=630$ and 1800 GeV at the Fermilab Tevatron. Physical Review Letters, 2002, 88, 151802.		7.8	20
552	Search for Gluinos and Scalar Quarks in $p\bar{p}$ Collisions at $s=1.8\text{ TeV}$ Using the Missing Energy plus Multijets Signature. Physical Review Letters, 2002, 88, 041801.		7.8	77
553	Limits on Extra Dimensions and New Particle Production in the Exclusive Photon and Missing Energy Signature in $p\bar{p}$ Collisions at $s=1.8\text{ TeV}$. Physical Review Letters, 2002, 89, 281801.		7.8	41
554	Soft and hard interactions in $p\bar{p}$ collisions at $s=1800$ and 630 GeV . Physical Review D, 2002, 65, .		4.7	42
555	Comparison of the isolated direct photon cross sections in $p\bar{p}$ collisions at $s=1.8\text{ TeV}$ and $s=0.63\text{ TeV}$. Physical Review D, 2002, 65, .		4.7	64
556	Search for New Physics in Photon-Lepton Events in $p\bar{p}$ Collisions at $s=1.8\text{ TeV}$. Physical Review Letters, 2002, 89, 041802.		7.8	17
557	Measurement of the total cross section and differential cross section $d\sigma/dp_T$ in $p\bar{p}$ collisions at $s=1.8\text{ TeV}$. Physical Review D, 2002, 65, .		4.7	74
558	Double Diffraction Dissociation at the Fermilab Tevatron Collider. Physical Review Letters, 2001, 87, 141802.		7.8	39

#	ARTICLE		IF	CITATIONS
559	Measurement of the $t\bar{t}$ production cross section in $p\bar{p}$ collisions at $\sqrt{s}=1.8\text{TeV}$. Physical Review D, 2001, 64, .	4.7	61	
560	Measurement of $dJ/d\eta$ and Forward-Backward Charge Asymmetry for High-Mass Drell-Yan e^+e^- Pairs from $p\bar{p}$ Collisions at $\sqrt{s}=1.8\text{TeV}$. Physical Review Letters, 2001, 87, 131802.	7.8	27	
561	Measurement of the inclusive jet cross section in $p\bar{p}$ collisions at $\sqrt{s}=1.8\text{TeV}$. Physical Review D, 2001, 64, .	4.7	79	
562	First Measurement of the Ratio $B(t\bar{t}Wb)/B(t\bar{t}Wq)$ and Associated Limit on the Cabibbo-Kobayashi-Maskawa Element $ V_{tb} $. Physical Review Letters, 2001, 86, 3233-3238.	7.8	34	
563	Measurement of the W boson mass with the Collider Detector at Fermilab. Physical Review D, 2001, 64, .	4.7	58	
564	Measurement of the two-jet differential cross section in $p\bar{p}$ collisions at $\sqrt{s}=1800\text{GeV}$. Physical Review D, 2001, 64, .	4.7	5	
565	Silicon vertex tracker: a fast precise tracking trigger for CDF. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2000, 447, 218-222.	1.6	23	
566	Measurement of the differential dijet mass cross section in $p\bar{p}$ collisions at $\sqrt{s}=1.8\text{TeV}$. Physical Review D, 2000, 61, .	4.7	7	
567	Search for the charged Higgs boson in the decays of top quark pairs in the $\ell^+\ell^-$, $\tau^+\tau^-$, and $1/4\ell^+$ channels at $\sqrt{s}=1.8\text{TeV}$. Physical Review D, 2000, 62, .	4.7	37	
568	Diffractive Dijets with a Leading Antiproton in $p\bar{p}$ Collisions at $\sqrt{s}=1800\text{GeV}$. Physical Review Letters, 2000, 84, 5043-5048.	7.8	119	
569	Measurement of the Decay Amplitudes of $B(0\rightarrow K^*0)$ and $B(s\rightarrow \pi^+\pi^-)$ Decays. Physical Review Letters, 2000, 85, 4668-4673.	7.8	30	
570	Measurement of b-Quark Fragmentation Fractions in $p\bar{p}$ Collisions at $\sqrt{s}=1.8\text{TeV}$. Physical Review Letters, 2000, 84, 1663-1668.	7.8	29	
571	Transverse Momentum and Total Cross Section of e^+e^- Pairs in the Z-Boson Region from $p\bar{p}$ Collisions at $\sqrt{s}=1.8\text{TeV}$. Physical Review Letters, 2000, 84, 845-850.	7.8	131	
572	Search for Scalar Top and Scalar Bottom Quarks in $p\bar{p}$ Collisions at $\sqrt{s}=1.8\text{TeV}$. Physical Review Letters, 2000, 84, 5704-5709.	7.8	52	
573	Production of $(1S)$ Mesons from $b\bar{b}$ Decays in $p\bar{p}$ Collisions at $\sqrt{s}=1.8\text{TeV}$. Physical Review Letters, 2000, 84, 2094-2099.	7.8	111	
574	Measurement of the Top Quark Mass with the Collider Detector at Fermilab. Physical Review Letters, 1999, 82, 271-276.	7.8	75	
575	Searches for new physics in diphoton events in $p\bar{p}$ [over Λ^-] collisions at $\sqrt{s}=1.8\text{TeV}$. Physical Review D, 1999, 59, .	4.7	42	
576	Search for New Particles Decaying to $b\bar{b}$ in $p\bar{p}$ Collisions at $\sqrt{s}=1.8\text{TeV}$. Physical Review Letters, 1999, 82, 2038-2043.	7.8	24	

#	ARTICLE		IF	CITATIONS
577	Search for Higgs Bosons Produced in Association with a Vector Boson in $p\bar{p}$ Collisions at $\sqrt{s}=1.8\text{TeV}$. Physical Review Letters, 1998, 81, 5748-5753.		7.8	17
578	Observation of $B\rightarrow D^*(2S)K$ and $B\bar{D}^*(2S)K^*(892)$ decays and measurements of B -meson branching fractions into J/ψ and $D^*(2S)$ final states. Physical Review D, 1998, 58, .		4.7	20
579	Searches for New Physics in Diphoton Events in $p\bar{p}$ Collisions at $\sqrt{s}=1.8\text{TeV}$. Physical Review Letters, 1998, 81, 1791-1796.		7.8	47
580	Events with a Rapidity Gap between Jets in $p\bar{p}$ Collisions at $\sqrt{s}=630\text{GeV}$. Physical Review Letters, 1998, 81, 5278-5283.		7.8	34
581	Search for the decays $B_d \rightarrow l^+l^-l^+l^-$ and $B_s \rightarrow l^+l^-l^+l^-$ in $p\bar{p}$ collisions at $s=1.8\text{TeV}$. Physical Review D, 1998, 57, R3811-R3816.			
582	Measurement of the Lepton Charge Asymmetry in W -Boson Decays Produced in $p\bar{p}$ Collisions. Physical Review Letters, 1998, 81, 5754-5759.		7.8	78
583	Observation of the B_c Meson in $p\bar{p}$ Collisions at $\sqrt{s}=1.8\text{TeV}$. Physical Review Letters, 1998, 81, 2432-2437.		7.8	285
584	Observation of B_c mesons in $p\bar{p}$ collisions at $s=1.8\text{TeV}$. Physical Review D, 1998, 58, .		4.7	189
585	Dijet Production by Color-Singlet Exchange at the Fermilab Tevatron. Physical Review Letters, 1998, 80, 1156-1161.		7.8	69
586	Measurement of the Top Quark Mass and $t\bar{t}$ Production Cross Section from Dilepton Events at the Collider Detector at Fermilab. Physical Review Letters, 1998, 80, 2779-2784.		7.8	80
587	Search for New Particles Decaying into $b\bar{b}$ and Produced in Association with W Bosons Decaying into $l^+l^-l^+l^-$ at the Fermilab Tevatron. Physical Review Letters, 1997, 79, 3819-3824.		7.8	21
588	Observation of $b\bar{b} \rightarrow J/\psi \gamma$ at the Fermilab proton-antiproton collider. Physical Review D, 1997, 55, 1142-1152.		4.7	43
589	Limits on Quark-Lepton Compositeness Scales from Dileptons Produced in 1.8 TeV $p\bar{p}$ Collisions. Physical Review Letters, 1997, 79, 2198-2203.		7.8	69
590	Search for Charged Higgs Boson Decays of the Top Quark using Hadronic Decays of the Tau Lepton. Physical Review Letters, 1997, 79, 357-362.		7.8	92
591	Evidence for $W+W^-$ Production in $p\bar{p}$ Collisions at $s=1.8\text{TeV}$. Physical Review Letters, 1997, 78, 4536-4540.		7.8	40
592	Production of J/ψ Mesons from $c\bar{c}$ Meson Decays in $p\bar{p}$ Collisions at $\sqrt{s}=1.8\text{TeV}$. Physical Review Letters, 1997, 79, 578-583.		7.8	234
593	Search for New Gauge Bosons Decaying into Dileptons in $p\bar{p}$ Collisions at $s=1.8\text{TeV}$. Physical Review Letters, 1997, 79, 2192-2197.		7.8	147
594	Double parton scattering in $p\bar{p}$ collisions at $s=1.8\text{TeV}$. Physical Review D, 1997, 56, 3811-3832.		4.7	246

#	ARTICLE		IF	CITATIONS
595	Measurement of Diffractive Dijet Production at the Fermilab Tevatron. Physical Review Letters, 1997, 79, 2636-2641.		7.8	75
596	Observation of Diffractive W-Boson Production at the Fermilab Tevatron. Physical Review Letters, 1997, 78, 2698-2703.		7.8	84
597	J/ ψ and $\psi(2S)$ Production in p-p̄ Collisions at $\sqrt{s}=1.8$ TeV. Physical Review Letters, 1997, 79, 572-577.		7.8	305
598	Ratios of bottom meson branching fractions involving J/ψ mesons and determination of b-quark fragmentation fractions. Physical Review D, 1996, 54, 6596-6609.		4.7	31
599	Measurement of Dijet Angular Distributions by the Collider Detector at Fermilab. Physical Review Letters, 1996, 77, 5336-5341.		7.8	76
600	Measurement of the b0 Lifetime Using $b\bar{b} \rightarrow c\bar{c} \rightarrow l^+l^-$. Physical Review Letters, 1996, 77, 1439-1443.		7.8	30
601	Measurement of the Branching Fraction $B(Bu \rightarrow J/\psi \ell^+\ell^-)$ and Search for $Bc \rightarrow J/\psi \ell^+\ell^-$. Physical Review Letters, 1996, 77, 5176-5181.		7.8	19
602	Further properties of high-mass multijet events at the Fermilab proton-antiproton collider. Physical Review D, 1996, 54, 4221-4233.		4.7	15
603	$t\bar{t}$ Production in p-p̄ Collisions at $\sqrt{s}=1.8$ TeV. Physical Review Letters, 1995, 75, 4358-4363.		7.8	82
604	Limits on Z-Photon Couplings from p-p̄ Interactions at $\sqrt{s}=1.8$ TeV. Physical Review Letters, 1995, 74, 1941-1945.		7.8	36
605	Observation of Rapidity Gaps in p-p̄ Collisions at 1.8 TeV. Physical Review Letters, 1995, 74, 855-859.		7.8	71
606	Measurement of W-Photon Couplings in p-p̄ Collisions at $\sqrt{s}=1.8$ TeV. Physical Review Letters, 1995, 74, 1936-1940.		7.8	63
607	Observation of Top Quark Production in p-p̄ Collisions with the Collider Detector at Fermilab. Physical Review Letters, 1995, 74, 2626-2631.		7.8	1,240
608	Measurement of p-p̄ single diffraction dissociation at $\sqrt{s}=546$ and 1800 GeV. Physical Review D, 1994, 50, 5535-5549.		4.7	105
609	Evidence for top quark production in p-p̄ collisions at $\sqrt{s}=1.8$ TeV. Physical Review D, 1994, 50, 2966-3026.		4.7	400
610	Search for excited quarks in p-p̄ collisions at $\sqrt{s}=1.8$ TeV. Physical Review Letters, 1994, 72, 3004-3008.		7.8	30
611	Evidence for color coherence in p-p̄ collisions at $\sqrt{s}=1.8$ TeV. Physical Review D, 1994, 50, 5562-5579.		4.7	53
612	Measurement of the antiproton-proton total cross section at $\sqrt{s}=546$ and 1800 GeV. Physical Review D, 1994, 50, 5550-5561.		4.7	178

#	ARTICLE		IF	CITATIONS
613	Comparison of jet production in $p\bar{p}$ collisions at $\sqrt{s}=546$ and 1800 GeV. Physical Review Letters, 1993, 70, 1376-1380.		7.8	47
614	Prompt photon cross section measurement in $p\bar{p}$ collisions at $s=1.8\text{TeV}$. Physical Review D, 1993, 48, 2998-3025.		4.7	63
615	Measurement of jet shapes in $p\bar{p}$ collisions at $\sqrt{s}=1.8\text{ TeV}$. Physical Review Letters, 1993, 70, 713-717.		7.8	40
616	Measurement of the cross section for production of two isolated prompt photons in $p\bar{p}$ collisions at $\sqrt{s}=1.8\text{ TeV}$. Physical Review Letters, 1993, 70, 2232-2236.		7.8	31
617	Measurement of the dijet mass distribution in $p\bar{p}$ collisions at $s=1.8\text{TeV}$. Physical Review D, 1993, 48, 998-1008.		4.7	15
618	Inclusive J/ψ , $\psi(2S)$, and b -quark production in $p\bar{p}$ collisions at $\sqrt{s}=1.8\text{ TeV}$. Physical Review Letters, 1992, 69, 3704-3708.		7.8	243
619	Two-jet differential cross section in $p\bar{p}$ collisions at $\sqrt{s}=1.8\text{ TeV}$. Physical Review Letters, 1990, 64, 157-160.		7.8	15
620	Jet-fragmentation properties in $p\bar{p}$ collisions at $\sqrt{s}=1.8\text{ TeV}$. Physical Review Letters, 1990, 65, 968-971.		7.8	27
621	Two-jet invariant mass distribution at $s=1.8\text{TeV}$. Physical Review D, 1990, 41, 1722-1725.		4.7	42
622	Pseudorapidity distributions of charged particles produced in $p\bar{p}$ interactions at $s=630$ and 1800 GeV. Physical Review D, 1990, 41, 2330-2333.		4.7	187
623	The CDF detector: an overview. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1988, 271, 387-403.		1.6	488
624	The CDF central and endwall hadron calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1988, 267, 301-314.		1.6	156
625	Transverse-momentum distributions of charged particles produced in $p\bar{p}$ interactions at $\sqrt{s}=630$ and 1800 GeV. Physical Review Letters, 1988, 61, 1819-1822.		7.8	182