Edith Botek

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1649928/publications.pdf

Version: 2024-02-01

91 papers 3,063 citations

32 h-index 54 g-index

95 all docs 95 docs citations 95 times ranked 2476 citing authors

#	Article	IF	CITATIONS
1	Observations of Electron Fluxes in the Radiation Belts with PROBA-V/EPT at Polar Low Earth Orbit and Van Allen Probes/MagEIS at Near Equatorial Elliptical Orbit., 2022,,.		О
2	Improving Predictions of the 3D Dynamic Model of the Plasmasphere. Frontiers in Astronomy and Space Sciences, 2021, 8, .	2.8	10
3	Observations and Simulations of Dropout Events and Flux Decays in October 2013: Comparing MEO Equatorial With LEO Polar Orbit. Journal of Geophysical Research: Space Physics, 2021, 126, e2020JA028850.	2.4	21
4	Links of the Plasmapause With Other Boundary Layers of the Magnetosphere: Ionospheric Convection, Radiation Belt Boundaries, Auroral Oval. Frontiers in Astronomy and Space Sciences, 2021, 8, .	2.8	7
5	Assessment of the Earth's Cold Plasmatrough Modeling by Using Van Allen Probes/EMFISIS and Arase/PWE Electron Density Data. Journal of Geophysical Research: Space Physics, 2021, 126, e2021JA029737.	2.4	6
6	Observation of Highâ€Energy Electrons Precipitated by NWC Transmitter From PROBAâ€V Lowâ€Earth Orbit Satellite. Geophysical Research Letters, 2020, 47, e2020GL089077.	4.0	12
7	Electron Dropout Events and Flux Enhancements Associated With Geomagnetic Storms Observed by PROBAâ€V/Energetic Particle Telescope From 2013 to 2019. Journal of Geophysical Research: Space Physics, 2020, 125, e2020JA028487.	2.4	13
8	Dynamics of Megaelectron Volt Electrons Observed in the Inner Belt by PROBAâ€V/EPT. Journal of Geophysical Research: Space Physics, 2019, 124, 1651-1659.	2.4	10
9	Mixed Electric-Magnetic Second Order Response of Helicenes. , 2019, , 769-770.		o
10	Evaluation of Second-Order Susceptibilities of 2-methyl-4-nitroaniline (MNA) and 3-methyl-4-nitropyridine-l-oxyde (POM) Crystals., 2019, , 783-786.		0
11	ONIOM Investigation of the Second-Order Nonlinear Optical Responses of Fluorescent Proteins. Journal of Physical Chemistry B, 2018, 122, 4993-5005.	2.6	18
12	Modeling the space environment and its effects on spacecraft and astronauts using SPENVIS. , 2018, , .		1
13	Approximate spin projected spin-unrestricted density functional theory method: Application to diradical character dependences of second hyperpolarizabilities. , 2015, , .		1
14	Prediction of first hyperpolarizability of fluorescent proteins. AIP Conference Proceedings, 2015, , .	0.4	3
15	Relationship between second hyperpolarizability and diradical character in open-shell singlet metal–metal multiply bonded systems. , 2015, , .		O
16	Validation of reactive gases and aerosols in the MACC global analysis and forecast system. Geoscientific Model Development, 2015, 8, 3523-3543.	3.6	49
17	Static electric field effect on third-order nonlinear optical (NLO) properties of singlet diradical molecules: Toward the realization of an electric field induced open-shell NLO switch. , 2015, , .		O
18	<i>In situ</i> nitroxideâ€mediated polymerization of styrene promoted by the <i>N</i> â€ <i>tert</i> â€butylâ€Î±â€isopropylnitrone/bpo pair: ESR investigations. Journal of Polymer Science Part A, 2013, 51, 1786-1795.	2.3	2

#	Article	IF	Citations
19	Electron donor solvent effects on the (Hyper) polarizabilities of a solute presenting singlet diradical character. AIP Conference Proceedings, 2012, , .	0.4	2
20	Spin polarization and third-order nonlinear optical properties of open-shell singlet graphene nanoflakes. , 2012, , .		0
21	Electron spin resonance spectra of nitroxyl radicals. , 2012, , .		0
22	Second hyperpolarizabilities of singlet diradical compounds and their radical ions. , 2012, , .		0
23	Long-range-corrected UDFT study on second hyperpolarizabilities of open-shell singlet systems. , 2012,		0
24	Theoretical consideration of singlet open-shell character of polyperiacenes using Clar's aromatic sextet valence bond model and quantum chemical calculations. AIP Conference Proceedings, 2012, , .	0.4	54
25	One- and two-photon absorptions in open-shell singlet systems. AIP Conference Proceedings, 2012, , .	0.4	13
26	Theoretical aspects on the evaluation and interpretation of the third-order nonlinear optical properties of diradical compounds. , 2012, , .		0
27	Linear and nonlinear second order susceptibilities of molecular crystals. , 2012, , .		0
28	Second-order nonlinear optical responses of flexible pyridine-pyrimidine foldamers., 2012,,.		0
29	Combined experimental–theoretical NMR study on 2,5â€bis(5â€arylâ€3â€hexylthiophenâ€2â€yl)â€thiazolo[5,4â€ <i>d</i>]thiazole derivatives for printable electro Magnetic Resonance in Chemistry, 2012, 50, 379-387.	nics.9	6
30	Functionalized Dithienylthiazolo[5,4â€ <i>d</i>]thiazoles For Solutionâ€Processable Organic Fieldâ€Effect Transistors. ChemPlusChem, 2012, 77, 923-930.	2.8	12
31	Enhancement of Second Hyperpolarizabilities in Open-Shell Singlet Slipped-Stack Dimers Composed of Square Planar Nickel Complexes Involving <i>o</i> -Semiquinonato Type Ligands. Journal of Physical Chemistry A, 2011, 115, 1117-1124.	2.5	21
32	Amyloseâ€"Vanillin Complexation Assessed by a Joint Experimental and Theoretical Analysis. Journal of Physical Chemistry C, 2011, 115, 23315-23322.	3.1	19
33	Fingerprints for Structural Defects in Poly(thienylene vinylene) (PTV): A Joint Theoretical–Experimental NMR Study on Model Molecules. Journal of Physical Chemistry B, 2011, 115, 12040-12050.	2.6	8
34	(Hyper)polarizability density analysis for open-shell molecular systems based on natural orbitals and occupation numbers. Theoretical Chemistry Accounts, 2011, 130, 711-724.	1.4	125
35	Openâ€Shell Characters and Second Hyperpolarizabilities of Oneâ€Dimensional Graphene Nanoflakes Composed of Trigonal Graphene Units. ChemPhysChem, 2011, 12, 1697-1707.	2.1	46
36	From Molecular to Macroscopic Engineering: Shaping Hydrogenâ€Bonded Organic Nanomaterials. Chemistry - A European Journal, 2011, 17, 3262-3273.	3.3	29

#	Article	IF	Citations
37	Synthesis and Characterization of Teranthene: A Singlet Biradical Polycyclic Aromatic Hydrocarbon Having Kekulé Structures. Journal of the American Chemical Society, 2010, 132, 11021-11023.	13.7	285
38	A joint theoretical and experimental investigation on the 13C and 1H NMR chemical shifts of coumarin derivatives. Theoretical Chemistry Accounts, 2010, 125, 461-470.	1.4	6
39	Electrostatic modeling of the linear optical susceptibilities of 2-methyl-4-nitroaniline, m-nitroaniline, 3-methyl-4-nitropyridine N-oxide and 2-carboxylic acid-4-nitropyridine-1-oxide crystals. Chemical Physics Letters, 2010, 487, 256-262.	2.6	23
40	Signature of multiradical character in second hyperpolarizabilities of rectangular graphene nanoflakes. Chemical Physics Letters, 2010, 489, 212-218.	2.6	90
41	Approximate spin-projected spin-unrestricted density functional theory method: Application to the diradical character dependences of the (hyper)polarizabilities in p-quinodimethane models. Chemical Physics Letters, 2010, 501, 140-145.	2.6	32
42	Theoretical investigation on the second hyperpolarizabilities of open-shell singlet systems by spin-unrestricted density functional theory with long-range correction: Range separating parameter dependence. Chemical Physics Letters, 2010, 493, 195-199.	2.6	59
43	NONLINEAR OPTICAL PROPERTIES OF mSTRAWBERRY AND mCHERRY FOR SECOND HARMONIC IMAGING. Journal of Nonlinear Optical Physics and Materials, 2010, 19, 1-13.	1.8	10
44	A Singlet Biradical Polycyclic Aromatic Hydrocarbon. Synfacts, 2010, 2010, 1238-1238.	0.0	0
45	Long-range corrected density functional theory study on static second hyperpolarizabilities of singlet diradical systems. Journal of Chemical Physics, 2010, 132, 094107.	3.0	82
46	A Three-Step Synthetic Approach to Asymmetrically Functionalized 4 <i>H</i> -Cyclopenta[2,1- <i>b</i> :3,4- <i>b′</i>]dithiophenes. Journal of Organic Chemistry, 2010, 75, 7202-7209.	3.2	24
47	Singlet Diradical Character from Experiment. Journal of Physical Chemistry Letters, 2010, 1, 937-940.	4.6	181
48	Giant electric field effect on the second hyperpolarizability of symmetric singlet diradical molecules. Journal of Chemical Physics, 2010, 133, 154302.	3.0	38
49	Theoretical and experimental investigation of the structural and spectroscopic properties of coumarin 343 fluoroionophores. Physical Chemistry Chemical Physics, 2010, 12, 14172.	2.8	23
50	Nonlinear and Chiro-Optical Properties of Aromatic Foldamers. , 2009, , .		0
51	Third-Order Nonlinear Optical Properties of Open-Shell Systems: Diradical Character and Spin State Dependences., 2009,,.		0
52	Study of Structural Effects in Poly(vinyl Chloride) by Theoretical Simulation and Interpretation of NMR Spectra. , 2009, , .		0
53	Third-order nonlinear optical properties of trigonal, rhombic and bow-tie graphene nanoflakes with strong structural dependence of diradical character. Chemical Physics Letters, 2009, 480, 278-283.	2.6	49
54	Electron donor solvent effects on the (hyper)polarizabilities of a singlet diradical molecule involving a boron atom. Chemical Physics Letters, 2009, 477, 309-314.	2.6	9

#	Article	IF	CITATIONS
55	Theoretical study on third-order nonlinear optical properties in hexagonal graphene nanoflakes: Edge shape effect. Chemical Physics Letters, 2009, 477, 355-359.	2.6	74
56	Effect of the Dynamical Disorder on the Second-Order Nonlinear Optical Responses of Helicity-Encoded Polymer Strands. Journal of Physical Chemistry A, 2009, 113, 6552-6554.	2.5	25
57	Second-order nonlinear optical properties of fluorescent proteins for second-harmonic imaging. Journal of Materials Chemistry, 2009, 19, 7514.	6.7	42
58	Remarkable two-photon absorption in open-shell singlet systems. Journal of Chemical Physics, 2009, 131, 114316.	3.0	54
59	Theoretical study on the second hyperpolarizability of open-shell singlet one-dimensional systems with a charged defect. Chemical Physics Letters, 2008, 451, 111-115.	2.6	13
60	Intermolecular interaction effects on the second hyperpolarizability of open-shell singlet diphenalenyl radical dimer. Chemical Physics Letters, 2008, 454, 97-104.	2.6	36
61	Theoretical study of third-order nonlinear optical properties in square nanographenes with open-shell singlet ground states. Chemical Physics Letters, 2008, 467, 120-125.	2.6	96
62	A Joined Theoreticalâ^'Experimental Investigation on the 1H and 13C NMR Signatures of Defects in Poly(vinyl chloride). Journal of Physical Chemistry B, 2008, 112, 14804-14818.	2.6	33
63	Theoretical and Experimental Investigation of Electric Field Induced Second Harmonic Generation in Tetrathia[7]helicenes. Journal of Physical Chemistry C, 2008, 112, 7900-7907.	3.1	104
64	Joint Theoretical Experimental Investigation of the Electron Spin Resonance Spectra of Nitroxyl Radicals: Application to Intermediates in in Situ Nitroxide Mediated Polymerization (in Situ NMP) of Vinyl Monomers. Journal of Physical Chemistry B, 2008, 112, 10432-10442.	2.6	9
65	Theoretical investigation on the linear and nonlinear susceptibilities of urea crystal. Journal of Chemical Physics, 2008, 128, 244713.	3.0	26
66	Evaluation of the Molecular Polarizability Using the IPPPâ^'CLOPPAâ^'INDO/S Method. Application to Molecules of Biological Interest. Journal of Physical Chemistry A, 2008, 112, 6992-6998.	2.5	11
67	Theoretical Study on Second Hyperpolarizabilities of Singlet Diradical Square Planar Nickel Complexes Involving <i>o</i> -Semiquinonato Type Ligands. Journal of Physical Chemistry A, 2008, 112, 8423-8429.	2.5	49
68	Second-Harmonic Generation in GFP-like Proteins. Journal of the American Chemical Society, 2008, 130, 15713-15719.	13.7	66
69	Spin State Dependence of Second Hyperpolarizabilities of Zethrenes. AIP Conference Proceedings, 2008,	0.4	0
70	Theoretical Evaluation of the Faraday Effect in Organic Compounds. Computing Letters, 2007, 3, 193-200.	0.5	3
71	Second Hyperpolarizability of Zethrenes. Computing Letters, 2007, 3, 333-338.	0.5	60
72	Relationship between Third-Order Nonlinear Optical Properties and Magnetic Interactions in Open-Shell Systems: A New Paradigm for Nonlinear Optics. Physical Review Letters, 2007, 99, 033001.	7.8	258

#	Article	lF	CITATIONS
73	Circular dichroism of helical structures using semiempirical methods. Journal of Chemical Physics, 2007, 127, 204101.	3.0	34
74	Finite-Field Spin-Flip Configuration Interaction Calculation of the Second Hyperpolarizabilities of Singlet Diradical Systems. Journal of Chemical Theory and Computation, 2007, 3, 1699-1707.	5.3	41
75	Theoretical Study on the Second Hyperpolarizabilities of Phenalenyl Radical Systems Involving Acetylene and Vinylene Linkers:Â Diradical Character and Spin Multiplicity Dependences. Journal of Physical Chemistry A, 2007, 111, 3633-3641.	2.5	84
76	Second Hyperpolarizabilities of Singlet Polycyclic Diphenalenyl Radicals:  Effects of the Nature of the Central Heterocyclic Ring and Substitution to Diphenalenyl Rings. Journal of Physical Chemistry A, 2007, 111, 9102-9110.	2.5	25
77	Second Hyperpolarizabilities (\hat{l}^3) of 1,3-Dipole Systems: Diradical Character Dependence of \hat{l}^3 . AIP Conference Proceedings, 2007, , .	0.4	O
78	A joined theoretical–experimental investigation on the 1H and 13C NMR chemical shifts of chloro-alkenes. Chemical Physics Letters, 2007, 436, 388-393.	2.6	20
79	Theoretical investigation on bridged triarylamine helicenes: UV/visible and circular dichroism spectra. Chemical Physics Letters, 2007, 439, 213-218.	2.6	29
80	First and second hyperpolarizabilities of donor–acceptor disubstituted diphenalenyl radical systems. Chemical Physics Letters, 2007, 443, 95-101.	2.6	43
81	Theoretical investigation on H1 and C13 NMR chemical shifts of small alkanes and chloroalkanes. Journal of Chemical Physics, 2006, 125, 144309.	3.0	37
82	Second Hyperpolarizabilities (\hat{l}^3) of Bisimidazole and Bistriazole Benzenes:Â Diradical Character, Charged State, and Spin State Dependences. Journal of Physical Chemistry A, 2006, 110, 4238-4243.	2.5	100
83	Elongation method and supermolecule approach for the calculation of nonlinear susceptibilities. Application to the 3-Methyl-4-Nitropyridine 1-Oxide and 2-Methyl-4-Nitroaniline crystals. Journal of Computational Methods in Sciences and Engineering, 2006, 6, 171-188.	0.2	9
84	Theoretical investigation of the chain length effects on the NMR chemical shifts of oligomers. International Journal of Quantum Chemistry, 2006, 106, 3113-3121.	2.0	5
85	Second hyperpolarizability of phenalenyl radical system involving acetylene π-conjugated bridge. Chemical Physics Letters, 2006, 420, 432-437.	2.6	33
86	Second hyperpolarizabilities of polycyclic diphenalenyl radicals: Effects of para/ortho-quinoid structures and central ring modification. Chemical Physics Letters, 2006, 429, 174-179.	2.6	20
87	Second hyperpolarizabilities (\hat{I}^3) of open-shell singlet one-dimensional systems: Intersite interaction effects on the average diradical character and size dependences of \hat{I}^3 . Chemical Physics Letters, 2006, 432, 473-479.	2.6	34
88	Theoretical Investigation of the Second-Order Nonlinear Optical Properties of Helical Pyridine–Pyrimidine Oligomers. Chemistry - A European Journal, 2006, 12, 8687-8695.	3.3	38
89	A Joint Theoretical–Experimental Investigation of the Faraday Effect in Benzene, Toluene, andp-Xylene. ChemPhysChem, 2006, 7, 1654-1656.	2.1	22
90	Origin of the enhancement of the second hyperpolarizability of singlet diradical systems with intermediate diradical character. Journal of Chemical Physics, 2006, 125, 074113.	3.0	88

ARTICLE IF CITATIONS

91 Theoretical Study on the Second Hyperpolarizabilities of Diphenalenyl Radical Systems., 2006, , 231-240. 0