

# Tania Maria de Moura

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1652068/publications.pdf>

Version: 2024-02-01

28  
papers

1,955  
citations

1307594

7  
h-index

642732

23  
g-index

28  
all docs

28  
docs citations

28  
times ranked

2554  
citing authors

#	ARTICLE	IF	CITATIONS
1	<b>A new species of <i>Nissolia</i> Jacq. (Leguminosae, Papilionoideae) from Northern Brazil, recording a new gland type for the genus</b> . <i>Phytotaxa</i> , 2021, 482, 80-86.	0.3	1
2	Secretary structures of the <i>Adesmia</i> clade (Leguminosae): Implications for evolutionary adaptation in dry environments. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2021, 48, 125588.	2.7	12
3	<b>Silva, I.C.C., Moura, T.M., Gissi, D.S. &amp; Fortuna-Perez, A.P. (2021) A new species of <i>Nissolia</i> Jacq. (Leguminosae, Papilionoideae) from Northern Brazil, recording a new gland type for the genus. <i>Phytotaxa</i>, 2021, 482 (1): 80-86.</b>	0.3	0
4	The Effects of Habitat Loss on Genetic Diversity and Population Structure of <i>Cedrela fissilis</i> Vell.. <i>Tropical Plant Biology</i> , 2019, 12, 282-292.	1.9	5
5	Notes and Updates on the Typification of Some <i>Cassia</i> (Leguminosae: Caesalpinioideae) Names. <i>Novon</i> , 2019, 27, 231-234.	0.3	0
6	Typification of the Linnaean Name <i>Atropa arborescens</i> (Solanaceae). <i>Novon</i> , 2019, 27, 235-237.	0.3	1
7	A revision of the neotropical <i>Mucuna</i> species (Leguminosae-Papilionoideae). <i>Phytotaxa</i> , 2018, 337, 1.	0.3	3
8	Morphological variation in pollen grains of <i>Mucuna</i> (Leguminosae): new biogeographic and evolutionary patterns. <i>Plant Systematics and Evolution</i> , 2018, 304, 861-869.	0.9	7
9	A New Circumscription of <i>Nissolia</i> (Leguminosae-Papilionoideae-Dalbergieae), with <i>Chaetocalyx</i> a New Generic Synonym. <i>Novon</i> , 2018, 26, 193-213.	0.3	8
10	A new subfamily classification of the Leguminosae based on a taxonomically comprehensive phylogeny: The Legume Phylogeny Working Group (LPWG). <i>Taxon</i> , 2017, 66, 44-77.	0.7	803
11	<i>Mucuna chiapaneca</i> (Leguminosae-Papilionoideae) a new species from Mexico. <i>Phytotaxa</i> , 2016, 246, 198.	0.3	2
12	A revision of the South American genus <i>Platycyamus</i> Benth. (Leguminosae). <i>Kew Bulletin</i> , 2016, 71, 1.	0.9	3
13	A New Infrageneric Classification of <i>Mucuna</i> (Leguminosae-Papilionoideae): Supported by Morphology, Molecular Phylogeny and Biogeography. <i>Systematic Botany</i> , 2016, 41, 606-616.	0.5	8
14	A Molecular Phylogeny and New Infrageneric Classification of <i>Mucuna</i> Adans. (Leguminosae-Papilionoideae) including Insights from Morphology and Hypotheses about Biogeography. <i>International Journal of Plant Sciences</i> , 2016, 177, 76-89.	1.3	20
15	<i>Mucuna mooneyi</i> (Leguminosae: Papilionoideae), a new species from Ethiopia. <i>Kew Bulletin</i> , 2015, 70, 1.	0.9	1
16	Growing knowledge: an overview of Seed Plant diversity in Brazil. <i>Rodriguesia</i> , 2015, 66, 1085-1113.	0.9	1,082
17	Taxonomic studies in the <i>Mucuna poggei</i> complex (Leguminosae: Papilionoideae). <i>Kew Bulletin</i> , 2014, 69, 1.	0.9	0
18	Taxonomic Studies in <i>Mucuna</i> Adans. (Leguminosae - Papilionoideae) from Peru. <i>Systematic Botany</i> , 2014, 39, 884-896.	0.5	3

#	ARTICLE	IF	CITATIONS
19	<i>Mucuna tapantiana</i> (Fabaceae: Faboideae: Phaseoleae), a new species from Costa Rica. <i>Kew Bulletin</i> , 2014, 69, 1.	0.9	2
20	(2283) Proposal to reject the name <i>Dolichos altissimus</i> (Leguminosae) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 702 Td	0.7	2
21	<i>Mucuna globulifera</i> (Leguminosae: Papilionoideae), a new species from Costa Rica, Panama and Colombia. <i>Kew Bulletin</i> , 2013, 68, 151-155.	0.9	7
22	Three new species of <i>Mucuna</i> (Leguminosae: Papilionoideae: Phaseoleae) from South America. <i>Kew Bulletin</i> , 2013, 68, 143-150.	0.9	6
23	A Taxonomic Revision of <i>Mucuna</i> (Fabaceae: Papilionoideae: Phaseoleae) in Brazil. <i>Systematic Botany</i> , 2013, 38, 631-637.	0.5	7
24	<i>Mucuna jarocho</i> (Leguminosae-Papilionoideae-Phaseoleae), a new species from Mexico. <i>Phytotaxa</i> , 2013, 89, 43.	0.3	6
25	Inbreeding effects in <i>Solanum lycocarpum</i> A. St.-Hil populations, an endangered species of the Brazilian Cerrado. <i>Genetics and Molecular Research</i> , 2013, 12, 6006-6010.	0.2	0
26	A new combination for an endemic Hawaiian species of <i>Mucuna</i> (Leguminosae: Papilionoideae), with a key to the Hawaiian taxa of the genus. <i>Kew Bulletin</i> , 2012, 67, 837-841.	0.9	6
27	Genetic structure in fragmented populations of <i>Solanum lycocarpum</i> A. St.-Hil. with distinct anthropogenic histories in a Cerrado region of Brazil. <i>Genetics and Molecular Research</i> , 2012, 11, 2674-2682.	0.2	4
28	Allelic diversity in populations of <i>Solanum lycocarpum</i> A. St.-Hil (Solanaceae) in a protected area and a disturbed environment. <i>Acta Botanica Brasilica</i> , 2011, 25, 937-940.	0.8	6