

# Ian Fisk

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1652241/publications.pdf>

Version: 2024-02-01

141  
papers

5,230  
citations

66343

42  
h-index

102487

66  
g-index

144  
all docs

144  
docs citations

144  
times ranked

5580  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Mechanisms of umami taste perception: From molecular level to brain imaging. <i>Critical Reviews in Food Science and Nutrition</i> , 2022, 62, 7015-7024.   | 10.3 | 16        |
| 2  | Evaluation of volatile metabolites as potential markers to predict naturally-aged seed vigour by coupling rapid analytical profiling techniques with chemometrics. <i>Food Chemistry</i> , 2022, 367, 130760. | 8.2  | 10        |
| 3  | Impact of cooking on the sensory perception and volatile compounds of Takifugu rubripes. <i>Food Chemistry</i> , 2022, 371, 131165.   | 8.2  | 8         |
| 4  | Prediction of coffee aroma from single roasted coffee beans by hyperspectral imaging. <i>Food Chemistry</i> , 2022, 371, 131159.  | 8.2  | 34        |
| 5  | Dynamic release and perception of key odorants in grilled eel during chewing. <i>Food Chemistry</i> , 2022, 378, 132073.  | 8.2  | 2         |
| 6  | Eustress in Space: Opportunities for Plant Stressors Beyond the Earth Ecosystem. <i>Frontiers in Astronomy and Space Sciences</i> , 2022, 9, .  | 2.8  | 8         |
| 7  | The role of capsaicin stimulation on the physicochemical properties of saliva and aroma release in model aqueous and oil systems. <i>Food Chemistry</i> , 2022, 386, 132824.                                  | 8.2  | 2         |
| 8  | Sensory perception and consumer acceptance of commercial and salt-reduced potato crisps formulated using salt reduction design rules. <i>Food Research International</i> , 2022, 155, 111022.                 | 6.2  | 7         |
| 9  | Flavour compounds affect protein structure: The effect of methyl anthranilate on bovine serum albumin conformation. <i>Food Chemistry</i> , 2022, 388, 133013.  | 8.2  | 8         |
| 10 | Factors Affecting Adherence, Intake, and Perceived Palatability of Oral Nutritional Supplements: A Literature Review. <i>Journal of Nutrition, Health and Aging</i> , 2022, 26, 663-674.                      | 3.3  | 11        |
| 11 | Pomegranate as a source of bioactive constituents: a review on their characterization, properties and applications. <i>Critical Reviews in Food Science and Nutrition</i> , 2021, 61, 982-999.                | 10.3 | 72        |
| 12 | Flavour distribution and release from gelatine-starch matrices. <i>Food Hydrocolloids</i> , 2021, 112, 106273.  | 10.7 | 17        |
| 13 | Total lipid prediction in single intact cocoa beans by hyperspectral chemical imaging. <i>Food Chemistry</i> , 2021, 344, 128663.   | 8.2  | 19        |
| 14 | Impact of capsaicin on aroma release and perception from flavoured solutions. <i>LWT - Food Science and Technology</i> , 2021, 138, 110613.   | 5.2  | 15        |
| 15 | The effects of different extraction methods on the aroma fingerprint, recombination and visualization of clam soup. <i>Food and Function</i> , 2021, 12, 1626-1638.   | 4.6  | 12        |
| 16 | A mathematical model of a single seed oleosome. <i>Results in Applied Mathematics</i> , 2021, 9, 100128.  | 1.3  | 1         |
| 17 | Hyperspectral imaging techniques for noncontact sensing of food quality. , 2021, , 345-379.   |      | 2         |
| 18 | The progression of lipid oxidation, $\beta$ -carotenes degradation and sensory perception of batch-fried sliced sweet potato crisps during storage. <i>Food and Function</i> , 2021, 12, 4535-4543.           | 4.6  | 5         |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | The role of sodium chloride in the sensory and physico-chemical properties of sweet biscuits. <i>Food Chemistry: X</i> , 2021, 9, 100115.   | 4.3  | 9         |
| 20 | Understanding the sensory and physicochemical differences between commercially produced non-alcoholic lagers, and their influence on consumer liking. <i>Food Chemistry: X</i> , 2021, 9, 100114.                                     | 4.3  | 12        |
| 21 | Assessing the sensory and physicochemical impact of reverse osmosis membrane technology to dealcoholize two different beer styles. <i>Food Chemistry: X</i> , 2021, 10, 100121.   | 4.3  | 5         |
| 22 | Impact of Olive Harvesting Date on Virgin Olive Oil Volatile Composition in Four Spanish Varieties. <i>European Journal of Lipid Science and Technology</i> , 2021, 123, 2000350.   | 1.5  | 4         |
| 23 | Age group determines the acceptability of protein derived off-flavour. <i>Food Quality and Preference</i> , 2021, 91, 104212.   | 4.6  | 3         |
| 24 | Influence of Yeast Strain on Odor-Active Compounds in Fiano Wine. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 7767.   | 2.5  | 4         |
| 25 | Identification of aroma compounds in a commonly prescribed oral nutritional supplement and associated changes in olfactory abilities with human ageing. <i>Scientific Reports</i> , 2021, 11, 16518.                                  | 3.3  | 7         |
| 26 | Reducing sugar and aroma in a confectionery gel without compromising flavour through addition of air inclusions. <i>Food Chemistry</i> , 2021, 354, 129579.   | 8.2  | 7         |
| 27 | Impact of cold plasma on the biomolecules and organoleptic properties of foods: A review. <i>Journal of Food Science</i> , 2021, 86, 3762-3777.   | 3.1  | 15        |
| 28 | Physicochemical design rules for the formulation of novel salt particles with optimised saltiness. <i>Food Chemistry</i> , 2021, 360, 129990.   | 8.2  | 11        |
| 29 | The relation between stimulated salivary flow and the temporal consumption experience of a liquid oral nutritional supplement. <i>Appetite</i> , 2021, 166, 105325.   | 3.7  | 6         |
| 30 | Influence of essential inorganic elements on flavour formation during yeast fermentation. <i>Food Chemistry</i> , 2021, 361, 130025.  | 8.2  | 15        |
| 31 | Microfluidic encapsulation for controlled release and its potential for nanofertilisers. <i>Chemical Society Reviews</i> , 2021, 50, 11979-12012.   | 38.1 | 17        |
| 32 | Flavor Chemistry of Virgin Olive Oil: An Overview. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 1639.  | 2.5  | 40        |
| 33 | The effect of monovalent (Na <sup>+</sup> , K <sup>+</sup> ) and divalent (Ca <sup>2+</sup> , Mg <sup>2+</sup> ) cations on rapeseed oleosome (oil body) extraction and stability at pH 7. <i>Food Chemistry</i> , 2020, 306, 125578. | 8.2  | 23        |
| 34 | Probing the effect of aroma compounds on the hydrodynamic properties of mucin glycoproteins. <i>European Biophysics Journal</i> , 2020, 49, 799-808.  | 2.2  | 7         |
| 35 | Understanding the lost functionality of ethanol in non-alcoholic beer using sensory evaluation, aroma release and molecular hydrodynamics. <i>Scientific Reports</i> , 2020, 10, 20855.   | 3.3  | 12        |
| 36 | Rapid and nondestructive monitoring for the quality of Jinhua dry-cured ham using hyperspectral imaging and chromometer. <i>Journal of Food Process Engineering</i> , 2020, 43, e13443.   | 2.9  | 5         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Policy, toxicology and physicochemical considerations on the inhalation of high concentrations of food flavour. <i>Npj Science of Food</i> , 2020, 4, 15.   | 5.5 | 18        |
| 38 | Common Vetch: A Drought Tolerant, High Protein Neglected Leguminous Crop With Potential as a Sustainable Food Source. <i>Frontiers in Plant Science</i> , 2020, 11, 818.                                      | 3.6 | 27        |
| 39 | The antibiotic vancomycin induces complexation and aggregation of gastrointestinal and submaxillary mucins. <i>Scientific Reports</i> , 2020, 10, 960.  | 3.3 | 23        |
| 40 | Assessment of rapeseed oil body (oleosome) lipolytic activity as an effective predictor of emulsion purity and stability. <i>Food Chemistry</i> , 2020, 316, 126355.  | 8.2 | 18        |
| 41 | Enhancement of coffee brew aroma through control of the aroma staling pathway of 2-furfurylthiol. <i>Food Chemistry</i> , 2020, 322, 126754.  | 8.2 | 14        |
| 42 | Growth Spectrum Complexity Dictates Aromatic Intensity in Coriander ( <i>Coriandrum sativum</i> L.). <i>Frontiers in Plant Science</i> , 2020, 11, 462.   | 3.6 | 8         |
| 43 | Performance of the extremophilic enzyme BglA in the hydrolysis of two aroma glucosides in a range of model and real wines and juices. <i>Food Chemistry</i> , 2020, 323, 126825.                              | 8.2 | 10        |
| 44 | Impact of capsaicin on aroma release: in vitro and in vivo analysis. <i>Food Research International</i> , 2020, 133, 109197.  | 6.2 | 23        |
| 45 | Exploration of temperature and shelf-life dependency of the therapeutically available Insulin Detemir. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2020, 152, 340-347.                    | 4.3 | 3         |
| 46 | Use of odorant series for extra virgin olive oil aroma characterisation. <i>Journal of the Science of Food and Agriculture</i> , 2019, 99, 1215-1224.   | 3.5 | 23        |
| 47 | Modifying Robusta coffee aroma by green bean chemical pre-treatment. <i>Food Chemistry</i> , 2019, 272, 251-257.  | 8.2 | 55        |
| 48 | Submaxillary Mucin: its Effect on Aroma Release from Acidic Drinks and New Insight into the Effect of Aroma Compounds on its Macromolecular Integrity. <i>Food Biophysics</i> , 2019, 14, 278-286.            | 3.0 | 11        |
| 49 | Mucin immobilization in calcium alginate: A possible mucus mimetic tool for evaluating mucoadhesion and retention of flavour. <i>International Journal of Biological Macromolecules</i> , 2019, 138, 831-836. | 7.5 | 12        |
| 50 | An enzymatically controlled mucoadhesive system for enhancing flavour during food oral processing. <i>Npj Science of Food</i> , 2019, 3, 11.  | 5.5 | 8         |
| 51 | Effect of olive oil phenolic compounds on the aroma release and persistence from O/W emulsion analysed in vivo by APCI-MS. <i>Food Research International</i> , 2019, 126, 108686.                            | 6.2 | 13        |
| 52 | The fifth international conference on Food Oral Processing, University of Nottingham, July 2018. <i>Journal of Texture Studies</i> , 2019, 50, 193-193.   | 2.5 | 2         |
| 53 | Aroma binding and stability in brewed coffee: A case study of 2-furfurylthiol. <i>Food Chemistry</i> , 2019, 295, 449-455.  | 8.2 | 7         |
| 54 | Real-time quality authentication of honey using atmospheric pressure chemical ionisation mass spectrometry (APCI-MS). <i>International Journal of Food Science and Technology</i> , 2019, 54, 2983-2997.      | 2.7 | 9         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | A non-invasive measurement of tongue surface temperature. Food Research International, 2019, 116, 499-507.   | 6.2  | 10        |
| 56 | Enhancing Robusta coffee aroma by modifying flavour precursors in the green coffee bean. Food Chemistry, 2019, 281, 8-17.  | 8.2  | 44        |
| 57 | Common roasting defects in coffee: Aroma composition, sensory characterization and consumer perception. Food Quality and Preference, 2019, 71, 463-474.  | 4.6  | 74        |
| 58 | Using a combined temporal approach to evaluate the influence of ethanol concentration on liking and sensory attributes of lager beer. Food Quality and Preference, 2018, 68, 292-303.          | 4.6  | 45        |
| 59 | Variability of single bean coffee volatile compounds of Arabica and robusta roasted coffees analysed by SPME-GC-MS. Food Research International, 2018, 108, 628-640.                           | 6.2  | 152       |
| 60 | Near-Infrared spectroscopy and hyperspectral imaging for non-destructive quality assessment of cereal grains. Applied Spectroscopy Reviews, 2018, 53, 667-687.                                 | 6.7  | 145       |
| 61 | Rapid prediction of single green coffee bean moisture and lipid content by hyperspectral imaging. Journal of Food Engineering, 2018, 227, 18-29.   | 5.2  | 55        |
| 62 | Hyperspectral imaging for non-destructive prediction of fermentation index, polyphenol content and antioxidant activity in single cocoa beans. Food Chemistry, 2018, 258, 343-351.             | 8.2  | 70        |
| 63 | Use of phenolic compounds from olive mill wastewater as valuable ingredients for functional foods. Critical Reviews in Food Science and Nutrition, 2018, 58, 2829-2841.                        | 10.3 | 84        |
| 64 | Shade trees: a determinant to the relative success of organic versus conventional coffee production. Agroforestry Systems, 2018, 92, 1535-1549.  | 2.0  | 21        |
| 65 | Protein content prediction in single wheat kernels using hyperspectral imaging. Food Chemistry, 2018, 240, 32-42.  | 8.2  | 151       |
| 66 | Enhancing the recovery of oilseed rape seed oil bodies (oleosomes) using bicarbonate-based soaking and grinding media. Food Chemistry, 2018, 241, 419-426.                                     | 8.2  | 56        |
| 67 | Non-destructive analysis of sucrose, caffeine and trigonelline on single green coffee beans by hyperspectral imaging. Food Research International, 2018, 106, 193-203.                         | 6.2  | 86        |
| 68 | Analytical ultracentrifugation in saliva research: Impact of green tea astringency and its significance on the in-vivo aroma release. Scientific Reports, 2018, 8, 13350.                      | 3.3  | 8         |
| 69 | Characterization of volatile aroma compounds after in-vial cooking of foxtail millet porridge with gas chromatography-mass spectrometry. Journal of Cereal Science, 2018, 82, 8-15.            | 3.7  | 26        |
| 70 | The role of phenolic compounds on olive oil aroma release. Food Research International, 2018, 112, 319-327.  | 6.2  | 38        |
| 71 | The impact of nitrogen gas flushing on the stability of seasonings: volatile compounds and sensory perception of cheese & onion seasoned potato crisps. Food and Function, 2018, 9, 4730-4741. | 4.6  | 12        |
| 72 | Fruit position within the canopy affects kernel lipid composition of hazelnuts. Journal of the Science of Food and Agriculture, 2017, 97, 4790-4799.   | 3.5  | 19        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | Stability of <i>Lactobacillus rhamnosus</i> GG incorporated in edible films: Impact of anionic biopolymers and whey protein concentrate. <i>Food Hydrocolloids</i> , 2017, 70, 345-355.   | 10.7 | 92        |
| 74 | Effects of aroma and taste, independently or in combination, on appetite sensation and subsequent food intake. <i>Appetite</i> , 2017, 114, 265-274.  | 3.7  | 51        |
| 75 | The effect of adenosine monophosphate deaminase overexpression on the accumulation of umami-related metabolites in tomatoes. <i>Plant Cell Reports</i> , 2017, 36, 81-87.   | 5.6  | 8         |
| 76 | Influence of Pecan Nut Pretreatment on the Physical Quality of Oil Bodies. <i>Journal of Food Quality</i> , 2017, 2017, 1-9.  | 2.6  | 8         |
| 77 | Optimisation of octinyl succinic anhydride starch stabilised w 1 /o/w 2 emulsions for oral destabilisation of encapsulated salt and enhanced saltiness. <i>Food Hydrocolloids</i> , 2017, 69, 450-458.                                    | 10.7 | 49        |
| 78 | Determination of volatile marker compounds of common coffee roast defects. <i>Food Chemistry</i> , 2016, 211, 206-214.  | 8.2  | 125       |
| 79 | Non-destructive characterisation of mesenchymal stem cell differentiation using LC-MS-based metabolite footprinting. <i>Analyst, The</i> , 2016, 141, 3776-3787.  | 3.5  | 23        |
| 80 | Intragastric structuring of anionic polysaccharide kappa-carrageenan filled gels under physiological in vitro digestion conditions. <i>Journal of Food Engineering</i> , 2016, 191, 105-114.  | 5.2  | 13        |
| 81 | Sodium ion interaction with psyllium husk ( <i>Plantago</i> sp.). <i>Food and Function</i> , 2016, 7, 4041-4047.  | 4.6  | 3         |
| 82 | Genetic improvement of tomato by targeted control of fruit softening. <i>Nature Biotechnology</i> , 2016, 34, 950-952.  | 17.5 | 251       |
| 83 | Effect of olive mill wastewater phenolic extract, whey protein isolate and xanthan gum on the behaviour of olive O/W emulsions using response surface methodology. <i>Food Hydrocolloids</i> , 2016, 61, 66-76.                           | 10.7 | 39        |
| 84 | Innovative Ingredients and Emerging Technologies for Controlling Ice Recrystallization, Texture, and Structure Stability in Frozen Dairy Desserts: A Review. <i>Critical Reviews in Food Science and Nutrition</i> , 2016, 56, 2543-2559. | 10.3 | 39        |
| 85 | Cold plasma: A new technology to modify wheat flour functionality. <i>Food Chemistry</i> , 2016, 202, 247-253.  | 8.2  | 133       |
| 86 | Impact of nitrogen flushing and oil choice on the progression of lipid oxidation in unwashed fried sliced potato crisps. <i>Food Chemistry</i> , 2016, 199, 81-86.  | 8.2  | 15        |
| 87 | Physical and oxidative stability of functional olive oil-in-water emulsions formulated using olive mill wastewater biophenols and whey proteins. <i>Food and Function</i> , 2016, 7, 227-238.   | 4.6  | 30        |
| 88 | Study of intragastric structuring ability of sodium alginate based o/w emulsions under in vitro physiological pre-absorptive digestion conditions. <i>Carbohydrate Polymers</i> , 2016, 140, 26-34.                                       | 10.2 | 10        |
| 89 | Compositional and physicochemical factors governing the viability of <i>Lactobacillus rhamnosus</i> GG embedded in starch-protein based edible films. <i>Food Hydrocolloids</i> , 2016, 52, 876-887.                                      | 10.7 | 87        |
| 90 | Developments, applications, and trends of molecular gastronomy among food scientists and innovative chefs. <i>Food Reviews International</i> , 2016, 32, 417-435.   | 8.4  | 27        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 91  | Development and validation of an APCI-MS/GC-MS approach for the classification and prediction of Cheddar cheese maturity. Food Chemistry, 2016, 190, 442-447.   | 8.2  | 50        |
| 92  | Industrial-scale filtration affects volatile compounds in extra virgin olive oil cv. Ravece. European Journal of Lipid Science and Technology, 2015, 117, 2007-2014.  | 1.5  | 32        |
| 93  | Controlling salt and aroma perception through the inclusion of air fillers. LWT - Food Science and Technology, 2015, 63, 65-70.   | 5.2  | 13        |
| 94  | Nutritional quality assessment of extra virgin olive oil from the Italian retail market: Do natural antioxidants satisfy EFSA health claims?. Journal of Food Composition and Analysis, 2015, 40, 154-162.        | 3.9  | 51        |
| 95  | Olive oil phenolic compounds affect the release of aroma compounds. Food Chemistry, 2015, 181, 284-294.   | 8.2  | 34        |
| 96  | Programmed emulsions for sodium reduction in emulsion based foods. Food and Function, 2015, 6, 1428-1434.   | 4.6  | 20        |
| 97  | Volatile profile of Conciato Romano cheese, a traditional Italian cheese, during ripening. European Journal of Lipid Science and Technology, 2015, 117, 1422-1431.  | 1.5  | 10        |
| 98  | Aroma release. , 2015, , 105-123.   |      | 2         |
| 99  | Influence of Olive Oil Phenolic Compounds on Headspace Aroma Release by Interaction with Whey Proteins. Journal of Agricultural and Food Chemistry, 2015, 63, 3838-3850.  | 5.2  | 31        |
| 100 | The "True" Neapolitan Pizza: Assessing the Influence of Extra Virgin Olive Oil on Pizza Volatile Compounds and Lipid Oxidation. Journal of Culinary Science and Technology, 2015, 13, 29-48.                      | 1.4  | 7         |
| 101 | Aroma and Lipid. , 2014, , 155-158.   |      | 0         |
| 102 | Aroma and Oil Bodies. , 2014, , 583-587.  |      | 0         |
| 103 | Ice Cream as a Vehicle for Incorporating Health-Promoting Ingredients: Conceptualization and Overview of Quality and Storage Stability. Comprehensive Reviews in Food Science and Food Safety, 2014, 13, 627-655. | 11.7 | 66        |
| 104 | Aroma and Flavor Solvent. , 2014, , 147-150.  |      | 1         |
| 105 | Neapolitan coffee brew chemical analysis in comparison to espresso, moka and American brews. Food Research International, 2014, 61, 152-160.  | 6.2  | 98        |
| 106 | Impact of Milk Protein Type on the Viability and Storage Stability of Microencapsulated Lactobacillus acidophilus NCIMB 701748 Using Spray Drying. Food and Bioprocess Technology, 2014, 7, 1255-1268.            | 4.7  | 91        |
| 107 | Probiotic edible films as a new strategy for developing functional bakery products: The case of pan bread. Food Hydrocolloids, 2014, 39, 231-242.   | 10.7 | 171       |
| 108 | Colour influences sensory perception and liking of orange juice. Flavour, 2014, 3, .  | 2.3  | 48        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Effect of human saliva and sip volume of coffee brews on the release of key volatile compounds by a retronasal aroma simulator. <i>Food Research International</i> , 2014, 61, 100-111.  | 6.2 | 20        |
| 110 | Comparison of ambient solvent extraction methods for the analysis of fatty acids in non-starch lipids of flour and starch. <i>Journal of the Science of Food and Agriculture</i> , 2014, 94, 415-423.  | 3.5 | 39        |
| 111 | Microencapsulation of <i>Lactobacillus acidophilus</i> NCIMB 701748 in matrices containing soluble fibre by spray drying: Technological characterization, storage stability and survival after in vitro digestion. <i>Journal of Functional Foods</i> , 2014, 6, 205-214.                | 3.4 | 126       |
| 112 | Stability of <i>Lactobacillus rhamnosus</i> GG in prebiotic edible films. <i>Food Chemistry</i> , 2014, 159, 302-308.  | 8.2 | 112       |
| 113 | Atmospheric pressure chemical ionisation mass spectrometry analysis linked with chemometrics for food classification – A case study: Geographical provenance and cultivar classification of monovarietal clarified apple juices. <i>Food Chemistry</i> , 2014, 146, 149-156.             | 8.2 | 43        |
| 114 | Optimization of Spray-Drying Process Conditions for the Production of Maximally Viable Microencapsulated <i>L. acidophilus</i> NCIMB 701748. <i>Drying Technology</i> , 2013, 31, 1274-1283.   | 3.1 | 145       |
| 115 | Capsaicinoids, antioxidant activity, and volatile compounds in olive oil flavored with dried chili pepper ( <i>Capsicum annuum</i> ). <i>European Journal of Lipid Science and Technology</i> , 2013, 115, 1434-1442.  | 1.5 | 57        |
| 116 | Isolation and characterization of oil bodies from <i>Oryza sativa</i> bran and studies of their physical properties. <i>Journal of Cereal Science</i> , 2013, 57, 141-145.   | 3.7 | 19        |
| 117 | Entrapment of a volatile lipophilic aroma compound (d-limonene) in spray dried water-washed oil bodies naturally derived from sunflower seeds ( <i>Helianthus annuus</i> ). <i>Food Research International</i> , 2013, 54, 861-866.  | 6.2 | 25        |
| 118 | Impact of flavour solvent (propylene glycol or triacetin) on vanillin, 5-(hydroxymethyl)furfural, 2,4-decadienal, 2,4-heptadienal, structural parameters and sensory perception of shortcake biscuits over accelerated shelf life testing. <i>Food Chemistry</i> , 2013, 141, 1354-1360. | 8.2 | 19        |
| 119 | Headspace delivery of limonene from the serum and non-serum fractions of orange juice in-vitro and in-vivo. <i>LWT - Food Science and Technology</i> , 2013, 51, 65-72.  | 5.2 | 11        |
| 120 | Impact of Salt Crystal Size on in-mouth Delivery of Sodium and Saltiness Perception from Snack Foods. <i>Journal of Texture Studies</i> , 2013, 44, 338-345.   | 2.5 | 83        |
| 121 | Impact of protein, lipid and carbohydrate on the headspace delivery of volatile compounds from hydrating powders. <i>European Food Research and Technology</i> , 2012, 235, 517-525.   | 3.3 | 18        |
| 122 | Impact of flavour solvent on biscuit micro-structure as measured by X-ray micro-Computed Tomography and the distribution of vanillin and HMF (HPLC). <i>European Food Research and Technology</i> , 2012, 235, 1083-1091.  | 3.3 | 18        |
| 123 | Cafestol extraction yield from different coffee brew mechanisms. <i>Food Research International</i> , 2012, 49, 27-31.   | 6.2 | 53        |
| 124 | Aroma delivery from spray dried coffee containing pressurised internalised gas. <i>Food Research International</i> , 2012, 49, 702-709.  | 6.2 | 23        |
| 125 | Salt release from potato crisps. <i>Food and Function</i> , 2012, 3, 376.  | 4.6 | 38        |
| 126 | Discrimination of roast and ground coffee aroma. <i>Flavour</i> , 2012, 1, .   | 2.3 | 60        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 127 | Phytochemical Composition of <i>Oryza sativa</i> (Rice) Bran Oil Bodies in Crude and Purified Isolates. <i>JAACS, Journal of the American Oil Chemists' Society</i> , 2012, 89, 1867-1872.   | 1.9  | 27        |
| 128 | Impact of food ingredients and processing on salt flavor perception. <i>CFW Plexus</i> , 2012, , .   | 0.0  | 0         |
| 129 | Soybean ( <i>Glycine max</i> ) Oil Bodies and Their Associated Phytochemicals. <i>Journal of Food Science</i> , 2011, 76, C1349-54.  | 3.1  | 44        |
| 130 | Aroma encapsulation and aroma delivery by oil body suspensions derived from sunflower seeds ( <i>Helianthus annuus</i> ). <i>European Food Research and Technology</i> , 2011, 232, 905-910.   | 3.3  | 37        |
| 131 | Gamma-irradiation as a method of microbiological control, and its impact on the oxidative labile lipid component of <i>Cannabis sativa</i> and <i>Helianthus annuus</i> . <i>European Food Research and Technology</i> , 2009, 228, 613-621. | 3.3  | 10        |
| 132 | In Vitro Assessment of the Bioaccessibility of Tocopherol and Fatty Acids from Sunflower Seed Oil Bodies. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 5720-5726.   | 5.2  | 47        |
| 133 | Oxidative stability of sunflower oil bodies. <i>European Journal of Lipid Science and Technology</i> , 2008, 110, 962-968.   | 1.5  | 55        |
| 134 | Sunflower-seed oil body emulsions: Rheology and stability assessment of a natural emulsion. <i>Food Hydrocolloids</i> , 2008, 22, 1224-1232.   | 10.7 | 99        |
| 135 | Extraction and Characterization of Oil Bodies from Soy Beans: A Natural Source of Pre-Emulsified Soybean Oil. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 8711-8716.   | 5.2  | 169       |
| 136 | Tocopherol—An intrinsic component of sunflower seed oil bodies. <i>JAACS, Journal of the American Oil Chemists' Society</i> , 2006, 83, 341-344.   | 1.9  | 76        |
| 137 | Characterisation of oat ( <i>Avena sativa</i> L.) oil bodies and intrinsically associated E-vitamins. <i>Journal of Cereal Science</i> , 2006, 43, 244-249.  | 3.7  | 74        |
| 138 | Long-Term Outcome of Interferon- $\gamma$ -Induced Thyroid Autoimmunity and Prognostic Influence of Thyroid Autoantibody Pattern at the End of Treatment. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 1925-1929.     | 3.6  | 90        |
| 139 | Feeding the future: developing the skills landscape in the agri-food sector. <i>Journal of Chemical Technology and Biotechnology</i> , 0, , .  | 3.2  | 2         |
| 140 | Application of calibrations to hyperspectral images of food grains: example for wheat falling number. <i>Journal of Spectral Imaging</i> , 0, , .  | 0.0  | 13        |
| 141 | APCI-MS/MS—An Enhanced Tool for the Real-Time Evaluation of Volatile Isobaric Compounds. <i>ACS Symposium Series</i> , 0, , 87-98.   | 0.5  | 0         |