

Niels TÃ¸rring

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1653403/publications.pdf>

Version: 2024-02-01

137
papers

2,656
citations

236925

25
h-index

254184

43
g-index

145
all docs

145
docs citations

145
times ranked

3790
citing authors

#	ARTICLE	IF	CITATIONS
1	Cesarean scar thickness in non-pregnant women as a risk factor for uterine rupture. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 389-394.	1.5	9
2	Neonatal complications and neurophysiological development in twins – a long-term follow-up study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 372-378.	1.5	3
3	T2*-weighted placental magnetic resonance imaging: a biomarker of placental dysfunction in small-for-gestational-age pregnancies. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2022, 4, 100578.	2.6	7
4	A force-measuring device combined with ultrasound-based elastography for assessment of the uterine cervix. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2022, 101, 241-247.	2.8	5
5	Endometriosis and preterm birth: A Danish cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2022, 101, 417-423.	2.8	6
6	Towards better reliability in fetal heart rate variability using time domain and spectral domain analyses. A new method for assessing fetal neurological state?. <i>PLoS ONE</i> , 2022, 17, e0263272.	2.5	5
7	Fetal respiratory movements improve reliability of heart rate variability and suggest a coupling between fetal respiratory arrhythmia and vagal activity. <i>Physiological Reports</i> , 2022, 10, e15224.	1.7	2
8	Sertraline use during pregnancy and effect on fetal cardiac function. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, 34, 3631-3638.	1.5	4
9	“I guess baby was just too comfy in there!” A qualitative study of women's experiences of elective late-term induction of labour. <i>Women and Birth</i> , 2021, 34, 242-249.	2.0	4
10	Vitamin D insufficiency among Danish pregnant women – Prevalence and association with adverse obstetric outcomes and placental vitamin D metabolism. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 480-488.	2.8	9
11	Cell-based non-invasive prenatal diagnosis in a pregnancy at risk of cystic fibrosis. <i>Prenatal Diagnosis</i> , 2021, 41, 234-240.	2.3	9
12	Effect of early discharge after planned cesarean section on recovery and parental sense of security. A randomized clinical trial. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 955-963.	2.8	9
13	Hydatidiform mole diagnostics using circulating gestational trophoblasts isolated from maternal blood. <i>Molecular Genetics & Genomic Medicine</i> , 2021, 9, e1565.	1.2	3
14	Length of hospital stay after cesarean section in Denmark from 2004 to 2016: A national register-based study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 244-251.	2.8	5
15	Vaginal, Cervical and Uterine pH in Women with Normal and Abnormal Vaginal Microbiota. <i>Pathogens</i> , 2021, 10, 90.	2.8	16
16	Endometriosis and Risk of Adverse Pregnancy Outcome: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2021, 10, 667.	2.4	30
17	Cell-based non-invasive prenatal testing for monogenic disorders: confirmation of unaffected fetuses following preimplantation genetic testing. <i>Journal of Assisted Reproduction and Genetics</i> , 2021, 38, 1959-1970.	2.5	6
18	Continued versus discontinued oxytocin stimulation in the active phase of labour (CONDISOX): double blind randomised controlled trial. <i>BMJ</i> , The, 2021, 373, n716.	6.0	10

#	ARTICLE	IF	CITATIONS
19	Mosaicism for copy number variations in the placenta is even more difficult to interpret than mosaicism for whole chromosome aneuploidy. <i>Prenatal Diagnosis</i> , 2021, 41, 668-680.	2.3	6
20	Polymerase chain reaction for Group B Streptococci (GBS) at labor highly correlates with vaginal GBS load. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, , 1-5.	1.5	1
21	Associations Between ADHD Medication Use in Pregnancy and Severe Malformations Based on Prenatal and Postnatal Diagnoses. <i>Journal of Clinical Psychiatry</i> , 2021, 82, .	2.2	1
22	Screening for small-for-gestational-age fetuses. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2020, 99, 503-509.	2.8	5
23	Non-obstetric abdominal surgery during pregnancy and birth outcomes: A Danish registry-based cohort study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2020, 99, 469-476.	2.8	14
24	Fetal Heart Rate Variability Is Affected by Fetal Movements: A Systematic Review. <i>Frontiers in Physiology</i> , 2020, 11, 578898.	2.8	10
25	Cell-based noninvasive prenatal testing (cbNIPT) detects pathogenic copy number variations. <i>Clinical Case Reports (discontinued)</i> , 2020, 8, 2561-2567.	0.5	8
26	Effects of antenatal hypnosis on maternal salivary cortisol during childbirth and six weeks postpartum? A randomized controlled trial. <i>PLoS ONE</i> , 2020, 15, e0230704.	2.5	3
27	Do fetal extravillous trophoblasts circulate in maternal blood postpartum?. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2020, 99, 751-756.	2.8	12
28	The Childbirth Experience Questionnaire (CEQ) – Validation of its use in a Danish-speaking population of new mothers stimulated with oxytocin during labour. <i>PLoS ONE</i> , 2020, 15, e0233122.	2.5	17
29	Improvement of selection of pregnant women for intrapartum polymerase chain reaction screening for vaginal Group B Streptococci (GBS) colonization by adding GBS urine screening at 35–37 weeks of pregnancy. <i>International Journal of Gynecology and Obstetrics</i> , 2020, 151, 124-127.	2.3	1
30	The Number of Circulating Fetal Extravillous Trophoblasts Varies from Gestational Week 6 to 20. <i>Reproductive Sciences</i> , 2020, 27, 2170-2174.	2.5	14
31	Seasonal variation in the hypertensive disorders of pregnancy in Denmark. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2020, 99, 623-630.	2.8	15
32	Appendectomy, cholecystectomy and diagnostic laparoscopy conducted before pregnancy and risk of adverse birth outcomes: a nationwide registry-based prevalence study 1996–2015. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 108.	2.4	2
33	Use of stimulants, over-the-counter and prescription drugs among Danish pregnant women. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020, 127, 205-210.	2.5	6
34	Drug exposure during pregnancy and fetal cardiac function – a systematic review. <i>Journal of Perinatal Medicine</i> , 2020, 48, 199-208.	1.4	7
35	Humanized NOG Mice for Intravaginal HIV Exposure and Treatment of HIV Infection. <i>Journal of Visualized Experiments</i> , 2020, , .	0.3	6
36	Vitamin D and the risk of dystocia: A case-control study. <i>PLoS ONE</i> , 2020, 15, e0240406.	2.5	6

#	ARTICLE	IF	CITATIONS
37	Vitamin D and the risk of dystocia: A case-control study. , 2020, 15, e0240406.		0
38	Vitamin D and the risk of dystocia: A case-control study. , 2020, 15, e0240406.		0
39	Vitamin D and the risk of dystocia: A case-control study. , 2020, 15, e0240406.		0
40	Vitamin D and the risk of dystocia: A case-control study. , 2020, 15, e0240406.		0
41	CONDISOX- continued versus discontinued oxytocin stimulation of induced labour in a double-blind randomised controlled trial. BMC Pregnancy and Childbirth, 2019, 19, 320.	2.4	1
42	Noise as a risk factor in the delivery room: A clinical study. PLoS ONE, 2019, 14, e0221860.	2.5	13
43	Obstetric and non-obstetric surgery during pregnancy: A 20-year Danish population-based prevalence study. BMJ Open, 2019, 9, e028136.	1.9	11
44	Fetal Heart Defects and Measures of Cerebral Size. Journal of Pediatrics, 2019, 210, 146-153.	1.8	15
45	Filming for auditing of real-life emergency teams: a systematic review. BMJ Open Quality, 2019, 8, e000588.	1.1	14
46	Does Maternal Body Mass Index Affect the Quantity of Circulating Fetal Cells Available to Use for Cell-Based Noninvasive Prenatal Test in High-Risk Pregnancies?. Fetal Diagnosis and Therapy, 2019, 45, 353-356.	1.4	20
47	Women's experiences of postterm induction of labor: A systematic review of qualitative studies. Birth, 2019, 46, 400-410.	2.2	29
48	Risk-based approach versus culture-based screening for identification of group B streptococci among women in labor. International Journal of Gynecology and Obstetrics, 2019, 144, 187-191.	2.3	8
49	Use of alternative medicine, ginger and licorice among Danish pregnant women " a prospective cohort study. BMC Complementary and Alternative Medicine, 2019, 19, 5.	3.7	16
50	Automated blood pressure self-measurement station compared to office blood pressure measurement for first trimester screening of pre-eclampsia. Health Informatics Journal, 2019, 25, 1815-1824.	2.1	13
51	Group B streptococci cultured in urine during pregnancy associated with preterm delivery: a selection problem?. Journal of Maternal-Fetal and Neonatal Medicine, 2019, 32, 3176-3184.	1.5	3
52	Development of the Team<sc>OBS</sc> " <sc>PPH</sc> " targeting clinical performance in postpartum hemorrhage. Acta Obstetrica Et Gynecologica Scandinavica, 2018, 97, 677-687.	2.8	11
53	Prevalence of xenobiotic substances in first-trimester blood samples from Danish pregnant women: a cross-sectional study. BMJ Open, 2018, 8, e018390.	1.9	9
54	The impact of pneumatic tube transport on whole blood coagulation and platelet function assays. Platelets, 2018, 29, 421-424.	2.3	10

#	ARTICLE	IF	CITATIONS
55	Human Cervical Mucus Plugs Exhibit Insufficiencies in Antimicrobial Activity Towards Group B Streptococcus. <i>Journal of Infectious Diseases</i> , 2018, 217, 1626-1636.	4.0	19
56	Placental baseline conditions modulate the hyperoxic BOLD-MRI response. <i>Placenta</i> , 2018, 61, 17-23.	1.5	44
57	Does free choice of hospital conflict with equity of access to highly specialized hospitals? A case study from the Danish health care system. <i>Health Policy</i> , 2018, 122, 722-727.	3.0	5
58	Number of colony forming units in urine at 35–37 weeks gestation as predictor of the vaginal load of Group B Streptococci at birth. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018, 223, 68-71.	1.1	4
59	Prediction of severe pre-eclampsia/HELLP syndrome by combination of sFlt-1, CT-pro-ET-1 and blood pressure: exploratory study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 51, 768-774.	1.7	14
60	Pregnant women's choice of birthing hospital: A qualitative study on individuals' preferences. <i>Women and Birth</i> , 2018, 31, e389-e394.	2.0	14
61	Patient Acceptance of Blood Pressure Self-Measurement Equipment using Context-Aware Patient Guidance. , 2018, , .		0
62	Functional autoantibodies against Endothelin-1 receptor type A and Angiotensin II receptor type 1 in patients with preeclampsia. <i>Pregnancy Hypertension</i> , 2018, 14, 189-194.	1.4	16
63	The Impact of the Biological Variability or Assay Performance on AMH Measurements: A Prospective Cohort Study With AMH Tested on Three Analytical Assay-Platforms. <i>Frontiers in Endocrinology</i> , 2018, 9, 603.	3.5	25
64	Prognosis for pregnancies with trisomy 16 confined to the placenta: A Danish cohort study. <i>Prenatal Diagnosis</i> , 2018, 38, 1103-1110.	2.3	24
65	Reducing the number of obstetrical beds by challenging traditions. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 1157-1161.	2.8	1
66	Women's Preferences for Birthing Hospital in Denmark: A Discrete Choice Experiment. <i>Patient</i> , 2018, 11, 613-624.	2.7	6
67	Environmental tobacco smoke exposure during pregnancy has limited effect on infant birthweight and umbilical vein endothelial nitric oxide synthase. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 1309-1316.	2.8	5
68	Tinzaparin for the treatment of foetal growth retardation: An open-labelled randomized clinical trial. <i>Thrombosis Research</i> , 2018, 170, 38-44.	1.7	7
69	Neonatal morbidity after spontaneous labor onset prior to intended cesarean delivery at term: a cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 479-486.	2.8	2
70	Topical application of recombinant activated factor VII during cesarean delivery for placenta previa. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, 608.e1-608.e5.	1.3	9
71	Temporal trends of lipophilic persistent organic pollutants in serum from Danish nulliparous pregnant women 2011–2013. <i>Environmental Science and Pollution Research</i> , 2017, 24, 16592-16603.	5.3	20
72	Fetal cells in maternal blood for prenatal diagnosis: a love story rekindled. <i>Biomarkers in Medicine</i> , 2017, 11, 705-710.	1.4	21

#	ARTICLE	IF	CITATIONS
73	The chinchilla as a novel animal model of pregnancy. <i>Royal Society Open Science</i> , 2017, 4, 161098.	2.4	19
74	Risk-based screening combined with a PCR-based test for group B streptococci diminishes the use of antibiotics in laboring women. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 215, 188-192.	1.1	12
75	The mortality rate of electroconvulsive therapy: a systematic review and pooled analysis. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 388-397.	4.5	109
76	Cervical collagen is reduced in non-pregnant women with a history of cervical insufficiency and a short cervix. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 984-990.	2.8	28
77	Appreciable uncertainty regarding benefits and risks in the treatment of bacterial vaginosis to prevent preterm birth. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 251-252.	2.8	4
78	Short- and long-term perinatal outcome in twin pregnancies affected by weight discordance. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 233-242.	2.8	20
79	On the road to replacing invasive testing with cell-based NIPT: Five clinical cases with aneuploidies, microduplication, unbalanced structural rearrangement, or mosaicism. <i>Prenatal Diagnosis</i> , 2017, 37, 1120-1124.	2.3	47
80	Human papillomavirus infects placental trophoblast and Hofbauer cells, but appears not to play a causal role in miscarriage and preterm labor. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 1188-1196.	2.8	28
81	Cerebral Oxygenation Measurements by Magnetic Resonance Imaging in Fetuses With and Without Heart Defects. <i>Circulation: Cardiovascular Imaging</i> , 2017, 10, e006459.	2.6	59
82	Trefoil factor peptide 3 is positively correlated with the viscoelastic properties of the cervical mucus plug. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 47-52.	2.8	19
83	Prediction of low birth weight: Comparison of placental T2* estimated by MRI and uterine artery pulsatility index. <i>Placenta</i> , 2017, 49, 48-54.	1.5	47
84	Intrapartum PCR assay versus antepartum culture for assessment of vaginal carriage of group B streptococci in a Danish cohort at birth. <i>PLoS ONE</i> , 2017, 12, e0180262.	2.5	26
85	Human Papillomavirus Infection as a Possible Cause of Spontaneous Abortion and Spontaneous Preterm Delivery. <i>Infectious Diseases in Obstetrics and Gynecology</i> , 2016, 2016, 1-19.	1.5	66
86	Treatment of bacterial vaginosis in pregnancy in order to reduce the risk of spontaneous preterm delivery – a clinical recommendation. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 850-860.	2.8	57
87	Two maternal duplications involving the CDKN1C gene are associated with contrasting growth phenotypes. <i>Clinical Epigenetics</i> , 2016, 8, 69.	4.1	9
88	Response to letter to the editor regarding “Serum perfluoroalkyl acids and time to pregnancy in nulliparous women”. <i>Environmental Research</i> , 2016, 147, 574-575.	7.5	2
89	Concentrations of Adalimumab and Infliximab in Mothers and Newborns, and Effects on Infection. <i>Gastroenterology</i> , 2016, 151, 110-119.	1.3	259
90	Discontinuation of intravenous oxytocin in the active phase of induced labour. <i>The Cochrane Library</i> , 2016, . .	2.8	8

#	ARTICLE	IF	CITATIONS
91	Repeatability of Junctional Zone Measurements Using 3-Dimensional Transvaginal Sonography in Healthy Fertile Women. <i>Journal of Ultrasound in Medicine</i> , 2016, 35, 1497-1508.	1.7	12
92	First trimester combined screening – focus on early biochemistry. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2016, 76, 435-447.	1.2	4
93	Genome-wide copy number analysis on DNA from fetal cells isolated from the blood of pregnant women. <i>Prenatal Diagnosis</i> , 2016, 36, 1127-1134.	2.3	68
94	Megalin Is Predominantly Observed in Vesicular Structures in First and Third Trimester Cytotrophoblasts of the Human Placenta. <i>Journal of Histochemistry and Cytochemistry</i> , 2016, 64, 769-784.	2.5	13
95	Distensibility and pain of the uterine cervix evaluated by novel techniques. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 717-723.	2.8	2
96	Prenatal diagnosis of Nager syndrome in a 12-week-old fetus with a whole gene deletion of SF3B4 by chromosomal microarray. <i>European Journal of Medical Genetics</i> , 2016, 59, 48-51.	1.3	19
97	Reduced placental oxygenation during subclinical uterine contractions as assessed by BOLD MRI. <i>Placenta</i> , 2016, 39, 16-20.	1.5	39
98	Performance characteristics of Elecsys free β hCG and PAPP-A for first trimester trisomy 21 risk assessment in gestational weeks 8+0 to 14+0. <i>Laboratoriums Medizin</i> , 2016, 40, 21-29.	0.6	2
99	The Danish Fetal Medicine Database: establishment, organization and quality assessment of the first trimester screening program for trisomy 21 in Denmark 2008–2012. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 577-583.	2.8	52
100	Comparison of two different methods for measuring anti-mullerian hormone in a clinical series. <i>Reproductive Biology and Endocrinology</i> , 2015, 13, 107.	3.3	26
101	Placental oxygen transport estimated by the hyperoxic placental BOLD MRI response. <i>Physiological Reports</i> , 2015, 3, e12582.	1.7	31
102	First trimester screening for other trisomies than trisomy 21, 18, and 13. <i>Prenatal Diagnosis</i> , 2015, 35, 612-619.	2.3	25
103	Only a minority of sex chromosome abnormalities are detected by a national prenatal screening program for Down syndrome. <i>Human Reproduction</i> , 2015, 30, 2419-2426.	0.9	55
104	Serum perfluoroalkyl acids and time to pregnancy in nulliparous women. <i>Environmental Research</i> , 2015, 142, 535-541.	7.5	30
105	Ten Years of Experience with First-Trimester Screening for Fetal Aneuploidy Employing Biochemistry from Gestational Weeks 6+0 to 13+6. <i>Fetal Diagnosis and Therapy</i> , 2015, 37, 51-57.	1.4	8
106	Seasonal Variation of Dystocia in a Large Danish Cohort. <i>PLoS ONE</i> , 2014, 9, e94432.	2.5	2
107	Identification of biomechanical properties in vivo in human uterine cervix. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2014, 39, 27-37.	3.1	22
108	Velocity and Directionality of the Electrohysterographic Signal Propagation. <i>PLoS ONE</i> , 2014, 9, e86775.	2.5	33

#	ARTICLE	IF	CITATIONS
109	Cervical Stiffness Evaluated In Vivo by Endoflip in Pregnant Women. PLoS ONE, 2014, 9, e91121.	2.5	26
110	Fetal Gender and Several Cytokines Are Associated with the Number of Fetal Cells in Maternal Blood – An Observational Study. PLoS ONE, 2014, 9, e106934.	2.5	17
111	Autocorrelation and cross-correlation between hCG ² and PAPP-A in repeated sampling during first trimester of pregnancy. Clinical Chemistry and Laboratory Medicine, 2013, 51, 1781-8.	2.3	2
112	Randomised Trial of Planned Caesarean Section Prior to Versus after 39 Weeks: Unscheduled Deliveries and Facility Logistics - A Secondary Analysis. PLoS ONE, 2013, 8, e84744.	2.5	14
113	Prospective study evaluating performance of first-trimester combined screening for trisomy 21 using repeat sampling of maternal serum markers PAPP-A and free β -hCG. Ultrasound in Obstetrics and Gynecology, 2012, 40, 276-281.	1.7	9
114	Impact of type 1 diabetes and glycemic control on fetal aneuploidy biochemical markers. Acta Obstetrica Et Gynecologica Scandinavica, 2012, 91, 57-61.	2.8	17
115	A reassessment of biochemical marker distributions in trisomy 21-affected and unaffected twin pregnancies in the first trimester. Ultrasound in Obstetrics and Gynecology, 2011, 37, 38-47.	1.7	66
116	Early first-trimester maternal serum placental growth factor in trisomy 21 pregnancies. Ultrasound in Obstetrics and Gynecology, 2011, 37, 515-519.	1.7	15
117	First-trimester combined screening for trisomy 21 at 7-14 weeks' gestation. Ultrasound in Obstetrics and Gynecology, 2010, 36, 404-411.	1.7	101
118	Screening for fetal trisomy 21 in gestational weeks 6 and 7. Acta Obstetrica Et Gynecologica Scandinavica, 2010, 89, 1218-1221.	2.8	3
119	First trimester screening for trisomy 21 in gestational week 8-10 by ADAM12-S as a maternal serum marker. Reproductive Biology and Endocrinology, 2010, 8, 129.	3.3	14
120	Performance of First-Trimester Screening between Gestational Weeks 7 and 13. Clinical Chemistry, 2009, 55, 1564-1567.	3.2	15
121	OP02.05: Performance of first trimester combined screening test for trisomy 21 and trisomy 13/18 with the double test taken before or after 10 weeks in 44,537 singleton pregnancies. Ultrasound in Obstetrics and Gynecology, 2009, 34, 66-66.	1.7	0
122	First-trimester ADAM12s as early markers of trisomy 21: a promise still unfulfilled?. Prenatal Diagnosis, 2008, 28, 338-342.	2.3	21
123	Improved performance of first-trimester combined screening for trisomy 21 with the double test taken before a gestational age of 10 weeks. Prenatal Diagnosis, 2008, 28, 839-844.	2.3	36
124	First trimester intact hCG as an early marker of trisomy 21: a promise unrecognised?. Prenatal Diagnosis, 2008, 28, 1156-1159.	2.3	7
125	OC008: Improved performance of first-trimester screening for trisomy 21 with the double test taken before a gestational age of 10 weeks. Ultrasound in Obstetrics and Gynecology, 2008, 32, 245-245.	1.7	0
126	Genome-wide analysis of allelic imbalance in prostate cancer using the Affymetrix 50K SNP mapping array. British Journal of Cancer, 2007, 96, 499-506.	6.4	50

#	ARTICLE	IF	CITATIONS
127	Increase in amphiregulin and epiregulin in prostate cancer xenograft after androgen deprivation—impact of specific HER1 inhibition. <i>Prostate</i> , 2005, 64, 1-8.	2.3	20
128	Immunoglobulin levels and phagocytes in the cervical mucus plug at term of pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2005, 84, 734-742.	2.8	18
129	Biomarkers for the prediction of preterm delivery. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2005, 84, 516-525.	2.8	6
130	ErbB1 and prostate cancer: ErbB1 activity is essential for androgen-induced proliferation and protection from the apoptotic effects of LY294002. <i>Prostate</i> , 2003, 56, 142-149.	2.3	39
131	ADAM12: a novel first-trimester maternal serum marker for Down syndrome. <i>Prenatal Diagnosis</i> , 2003, 23, 1086-1091.	2.3	94
132	Possible autocrine loop of the epidermal growth factor system in patients with benign prostatic hyperplasia treated with finasteride: a placebo-controlled randomized study. <i>BJU International</i> , 2002, 89, 583-590.	2.5	9
133	Chronic Treatment with Epidermal Growth Factor Induces Growth of the Rat Ventral Prostate. <i>Scandinavian Journal of Urology and Nephrology</i> , 2001, 35, 339-344.	1.4	10
134	Early urinary changes in Tamm-Horsfall protein and epidermal growth factor in diabetic children. <i>Pediatric Nephrology</i> , 2001, 16, 488-492.	1.7	23
135	Systemic treatment with epidermal growth factor but not insulin-like growth factor I decreases the involution of the prostate in castrated rats. <i>Urological Research</i> , 2000, 28, 75-81.	1.5	8
136	Increased expression of heparin binding EGF (HB-EGF), amphiregulin, TGF alpha and epiregulin in androgen-independent prostate cancer cell lines. <i>Anticancer Research</i> , 2000, 20, 91-5.	1.1	56
137	Epidermal growth factor in the rat prostate: Production, tissue content and molecular forms in the different prostatic lobes. , 1998, 35, 35-42.		9