

# Jane A Hoppin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1655976/publications.pdf>

Version: 2024-02-01

235  
papers

19,878  
citations

7568

77  
h-index

13771

129  
g-index

237  
all docs

237  
docs citations

237  
times ranked

21612  
citing authors

#	ARTICLE	IF	CITATIONS
1	Body-Mass Index and Mortality among 1.46 Million White Adults. <i>New England Journal of Medicine</i> , 2010, 363, 2211-2219.	27.0	1,926
2	Rotenone, Paraquat, and Parkinson's Disease. <i>Environmental Health Perspectives</i> , 2011, 119, 866-872.	6.0	1,050
3	Health Effects of Chronic Pesticide Exposure: Cancer and Neurotoxicity. <i>Annual Review of Public Health</i> , 2004, 25, 155-197.	17.4	595
4	Association of Pesticide Exposure with Neurologic Dysfunction and Disease. <i>Environmental Health Perspectives</i> , 2004, 112, 950-958.	6.0	525
5	Use of Agricultural Pesticides and Prostate Cancer Risk in the Agricultural Health Study Cohort. <i>American Journal of Epidemiology</i> , 2003, 157, 800-814.	3.4	345
6	Association between Class III Obesity (BMI of 40-59 kg/m <sup>2</sup> ) and Mortality: A Pooled Analysis of 20 Prospective Studies. <i>PLoS Medicine</i> , 2014, 11, e1001673.	8.4	299
7	Reduced Fertility Among Overweight and Obese Men. <i>Epidemiology</i> , 2006, 17, 520-523.	2.7	294
8	Pesticide Exposure and Self-reported Parkinson's Disease in the Agricultural Health Study. <i>American Journal of Epidemiology</i> , 2006, 165, 364-374.	3.4	272
9	Prevalence of allergic sensitization in the United States: Results from the National Health and Nutrition Examination Survey (NHANES) 2005-2006. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 134, 350-359.	2.9	266
10	Reproducibility of urinary phthalate metabolites in first morning urine samples. <i>Environmental Health Perspectives</i> , 2002, 110, 515-518.	6.0	265
11	Cancer Incidence among Glyphosate-Exposed Pesticide Applicators in the Agricultural Health Study. <i>Environmental Health Perspectives</i> , 2005, 113, 49-54.	6.0	213
12	Pesticides and Lung Cancer Risk in the Agricultural Health Study Cohort. <i>American Journal of Epidemiology</i> , 2004, 160, 876-885.	3.4	201
13	Chemical Predictors of Wheeze among Farmer Pesticide Applicators in the Agricultural Health Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2002, 165, 683-689.	5.6	197
14	A Quantitative Approach for Estimating Exposure to Pesticides in the Agricultural Health Study. <i>Annals of Occupational Hygiene</i> , 2002, 46, 245-60.	1.9	191
15	The biobank of the Norwegian mother and child cohort Study: A resource for the next 100 years. <i>European Journal of Epidemiology</i> , 2006, 21, 619-625.	5.7	186
16	Allergy-related outcomes in relation to serum IgE: Results from the National Health and Nutrition Examination Survey 2005-2006. <i>Journal of Allergy and Clinical Immunology</i> , 2011, 127, 1226-1235.e7.	2.9	184
17	Organophosphate insecticide use and cancer incidence among spouses of pesticide applicators in the Agricultural Health Study. <i>Occupational and Environmental Medicine</i> , 2015, 72, 736-744.	2.8	178
18	Occupational exposure to crystalline silica and risk of systemic lupus erythematosus: A population-based, case-control study in the Southeastern United States. <i>Arthritis and Rheumatism</i> , 2002, 46, 1840-1850.	6.7	176

#	ARTICLE	IF	CITATIONS
19	Occupational exposure to organochlorine insecticides and cancer incidence in the Agricultural Health Study. <i>International Journal of Cancer</i> , 2007, 120, 642-649.	5.1	171
20	Cancer Incidence Among Pesticide Applicators Exposed to Chlorpyrifos in the Agricultural Health Study. <i>Journal of the National Cancer Institute</i> , 2004, 96, 1781-1789.	6.3	161
21	Determinants of plasma concentrations of perfluoroalkyl substances in pregnant Norwegian women. <i>Environment International</i> , 2013, 54, 74-84.	10.0	160
22	Agricultural and residential pesticides in wipe samples from farmworker family residences in North Carolina and Virginia. <i>Environmental Health Perspectives</i> , 2004, 112, 382-387.	6.0	155
23	Levels of metabolites of organophosphate pesticides, phthalates, and bisphenol A in pooled urine specimens from pregnant women participating in the Norwegian Mother and Child Cohort Study (MoBa). <i>International Journal of Hygiene and Environmental Health</i> , 2009, 212, 481-491.	4.3	151
24	Pesticide Exposure and Self-Reported Gestational Diabetes Mellitus in the Agricultural Health Study. <i>Diabetes Care</i> , 2007, 30, 529-534.	8.6	149
25	Pesticide Use and Breast Cancer Risk among Farmers' Wives in the Agricultural Health Study. <i>American Journal of Epidemiology</i> , 2005, 161, 121-135.	3.4	147
26	Pesticide Use and Thyroid Disease Among Women in the Agricultural Health Study. <i>American Journal of Epidemiology</i> , 2010, 171, 455-464.	3.4	143
27	Accuracy of self-reported pesticide use duration information from licensed pesticide applicators in the Agricultural Health Study. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2002, 12, 313-318.	3.9	142
28	Pesticides and Atopic and Nonatopic Asthma among Farm Women in the Agricultural Health Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2008, 177, 11-18.	5.6	141
29	Consumer product exposures associated with urinary phthalate levels in pregnant women. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2012, 22, 468-475.	3.9	141
30	Cancer Incidence Among Pesticide Applicators Exposed to Atrazine in the Agricultural Health Study. <i>Journal of the National Cancer Institute</i> , 2004, 96, 1375-1382.	6.3	139
31	Cancer Incidence among Pesticide Applicators Exposed to Alachlor in the Agricultural Health Study. <i>American Journal of Epidemiology</i> , 2004, 159, 373-380.	3.4	137
32	Pesticide exposure and risk of monoclonal gammopathy of undetermined significance in the Agricultural Health Study. <i>Blood</i> , 2009, 113, 6386-6391.	1.4	137
33	Risk of Total and Aggressive Prostate Cancer and Pesticide Use in the Agricultural Health Study. <i>American Journal of Epidemiology</i> , 2013, 177, 59-74.	3.4	137
34	Urinary Biomarkers for Phthalates Associated with Asthma in Norwegian Children. <i>Environmental Health Perspectives</i> , 2013, 121, 251-256.	6.0	137
35	An Update of Cancer Incidence in the Agricultural Health Study. <i>Journal of Occupational and Environmental Medicine</i> , 2010, 52, 1098-1105.	1.7	133
36	Pesticide use and adult-onset asthma among male farmers in the Agricultural Health Study. <i>European Respiratory Journal</i> , 2009, 34, 1296-1303.	6.7	131

#	ARTICLE	IF	CITATIONS
37	Pesticide exposure and amyotrophic lateral sclerosis. <i>NeuroToxicology</i> , 2012, 33, 457-462.	3.0	129
38	Cancer risk and parental pesticide application in children of Agricultural Health Study participants.. <i>Environmental Health Perspectives</i> , 2004, 112, 631-635.	6.0	128
39	Heterocyclic aromatic amine pesticide use and human cancer risk: Results from the U.S. Agricultural Health Study. <i>International Journal of Cancer</i> , 2009, 124, 1206-1212.	5.1	128
40	Long-Term Exposure to Fine Particulate Matter: Association with Nonaccidental and Cardiovascular Mortality in the Agricultural Health Study Cohort. <i>Environmental Health Perspectives</i> , 2014, 122, 609-615.	6.0	122
41	Perfluoroalkyl substances and lipid concentrations in plasma during pregnancy among women in the Norwegian Mother and Child Cohort Study. <i>Environment International</i> , 2014, 62, 104-112.	10.0	122
42	Neurologic Symptoms in Licensed Private Pesticide Applicators in the Agricultural Health Study. <i>Environmental Health Perspectives</i> , 2005, 113, 877-882.	6.0	121
43	Phthalate exposure and pulmonary function.. <i>Environmental Health Perspectives</i> , 2004, 112, 571-574.	6.0	120
44	Non-Hodgkin Lymphoma Risk and Insecticide, Fungicide and Fumigant Use in the Agricultural Health Study. <i>PLoS ONE</i> , 2014, 9, e109332.	2.5	119
45	Malathion Exposure and the Incidence of Cancer in the Agricultural Health Study. <i>American Journal of Epidemiology</i> , 2007, 166, 1023-1034.	3.4	118
46	Atrazine and Cancer Incidence Among Pesticide Applicators in the Agricultural Health Study (1994â€“2007). <i>Environmental Health Perspectives</i> , 2011, 119, 1253-1259.	6.0	118
47	Measurement of Novel, Drinking Water-Associated PFAS in Blood from Adults and Children in Wilmington, North Carolina. <i>Environmental Health Perspectives</i> , 2020, 128, 77005.	6.0	118
48	Perfluorinated Compounds and Subfecundity in Pregnant Women. <i>Epidemiology</i> , 2012, 23, 257-263.	2.7	116
49	Occupational Exposure to Pesticides and the Incidence of Lung Cancer in the Agricultural Health Study. <i>Environmental Health Perspectives</i> , 2017, 125, 544-551.	6.0	115
50	Phthalate Exposure and Allergy in the U.S. Population: Results from NHANES 2005â€“2006. <i>Environmental Health Perspectives</i> , 2013, 121, 1129-1134.	6.0	113
51	Body mass index, effect modifiers, and risk of pancreatic cancer: a pooled study of seven prospective cohorts. <i>Cancer Causes and Control</i> , 2010, 21, 1305-1314.	1.8	112
52	Depression and Pesticide Exposures among Private Pesticide Applicators Enrolled in the Agricultural Health Study. <i>Environmental Health Perspectives</i> , 2008, 116, 1713-1719.	6.0	111
53	Pesticide exposure and neurodevelopment in children aged 6â€“9 years from Talamanca, CostaÂŽrica. <i>Cortex</i> , 2016, 85, 137-150.	2.4	110
54	Pesticide use and incident diabetes among wives of farmers in the Agricultural Health Study. <i>Occupational and Environmental Medicine</i> , 2014, 71, 629-635.	2.8	108

#	ARTICLE	IF	CITATIONS
55	Dietary fat intake, pesticide use, and Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2014, 20, 82-87.	2.2	108
56	Cancer Incidence among Male Pesticide Applicators in the Agricultural Health Study Cohort Exposed to Diazinon. <i>American Journal of Epidemiology</i> , 2005, 162, 1070-1079.	3.4	107
57	Agricultural pesticide use and pancreatic cancer risk in the Agricultural Health Study Cohort. <i>International Journal of Cancer</i> , 2009, 124, 2495-2500.	5.1	104
58	Pesticide use and risk of end-stage renal disease among licensed pesticide applicators in the Agricultural Health Study. <i>Occupational and Environmental Medicine</i> , 2016, 73, 3-12.	2.8	102
59	Cancer Incidence among Pesticide Applicators Exposed to Permethrin in the Agricultural Health Study. <i>Environmental Health Perspectives</i> , 2009, 117, 581-586.	6.0	101
60	Perfluorinated Compounds in Relation to Birth Weight in the Norwegian Mother and Child Cohort Study. <i>American Journal of Epidemiology</i> , 2012, 175, 1209-1216.	3.4	100
61	Bayesian Methods for Highly Correlated Exposure Data. <i>Epidemiology</i> , 2007, 18, 199-207.	2.7	97
62	Phorate Exposure and Incidence of Cancer in the Agricultural Health Study. <i>Environmental Health Perspectives</i> , 2006, 114, 1205-1209.	6.0	95
63	Mortality among Participants in the Agricultural Health Study. <i>Annals of Epidemiology</i> , 2005, 15, 279-285.	1.9	94
64	Mortality in the Agricultural Health Study, 1993-2007. <i>American Journal of Epidemiology</i> , 2011, 173, 71-83.	3.4	93
65	Urinary Concentrations of Phthalate Metabolites and Bisphenol A and Associations with Follicular-Phase Length, Luteal-Phase Length, Fecundability, and Early Pregnancy Loss. <i>Environmental Health Perspectives</i> , 2016, 124, 321-328.	6.0	93
66	Neurologic symptoms in licensed pesticide applicators in the Agricultural Health Study. <i>Human and Experimental Toxicology</i> , 2007, 26, 243-250.	2.2	92
67	Pesticide use and chronic bronchitis among farmers in the agricultural health study. <i>American Journal of Industrial Medicine</i> , 2007, 50, 969-979.	2.1	92
68	A Review of Nonoccupational Pathways for Pesticide Exposure in Women Living in Agricultural Areas. <i>Environmental Health Perspectives</i> , 2015, 123, 515-524.	6.0	91
69	Prenatal Phthalates, Maternal Thyroid Function, and Risk of Attention-Deficit Hyperactivity Disorder in the Norwegian Mother and Child Cohort. <i>Environmental Health Perspectives</i> , 2018, 126, 057004.	6.0	91
70	Induction of Asthma and the Environment: What We Know and Need to Know. <i>Environmental Health Perspectives</i> , 2006, 114, 615-619.	6.0	89
71	Occupational exposure to terbufos and the incidence of cancer in the Agricultural Health Study. <i>Cancer Causes and Control</i> , 2010, 21, 871-877.	1.8	89
72	Depression and Pesticide Exposures in Female Spouses of Licensed Pesticide Applicators in the Agricultural Health Study Cohort. <i>Journal of Occupational and Environmental Medicine</i> , 2006, 48, 1005-1013.	1.7	88

#	ARTICLE	IF	CITATIONS
73	IARC Monographs: 40 Years of Evaluating Carcinogenic Hazards to Humans. <i>Environmental Health Perspectives</i> , 2015, 123, 507-514.	6.0	86
74	Meat and Meat Mutagens and Risk of Prostate Cancer in the Agricultural Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 80-87.	2.5	85
75	Head injury, alpha-synuclein Rep1, and Parkinson's disease. <i>Annals of Neurology</i> , 2012, 71, 40-48.	5.3	83
76	Pesticide Exposure and Depression among Male Private Pesticide Applicators in the Agricultural Health Study. <i>Environmental Health Perspectives</i> , 2014, 122, 984-991.	6.0	83
77	Assessing the Exposome with External Measures: Commentary on the State of the Science and Research Recommendations. <i>Annual Review of Public Health</i> , 2017, 38, 215-239.	17.4	83
78	Pesticides are Associated with Allergic and Non-Allergic Wheeze among Male Farmers. <i>Environmental Health Perspectives</i> , 2017, 125, 535-543.	6.0	82
79	Organic Food in the Diet: Exposure and Health Implications. <i>Annual Review of Public Health</i> , 2017, 38, 295-313.	17.4	80
80	Within-person variability in urinary bisphenol A concentrations: Measurements from specimens after long-term frozen storage. <i>Environmental Research</i> , 2009, 109, 734-737.	7.5	77
81	Pesticides associated with Wheeze among Commercial Pesticide Applicators in the Agricultural Health Study. <i>American Journal of Epidemiology</i> , 2006, 163, 1129-1137.	3.4	75
82	Protective glove use and hygiene habits modify the associations of specific pesticides with Parkinson's disease. <i>Environment International</i> , 2015, 75, 144-150.	10.0	75
83	Occupational Exposure to Carbofuran and the Incidence of Cancer in the Agricultural Health Study. <i>Environmental Health Perspectives</i> , 2005, 113, 285-289.	6.0	73
84	An Updated Algorithm for Estimation of Pesticide Exposure Intensity in the Agricultural Health Study. <i>International Journal of Environmental Research and Public Health</i> , 2011, 8, 4608-4622.	2.6	73
85	Genetic modification of the association of paraquat and Parkinson's disease. <i>Movement Disorders</i> , 2012, 27, 1652-1658.	3.9	73
86	A-clustering: a novel method for the detection of co-regulated methylation regions, and regions associated with exposure. <i>Bioinformatics</i> , 2013, 29, 2884-2891.	4.1	73
87	Fonofos Exposure and Cancer Incidence in the Agricultural Health Study. <i>Environmental Health Perspectives</i> , 2006, 114, 1838-1842.	6.0	72
88	Obesity and the cardiovascular health effects of fine particulate air pollution. <i>Obesity</i> , 2014, 22, 1580-1589.	3.0	72
89	Pendimethalin Exposure and Cancer Incidence Among Pesticide Applicators. <i>Epidemiology</i> , 2006, 17, 302-307.	2.7	70
90	Carbaryl exposure and incident cancer in the Agricultural Health Study. <i>International Journal of Cancer</i> , 2007, 121, 1799-1805.	5.1	68

#	ARTICLE	IF	CITATIONS
91	Cancer incidence among pesticide applicators exposed to metolachlor in the Agricultural Health Study. <i>International Journal of Cancer</i> , 2006, 118, 3118-3123.	5.1	67
92	Respiratory disease in United States farmers. <i>Occupational and Environmental Medicine</i> , 2014, 71, 484-491.	2.8	66
93	Ethnic-specific associations of rare and low-frequency DNA sequence variants with asthma. <i>Nature Communications</i> , 2015, 6, 5965.	12.8	66
94	Insecticide Use and Breast Cancer Risk among Farmers's™ Wives in the Agricultural Health Study. <i>Environmental Health Perspectives</i> , 2017, 125, 097002.	6.0	66
95	Pesticides and other agricultural factors associated with self-reported farmer's lung among farm residents in the Agricultural Health Study. <i>Occupational and Environmental Medicine</i> , 2007, 64, 334-341.	2.8	65
96	Associations of Ozone and PM2.5 Concentrations With Parkinson's Disease Among Participants in the Agricultural Health Study. <i>Journal of Occupational and Environmental Medicine</i> , 2015, 57, 509-517.	1.7	65
97	Pesticides and Adult Respiratory Outcomes in the Agricultural Health Study. <i>Annals of the New York Academy of Sciences</i> , 2006, 1076, 343-354.	3.8	64
98	Mortality among Pesticide Applicators Exposed to Chlorpyrifos in the Agricultural Health Study. <i>Environmental Health Perspectives</i> , 2007, 115, 528-534.	6.0	64
99	Poultry and livestock exposure and cancer risk among farmers in the agricultural health study. <i>Cancer Causes and Control</i> , 2012, 23, 663-670.	1.8	64
100	Lifetime Pesticide Use and Telomere Shortening among Male Pesticide Applicators in the Agricultural Health Study. <i>Environmental Health Perspectives</i> , 2013, 121, 919-924.	6.0	63
101	Assessment of a pesticide exposure intensity algorithm in the agricultural health study. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2010, 20, 559-569.	3.9	62
102	Early-life farm exposures and adult asthma and atopy in the Agricultural Lung Health Study. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 140, 249-256.e14.	2.9	61
103	Perfluoroalkyl Substances During Pregnancy and Validated Preeclampsia Among Nulliparous Women in the Norwegian Mother and Child Cohort Study. <i>American Journal of Epidemiology</i> , 2014, 179, 824-833.	3.4	60
104	Chronic Bronchitis Among Nonsmoking Farm Women in the Agricultural Health Study. <i>Journal of Occupational and Environmental Medicine</i> , 2007, 49, 574-583.	1.7	59
105	Rhinitis associated with pesticide exposure among commercial pesticide applicators in the Agricultural Health Study. <i>Occupational and Environmental Medicine</i> , 2009, 66, 718-724.	2.8	59
106	Urinary biomarker, dermal, and air measurement results for 2,4-D and chlorpyrifos farm applicators in the Agricultural Health Study. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2010, 20, 119-134.	3.9	59
107	Arsenic Exposure and Incidence of Type 2 Diabetes in Southwestern American Indians. <i>American Journal of Epidemiology</i> , 2013, 177, 962-969.	3.4	59
108	Potential for Selection Bias with Tumor Tissue Retrieval in Molecular Epidemiology Studies. <i>Annals of Epidemiology</i> , 2002, 12, 1-6.	1.9	58

#	ARTICLE	IF	CITATIONS
109	Cancer incidence among pesticide applicators exposed to trifluralin in the Agricultural Health Study. <i>Environmental Research</i> , 2008, 107, 271-276.	7.5	58
110	Hypothyroidism and Pesticide Use Among Male Private Pesticide Applicators in the Agricultural Health Study. <i>Journal of Occupational and Environmental Medicine</i> , 2013, 55, 1171-1178.	1.7	58
111	Cancer incidence among pesticide applicators exposed to butylate in the Agricultural Health Study (AHS). <i>Environmental Research</i> , 2009, 109, 860-868.	7.5	57
112	Cancer incidence in the agricultural health study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2005, 31 Suppl 1, 39-45; discussion 5-7.	3.4	56
113	Reporting pesticide assessment results to farmworker families: development, implementation, and evaluation of a risk communication strategy. <i>Environmental Health Perspectives</i> , 2004, 112, 636-642.	6.0	55
114	Organophosphate Pesticide Exposure in Farmworker Family Members in Western North Carolina and Virginia: Case Comparisons. <i>Human Organization</i> , 2005, 64, 40-51.	0.3	55
115	Chlorothalonil exposure and cancer incidence among pesticide applicator participants in the agricultural health study. <i>Environmental Research</i> , 2008, 108, 400-403.	7.5	54
116	Within-person variability in urinary phthalate metabolite concentrations: measurements from specimens after long-term frozen storage. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2010, 20, 169-175.	3.9	54
117	Incidence of solid tumours among pesticide applicators exposed to the organophosphate insecticide diazinon in the Agricultural Health Study: an updated analysis. <i>Occupational and Environmental Medicine</i> , 2015, 72, 496-503.	2.8	54
118	Cancer Incidence among Pesticide Applicators Exposed to Dicamba in the Agricultural Health Study. <i>Environmental Health Perspectives</i> , 2006, 114, 1521-1526.	6.0	53
119	Relative Contributions of Agricultural Drift, Para-Occupational, and Residential Use Exposure Pathways to House Dust Pesticide Concentrations: Meta-Regression of Published Data. <i>Environmental Health Perspectives</i> , 2017, 125, 296-305.	6.0	52
120	Farmworker Exposure to Pesticides: Methodologic Issues for the Collection of Comparable Data. <i>Environmental Health Perspectives</i> , 2006, 114, 923-928.	6.0	50
121	Association between Perfluoroalkyl substances and thyroid stimulating hormone among pregnant women: a cross-sectional study. <i>Environmental Health</i> , 2013, 12, 76.	4.0	50
122	Body mass index, agricultural pesticide use, and cancer incidence in the Agricultural Health Study cohort. <i>Cancer Causes and Control</i> , 2010, 21, 1759-1775.	1.8	49
123	Prevalence of exposure to solvents, metals, grain dust, and other hazards among farmers in the Agricultural Health Study. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2002, 12, 418-426.	3.9	48
124	Pesticide Exposure and Timing of Menopause. <i>American Journal of Epidemiology</i> , 2006, 163, 731-742.	3.4	48
125	Neurobehavioral function and organophosphate insecticide use among pesticide applicators in the Agricultural Health Study. <i>Neurotoxicology and Teratology</i> , 2012, 34, 168-176.	2.4	48
126	Pesticide exposure and self-reported incident depression among wives in the Agricultural Health Study. <i>Environmental Research</i> , 2013, 126, 31-42.	7.5	48



#	ARTICLE	IF	CITATIONS
127	Reliability of triclosan measures in repeated urine samples from Norwegian pregnant women. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2014, 24, 517-521.	3.9	48
128	High pesticide exposure events and <scp>DNA</scp> methylation among pesticide applicators in the agricultural health study. <i>Environmental and Molecular Mutagenesis</i> , 2017, 58, 19-29.	2.2	48
129	Occupational Risk Factors for Sarcoma Subtypes. <i>Epidemiology</i> , 1999, 10, 300-306.	2.7	47
130	Peptidoglycan recognition protein genes and risk of Parkinson's disease. <i>Movement Disorders</i> , 2014, 29, 1171-1180.	3.9	47
131	Rheumatoid Arthritis in Agricultural Health Study Spouses: Associations with Pesticides and Other Farm Exposures. <i>Environmental Health Perspectives</i> , 2016, 124, 1728-1734.	6.0	47
132	House Dust Endotoxin Levels Are Associated with Adult Asthma in a U.S. Farming Population. <i>Annals of the American Thoracic Society</i> , 2017, 14, 324-331.	3.2	47
133	Peripheral Nervous System Function and Organophosphate Pesticide Use among Licensed Pesticide Applicators in the Agricultural Health Study. <i>Environmental Health Perspectives</i> , 2012, 120, 515-520.	6.0	46
134	Dichlorvos exposure and human cancer risk: results from the Agricultural Health Study. <i>Cancer Causes and Control</i> , 2008, 19, 59-65.	1.8	45
135	<i>S</i>-Ethyl- <i>N,N</i>-dipropylthiocarbamate Exposure and Cancer Incidence among Male Pesticide Applicators in the Agricultural Health Study: A Prospective Cohort. <i>Environmental Health Perspectives</i> , 2008, 116, 1541-1546.	6.0	45
136	Xenobiotic-metabolizing gene variants, pesticide use, and the risk of prostate cancer. <i>Pharmacogenetics and Genomics</i> , 2011, 21, 615-623.	1.5	45
137	Exacerbation of symptoms in agricultural pesticide applicators with asthma. <i>International Archives of Occupational and Environmental Health</i> , 2014, 87, 423-432.	2.3	45
138	Diesel Exhaust, Solvents, and Other Occupational Exposures as Risk Factors for Wheeze among Farmers. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2004, 169, 1308-1313.	5.6	44
139	Rhinitis Associated with Pesticide Use Among Private Pesticide Applicators in the Agricultural Health Study. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2010, 73, 1382-1393.	2.3	44
140	Questionnaire Predictors of Atopy in a US Population Sample: Findings From the National Health and Nutrition Examination Survey, 2005-2006. <i>American Journal of Epidemiology</i> , 2011, 173, 544-552.	3.4	44
141	Pesticide exposure and end-stage renal disease risk among wives of pesticide applicators in the Agricultural Health Study. <i>Environmental Research</i> , 2015, 143, 198-210.	7.5	44
142	Pesticides and Myocardial Infarction Incidence and Mortality Among Male Pesticide Applicators in the Agricultural Health Study. <i>American Journal of Epidemiology</i> , 2009, 170, 892-900.	3.4	43
143	Maternal Pesticide Use and Birth Weight in the Agricultural Health Study. <i>Journal of Agromedicine</i> , 2010, 15, 127-136.	1.5	43
144	Organic Food Consumption during Pregnancy and Hypospadias and Cryptorchidism at Birth: The Norwegian Mother and Child Cohort Study (MoBa). <i>Environmental Health Perspectives</i> , 2016, 124, 357-364.	6.0	43

#	ARTICLE	IF	CITATIONS
145	Pesticide Use and Relative Leukocyte Telomere Length in the Agricultural Health Study. PLoS ONE, 2015, 10, e0133382.	2.5	42
146	Pesticide Use Modifies the Association Between Genetic Variants on Chromosome 8q24 and Prostate Cancer. Cancer Research, 2010, 70, 9224-9233.	0.9	41
147	Impact of pesticide exposure misclassification on estimates of relative risks in the Agricultural Health Study. Occupational and Environmental Medicine, 2011, 68, 537-541.	2.8	41
148	Methyl bromide exposure and cancer risk in the Agricultural Health Study. Cancer Causes and Control, 2012, 23, 807-818.	1.8	41
149	Cancer Incidence among Pesticide Applicators Exposed to Cyanazine in the Agricultural Health Study. Environmental Health Perspectives, 2006, 114, 1248-1252.	6.0	40
150	AGRICOH: A Consortium of Agricultural Cohorts. International Journal of Environmental Research and Public Health, 2011, 8, 1341-1357.	2.6	40
151	An interlaboratory study of perfluorinated alkyl compound levels in human plasma. Environmental Research, 2008, 107, 152-159.	7.5	39
152	Advancing Exposure Science through Chemical Data Curation and Integration in the Comparative Toxicogenomics Database. Environmental Health Perspectives, 2016, 124, 1592-1599.	6.0	39
153	Occupational exposure to chlorophenol and the risk of nasal and nasopharyngeal cancers among U.S. men aged 30 to 60. , 2000, 37, 532-541.		38
154	Associations between urine phthalate metabolites and thyroid function in pregnant women and the influence of iodine status. Environment International, 2020, 137, 105509.	10.0	38
155	Retinal Degeneration and Other Eye Disorders in Wives of Farmer Pesticide Applicators Enrolled in the Agricultural Health Study. American Journal of Epidemiology, 2005, 161, 1020-1029.	3.4	37
156	Evaluation of Freeze-Thaw Cycles on Stored Plasma in the Biobank of the Norwegian Mother and Child Cohort Study. Cell Preservation Technology, 2008, 6, 223-229.	0.6	37
157	Hearing Loss Among Licensed Pesticide Applicators in the Agricultural Health Study. Journal of Occupational and Environmental Medicine, 2008, 50, 817-826.	1.7	37
158	Impact of urine preservation methods and duration of storage on measured levels of environmental contaminants. Journal of Exposure Science and Environmental Epidemiology, 2006, 16, 39-48.	3.9	36
159	Comparing Questionnaire-Based Methods to Assess Occupational Silica Exposure. Epidemiology, 2004, 15, 433-441.	2.7	35
160	Genetic Variation in Base Excision Repair Pathway Genes, Pesticide Exposure, and Prostate Cancer Risk. Environmental Health Perspectives, 2011, 119, 1726-1732.	6.0	35
161	Environmental Exposure Assessment of Pesticides in Farmworker Homes. Environmental Health Perspectives, 2006, 114, 929-935.	6.0	34
162	Cancer incidence among pesticide applicators exposed to captan in the Agricultural Health Study. Cancer Causes and Control, 2008, 19, 1401-1407.	1.8	34

#	ARTICLE	IF	CITATIONS
163	Cancer incidence and metolachlor use in the Agricultural Health Study: An update. <i>International Journal of Cancer</i> , 2015, 137, 2630-2643.	5.1	32
164	Occupational Exposure to Metribuzin and the Incidence of Cancer in the Agricultural Health Study. <i>Annals of Epidemiology</i> , 2009, 19, 388-395.	1.9	31
165	Pesticide Use and Myocardial Infarction Incidence Among Farm Women in the Agricultural Health Study. <i>Journal of Occupational and Environmental Medicine</i> , 2010, 52, 693-697.	1.7	31
166	Coumaphos Exposure and Incident Cancer among Male Participants in the Agricultural Health Study (AHS). <i>Environmental Health Perspectives</i> , 2010, 118, 92-96.	6.0	31
167	Using multiple imputation to assign pesticide use for non-responders in the follow-up questionnaire in the Agricultural Health Study. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2012, 22, 409-416.	3.9	31
168	Genetic Susceptibility Loci, Pesticide Exposure and Prostate Cancer Risk. <i>PLoS ONE</i> , 2013, 8, e58195.	2.5	31
169	Feasibility of Using Subject-Collected Dust Samples in Epidemiologic and Clinical Studies of Indoor Allergens. <i>Environmental Health Perspectives</i> , 2005, 113, 665-669.	6.0	30
170	Pesticide Exposure and Hypertensive Disorders During Pregnancy. <i>Environmental Health Perspectives</i> , 2009, 117, 1393-1396.	6.0	30
171	Use of a life events calendar approach to elicit occupational history from farmers. , 1998, 34, 470-476.		29
172	Suicide and Pesticide Use among Pesticide Applicators and Their Spouses in the Agricultural Health Study. <i>Environmental Health Perspectives</i> , 2011, 119, 1610-1615.	6.0	29
173	The concentration of bisphenol A in urine is affected by specimen collection, a preservative, and handling. <i>Environmental Research</i> , 2013, 126, 211-214.	7.5	28
174	Accuracy of residential geocoding in the Agricultural Health Study. <i>International Journal of Health Geographics</i> , 2014, 13, 37.	2.5	28
175	Cancer Incidence Among Paraquat Exposed Applicators in the Agricultural Health Study: A Prospective Cohort Study. <i>International Journal of Occupational and Environmental Health</i> , 2009, 15, 274-281.	1.2	27
176	High pesticide exposure events and central nervous system function among pesticide applicators in the Agricultural Health Study. <i>International Archives of Occupational and Environmental Health</i> , 2012, 85, 505-515.	2.3	26
177	Exposure to Tobacco Smoke <i>in Utero</i> and Subsequent Plasma Lipids, ApoB, and CRP among Adult Women in the MoBa Cohort. <i>Environmental Health Perspectives</i> , 2012, 120, 1532-1537.	6.0	25
178	Patterns of Pesticide Use and Their Determinants Among Wives of Farmer Pesticide Applicators in the Agricultural Health Study. <i>Journal of Occupational and Environmental Medicine</i> , 2004, 46, 856-865.	1.7	24
179	Joint effects between five identified risk variants, allergy, and autoimmune conditions on glioma risk. <i>Cancer Causes and Control</i> , 2013, 24, 1885-1891.	1.8	23
180	Opinions of clinical veterinarians at a US veterinary teaching hospital regarding antimicrobial use and antimicrobial-resistant infections. <i>Journal of the American Veterinary Medical Association</i> , 2015, 247, 938-944.	0.5	23

#	ARTICLE	IF	CITATIONS
181	Prenatal pesticide exposure and respiratory health outcomes in the first year of life: Results from the infants' Environmental Health (ISA) study. <i>International Journal of Hygiene and Environmental Health</i> , 2020, 225, 113474.	4.3	23
182	In Vivo Bone Lead Measurement in Suburban Teenagers. <i>Pediatrics</i> , 1997, 100, 365-370.	2.1	21
183	Pesticide use and fatal injury among farmers in the Agricultural Health Study. <i>International Archives of Occupational and Environmental Health</i> , 2013, 86, 177-187.	2.3	21
184	Sleep apnea and pesticide exposure in a study of US farmers. <i>Sleep Health</i> , 2018, 4, 20-26.	2.5	21
185	Pesticide Exposure and Inherited Variants in Vitamin D Pathway Genes in Relation to Prostate Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 1557-1566.	2.5	20
186	Raw milk consumption and other early-life farm exposures and adult pulmonary function in the Agricultural Lung Health Study. <i>Thorax</i> , 2018, 73, 279-282.	5.6	19
187	Fertility and exposure to solvents among families in the Agricultural Health Study. <i>Occupational and Environmental Medicine</i> , 2006, 63, 469-475.	2.8	18
188	Job Activities and Respiratory Symptoms Among Farmworkers in North Carolina. <i>Archives of Environmental and Occupational Health</i> , 2011, 66, 178-182.	1.4	18
189	Factor analysis of pesticide use patterns among pesticide applicators in the Agricultural Health Study. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2005, 15, 225-233.	3.9	17
190	Animal production, insecticide use and self-reported symptoms and diagnoses of COPD, including chronic bronchitis, in the Agricultural Health Study. <i>Environment International</i> , 2019, 127, 764-772.	10.0	17
191	Seed treatment and its implication for fungicide exposure assessment. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2004, 14, 195-203.	3.9	16
192	Effects of self-reported health conditions and pesticide exposures on probability of follow-up in a prospective cohort study. <i>American Journal of Industrial Medicine</i> , 2010, 53, 486-496.	2.1	16
193	Exposure to common-use pesticides, manganese, lead, and thyroid function among pregnant women from the Infants' Environmental Health (ISA) study, Costa Rica. <i>Science of the Total Environment</i> , 2022, 810, 151288.	8.0	16
194	Patterns of genetic alterations in pancreatic cancer: A pooled analysis. , 1999, 33, 111-122.		15
195	Risk-Accepting Personality and Personal Protective Equipment Use Within the Agricultural Health Study. <i>Journal of Agromedicine</i> , 2012, 17, 264-276.	1.5	15
196	Farming Activities and Carrying and Lifting: The Agricultural Health Study. <i>Journal of Physical Activity and Health</i> , 2012, 9, 39-47.	2.0	14
197	Organic solvent exposure and depressive symptoms among licensed pesticide applicators in the Agricultural Health Study. <i>International Archives of Occupational and Environmental Health</i> , 2017, 90, 849-857.	2.3	13
198	Gender differences in respiratory health outcomes among farming cohorts around the globe: findings from the AGRICOH consortium. <i>Journal of Agromedicine</i> , 2021, 26, 97-108.	1.5	13

#	ARTICLE	IF	CITATIONS
199	Lifetime organophosphorous insecticide use among private pesticide applicators in the Agricultural Health Study. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2012, 22, 584-592.	3.9	12
200	Respiratory and allergic outcomes among 5-year-old children exposed to pesticides. <i>Thorax</i> , 2023, 78, 41-49.	5.6	12
201	Agricultural Exposures and Stroke Mortality in the Agricultural Health Study. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2013, 76, 798-814.	2.3	11
202	Pesticides and respiratory health: where do we go from here?. <i>Occupational and Environmental Medicine</i> , 2014, 71, 80-80.	2.8	11
203	Assessing the Potential for Bias From Nonresponse to a Study Follow-up Interview: An Example From the Agricultural Health Study. <i>American Journal of Epidemiology</i> , 2017, 186, 395-404.	3.4	11
204	An algorithm for quantitatively estimating non-occupational pesticide exposure intensity for spouses in the Agricultural Health Study. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2019, 29, 344-357.	3.9	10
205	Pendimethalin exposure and cancer risk among pesticide applicators: a report from the U.S.-based agricultural health study. <i>Annals of Epidemiology</i> , 2004, 14, 608.	1.9	9
206	Causes of Mortality and Risk Factors for Injury Mortality Among Children in the Agricultural Health Study. <i>Journal of Agromedicine</i> , 2006, 11, 47-59.	1.5	9
207	The Interaction between Pesticide Use and Genetic Variants Involved in Lipid Metabolism on Prostate Cancer Risk. <i>Journal of Cancer Epidemiology</i> , 2012, 2012, 1-11.	1.1	9
208	Farm Characteristics, Allergy Symptoms, and Risk of Non-Hodgkin Lymphoid Neoplasms in the Agricultural Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 587-594.	2.5	9
209	Use of Dieselized Farm Equipment and Incident Lung Cancer: Findings from the Agricultural Health Study Cohort. <i>Environmental Health Perspectives</i> , 2016, 124, 611-618.	6.0	9
210	Environmental exposures contribute to respiratory and allergic symptoms among women living in the banana growing regions of Costa Rica. <i>Occupational and Environmental Medicine</i> , 2022, 79, 469-476.	2.8	8
211	Neurologic Symptoms Associated With Raising Poultry and Swine Among Participants in the Agricultural Health Study. <i>Journal of Occupational and Environmental Medicine</i> , 2011, 53, 190-195.	1.7	7
212	Greater Coronary Heart Disease Risk With Lower Intensity and Longer Duration Smoking Compared With Higher Intensity and Shorter Duration Smoking: Congruent Results Across Diverse Cohorts. <i>Nicotine and Tobacco Research</i> , 2017, 19, ntw290.	2.6	7
213	Glyphosate Results Revisited: De Roos et al. Respond. <i>Environmental Health Perspectives</i> , 2005, 113, A366-A367.	6.0	7
214	Identification of Iowa Live Births in the Agricultural Health Study. <i>Archives of Environmental and Occupational Health</i> , 2010, 65, 154-162.	1.4	6
215	Endotoxin enhances respiratory effects of phthalates in adults: Results from NHANES 2005-6. <i>Environmental Research</i> , 2018, 162, 280-286.	7.5	6
216	Male reproductive effects of phthalates: an emerging picture. <i>Epidemiology</i> , 2003, 14, 259-60.	2.7	6

#	ARTICLE	IF	CITATIONS
217	Pyrimethanil and chlorpyrifos air concentrations and pregnant women's urinary metabolites in the Infants' Environmental Health Study (ISA), Costa Rica. <i>Environment International</i> , 2022, 166, 107328.	10.0	6
218	A Conceptual Framework for the Interpretation of Biological Markers for Environmental Exposure Assessment. <i>Human and Ecological Risk Assessment (HERA)</i> , 2000, 6, 711-725.	3.4	5
219	AGRICULTURAL EXPOSURE HISTORY AMONG AFRICAN-AMERICAN FARMERS IN GEORGIA. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2001, 63, 237-241.	2.3	5
220	Associations between access to healthcare, environmental quality, and end-stage renal disease survival time: Proportional-hazards models of over 1,000,000 people over 14 years. <i>PLoS ONE</i> , 2019, 14, e0214094.	2.5	5
221	Organophosphate Pesticide Exposure in Farmworker Family Members in Western North Carolina and Virginia: Case Comparisons. <i>Human Organization</i> , 2005, 64, 40-51.	0.3	5
222	Environmental chemical risk factors for Type 2 diabetes: an update. <i>Diabetes Management</i> , 2015, 5, 285-299.	0.5	4
223	Sparse Bayesian Additive Nonparametric Regression with Application to Health Effects of Pesticides Mixtures. <i>Statistica Sinica</i> , 2019, . .	0.3	4
224	Validation of a Self-Administered Lead Exposure Questionnaire among Suburban Teenagers. <i>Environmental Research</i> , 1997, 74, 1-10.	7.5	3
225	Fungal and atopic sensitization are low among farmers in the Agricultural Health Study. <i>Journal of Allergy and Clinical Immunology</i> , 2012, 130, 267-270.e1.	2.9	3
226	Integrating exposure measurements into epidemiologic studies in agriculture. <i>Scandinavian Journal of Work, Environment and Health</i> , 2005, 31 Suppl 1, 115-7; discussion 63-5.	3.4	3
227	Glyphosate Results Revisited: De Roos et al. Respond. <i>Environmental Health Perspectives</i> , 2005, 113, .	6.0	2
228	Is <i>Helicobacter Pylori</i> an endogenous source of diethyl phthalate in humans?. <i>Environmental Research</i> , 2014, 134, 402-404.	7.5	1
229	Response to "Comment on "Rheumatoid Arthritis in Agricultural Health Study Spouses: Associations with Pesticides and Other Farm Exposures" Environmental Health Perspectives, 2016, 124, A197.	6.0	1
230	Causes of mortality and risk factors for injury mortality among children in the agricultural health study. <i>Journal of Agromedicine</i> , 2006, 11, 47-59.	1.5	1
231	LETTERS TO THE EDITOR. <i>Preventive Medicine</i> , 2000, 30, 78.	3.4	0
232	Pesticides and Neurologic Symptoms: Kamel et al. Respond. <i>Environmental Health Perspectives</i> , 2005, 113, A800; author reply A800-1.	6.0	0
233	Single-Nucleotide Polymorphism Data Support the General Unrelatedness of the Males in the Agricultural Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2192-2195.	2.5	0
234	Pesticides and Neurologic Symptoms: Kamel et al. Respond. <i>Environmental Health Perspectives</i> , 2005, 113, A800-A801.	6.0	0

#	ARTICLE	IF	CITATIONS
235	Gestational Phthalate Exposure and Preschool Attention Deficit Hyperactivity Disorder in Norway. <i>Environmental Epidemiology</i> , 2021, 5, e161.	3.0	0