Jane A Hoppin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1655976/publications.pdf

Version: 2024-02-01

235 papers 19,878 citations

7568 77 h-index 129 g-index

237 all docs

237 docs citations

times ranked

237

21612 citing authors

#	Article	IF	CITATIONS
1	Respiratory and allergic outcomes among 5-year-old children exposed to pesticides. Thorax, 2023, 78, 41-49.	5.6	12
2	Exposure to common-use pesticides, manganese, lead, and thyroid function among pregnant women from the Infants' Environmental Health (ISA) study, Costa Rica. Science of the Total Environment, 2022, 810, 151288.	8.0	16
3	Environmental exposures contribute to respiratory and allergic symptoms among women living in the banana growing regions of Costa Rica. Occupational and Environmental Medicine, 2022, 79, 469-476.	2.8	8
4	Pyrimethanil and chlorpyrifos air concentrations and pregnant women's urinary metabolites in the Infants' Environmental Health Study (ISA), Costa Rica. Environment International, 2022, 166, 107328.	10.0	6
5	Gender differences in respiratory health outcomes among farming cohorts around the globe: findings from the AGRICOH consortium. Journal of Agromedicine, 2021, 26, 97-108.	1.5	13
6	Gestational Phthalate Exposure and Preschool Attention Deficit Hyperactivity Disorder in Norway. Environmental Epidemiology, 2021, 5, e161.	3.0	0
7	Measurement of Novel, Drinking Water-Associated PFAS in Blood from Adults and Children in Wilmington, North Carolina. Environmental Health Perspectives, 2020, 128, 77005.	6.0	118
8	Prenatal pesticide exposure and respiratory health outcomes in the first year of life: Results from the infants' Environmental Health (ISA) study. International Journal of Hygiene and Environmental Health, 2020, 225, 113474.	4.3	23
9	Associations between urine phthalate metabolites and thyroid function in pregnant women and the influence of iodine status. Environment International, 2020, 137, 105509.	10.0	38
10	Animal production, insecticide use and self-reported symptoms and diagnoses of COPD, including chronic bronchitis, in the Agricultural Health Study. Environment International, 2019, 127, 764-772.	10.0	17
11	Associations between access to healthcare, environmental quality, and end-stage renal disease survival time: Proportional-hazards models of over 1,000,000 people over 14 years. PLoS ONE, 2019, 14, e0214094.	2.5	5
12	An algorithm for quantitatively estimating non-occupational pesticide exposure intensity for spouses in the Agricultural Health Study. Journal of Exposure Science and Environmental Epidemiology, 2019, 29, 344-357.	3.9	10
13	Sparse Bayesian Additive Nonparametric Regression with Application to Health Effects of Pesticides Mixtures. Statistica Sinica, 2019, , .	0.3	4
14	Endotoxin enhances respiratory effects of phthalates in adults: Results from NHANES 2005-6. Environmental Research, 2018, 162, 280-286.	7.5	6
15	Raw milk consumption and other early-life farm exposures and adult pulmonary function in the Agricultural Lung Health Study. Thorax, 2018, 73, 279-282.	5.6	19
16	Sleep apnea and pesticide exposure in a study of US farmers. Sleep Health, 2018, 4, 20-26.	2.5	21
17	Prenatal Phthalates, Maternal Thyroid Function, and Risk of Attention-Deficit Hyperactivity Disorder in the Norwegian Mother and Child Cohort. Environmental Health Perspectives, 2018, 126, 057004.	6.0	91
18	Greater Coronary Heart Disease Risk With Lower Intensity and Longer Duration Smoking Compared With Higher Intensity and Shorter Duration Smoking: Congruent Results Across Diverse Cohorts. Nicotine and Tobacco Research, 2017, 19, ntw290.	2.6	7

#	Article	IF	Citations
19	House Dust Endotoxin Levels Are Associated with Adult Asthma in a U.S. Farming Population. Annals of the American Thoracic Society, 2017, 14, 324-331.	3.2	47
20	Assessing the Exposome with External Measures: Commentary on the State of the Science and Research Recommendations. Annual Review of Public Health, 2017, 38, 215-239.	17.4	83
21	Assessing the Potential for Bias From Nonresponse to a Study Follow-up Interview: An Example From the Agricultural Health Study. American Journal of Epidemiology, 2017, 186, 395-404.	3.4	11
22	Organic Food in the Diet: Exposure and Health Implications. Annual Review of Public Health, 2017, 38, 295-313.	17.4	80
23	High pesticide exposure events and <scp>DNA</scp> methylation among pesticide applicators in the agricultural health study. Environmental and Molecular Mutagenesis, 2017, 58, 19-29.	2.2	48
24	Organic solvent exposure and depressive symptoms among licensed pesticide applicators in the Agricultural Health Study. International Archives of Occupational and Environmental Health, 2017, 90, 849-857.	2.3	13
25	Early-life farm exposures and adult asthma and atopy in the Agricultural Lung Health Study. Journal of Allergy and Clinical Immunology, 2017, 140, 249-256.e14.	2.9	61
26	Occupational Exposure to Pesticides and the Incidence of Lung Cancer in the Agricultural Health Study. Environmental Health Perspectives, 2017, 125, 544-551.	6.0	115
27	Insecticide Use and Breast Cancer Risk among Farmers' Wives in the Agricultural Health Study. Environmental Health Perspectives, 2017, 125, 097002.	6.0	66
28	Relative Contributions of Agricultural Drift, Para-Occupational, and Residential Use Exposure Pathways to House Dust Pesticide Concentrations: Meta-Regression of Published Data. Environmental Health Perspectives, 2017, 125, 296-305.	6.0	52
29	Pesticides are Associated with Allergic and Non-Allergic Wheeze among Male Farmers. Environmental Health Perspectives, 2017, 125, 535-543.	6.0	82
30	Advancing Exposure Science through Chemical Data Curation and Integration in the Comparative Toxicogenomics Database. Environmental Health Perspectives, 2016, 124, 1592-1599.	6.0	39
31	Urinary Concentrations of Phthalate Metabolites and Bisphenol A and Associations with Follicular-Phase Length, Luteal-Phase Length, Fecundability, and Early Pregnancy Loss. Environmental Health Perspectives, 2016, 124, 321-328.	6.0	93
32	Use of Dieselized Farm Equipment and Incident Lung Cancer: Findings from the Agricultural Health Study Cohort. Environmental Health Perspectives, 2016, 124, 611-618.	6.0	9
33	Organic Food Consumption during Pregnancy and Hypospadias and Cryptorchidism at Birth: The Norwegian Mother and Child Cohort Study (MoBa). Environmental Health Perspectives, 2016, 124, 357-364.	6.0	43
34	Response to "Comment on â€~Rheumatoid Arthritis in Agricultural Health Study Spouses: Associations with Pesticides and Other Farm Exposures'― Environmental Health Perspectives, 2016, 124, A197.	6.0	1
35	Rheumatoid Arthritis in Agricultural Health Study Spouses: Associations with Pesticides and Other Farm Exposures. Environmental Health Perspectives, 2016, 124, 1728-1734.	6.0	47
36	Pesticide exposure and neurodevelopment in children aged 6–9 years from Talamanca, CostaÂRica. Cortex, 2016, 85, 137-150.	2.4	110

#	Article	IF	CITATIONS
37	Pesticide use and risk of end-stage renal disease among licensed pesticide applicators in the Agricultural Health Study. Occupational and Environmental Medicine, 2016, 73, 3-12.	2.8	102
38	Cancer incidence and metolachlor use in the <scp>A</scp> gricultural <scp>H</scp> ealth <scp>S</scp> tudy: An update. International Journal of Cancer, 2015, 137, 2630-2643.	5.1	32
39	Associations of Ozone and PM2.5 Concentrations With Parkinson's Disease Among Participants in the Agricultural Health Study. Journal of Occupational and Environmental Medicine, 2015, 57, 509-517.	1.7	65
40	Farm Characteristics, Allergy Symptoms, and Risk of Non-Hodgkin Lymphoid Neoplasms in the Agricultural Health Study. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 587-594.	2.5	9
41	IARC Monographs: 40 Years of Evaluating Carcinogenic Hazards to Humans. Environmental Health Perspectives, 2015, 123, 507-514.	6.0	86
42	Organophosphate insecticide use and cancer incidence among spouses of pesticide applicators in the Agricultural Health Study. Occupational and Environmental Medicine, 2015, 72, 736-744.	2.8	178
43	A Review of Nonoccupational Pathways for Pesticide Exposure in Women Living in Agricultural Areas. Environmental Health Perspectives, 2015, 123, 515-524.	6.0	91
44	Incidence of solid tumours among pesticide applicators exposed to the organophosphate insecticide diazinon in the Agricultural Health Study: an updated analysis. Occupational and Environmental Medicine, 2015, 72, 496-503.	2.8	54
45	Opinions of clinical veterinarians at a US veterinary teaching hospital regarding antimicrobial use and antimicrobial-resistant infections. Journal of the American Veterinary Medical Association, 2015, 247, 938-944.	0.5	23
46	Pesticide exposure and end-stage renal disease risk among wives of pesticide applicators in the Agricultural Health Study. Environmental Research, 2015, 143, 198-210.	7.5	44
47	Environmental chemical risk factors for Type 2 diabetes: an update. Diabetes Management, 2015, 5, 285-299.	0.5	4
48	Ethnic-specific associations of rare and low-frequency DNA sequence variants with asthma. Nature Communications, 2015, 6, 5965.	12.8	66
49	Protective glove use and hygiene habits modify the associations of specific pesticides with Parkinson's disease. Environment International, 2015, 75, 144-150.	10.0	75
50	Pesticide Use and Relative Leukocyte Telomere Length in the Agricultural Health Study. PLoS ONE, 2015, 10, e0133382.	2.5	42
51	Non-Hodgkin Lymphoma Risk and Insecticide, Fungicide and Fumigant Use in the Agricultural Health Study. PLoS ONE, 2014, 9, e109332.	2.5	119
52	Is Helicobacter Pylori an endogenous source of diethyl phthalate in humans?. Environmental Research, 2014, 134, 402-404.	7.5	1
53	Pesticides and respiratory health: where do we go from here?. Occupational and Environmental Medicine, 2014, 71, 80-80.	2.8	11
54	Accuracy of residential geocoding in the Agricultural Health Study. International Journal of Health Geographics, 2014, 13, 37.	2.5	28

#	Article	IF	CITATIONS
55	Respiratory disease in United States farmers. Occupational and Environmental Medicine, 2014, 71, 484-491.	2.8	66
56	Single-Nucleotide Polymorphism Data Support the General Unrelatedness of the Males in the Agricultural Health Study. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 2192-2195.	2.5	0
57	Association between Class III Obesity (BMI of 40–59 kg/m2) and Mortality: A Pooled Analysis of 20 Prospective Studies. PLoS Medicine, 2014, 11, e1001673.	8.4	299
58	Long-Term Exposure to Fine Particulate Matter: Association with Nonaccidental and Cardiovascular Mortality in the Agricultural Health Study Cohort. Environmental Health Perspectives, 2014, 122, 609-615.	6.0	122
59	Pesticide Exposure and Depression among Male Private Pesticide Applicators in the Agricultural Health Study. Environmental Health Perspectives, 2014, 122, 984-991.	6.0	83
60	Pesticide use and incident diabetes among wives of farmers in the Agricultural Health Study. Occupational and Environmental Medicine, 2014, 71, 629-635.	2.8	108
61	Obesity and the cardiovascular health effects of fine particulate air pollution. Obesity, 2014, 22, 1580-1589.	3.0	72
62	Perfluoroalkyl Substances During Pregnancy and Validated Preeclampsia Among Nulliparous Women in the Norwegian Mother and Child Cohort Study. American Journal of Epidemiology, 2014, 179, 824-833.	3.4	60
63	Perfluoroalkyl substances and lipid concentrations in plasma during pregnancy among women in the Norwegian Mother and Child Cohort Study. Environment International, 2014, 62, 104-112.	10.0	122
64	Exacerbation of symptoms in agricultural pesticide applicators with asthma. International Archives of Occupational and Environmental Health, 2014, 87, 423-432.	2.3	45
65	Prevalence of allergic sensitization in the United States: Results from the National Health and Nutrition Examination Survey (NHANES) 2005-2006. Journal of Allergy and Clinical Immunology, 2014, 134, 350-359.	2.9	266
66	Dietary fat intake, pesticide use, and Parkinson's disease. Parkinsonism and Related Disorders, 2014, 20, 82-87.	2.2	108
67	Reliability of triclosan measures in repeated urine samples from Norwegian pregnant women. Journal of Exposure Science and Environmental Epidemiology, 2014, 24, 517-521.	3.9	48
68	Peptidoglycan recognition protein genes and risk of Parkinson's disease. Movement Disorders, 2014, 29, 1171-1180.	3.9	47
69	Joint effects between five identified risk variants, allergy, and autoimmune conditions on glioma risk. Cancer Causes and Control, 2013, 24, 1885-1891.	1.8	23
70	Pesticide exposure and self-reported incident depression among wives in the Agricultural Health Study. Environmental Research, 2013, 126, 31-42.	7.5	48
71	Pesticide Exposure and Inherited Variants in Vitamin D Pathway Genes in Relation to Prostate Cancer. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 1557-1566.	2.5	20
72	Association between Perfluoroalkyl substances and thyroid stimulating hormone among pregnant women: a cross-sectional study. Environmental Health, 2013, 12, 76.	4.0	50

#	Article	IF	Citations
73	Pesticide use and fatal injury among farmers in the Agricultural Health Study. International Archives of Occupational and Environmental Health, 2013, 86, 177-187.	2.3	21
74	Risk of Total and Aggressive Prostate Cancer and Pesticide Use in the Agricultural Health Study. American Journal of Epidemiology, 2013, 177, 59-74.	3.4	137
75	The concentration of bisphenol A in urine is affected by specimen collection, a preservative, and handling. Environmental Research, 2013, 126, 211-214.	7.5	28
76	Determinants of plasma concentrations of perfluoroalkyl substances in pregnant Norwegian women. Environment International, 2013, 54, 74-84.	10.0	160
77	Urinary Biomarkers for Phthalates Associated with Asthma in Norwegian Children. Environmental Health Perspectives, 2013, 121, 251-256.	6.0	137
78	Lifetime Pesticide Use and Telomere Shortening among Male Pesticide Applicators in the Agricultural Health Study. Environmental Health Perspectives, 2013, 121, 919-924.	6.0	63
79	Phthalate Exposure and Allergy in the U.S. Population: Results from NHANES 2005–2006. Environmental Health Perspectives, 2013, 121, 1129-1134.	6.0	113
80	Arsenic Exposure and Incidence of Type 2 Diabetes in Southwestern American Indians. American Journal of Epidemiology, 2013, 177, 962-969.	3.4	59
81	Agricultural Exposures and Stroke Mortality in the Agricultural Health Study. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2013, 76, 798-814.	2.3	11
82	A-clustering: a novel method for the detection of co-regulated methylation regions, and regions associated with exposure. Bioinformatics, 2013, 29, 2884-2891.	4.1	73
83	Hypothyroidism and Pesticide Use Among Male Private Pesticide Applicators in the Agricultural Health Study. Journal of Occupational and Environmental Medicine, 2013, 55, 1171-1178.	1.7	58
84	Genetic Susceptibility Loci, Pesticide Exposure and Prostate Cancer Risk. PLoS ONE, 2013, 8, e58195.	2.5	31
85	Perfluorinated Compounds in Relation to Birth Weight in the Norwegian Mother and Child Cohort Study. American Journal of Epidemiology, 2012, 175, 1209-1216.	3.4	100
86	Peripheral Nervous System Function and Organophosphate Pesticide Use among Licensed Pesticide Applicators in the Agricultural Health Study. Environmental Health Perspectives, 2012, 120, 515-520.	6.0	46
87	The Interaction between Pesticide Use and Genetic Variants Involved in Lipid Metabolism on Prostate Cancer Risk. Journal of Cancer Epidemiology, 2012, 2012, 1-11.	1.1	9
88	Exposure to Tobacco Smoke <i>in Utero</i> and Subsequent Plasma Lipids, ApoB, and CRP among Adult Women in the MoBa Cohort. Environmental Health Perspectives, 2012, 120, 1532-1537.	6.0	25
89	Perfluorinated Compounds and Subfecundity in Pregnant Women. Epidemiology, 2012, 23, 257-263.	2.7	116
90	Lifetime organophosphorous insecticide use among private pesticide applicators in the Agricultural Health Study. Journal of Exposure Science and Environmental Epidemiology, 2012, 22, 584-592.	3.9	12

#	Article	IF	Citations
91	Consumer product exposures associated with urinary phthalate levels in pregnant women. Journal of Exposure Science and Environmental Epidemiology, 2012, 22, 468-475.	3.9	141
92	Risk-Accepting Personality and Personal Protective Equipment Use Within the Agricultural Health Study. Journal of Agromedicine, 2012, 17, 264-276.	1.5	15
93	Farming Activities and Carrying and Lifting: The Agricultural Health Study. Journal of Physical Activity and Health, 2012, 9, 39-47.	2.0	14
94	Using multiple imputation to assign pesticide use for non-responders in the follow-up questionnaire in the Agricultural Health Study. Journal of Exposure Science and Environmental Epidemiology, 2012, 22, 409-416.	3.9	31
95	Genetic modification of the association of paraquat and Parkinson's disease. Movement Disorders, 2012, 27, 1652-1658.	3.9	73
96	Poultry and livestock exposure and cancer risk among farmers in the agricultural health study. Cancer Causes and Control, 2012, 23, 663-670.	1.8	64
97	Pesticide exposure and amyotrophic lateral sclerosis. NeuroToxicology, 2012, 33, 457-462.	3.0	129
98	Fungal and atopic sensitization are low among farmers in the Agricultural Health Study. Journal of Allergy and Clinical Immunology, 2012, 130, 267-270.e1.	2.9	3
99	Methyl bromide exposure and cancer risk in the Agricultural Health Study. Cancer Causes and Control, 2012, 23, 807-818.	1.8	41
100	High pesticide exposure events and central nervous system function among pesticide applicators in the Agricultural Health Study. International Archives of Occupational and Environmental Health, 2012, 85, 505-515.	2.3	26
101	Neurobehavioral function and organophosphate insecticide use among pesticide applicators in the Agricultural Health Study. Neurotoxicology and Teratology, 2012, 34, 168-176.	2.4	48
102	Head injury, alphaâ€synuclein Rep1, and Parkinson's disease. Annals of Neurology, 2012, 71, 40-48.	5.3	83
103	Allergy-related outcomes in relation to serum IgE: Results from the National Health and Nutrition Examination Survey 2005-2006. Journal of Allergy and Clinical Immunology, 2011, 127, 1226-1235.e7.	2.9	184
104	An Updated Algorithm for Estimation of Pesticide Exposure Intensity in the Agricultural Health Study. International Journal of Environmental Research and Public Health, 2011, 8, 4608-4622.	2.6	73
105	Suicide and Pesticide Use among Pesticide Applicators and Their Spouses in the Agricultural Health Study. Environmental Health Perspectives, 2011, 119, 1610-1615.	6.0	29
106	Xenobiotic-metabolizing gene variants, pesticide use, and the risk of prostate cancer. Pharmacogenetics and Genomics, 2011, 21, 615-623.	1.5	45
107	Neurologic Symptoms Associated With Raising Poultry and Swine Among Participants in the Agricultural Health Study. Journal of Occupational and Environmental Medicine, 2011, 53, 190-195.	1.7	7
108	AGRICOH: A Consortium of Agricultural Cohorts. International Journal of Environmental Research and Public Health, 2011, 8, 1341-1357.	2.6	40

#	Article	IF	Citations
109	Mortality in the Agricultural Health Study, 1993-2007. American Journal of Epidemiology, 2011, 173, 71-83.	3.4	93
110	Rotenone, Paraquat, and Parkinson's Disease. Environmental Health Perspectives, 2011, 119, 866-872.	6.0	1,050
111	Questionnaire Predictors of Atopy in a US Population Sample: Findings From the National Health and Nutrition Examination Survey, 2005-2006. American Journal of Epidemiology, 2011, 173, 544-552.	3.4	44
112	Impact of pesticide exposure misclassification on estimates of relative risks in the Agricultural Health Study. Occupational and Environmental Medicine, 2011, 68, 537-541.	2.8	41
113	Genetic Variation in Base Excision Repair Pathway Genes, Pesticide Exposure, and Prostate Cancer Risk. Environmental Health Perspectives, 2011, 119, 1726-1732.	6.0	35
114	Atrazine and Cancer Incidence Among Pesticide Applicators in the Agricultural Health Study (1994–2007). Environmental Health Perspectives, 2011, 119, 1253-1259.	6.0	118
115	Job Activities and Respiratory Symptoms Among Farmworkers in North Carolina. Archives of Environmental and Occupational Health, 2011, 66, 178-182.	1.4	18
116	Effects of selfâ€reported health conditions and pesticide exposures on probability of followâ€up in a prospective cohort study. American Journal of Industrial Medicine, 2010, 53, 486-496.	2.1	16
117	Pesticide Use and Myocardial Infarction Incidence Among Farm Women in the Agricultural Health Study. Journal of Occupational and Environmental Medicine, 2010, 52, 693-697.	1.7	31
118	An Update of Cancer Incidence in the Agricultural Health Study. Journal of Occupational and Environmental Medicine, 2010, 52, 1098-1105.	1.7	133
119	Occupational exposure to terbufos and the incidence of cancer in the Agricultural Health Study. Cancer Causes and Control, 2010, 21, 871-877.	1.8	89
120	Body mass index, effect modifiers, and risk of pancreatic cancer: a pooled study of seven prospective cohorts. Cancer Causes and Control, 2010, 21, 1305-1314.	1.8	112
121	Body mass index, agricultural pesticide use, and cancer incidence in the Agricultural Health Study cohort. Cancer Causes and Control, 2010, 21, 1759-1775.	1.8	49
122	Within-person variability in urinary phthalate metabolite concentrations: measurements from specimens after long-term frozen storage. Journal of Exposure Science and Environmental Epidemiology, 2010, 20, 169-175.	3.9	54
123	Assessment of a pesticide exposure intensity algorithm in the agricultural health study. Journal of Exposure Science and Environmental Epidemiology, 2010, 20, 559-569.	3.9	62
124	Urinary biomarker, dermal, and air measurement results for 2,4-D and chlorpyrifos farm applicators in the Agricultural Health Study. Journal of Exposure Science and Environmental Epidemiology, 2010, 20, 119-134.	3.9	59
125	Body-Mass Index and Mortality among 1.46 Million White Adults. New England Journal of Medicine, 2010, 363, 2211-2219.	27.0	1,926
126	Pesticide Use Modifies the Association Between Genetic Variants on Chromosome 8q24 and Prostate Cancer. Cancer Research, 2010, 70, 9224-9233.	0.9	41

#	Article	IF	Citations
127	Maternal Pesticide Use and Birth Weight in the Agricultural Health Study. Journal of Agromedicine, 2010, 15, 127-136.	1.5	43
128	Rhinitis Associated with Pesticide Use Among Private Pesticide Applicators in the Agricultural Health Study. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2010, 73, 1382-1393.	2.3	44
129	Identification of Iowa Live Births in the Agricultural Health Study. Archives of Environmental and Occupational Health, 2010, 65, 154-162.	1.4	6
130	Coumaphos Exposure and Incident Cancer among Male Participants in the Agricultural Health Study (AHS). Environmental Health Perspectives, 2010, 118, 92-96.	6.0	31
131	Pesticide Use and Thyroid Disease Among Women in the Agricultural Health Study. American Journal of Epidemiology, 2010, 171, 455-464.	3.4	143
132	Cancer Incidence among Pesticide Applicators Exposed to Permethrin in the Agricultural Health Study. Environmental Health Perspectives, 2009, 117, 581-586.	6.0	101
133	Cancer Incidence Among Paraquat Exposed Applicators in the Agricultural Health Study: A Prospective Cohort Study. International Journal of Occupational and Environmental Health, 2009, 15, 274-281.	1.2	27
134	Pesticide Exposure and Hypertensive Disorders During Pregnancy. Environmental Health Perspectives, 2009, 117, 1393-1396.	6.0	30
135	Rhinitis associated with pesticide exposure among commercial pesticide applicators in the Agricultural Health Study. Occupational and Environmental Medicine, 2009, 66, 718-724.	2.8	59
136	Pesticide use and adult-onset asthma among male farmers in the Agricultural Health Study. European Respiratory Journal, 2009, 34, 1296-1303.	6.7	131
137	Levels of metabolites of organophosphate pesticides, phthalates, and bisphenol A in pooled urine specimens from pregnant women participating in the Norwegian Mother and Child Cohort Study (MoBa). International Journal of Hygiene and Environmental Health, 2009, 212, 481-491.	4.3	151
138	Heterocyclic aromatic amine pesticide use and human cancer risk: Results from the U.S. Agricultural Health Study. International Journal of Cancer, 2009, 124, 1206-1212.	5.1	128
139	Agricultural pesticide use and pancreatic cancer risk in the Agricultural Health Study Cohort. International Journal of Cancer, 2009, 124, 2495-2500.	5.1	104
140	Pesticides and Myocardial Infarction Incidence and Mortality Among Male Pesticide Applicators in the Agricultural Health Study. American Journal of Epidemiology, 2009, 170, 892-900.	3.4	43
141	Within-person variability in urinary bisphenol A concentrations: Measurements from specimens after long-term frozen storage. Environmental Research, 2009, 109, 734-737.	7.5	77
142	Cancer incidence among pesticide applicators exposed to butylate in the Agricultural Health Study (AHS). Environmental Research, 2009, 109, 860-868.	7.5	57
143	Occupational Exposure to Metribuzin and the Incidence of Cancer in the Agricultural Health Study. Annals of Epidemiology, 2009, 19, 388-395.	1.9	31
144	Pesticide exposure and risk of monoclonal gammopathy of undetermined significance in the Agricultural Health Study. Blood, 2009, 113, 6386-6391.	1.4	137

#	Article	IF	Citations
145	Dichlorvos exposure and human cancer risk: results from the Agricultural Health Study. Cancer Causes and Control, 2008, 19, 59-65.	1.8	45
146	Cancer incidence among pesticide applicators exposed to captan in the Agricultural Health Study. Cancer Causes and Control, 2008, 19, 1401-1407.	1.8	34
147	An interlaboratory study of perfluorinated alkyl compound levels in human plasma. Environmental Research, 2008, 107, 152-159.	7.5	39
148	Cancer incidence among pesticide applicators exposed to trifluralin in the Agricultural Health Study. Environmental Research, 2008, 107, 271-276.	7.5	58
149	Chlorothalonil exposure and cancer incidence among pesticide applicator participants in the agricultural health study. Environmental Research, 2008, 108, 400-403.	7.5	54
150	Meat and Meat Mutagens and Risk of Prostate Cancer in the Agricultural Health Study. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 80-87.	2.5	85
151	Evaluation of Freeze–Thaw Cycles on Stored Plasma in the Biobank of the Norwegian Mother and Child Cohort Study. Cell Preservation Technology, 2008, 6, 223-229.	0.6	37
152	Pesticides and Atopic and Nonatopic Asthma among Farm Women in the Agricultural Health Study. American Journal of Respiratory and Critical Care Medicine, 2008, 177, 11-18.	5.6	141
153	Hearing Loss Among Licensed Pesticide Applicators in the Agricultural Health Study. Journal of Occupational and Environmental Medicine, 2008, 50, 817-826.	1.7	37
154	Depression and Pesticide Exposures among Private Pesticide Applicators Enrolled in the Agricultural Health Study. Environmental Health Perspectives, 2008, 116, 1713-1719.	6.0	111
155	<i>S</i> -Ethyl- <i>N,N</i> -dipropylthiocarbamate Exposure and Cancer Incidence among Male Pesticide Applicators in the Agricultural Health Study: A Prospective Cohort. Environmental Health Perspectives, 2008, 116, 1541-1546.	6.0	45
156	Malathion Exposure and the Incidence of Cancer in the Agricultural Health Study. American Journal of Epidemiology, 2007, 166, 1023-1034.	3.4	118
157	Pesticides and other agricultural factors associated with self-reported farmer's lung among farm residents in the Agricultural Health Study. Occupational and Environmental Medicine, 2007, 64, 334-341.	2.8	65
158	Neurologic symptoms in licensed pesticide applicators in the Agricultural Health Study. Human and Experimental Toxicology, 2007, 26, 243-250.	2.2	92
159	Chronic Bronchitis Among Nonsmoking Farm Women in the Agricultural Health Study. Journal of Occupational and Environmental Medicine, 2007, 49, 574-583.	1.7	59
160	Bayesian Methods for Highly Correlated Exposure Data. Epidemiology, 2007, 18, 199-207.	2.7	97
161	Pesticide Exposure and Self-Reported Gestational Diabetes Mellitus in the Agricultural Health Study. Diabetes Care, 2007, 30, 529-534.	8.6	149
162	Mortality among Pesticide Applicators Exposed to Chlorpyrifos in the Agricultural Health Study. Environmental Health Perspectives, 2007, 115, 528-534.	6.0	64

#	Article	IF	Citations
163	Pesticide use and chronic bronchitis among farmers in the agricultural health study. American Journal of Industrial Medicine, 2007, 50, 969-979.	2.1	92
164	Occupational exposure to organochlorine insecticides and cancer incidence in the Agricultural Health Study. International Journal of Cancer, 2007, 120, 642-649.	5.1	171
165	Carbaryl exposure and incident cancer in the Agricultural Health Study. International Journal of Cancer, 2007, 121, 1799-1805.	5.1	68
166	Pesticide Exposure and Self-reported Parkinson's Disease in the Agricultural Health Study. American Journal of Epidemiology, 2006, 165, 364-374.	3.4	272
167	Reduced Fertility Among Overweight and Obese Men. Epidemiology, 2006, 17, 520-523.	2.7	294
168	Depression and Pesticide Exposures in Female Spouses of Licensed Pesticide Applicators in the Agricultural Health Study Cohort. Journal of Occupational and Environmental Medicine, 2006, 48, 1005-1013.	1.7	88
169	Impact of urine preservation methods and duration of storage on measured levels of environmental contaminants. Journal of Exposure Science and Environmental Epidemiology, 2006, 16, 39-48.	3.9	36
170	Pesticides and Adult Respiratory Outcomes in the Agricultural Health Study. Annals of the New York Academy of Sciences, 2006, 1076, 343-354.	3.8	64
171	The biobank of the Norwegian mother and child cohort Study: A resource for the next 100 years. European Journal of Epidemiology, 2006, 21, 619-625.	5.7	186
172	Cancer incidence among pesticide applicators exposed to metolachlor in the Agricultural Health Study. International Journal of Cancer, 2006, 118, 3118-3123.	5.1	67
173	Pendimethalin Exposure and Cancer Incidence Among Pesticide Applicators. Epidemiology, 2006, 17, 302-307.	2.7	70
174	Causes of Mortality and Risk Factors for Injury Mortality Among Children in the Agricultural Health Study. Journal of Agromedicine, 2006, 11, 47-59.	1.5	9
175	Fertility and exposure to solvents among families in the Agricultural Health Study. Occupational and Environmental Medicine, 2006, 63, 469-475.	2.8	18
176	Phorate Exposure and Incidence of Cancer in the Agricultural Health Study. Environmental Health Perspectives, 2006, 114, 1205-1209.	6.0	95
177	Farmworker Exposure to Pesticides: Methodologic Issues for the Collection of Comparable Data. Environmental Health Perspectives, 2006, 114, 923-928.	6.0	50
178	Cancer Incidence among Pesticide Applicators Exposed to Cyanazine in the Agricultural Health Study. Environmental Health Perspectives, 2006, 114, 1248-1252.	6.0	40
179	Fonofos Exposure and Cancer Incidence in the Agricultural Health Study. Environmental Health Perspectives, 2006, 114, 1838-1842.	6.0	72
180	Environmental Exposure Assessment of Pesticides in Farmworker Homes. Environmental Health Perspectives, 2006, 114, 929-935.	6.0	34

#	Article	IF	CITATIONS
181	Induction of Asthma and the Environment: What We Know and Need to Know. Environmental Health Perspectives, 2006, 114, 615-619.	6.0	89
182	Cancer Incidence among Pesticide Applicators Exposed to Dicamba in the Agricultural Health Study. Environmental Health Perspectives, 2006, 114, 1521-1526.	6.0	53
183	Pesticides associated with Wheeze among Commercial Pesticide Applicators in the Agricultural Health Study. American Journal of Epidemiology, 2006, 163, 1129-1137.	3.4	75
184	Pesticide Exposure and Timing of Menopause. American Journal of Epidemiology, 2006, 163, 731-742.	3.4	48
185	Causes of mortality and risk factors for injury mortality among children in the agricultural health study. Journal of Agromedicine, 2006, 11, 47-59.	1.5	1
186	Organophosphate Pesticide Exposure in Farmworker Family Members in Western North Carolina and Virginia: Case Comparisons. Human Organization, 2005, 64, 40-51.	0.3	55
187	Factor analysis of pesticide use patterns among pesticide applicators in the Agricultural Health Study. Journal of Exposure Science and Environmental Epidemiology, 2005, 15, 225-233.	3.9	17
188	Feasibility of Using Subject-Collected Dust Samples in Epidemiologic and Clinical Studies of Indoor Allergens. Environmental Health Perspectives, 2005, 113, 665-669.	6.0	30
189	Pesticides and Neurologic Symptoms: Kamel et al. Respond. Environmental Health Perspectives, 2005, 113, A800; author reply A800-1.	6.0	0
190	Glyphosate Results Revisited: De Roos et al. Respond. Environmental Health Perspectives, 2005, 113, .	6.0	2
191	Neurologic Symptoms in Licensed Private Pesticide Applicators in the Agricultural Health Study. Environmental Health Perspectives, 2005, $113,877-882$.	6.0	121
192	Occupational Exposure to Carbofuran and the Incidence of Cancer in the Agricultural Health Study. Environmental Health Perspectives, 2005, 113 , 285 - 289 .	6.0	73
193	Retinal Degeneration and Other Eye Disorders in Wives of Farmer Pesticide Applicators Enrolled in the Agricultural Health Study. American Journal of Epidemiology, 2005, 161, 1020-1029.	3.4	37
194	Cancer Incidence among Male Pesticide Applicators in the Agricultural Health Study Cohort Exposed to Diazinon. American Journal of Epidemiology, 2005, 162, 1070-1079.	3.4	107
195	Cancer Incidence among Glyphosate-Exposed Pesticide Applicators in the Agricultural Health Study. Environmental Health Perspectives, 2005, 113, 49-54.	6.0	213
196	Pesticide Use and Breast Cancer Risk among Farmers' Wives in the Agricultural Health Study. American Journal of Epidemiology, 2005, 161, 121-135.	3.4	147
197	Mortality among Participants in the Agricultural Health Study. Annals of Epidemiology, 2005, 15, 279-285.	1.9	94
198	Glyphosate Results Revisited: De Roos et al. Respond. Environmental Health Perspectives, 2005, 113, A366-A367.	6.0	7

#	Article	IF	Citations
199	Pesticides and Neurologic Symptoms: Kamel et al. Respond. Environmental Health Perspectives, 2005, 113, A800-A801.	6.0	0
200	Organophosphate Pesticide Exposure in Farmworker Family Members in Western North Carolina and Virginia: Case Comparisons. Human Organization, 2005, 64, 40-51.	0.3	5
201	Cancer incidence in the agricultural health study. Scandinavian Journal of Work, Environment and Health, 2005, 31 Suppl 1, 39-45; discussion 5-7.	3.4	56
202	Integrating exposure measurements into epidemiologic studies in agriculture. Scandinavian Journal of Work, Environment and Health, 2005, 31 Suppl 1, 115-7; discussion 63-5.	3.4	3
203	Phthalate exposure and pulmonary function Environmental Health Perspectives, 2004, 112, 571-574.	6.0	120
204	Agricultural and residential pesticides in wipe samples from farmworker family residences in North Carolina and Virginia Environmental Health Perspectives, 2004, 112, 382-387.	6.0	155
205	Association of Pesticide Exposure with Neurologic Dysfunction and Disease. Environmental Health Perspectives, 2004, 112, 950-958.	6.0	525
206	Cancer Incidence among Pesticide Applicators Exposed to Alachlor in the Agricultural Health Study. American Journal of Epidemiology, 2004, 159, 373-380.	3.4	137
207	Pesticides and Lung Cancer Risk in the Agricultural Health Study Cohort. American Journal of Epidemiology, 2004, 160, 876-885.	3.4	201
208	Diesel Exhaust, Solvents, and Other Occupational Exposures as Risk Factors for Wheeze among Farmers. American Journal of Respiratory and Critical Care Medicine, 2004, 169, 1308-1313.	5.6	44
209	Cancer Incidence Among Pesticide Applicators Exposed to Atrazine in the Agricultural Health Study. Journal of the National Cancer Institute, 2004, 96, 1375-1382.	6.3	139
210	Seed treatment and its implication for fungicide exposure assessment. Journal of Exposure Science and Environmental Epidemiology, 2004, 14, 195-203.	3.9	16
211	Cancer Incidence Among Pesticide Applicators Exposed to Chlorpyrifos in the Agricultural Health Study. Journal of the National Cancer Institute, 2004, 96, 1781-1789.	6.3	161
212	Health Effects of Chronic Pesticide Exposure: Cancer and Neurotoxicity. Annual Review of Public Health, 2004, 25, 155-197.	17.4	595
213	Reporting pesticide assessment results to farmworker families: development, implementation, and evaluation of a risk communication strategy Environmental Health Perspectives, 2004, 112, 636-642.	6.0	55
214	Pendimethalin exposure and cancer risk among pesticide applicators: a report from the U.Sbased agricultural health study. Annals of Epidemiology, 2004, 14, 608.	1.9	9
215	Patterns of Pesticide Use and Their Determinants Among Wives of Farmer Pesticide Applicators in the Agricultural Health Study. Journal of Occupational and Environmental Medicine, 2004, 46, 856-865.	1.7	24
216	Comparing Questionnaire-Based Methods to Assess Occupational Silica Exposure. Epidemiology, 2004, 15, 433-441.	2.7	35

#	Article	IF	CITATIONS
217	Cancer risk and parental pesticide application in children of Agricultural Health Study participants Environmental Health Perspectives, 2004, 112, 631-635.	6.0	128
218	Use of Agricultural Pesticides and Prostate Cancer Risk in the Agricultural Health Study Cohort. American Journal of Epidemiology, 2003, 157, 800-814.	3.4	345
219	Male reproductive effects of phthalates: an emerging picture. Epidemiology, 2003, 14, 259-60.	2.7	6
220	Chemical Predictors of Wheeze among Farmer Pesticide Applicators in the Agricultural Health Study. American Journal of Respiratory and Critical Care Medicine, 2002, 165, 683-689.	5. 6	197
221	A Quantitative Approach for Estimating Exposure to Pesticides in the Agricultural Health Study. Annals of Occupational Hygiene, 2002, 46, 245-60.	1.9	191
222	Potential for Selection Bias with Tumor Tissue Retrieval in Molecular Epidemiology Studies. Annals of Epidemiology, 2002, 12, 1-6.	1.9	58
223	Reproducibility of urinary phthalate metabolites in first morning urine samples Environmental Health Perspectives, 2002, 110, 515-518.	6.0	265
224	Occupational exposure to crystalline silica and risk of systemic lupus erythematosus: A population-based, case-control study in the Southeastern United States. Arthritis and Rheumatism, 2002, 46, 1840-1850.	6.7	176
225	Accuracy of self-reported pesticide use duration information from licensed pesticide applicators in the Agricultural Health Study. Journal of Exposure Science and Environmental Epidemiology, 2002, 12, 313-318.	3.9	142
226	Prevalence of exposure to solvents, metals, grain dust, and other hazards among farmers in the Agricultural Health Study. Journal of Exposure Science and Environmental Epidemiology, 2002, 12, 418-426.	3.9	48
227	AGRICULTURAL EXPOSURE HISTORY AMONG AFRICAN-AMERICAN FARMERS IN GEORGIA. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2001, 63, 237-241.	2.3	5
228	Occupational exposure to chlorophenol and the risk of nasal and nasopharyngeal cancers among U.S. men aged 30 to 60., 2000, 37, 532-541.		38
229	LETTERS TO THE EDITOR. Preventive Medicine, 2000, 30, 78.	3.4	0
230	A Conceptual Framework for the Interpretation of Biological Markers for Environmental Exposure Assessment. Human and Ecological Risk Assessment (HERA), 2000, 6, 711-725.	3.4	5
231	Patterns of genetic alterations in pancreatic cancer: A pooled analysis. , 1999, 33, 111-122.		15
232	Occupational Risk Factors for Sarcoma Subtypes. Epidemiology, 1999, 10, 300-306.	2.7	47
233	Use of a life events calendar approach to elicit occupational history from farmers. , 1998, 34, 470-476.		29
234	In Vivo Bone Lead Measurement in Suburban Teenagers. Pediatrics, 1997, 100, 365-370.	2.1	21

_ =	#	Article	lF	CITATIONS
:	235	Validation of a Self-Administered Lead Exposure Questionnaire among Suburban Teenagers. Environmental Research, 1997, 74, 1-10.	7.5	3