

# Ugur Gezer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1663283/publications.pdf>

Version: 2024-02-01

48  
papers

1,840  
citations

331670

21  
h-index

265206

42  
g-index

49  
all docs

49  
docs citations

49  
times ranked

3211  
citing authors

#	ARTICLE	IF	CITATIONS
1	Long non-coding RNAs with low expression levels in cells are enriched in secreted exosomes. <i>Cell Biology International</i> , 2014, 38, 1076-1079.	3.0	289
2	Investigation of miR-21, miR-141, and miR-221 in blood circulation of patients with prostate cancer. <i>Tumor Biology</i> , 2011, 32, 583-588.	1.8	287
3	Exosomal lncRNA-p21 levels may help to distinguish prostate cancer from benign disease. <i>Frontiers in Genetics</i> , 2015, 6, 168.	2.3	164
4	Investigation of circulating lncRNAs in B-cell neoplasms. <i>Clinica Chimica Acta</i> , 2014, 431, 255-259.	1.1	151
5	Differential expression of long non-coding RNAs during genotoxic stress-induced apoptosis in HeLa and MCF-7 cells. <i>Clinical and Experimental Medicine</i> , 2013, 13, 119-126.	3.6	89
6	Histone Methylation Marks on Circulating Nucleosomes as Novel Blood-Based Biomarker in Colorectal Cancer. <i>International Journal of Molecular Sciences</i> , 2015, 16, 29654-29662.	4.1	66
7	Do circulating long non-coding RNAs (lncRNAs) (lincRNA-p21, GAS 5, HOTAIR) predict the treatment response in patients with head and neck cancer treated with chemoradiotherapy?. <i>Tumor Biology</i> , 2016, 37, 3969-3978.	1.8	61
8	Blood-based biomarkers for diagnosis, prognosis and treatment of colorectal cancer. <i>Clinica Chimica Acta</i> , 2016, 455, 26-32.	1.1	59
9	Characterization of H3K9me3- and H4K20me3-associated circulating nucleosomal DNA by high-throughput sequencing in colorectal cancer. <i>Tumor Biology</i> , 2013, 34, 329-336.	1.8	57
10	Relevance of histone marks H3K9me3 and H4K20me3 in cancer. <i>Anticancer Research</i> , 2012, 32, 2199-205.	1.1	52
11	Post-treatment circulating plasma BMP6 mRNA and H3K27 methylation levels discriminate metastatic prostate cancer from localized disease. <i>Clinica Chimica Acta</i> , 2010, 411, 1452-1456.	1.1	49
12	Circulating fragmented nucleosomal DNA and caspase-3 mRNA in patients with lymphoma and myeloma. <i>Experimental and Molecular Pathology</i> , 2006, 80, 72-76.	2.1	48
13	MicroRNA Expression Profiles in Papillary Thyroid Carcinoma, Benign Thyroid Nodules and Healthy Controls. <i>Journal of Cancer</i> , 2016, 7, 803-809.	2.5	46
14	Diagnostic and prognostic value of circulating lncRNA H19 in gastric cancer. <i>Biomedical Reports</i> , 2018, 9, 181-186.	2.0	41
15	Sequence-Specific Histone Methylation Is Detectable on Circulating Nucleosomes in Plasma. <i>Clinical Chemistry</i> , 2008, 54, 1125-1131.	3.2	39
16	Post-translational histone modifications in circulating nucleosomes as new biomarkers in colorectal cancer. <i>In Vivo</i> , 2014, 28, 287-92.	1.3	31
17	Genotyping of the MTHFR Gene Polymorphism, C677T in Patients with Leukemia by Melting Curve Analysis. <i>Molecular Diagnosis and Therapy</i> , 2003, 7, 181-185.	1.1	27
18	Effect of Adjuvant Chemotherapy on Integrity of Free Serum DNA in Patients with Breast Cancer. <i>Annals of the New York Academy of Sciences</i> , 2008, 1137, 175-179.	3.8	25

#	ARTICLE	IF	CITATIONS
19	Increased DNA integrity in colorectal cancer. <i>In Vivo</i> , 2014, 28, 299-303.	1.3	25
20	Abundant circulating microRNAs in breast cancer patients fluctuate considerably during neoadjuvant chemotherapy. <i>Oncology Letters</i> , 2014, 8, 845-848.	1.8	24
21	Accumulation of GAS5 in exosomes is a marker of apoptosis induction. <i>Biomedical Reports</i> , 2017, 6, 358-362.	2.0	23
22	Assessment of circulating serum DNA integrity in colorectal cancer patients. <i>Anticancer Research</i> , 2015, 35, 2435-40.	1.1	21
23	Circulating lncRNA H19 may be a useful marker of response to neoadjuvant chemotherapy in breast cancer. <i>Cancer Biomarkers</i> , 2019, 27, 11-17.	1.7	19
24	Correlation of histone methyl marks with circulating nucleosomes in blood plasma of cancer patients. <i>Oncology Letters</i> , 2012, 3, 1095-1098.	1.8	17
25	Analysis of circulating microRNAs during adjuvant chemotherapy in patients with luminal A breast cancer. <i>Molecular and Clinical Oncology</i> , 2015, 3, 954-958.	1.0	15
26	Induction of p53-inducible microRNA miR-34 by gamma radiation and bleomycin are different. <i>Frontiers in Genetics</i> , 2012, 3, 220.	2.3	14
27	Androgen Stimulation of PCA3 and miR-141 and Their Release from Prostate Cancer Cells. <i>Cell Journal</i> , 2015, 16, 488-93.	0.2	13
28	Methylation of the INK4A/ARF locus in blood mononuclear cells. <i>Annals of Hematology</i> , 2006, 85, 102-107.	1.8	12
29	miR-141 and miR-375 induction and release are different from PSA mRNA and PCA3 upon androgen stimulation of LNCaP cells. <i>Biomedical Reports</i> , 2013, 1, 802-806.	2.0	11
30	PCA3 Silencing Sensitizes Prostate Cancer Cells to Enzalutamide-mediated Androgen Receptor Blockade. <i>Anticancer Research</i> , 2017, 37, 3631-3637.	1.1	10
31	The Utility of Repetitive Cell-Free DNA in Cancer Liquid Biopsies. <i>Diagnostics</i> , 2022, 12, 1363.	2.6	9
32	MTHFR C677 T gene polymorphism in lymphoproliferative diseases. <i>Journal of Clinical Laboratory Analysis</i> , 2006, 20, 37-41.	2.1	8
33	Plasma Histone H4 and H4K20 Trimethylation Levels Differ Between Colon Cancer and Precancerous Polyps. <i>In Vivo</i> , 2019, 33, 1653-1658.	1.3	8
34	Detection of serum protein and circulating mRNA of cMET, HGF EGF and EGFR levels in lung cancer patients to guide individualized therapy. <i>Cancer Biomarkers</i> , 2019, 25, 177-184.	1.7	7
35	Satellite 2 repeat DNA in blood plasma as a candidate biomarker for the detection of cancer. <i>Clinica Chimica Acta</i> , 2021, 514, 74-79.	1.1	5
36	Potential of circulating nucleosome-associated histone modifications in cancer. <i>Translational Cancer Research</i> , 2018, 7, S185-S191.	1.0	5

#	ARTICLE	IF	CITATIONS
37	Expression of the TRAIL receptors in blood mononuclear cells in leukemia. Pathology and Oncology Research, 2007, 13, 290-294.	1.9	4
38	Impact of histone methyltransferase SUV420H2 in breast cancer. Biomedical Reports, 2020, 13, 29.	2.0	4
39	Global quantification of heterochromatin-associated histone methylations in cell lines with differential sensitivity to ionizing radiation. Acta Biochimica Polonica, 2015, 62, 173-176.	0.5	1
40	Neoadjuvant volumetric modulated arc therapy in rectal cancer and the correlation of pathological response with diffusion-weighted MRI and apoptotic markers. Tumori, 2018, 104, 266-272.	1.1	1
41	Fragmentation Analysis of Plasma DNA Reveals Its Prognostic Value in Gastric Cancer. , 2021, 32, 720-726.		1
42	Is there a correlation between serum Epstein-Barr virus DNA level and tumor metabolic activity, TNM staging and tumor load in nasopharyngeal cancer patients?. Journal of Clinical Oncology, 2017, 35, e17543-e17543.	1.6	1
43	GAS5 oligonucleotides as therapeutic agents in breast cancer. Translational Cancer Research, 2016, 5, S567-S568.	1.0	1
44	Neoadjuvant Volumetric Modulated Arc Therapy Simultaneous Integrated Boost (SIB-VMAT) With Concurrent Chemotherapy in Rectal Adenocarcinomas and the Correlation of Pathological Response With Diffusion-Weighted MRI and Apoptotic Markers. International Journal of Radiation Oncology Biology Physics, 2015, 93, E128.	0.8	0
45	Detection of histone methylation on circulating nucleosomes in blood plasma. Journal of Clinical Oncology, 2008, 26, 14590-14590.	1.6	0
46	Abstract P4-07-08: The predictive and prognostic role of tumoral miRNA expression levels in patients with breast cancer (BC) treated with neoadjuvant chemotherapy (NAC). , 2013, , .		0
47	Treatment response and prognosis according to pre and post treatment Epstein-Barr virus DNA level in nasopharyngeal carcinoma patients.. Journal of Clinical Oncology, 2017, 35, e17544-e17544.	1.6	0
48	Histon ELISA ve Nicel PCR Testlerinin BirleÅtirilerek Histon Metilasyonu ile ÅliÅkili DolaÅımdaki DNAâ€™nı Åzölasyonu ve Ålmesi. NamÅk Kemal Tıp Dergisi, 2022, 10, 24-28.	0.0	0