
Ugur Gezer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1663283/publications.pdf Version: 2024-02-01



LICUD GEZED

#	Article	IF	CITATIONS
1	Histon ELISA ve Nicel PCR Testlerinin BirleÅŸtirilerek Histon Metilasyonu ile İliÅŸkili Dolaşımdaki DNA'nÄ İzolasyonu ve Ölçülmesi. Namık Kemal Tıp Dergisi, 2022, 10, 24-28.	±ŋ 0.0	0
2	The Utility of Repetitive Cell-Free DNA in Cancer Liquid Biopsies. Diagnostics, 2022, 12, 1363.	2.6	9
3	Satellite 2 repeat DNA in blood plasma as a candidate biomarker for the detection of cancer. Clinica Chimica Acta, 2021, 514, 74-79.	1.1	5
4	Fragmentation Analysis of Plasma DNA Reveals Its Prognostic Value in Gastric Cancer. , 2021, 32, 720-726.		1
5	Impact of histone methyltransferase SUV420H2 in breast cancer. Biomedical Reports, 2020, 13, 29.	2.0	4
6	Circulating IncRNA H19 may be a useful marker of response to neoadjuvant chemotherapy in breast cancer. Cancer Biomarkers, 2019, 27, 11-17.	1.7	19
7	Plasma Histone H4 and H4K20 Trimethylation Levels Differ Between Colon Cancer and Precancerous Polyps. In Vivo, 2019, 33, 1653-1658.	1.3	8
8	Detection of serum protein and circulating mRNA of cMET, HGF EGF and EGFR levels in lung cancer patients to guide individualized therapy. Cancer Biomarkers, 2019, 25, 177-184.	1.7	7
9	Neoadjuvant volumetric modulated arc therapy in rectal cancer and the correlation of pathological response with diffusion-weighted MRI and apoptotic markers. Tumori, 2018, 104, 266-272.	1.1	1
10	Diagnostic and prognostic value of circulating lncRNA H19 in gastric cancer. Biomedical Reports, 2018, 9, 181-186.	2.0	41
11	Potential of circulating nucleosome-associated histone modifications in cancer. Translational Cancer Research, 2018, 7, S185-S191.	1.0	5
12	Accumulation of GAS5 in exosomes is a marker of apoptosis induction. Biomedical Reports, 2017, 6, 358-362.	2.0	23
13	ls there a correlation between serum Epstein-Barr virus DNA level and tumor metabolic activity, TNM staging and tumor load in nasopharyngeal cancer patients?. Journal of Clinical Oncology, 2017, 35, e17543-e17543.	1.6	1
14	Treatment response and prognosis according to pre and post treatment Ebstein-Barr virus DNA level in nasopharyngeal carcinoma patients Journal of Clinical Oncology, 2017, 35, e17544-e17544.	1.6	0
15	PCA3 Silencing Sensitizes Prostate Cancer Cells to Enzalutamide-mediated Androgen Receptor Blockade. Anticancer Research, 2017, 37, 3631-3637.	1.1	10
16	MicroRNA Expression Profiles in Papillary Thyroid Carcinoma, Benign Thyroid Nodules and Healthy Controls. Journal of Cancer, 2016, 7, 803-809.	2.5	46
17	Blood-based biomarkers for diagnosis, prognosis and treatment of colorectal cancer. Clinica Chimica Acta, 2016, 455, 26-32.	1.1	59
18	Do circulating long non-coding RNAs (IncRNAs) (LincRNA-p21, GAS 5, HOTAIR) predict the treatment response in patients with head and neck cancer treated with chemoradiotherapy?. Tumor Biology, 2016, 37, 3969-3978.	1.8	61

Ugur Gezer

#	Article	IF	CITATIONS
19	GAS5 oligonucleotides as therapeutic agents in breast cancer. Translational Cancer Research, 2016, 5, S567-S568.	1.0	1
20	Histone Methylation Marks on Circulating Nucleosomes as Novel Blood-Based Biomarker in Colorectal Cancer. International Journal of Molecular Sciences, 2015, 16, 29654-29662.	4.1	66
21	Global quantification of heterochromatin-associated histone methylations in cell lines with differential sensitivity to ionizing radiation. Acta Biochimica Polonica, 2015, 62, 173-176.	0.5	1
22	Analysis of circulating microRNAs during adjuvant chemotherapy in patients with luminal A breast cancer. Molecular and Clinical Oncology, 2015, 3, 954-958.	1.0	15
23	Exosomal lncRNA-p21 levels may help to distinguish prostate cancer from benign disease. Frontiers in Genetics, 2015, 6, 168.	2.3	164
24	Neoadjuvant Volumetric Modulated Arc Therapy Simultaneous Integrated Boost (SIB-VMAT) With Concurrent Chemotherapy in Rectal Adenocarcinomas and the Correlation of Pathological Response With Diffusion-Weighted MRI and Apoptotic Markers. International Journal of Radiation Oncology Biology Physics, 2015, 93, E128.	0.8	0
25	Androgen Stimulation of PCA3 and miR-141 and Their Release from Prostate Cancer Cells. Cell Journal, 2015, 16, 488-93.	0.2	13
26	Assessment of circulating serum DNA integrity in colorectal cancer patients. Anticancer Research, 2015, 35, 2435-40.	1.1	21
27	Long nonâ€coding RNAs with low expression levels in cells are enriched in secreted exosomes. Cell Biology International, 2014, 38, 1076-1079.	3.0	289
28	Investigation of circulating IncRNAs in B-cell neoplasms. Clinica Chimica Acta, 2014, 431, 255-259.	1.1	151
29	Abundant circulating microRNAs in breast cancer patients fluctuate considerably during neoadjuvant chemotherapy. Oncology Letters, 2014, 8, 845-848.	1.8	24
30	Post-translational histone modifications in circulating nucleosomes as new biomarkers in colorectal cancer. In Vivo, 2014, 28, 287-92.	1.3	31
31	Increased DNA integrity in colorectal cancer. In Vivo, 2014, 28, 299-303.	1.3	25
32	Characterization of H3K9me3- and H4K20me3-associated circulating nucleosomal DNA by high-throughput sequencing in colorectal cancer. Tumor Biology, 2013, 34, 329-336.	1.8	57
33	Differential expression of long non-coding RNAs during genotoxic stress-induced apoptosis in HeLa and MCF-7 cells. Clinical and Experimental Medicine, 2013, 13, 119-126.	3.6	89
34	miR-141 and miR-375 induction and release are different from PSA mRNA and PCA3 upon androgen stimulation of LNCaP cells. Biomedical Reports, 2013, 1, 802-806.	2.0	11
35	Abstract P4-07-08: The predictive and prognostic role of tumoral miRNA expression levels in patients with breast cancer (BC) treated with neoadjuvant chemotherapy (NAC). , 2013, , .		0
36	Correlation of histone methyl marks with circulating nucleosomes in blood plasma of cancer patients. Oncology Letters, 2012, 3, 1095-1098.	1.8	17

Ugur Gezer

#	Article	IF	CITATIONS
37	Induction of p53-inducible microRNA miR-34 by gamma radiation and bleomycin are different. Frontiers in Genetics, 2012, 3, 220.	2.3	14
38	Relevance of histone marks H3K9me3 and H4K20me3 in cancer. Anticancer Research, 2012, 32, 2199-205.	1.1	52
39	Investigation of miR-21, miR-141, and miR-221 in blood circulation of patients with prostate cancer. Tumor Biology, 2011, 32, 583-588.	1.8	287
40	Post-treatment circulating plasma BMP6 mRNA and H3K27 methylation levels discriminate metastatic prostate cancer from localized disease. Clinica Chimica Acta, 2010, 411, 1452-1456.	1.1	49
41	Effect of Adjuvant Chemotherapy on Integrity of Free Serum DNA in Patients with Breast Cancer. Annals of the New York Academy of Sciences, 2008, 1137, 175-179.	3.8	25
42	Sequence-Specific Histone Methylation Is Detectable on Circulating Nucleosomes in Plasma. Clinical Chemistry, 2008, 54, 1125-1131.	3.2	39
43	Detection of histone methylation on circulating nucleosomes in blood plasma. Journal of Clinical Oncology, 2008, 26, 14590-14590.	1.6	0
44	Expression of the TRAIL receptors in blood mononuclear cells in leukemia. Pathology and Oncology Research, 2007, 13, 290-294.	1.9	4
45	Methylation of the INK4A/ARF locus in blood mononuclear cells. Annals of Hematology, 2006, 85, 102-107.	1.8	12
46	Circulating fragmented nucleosomal DNA and caspase-3 mRNA in patients with lymphoma and myeloma. Experimental and Molecular Pathology, 2006, 80, 72-76.	2.1	48
47	MTHFR C677 T gene polymorphism in lymphoproliferative diseases. Journal of Clinical Laboratory Analysis, 2006, 20, 37-41.	2.1	8
48	Genotyping of the MTHFR Gene Polymorphism, C677T in Patients with Leukemia by Melting Curve Analysis. Molecular Diagnosis and Therapy, 2003, 7, 181-185.	1.1	27