Larraitz Arriola

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1671061/publications.pdf

Version: 2024-02-01

36303 58581 7,609 82 51 82 citations h-index g-index papers 82 82 82 14797 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Risk thresholds for alcohol consumption: combined analysis of individual-participant data for 599â€^912 current drinkers in 83 prospective studies. Lancet, The, 2018, 391, 1513-1523.	13.7	858
2	Physical activity and all-cause mortality across levels of overall and abdominal adiposity in European men and women: the European Prospective Investigation into Cancer and Nutrition Study (EPIC). American Journal of Clinical Nutrition, 2015, 101, 613-621.	4.7	284
3	Twenty-year trends in the prevalence of Down syndrome and other trisomies in Europe: impact of maternal age and prenatal screening. European Journal of Human Genetics, 2013, 21, 27-33.	2.8	282
4	Adherence to the Mediterranean Diet and Risk of Coronary Heart Disease in the Spanish EPIC Cohort Study. American Journal of Epidemiology, 2009, 170, 1518-1529.	3.4	272
5	Epidemiology of congenital diaphragmatic hernia in Europe: a register-based study. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2015, 100, F137-F144.	2.8	229
6	Reproductive risk factors and endometrial cancer: the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2010, 127, 442-451.	5.1	223
7	Separate and combined associations of obesity and metabolic health with coronary heart disease: a pan-European case-cohort analysis. European Heart Journal, 2018, 39, 397-406.	2.2	209
8	Validity of a short questionnaire to assess physical activity in 10 European countries. European Journal of Epidemiology, 2012, 27, 15-25.	5.7	185
9	The amount and type of dairy product intake and incident type 2 diabetes: results from the EPIC-InterAct Study. American Journal of Clinical Nutrition, 2012, 96, 382-390.	4.7	183
10	Gene-Lifestyle Interaction and Type 2 Diabetes: The EPIC InterAct Case-Cohort Study. PLoS Medicine, 2014, 11, e1001647.	8.4	180
11	Long term trends in prevalence of neural tube defects in Europe: population based study. BMJ, The, 2015, 351, h5949.	6.0	180
12	Common Genetic Variants Highlight the Role of Insulin Resistance and Body Fat Distribution in Type 2 Diabetes, Independent of Obesity. Diabetes, 2014, 63, 4378-4387.	0.6	153
13	Long-Term Risk of Incident Type 2 Diabetes and Measures of Overall and Regional Obesity: The EPIC-InterAct Case-Cohort Study. PLoS Medicine, 2012, 9, e1001230.	8.4	147
14	Prediagnostic body fat and risk of death from amyotrophic lateral sclerosis. Neurology, 2013, 80, 829-838.	1.1	138
15	Olive oil intake and mortality within the Spanish population (EPIC-Spain). American Journal of Clinical Nutrition, 2012, 96, 142-149.	4.7	137
16	Adherence to the Mediterranean diet reduces mortality in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). British Journal of Nutrition, 2011, 106, 1581-1591.	2.3	130
17	Lower educational level is a predictor of incident type 2 diabetes in European countries: The EPIC-InterAct study. International Journal of Epidemiology, 2012, 41, 1162-1173.	1.9	127
18	Plasma and dietary vitamin C levels and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). Carcinogenesis, 2006, 27, 2250-2257.	2.8	123

#	Article	IF	CITATIONS
19	Estimating Global Burden of Disease due to congenital anomaly: an analysis of European data. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2018, 103, F22-F28.	2.8	122
20	Prevalence, prenatal diagnosis and clinical features of oculo-auriculo-vertebral spectrum: a registry-based study in Europea. European Journal of Human Genetics, 2014, 22, 1026-1033.	2.8	118
21	The association of pattern of lifetime alcohol use and cause of death in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. International Journal of Epidemiology, 2013, 42, 1772-1790.	1.9	117
22	Social Inequalities and Mortality in Europe – Results from a Large Multi-National Cohort. PLoS ONE, 2012, 7, e39013.	2.5	113
23	Physical activity and gain in abdominal adiposity and body weight: prospective cohort study in 288,498 men and women. American Journal of Clinical Nutrition, 2011, 93, 826-835.	4.7	112
24	Smoking and risk for amyotrophic lateral sclerosis: Analysis of the EPIC cohort. Annals of Neurology, 2009, 65, 378-385.	5.3	111
25	Paper 6: EUROCAT member registries: Organization and activities. Birth Defects Research Part A: Clinical and Molecular Teratology, 2011, 91, S51-S100.	1.6	107
26	Trends in congenital anomalies in Europe from 1980 to 2012. PLoS ONE, 2018, 13, e0194986.	2.5	106
27	Consumption of Meat, Fish, Dairy Products, and Eggs and Risk of Ischemic Heart Disease. Circulation, 2019, 139, 2835-2845.	1.6	103
28	A genomic approach to therapeutic target validation identifies a glucose-lowering <i>GLP1R</i> variant protective for coronary heart disease. Science Translational Medicine, 2016, 8, 341ra76.	12.4	100
29	A Mendelian Randomization Study of Circulating Uric Acid and Type 2 Diabetes. Diabetes, 2015, 64, 3028-3036.	0.6	98
30	Spectrum of congenital anomalies in pregnancies with pregestational diabetes. Birth Defects Research Part A: Clinical and Molecular Teratology, 2012, 94, 134-140.	1.6	97
31	A Risk Model for Lung Cancer Incidence. Cancer Prevention Research, 2012, 5, 834-846.	1.5	93
32	Socioeconomic position and the risk of gastric and oesophageal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). International Journal of Epidemiology, 2007, 36, 66-76.	1.9	81
33	Lifetime alcohol use and overall and cause-specific mortality in the European Prospective Investigation into Cancer and nutrition (EPIC) study. BMJ Open, 2014, 4, e005245-e005245.	1.9	81
34	Associations Between General and Abdominal Adiposity and Mortality in Individuals With Diabetes Mellitus. American Journal of Epidemiology, 2011, 174, 22-34.	3.4	78
35	Diabetes mellitus and risk of prostate cancer in the EuropeanProspectiveInvestigation into Cancer and Nutrition. International Journal of Cancer, 2015, 136, 372-381.	5.1	72
36	The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. American Journal of Clinical Nutrition, 2012, 95, 1445-1453.	4.7	71

#	Article	IF	Citations
37	Alcohol intake in relation to non-fatal and fatal coronary heart disease and stroke: EPIC-CVD case-cohort study. BMJ: British Medical Journal, 2018, 361, k934.	2.3	70
38	Consumption of fried foods and risk of coronary heart disease: Spanish cohort of the European Prospective Investigation into Cancer and Nutrition study. BMJ: British Medical Journal, 2012, 344, e363-e363.	2.3	69
39	Anthropometric measures and epithelial ovarian cancer risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2010, 126, 2404-2415.	5.1	68
40	Congenital anomalies associated with trisomy 18 or trisomy 13: A registryâ€based study in 16 european countries, 2000–2011. American Journal of Medical Genetics, Part A, 2015, 167, 3062-3069.	1.2	68
41	Selective serotonin reuptake inhibitor antidepressant use in first trimester pregnancy and risk of specific congenital anomalies: a European register-based study. European Journal of Epidemiology, 2015, 30, 1187-1198.	5.7	67
42	Association of Multiple Biomarkers of Iron Metabolism and Type 2 Diabetes: The EPIC-InterAct Study. Diabetes Care, 2016, 39, 572-581.	8.6	65
43	Epidemiology of multiple congenital anomalies in Europe: A EUROCAT populationâ€based registry study. Birth Defects Research Part A: Clinical and Molecular Teratology, 2014, 100, 270-276.	1.6	64
44	Lamotrigine use in pregnancy and risk of orofacial cleft and other congenital anomalies. Neurology, 2016, 86, 1716-1725.	1.1	59
45	Parity, breastfeeding and risk of coronary heart disease: A pan-European case–cohort study. European Journal of Preventive Cardiology, 2016, 23, 1755-1765.	1.8	58
46	Prospective study of physical activity and risk of primary adenocarcinomas of the oesophagus and stomach in the EPIC (European Prospective Investigation into Cancer and nutrition) cohort. Cancer Causes and Control, 2010, 21, 657-669.	1.8	57
47	Smoking and Long-Term Risk of Type 2 Diabetes: The EPIC-InterAct Study in European Populations. Diabetes Care, 2014, 37, 3164-3171.	8.6	57
48	Major congenital anomalies in babies born with Down syndrome: A EUROCAT populationâ€based registry study. American Journal of Medical Genetics, Part A, 2014, 164, 2979-2986.	1.2	57
49	Prevalence of microcephaly in Europe: population based study. BMJ, The, 2016, 354, i4721.	6.0	57
50	Validity of self-reported prevalent cases of stroke and acute myocardial infarction in the Spanish cohort of the EPIC study. Journal of Epidemiology and Community Health, 2013, 67, 71-75.	3.7	56
51	Genetic variation in alcohol dehydrogenase (ADH1A, ADH1B, ADH1C, ADH7) and aldehyde dehydrogenase (ALDH2), alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Carcinogenesis, 2012, 33, 361-367.	2.8	55
52	Lifestyle factors and mortality risk in individuals with diabetes mellitus: are the associations different from those in individuals without diabetes?. Diabetologia, 2014, 57, 63-72.	6.3	54
53	Hirschsprung's disease prevalence in Europe: A register based study. Birth Defects Research Part A: Clinical and Molecular Teratology, 2014, 100, 695-702.	1.6	52
54	Physical activity and risk of Amyotrophic Lateral Sclerosis in a prospective cohort study. European Journal of Epidemiology, 2016, 31, 255-266.	5.7	49

#	Article	lF	Citations
55	Ethanol intake and the risk of pancreatic cancer in the European prospective investigation into cancer and nutrition (EPIC). Cancer Causes and Control, 2009, 20, 785-794.	1.8	48
56	Fraser Syndrome: Epidemiological Study in a European Population. American Journal of Medical Genetics, Part A, 2013, 161, 1012-1018.	1.2	46
57	Holt Oram syndrome: a registry-based study in Europe. Orphanet Journal of Rare Diseases, 2014, 9, 156.	2.7	45
58	Identification and molecular characterization of Cryptosporidium and Giardia in children and cattle populations from the province of Ãlava, North of Spain. Science of the Total Environment, 2011, 412-413, 101-108.	8.0	41
59	Recent Decrease in the Prevalence of Congenital Heart Defects in Europe. Journal of Pediatrics, 2013, 162, 108-113.e2.	1.8	39
60	The changing epidemiology of Ebstein's anomaly and its relationship with maternal mental health conditions: a European registry-based study. Cardiology in the Young, 2017, 27, 677-685.	0.8	39
61	Physical Activity and Risk of Cerebrovascular Disease in the European Prospective Investigation Into Cancer and Nutrition-Spain Study. Stroke, 2013, 44, 111-118.	2.0	38
62	Second-hand Smoke, Cotinine Levels, and Risk of Circulatory Mortality in a Large Cohort Study of Never-Smokers. Epidemiology, 2010, 21, 207-214.	2.7	35
63	Risk of type 2 diabetes according to traditional and emerging anthropometric indices in Spain, a Mediterranean country with high prevalence of obesity: results from a large-scale prospective cohort study. BMC Endocrine Disorders, 2013, 13, 7.	2.2	34
64	Alcohol consumption and the risk of renal cancers in the <scp>E</scp> uropean prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2015, 137, 1953-1966.	5.1	32
65	Association between different obesity measures and the risk of stroke in the EPIC Spanish cohort. European Journal of Nutrition, 2015, 54, 365-375.	3.9	32
66	Work, household, and leisure-time physical activity and risk of mortality in the EPIC-Spain cohort. Preventive Medicine, 2016, 85, 106-112.	3.4	32
67	Saturated fat intake and alcohol consumption modulate the association between the APOE polymorphism and risk of future coronary heart disease: a nested case-control study in the Spanish EPIC cohort. Journal of Nutritional Biochemistry, 2011, 22, 487-494.	4.2	27
68	Estimated Substitution of Tea or Coffee for Sugar-Sweetened Beverages Was Associated with Lower Type 2 Diabetes Incidence in Case–Cohort Analysis across 8 European Countries in the EPIC-InterAct Study. Journal of Nutrition, 2019, 149, 1985-1993.	2.9	24
69	Prenatal diagnosis and epidemiology of multicystic kidney dysplasia in Europe. Prenatal Diagnosis, 2014, 34, 1093-1098.	2.3	21
70	The association of substituting carbohydrates with total fat and different types of fatty acids with mortality and weight change among diabetes patients. Clinical Nutrition, 2016, 35, 1096-1102.	5.0	21
71	Common cholesteryl ester transfer protein gene variation related to high-density lipoprotein cholesterol is not associated with decreased coronary heart disease risk after a 10-year follow-up in a Mediterranean cohort: Modulation by alcohol consumption. Atherosclerosis, 2010, 211, 531-538.	0.8	20
72	Single-nucleotide polymorphisms (5p15.33, 15q25.1, 6p22.1, 6q27 and 7p15.3) and lung cancer survival in the European Prospective Investigation into Cancer and Nutrition (EPIC). Mutagenesis, 2011, 26, 657-666.	2.6	20

#	Article	IF	CITATIONS
73	Crossâ€sectional associations of objectively measured physical activity, cardiorespiratory fitness and anthropometry in European adults. Obesity, 2014, 22, E127-34.	3.0	20
74	Alcohol drinking and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. Annals of Epidemiology, 2013, 23, 93-98.	1.9	18
75	No association between fish consumption and risk of stroke in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain): a 13\^A -8-year follow-up study. Public Health Nutrition, 2016, 19, 674-681.	2.2	15
76	Seasonality of congenital anomalies in Europe. Birth Defects Research Part A: Clinical and Molecular Teratology, 2014, 100, 260-269.	1.6	14
77	Association of alcohol dehydrogenase polymorphisms and lifeâ€style factors with excessive alcohol intake within the ⟨scp⟩S⟨/scp⟩panish population (⟨scp⟩EPIC⟨/scp⟩â€∢scp⟩S⟨/scp⟩pain). Addiction, 2012, 107, 2117-2127.	3.3	11
78	HbA1c Measured in Stored Erythrocytes Is Positively Linearly Associated with Mortality in Individuals with Diabetes Mellitus. PLoS ONE, 2012, 7, e38877.	2.5	11
79	Alcohol consumption and mortality in individuals with diabetes mellitus. British Journal of Nutrition, 2012, 108, 1307-1315.	2.3	8
80	Life-course social position, obesity and diabetes risk in the EPIC-Spain Cohort. European Journal of Public Health, 2016, 26, 439-445.	0.3	7
81	Unfavourable life-course social gradient of coronary heart disease within Spain: a low-incidence welfare-state country. International Journal of Public Health, 2013, 58, 65-77.	2.3	6
82	Use of hierarchical models to analyze European trends in congenital anomaly prevalence. Birth Defects Research Part A: Clinical and Molecular Teratology, 2016, 106, 480-488.	1.6	3